

# Literaturverzeichnis

- Airy, G. B. (1855). On the computation of the effect of the attraction of mountain-masses as disturbing the apparent astronomical latitude of stations of geodetic surveys. *Philos. Trans. R. Soc. London*, **145**, 101–104.
- Alpine Explosion Seismology Group, Reporter: H. Miller (1976). A lithospheric seismic profile along the axis of the Alps, 1975 - First Results. *Pageophys.*, **114**, 1109–1130.
- Andewegh, B. und Cloetingh, S. (1998). Flexure and “unflexure” of the North Alpine German-Austrian molasse basin: constraints from forward tectonic modelling. In C. Mascle, C. Puidgefabregas, H. P. Luterbacher, und M. Fernandez, editors, *Cenozoic foreland basins in western europe*, Band 134 von *Geological Society Special Publications*, Seiten 403–422.
- Armstrong, G. D. und Watts, A. B. (2001). Spatial variations in  $T_e$  in the southern Appalachians, eastern United States. *J. Geophys. Res.*, **106**, **B10**, 22009–22026.
- Babuška, V., Plomerová, J., und Granet, M. (1990). The deep lithosphere in the Alps: a model inferred from P residuals. *Tectonophysics*, **176**, 137–165.
- Bachmann, G. H. und Müller, M. (1981). Geologie der Tiefbohrung Vorderriß 1 (Kalkalpen Bayern). *Geol. Bavarica*, **81**, 17–53.
- Banks, R. J., Parker, R. L., und Huestis, S. P. (1977). Isostatic compensation on a continental scale: local versus regional mechanisms. *Geophys. J. Royal. Astr. Society*, **51**, 431–452.
- Banks, R. J., Franccis, S. C., und Hipkin, R. G. (2001). Effects of loads in the upper crust on estimates of the elastic thickness of the lithosphere. *Geophys. J. Int.*, **145**, **1**, 291–299.
- Baranov, W. (1975). *Potential fields and their transformations in applied geophysics*. Gebr. Bornträger, Berlin/Stuttgart.
- Barrell, J. (1914). The strength of the Earth's crust, 8, Physical conditions controlling the nature of the lithosphere and asthenosphere. *J. Geol.*, **22**, 425–433.
- Behle, A., Ehrismann, W., Makris, J., Morelli, C., und Rosenbach, O. (1972). Gravimetrische Untersuchungen in den Ostalpen I (Meßgebiet Mittenwald-Innsbruck-Verona). *Zeitschrift für Geophysik*, **38**, 45–74.
- Berthelsen, A., Burrolet, P., Dal Piaz, G. V., Franke, W., und Trümpy, R. (1992). Tectonics. In D. Blundell, R. Freeman, und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*. Cambridge University Press, London.

- Blakely, R. J. (1996). *Potential Theory in Gravity and Magnetic Applications*. Cambridge University Press, Cambridge.
- Bleibinhaus, F. und TRANSALP Working Group (2001). Velocity structure in the Eastern Alps along the TRANSALP profile. *Geophysical Research Abstracts*, **3**, 620.
- Blundell, D., Freeman, R., und Mueller, S., editors (1992). *A continent revealed - the European Geotraverse*. University Press, Cambridge.
- Bögel, H. und Schmidt, K. (1976). *Kleine Geologie der Ostalpen*. Ott Verlag, Thun.
- Braitenberg, C. und Zadro, M. (1999). Iterative 3D gravity inversion with integration of seismic data. *Bolletino di Geofisica Teorica ed Applicata*, **40,3-4**, 469–475.
- Braitenberg, C., Pettenati, F., und Zadro, M. (1997a). Spectral and classical methods in the evaluation of Moho undulations from gravity data: the NE Italian Alps and isostasy. *Journal of Geodynamics*, **23**, 5–22.
- Braitenberg, C., Pettenati, F., und Zadro, M. (1997b). Spectral and classical methods in the evaluation of Moho undulations from gravity data: the NE-Italian Alps and isostasy. *Journal of Geodynamics*, **23**, 5–22.
- Braitenberg, C., Ebbing, J., und Götze, H.-J. (2002). Inverse modeling of elastic thickness by convolution method - the eastern Alps as a case example. *EPSL*, **in press**.
- Breunig, M., Cremers, A. B., Gtze, H.-J., Schmidt, S., Seidemann, R., Shumilov, S., und Siehl, A. (2000). Geological Mapping based on 3D models using an Interoperable GIS. Geo-Information-System. *Journal for Spatial Information and Decision Making*, **13**, 12–18.
- Buness, H. (1992). Krustale Kollisionsstrukturen an den Rändern der nordwestlichen Adriaplatte. Berliner Geowissenschaftlichen Abhandlungen (B) Bd. 18, Freie Universität Berlin.
- Burov, E. und Diament, M. (1995). The effective elastic thickness ( $T_e$ ) of continental lithosphere: What does it really mean? *J. Geophys. Res.*, **100(B3)**, 3905–3927.
- Castelarin, A., Dal Piaz, G. V., Battista Vai, G., und TRANSALP Working Group (2001). The TRANSALP seismic profile: Remarks and interpretations from the Italian side. *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**, 62–64.
- Čermak, V., Balling, N., Della Vedova, B., Lucazeau, F., Pasquale, V., Pellis, G., Schulz, R., und Verdoya, M. (1992). Heat-flow density. In D. Blundell, R. Freeman, und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*. Cambridge University Press.
- Christensen, N. I. und Mooney, W. D. (1995). Seismic velocity structure and compositions of the continental crust: A global view. *J. Geophys. Res.*, **100(B7)**, 9761–9788.
- Cianciara, B. und Marcak, H. (1976). Interpretation of gravity anomalies by means of local power spectra. *Geophysical Prospecting*, **24**, 273–286.

- Degro, T. (1986). *Zur Interpretation gravimetrischer und magnetischer Feldgrößen mit Hilfe von Übertragungsfunktionen*. Dissertation, TU Clausthal.
- Deichmann, N., Ansorge, J., und Mueller, S. (1986). Crustal structure of the southern Alps beneath the intersection with the European Geotraverse. *Tectonophysics*, **126**, 57–83.
- Della Vedova, B., Bellani, S., Pellis, G., und Squarci, P. (2001). Deep temperatures and surface heat-flow distribution. In G. B. Vai und L. P. Martini, editors, *Anatomy of an orogen: the Apennines and adjacent Mediterranean basins*. Kluwer Academic Publishers, Dordrecht.
- Döring, J. (1995). *Tiefenabschätzung von Massenverteilungen im Untergrund mit Hilfe des Fourier-Amplitudenspektrums*. Diplomarbeit, Freie Universität Berlin.
- Döring, J. (1998). Dichteverteilung und Modellierung des isostatischen Verhaltens der Lithosphäre im Südur. Berliner Geowissenschaftlichen Abhandlungen (B) Bd. 29, Freie Universität Berlin.
- Dorman, L. M. und Lewis, B. T. R. (1970). Experimental Isostasy: 1. Theory of the determination of the Earth's isostatic response to a concentrated load. *J. Geophys. Res.*, **75(17)**, 3357–3365.
- Dziewonski, A. M. und Anderson, D. L. (1981). Preliminary reference earth model. *Phys. Earth Plan. Int.*, **25**, 297–356.
- Ebbing, J., Braitenberg, C., und Götze, H.-J. (2001). Forward and inverse modelling of gravity revealing insight into crustal structures of the Eastern Alps. *Tectonophysics*, **337**, 191–208.
- Ehrismann, W., Müller, G., Rosenbach, O., und Sperlich, N. (1966). Topographic reduction of gravity measurements by the aid of digital computers. *Bolletino di Geofisica teorica ed applicata*, **8(29)**, 3–20.
- Ehrismann, W., Götze, H.-J., Leppich, W., Lettau, O., Rosenbach, O., Schöler, W., und Steinhäuser, P. (1976). Gravimetrische Feldmessungen und Modellberechnungen im Gebiet des Krimmler Ache-Tales und Obersulzbachtales (Großvenediger Gebiet/ Österreich). *Geologische Rundschau*, **65**, 767–778.
- Eisbacher, G. H. und Brandner, R. (1996). Superposed fold-thrust structures and high-angle faults, northwestern Calcareous Alps, Austria. *Eclogae. Geol. Helv.*, **89**, 553–571.
- Fischer, K. D. (2001). Dreidimensionale Modellierung der synorogenen Entwicklung des variszischen Vorlandbeckens mit der Finite-Elemente-Methode. Jenaer Geowissenschaftliche Schriften Heft 1, Freie Universität Berlin.
- Forsyth, D. W. (1985). Subsurface loading and estimates of the flexural rigidity of continental lithosphere. *J. Geophys. Res.*, **90**, 12623–12632.
- Frisch, W. (1979). Tectonic progradation and plate tectonic evolution of the Alps. *Tectonics*, **60**, 11–15.
- Froitzheim, N., Schmid, S. M., und Conti, P. (1994). Repeated change from crustal shortening to orogen-parallel extension in the Austroalpine nappes of Graubünden. *Eclogae. Geol. Helv.*, **87**, 559–621.

- Gabriel, G. (1997). *Der Harz und sein südliches Vorland: Interpretation der Bouguer-Anomalie und spezielle Studien zur Geodynamik mit der Methode der Finiten Elemente*. Dissertation, TU Clausthal.
- Gabriel, G., Jahr, T., Jentzsch, G., und Melzer, J. (1997). The deep structure of the harz mountains: Results of gravity and finite-element modelling. *Tectonophysics*, **270 (3-4)**, 279–299.
- Gebrande, H. (1982). Elastic wave velocities and constants of elasticity of rocks and rock forming minerals. In G. Angenheister, editor, *Landolt-Börnstein, Physical Properties of Rocks*, Band V/1b, Seiten 1–99. Springer Verlag, Berlin Heidelberg.
- Gebrande, H. und TRANSALP Working Group (2001). TRANSALP: concept and main results on the project. *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**, 7–8.
- Giese, P. (1976). Depth calculation. In P. Giese und C. Prodehl, editors, *Explosion Seismology in Central Europe*. Springer Verlag, Berlin-Heidelberg-New York.
- Giese, P. und Buness, H. (1992). Moho depth. In D. Blundell, R. Freeman, und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*. Cambridge University Press.
- Götze, H.-J. (1984). *Über den Einsatz interaktiver Computergraphik im Rahmen 3-dimensionaler Interpretationstechniken in Gravimetrie und Magnetik*. Habil. schrift, TU Clausthal.
- Götze, H.-J. und Lahmeyer, B. (1988). Application of three-dimensional interactive modeling in gravity and magnetics. *Geophysics*, **53(8)**, 1096–1108.
- Götze, H.-J., Leppich, W., Lettau, O., Rosenbach, O., Schöler, W., und Steinhauser, P. (1976). Gravimetrische Feldmessung und Modellberechnungen im Felbertauernegebiet (Mittlere Hohe Tauern). *Geologische Rundschau*, **65**, 779–790.
- Götze, H.-J., Meurers, B., Schmidt, S., und Steinhauser, P. (1991). On the isostatic state of the Eastern Alps and the Central Andes - a statistical comparison. In R. Harmon und C. Rapela, editors, *Andean Magmatism and its Tectonic Setting*, Band 265 von *GSA Special Paper*, Seiten 279–290.
- Granser, H., Meurers, B., und Steinhauser, P. (1988). Apparent density mapping and 3D gravity inversion in the Eastern Alps. *Geoph. Prospecting*, **37**, 279–292.
- Grant, F. S. und West, G. F. (1965). *Interpretation theory in applied geophysics*. McGraw Book Co., New York.
- Grunewald, S., Weber, M., und Kind, R. (2001). The upper mantle under Central Europe - indications for the Eifel plume. *Geophysical Journal International*, **147-3**, 590–602.
- Gunn, R. (1943). A quantitative evaluation of the influence of the lithosphere on the anomalies of gravity. *J. Franklin. Inst.*, **236**, 47–65.
- Hahn, A., Kind, E. G., und Mishra, D. C. (1976). Depth estimation of magnetic sources by means of Fourier amplitude spectra. *Geophysical Prospecting*, **24**, 287–308.

- Heinsohn, W. (1993). *Druck- und Temperaturabhängigkeit der Geschwindigkeits-Dichte-Relation für extrem große Krustenmächtigkeiten*. Berliner Geowissenschaftliche Abhandlungen (B), Bd. 20, Freie Universität Berlin.
- Hitz, L. (1995). The 3D crustal structure of the Alps of eastern Switzerland and western Austria interpreted from a network of deep-seismic profiles. *Tectonophysics*, **248**, 71–96.
- Hoffmann, M. (1999). *Dreidimensionale Interpolation und Interpretation von Schwerefeldern*. Diplomarbeit, Institut für Geologie, Geophysik und Geoinformatik der FU Berlin.
- Holliger, K. und Kissling, E. (1992). Gravity interpretation of a unified 2-D acoustic image of the central Alpine collision zone. *Geophys. J. Int.*, **111**, 213–225.
- Italian Explor. Seismol. Group (1978). Preliminary interpretation of the profile HD across the eastern Alps. *Boll. Teor. Appl.*, **20/79**, 287–301.
- Italian Explor. Seismol. Group and Inst. of Geophys. (ETH) Zurich (1981). Crust and upper mantle structures in the Southern Alps from deep seismic sounding profiles (1977, 1978) and surface wave dispersion analysis. *Boll. Geofiz. Teor. Appl. XIII*, **92**, 297–330.
- Jung, K. (1961). *Schwerkraftverfahren in der Angewandten Geophysik*. Geest und Portig, Leipzig.
- Kahle, H., Mueller, S., Klingelé, E., Egloff, R., und Kissling, E. (1980). Recent dynamics, crustal structure and gravity in the Alps. In N.-A. Moerner, editor, *Earth Rheology, Isostasy and Eustasy*, Seiten 377–388. Wiley, New York.
- Karner, G. D. und Watts, A. B. (1983). Gravity anomalies and flexure of the lithosphere at mountain ranges. *J. Geophys. Res.*, **88**, 10449–10477.
- Keating, P. B. (1998). Weighted Euler deconvolution of gravity data. *Geophysics*, **63**, 1595–1603.
- Kennett, B. L. N. und Engdahl, E. R. (1991). Traveltimes for global earthquake location and phase identification. *Geophys. J. Int.*, **105**, 429–465.
- Kirchner, A. (1997). *3D-Dichtemodellierung zur Anpassung des Schwere- und des Schwerepotentialfeldes der zentralen Anden*. Berliner Geowissenschaftliche Abhandlungen (B), Bd. 25, Freie Universität Berlin.
- Kissling, E. (1993). Deep structure of the Alps- what do we really know? *Phys. Earth Planet. Int.*, **79**, 87–112.
- Kley, J. und Eisbacher, G. H. (1999). How Alpine or Himalayan are the Central Andes. *Int. J. Earth Sciences*, **88**, 175–189.
- Klinge, E. und Kissling, E. (1982). *Schwere-Anomalien und isostatische Modelle in der Schweiz*, Band 35 von *Geodätisch-geophysikalische Arbeiten in der Schweiz*, Seiten 1–169. Schweizerische Geodätische Kommission.
- Kösters, M. (1999). *3D-Dichtemodellierung des Kontinentalrandes sowie quantitative Untersuchungen zur Isostasie und Rigidität der Zentralen Anden(20-26S)*. Berliner Geowissenschaftliche Abhandlungen (B), Bd. 32, Freie Universität Berlin.

- Kummerow, J., Kind, R., und TRANSALP Working Group (2001). TRANSALP results from the passive seismic experiment. *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**, 128.
- Lahmeyer, B. (1990). *Anwendung der schnellen Fouriertransformation und der Quadratischen Programmierung bei der Interpretation von Schwerefeldern*. Dissertation, Freie Universität Berlin.
- Lammerer, B. (1998). asa\_transalp. [http://www.iaag.geo.uni-muenchen.de/einrichtungen/asa/asa\\_transalp.html](http://www.iaag.geo.uni-muenchen.de/einrichtungen/asa/asa_transalp.html).
- Lammerer, B. und Weger, M. (1998). Footwall uplift in an orogenic wedge: the Tauern Window in the Eastern Alps of Europe. *Tectonophysics*, **285(3-4)**, 213–230.
- Lammerer, B., Lüschen, E., Schönrock, J., und TRANSALP Working Group (2001). Interpretation of the TRANSALP section according to the "Crocodile Model". *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**.
- Laubscher, H. P. (1994). Deep structure of the central alps in the light of recent seismic data. *Geol. Rundschau*, **83**, 237–248.
- Lelgemann, D. und Kuckuck, H. (1992). Geoid undulations and horizontal gravity disturbance components. In R. F. D. Blundell und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*. Cambridge University Press.
- Lillie, R. J., Bielik, M., Babuška, V., und Plomerová, J. (1994). Gravity modelling of the lithosphere in the Eastern Alpine - Western Carpathian - Pannonian Basin region. *Tectonophysics*, **231**, 215–235.
- Lippitsch, R., Kissling, E., Ansorge, J., und TRANSALP Working Group (2001). High-resolution teleseismic tomography: towards the structure of the lithosphere-asthenosphere system under the Alps. *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**.
- Lowry, A. R. und Smith, R. B. (1994). Flexural rigidity of the Basin and Range-Colorado Plateau-Rocky Mountains transition from coherence analysis of gravity and topography. *J. Geophys. Res.*, **99**, 20123–20140.
- Lowry, A. R. und Smith, R. B. (1995). Strength and rheology of the western U.S. Cordillera. *J. Geophys. Res.*, **100**, 17947–17963.
- Ludwig, J. W., Nafe, J. E., und Drake, C. L. (1970). Seismic refraction. In A. Maxwell, editor, *The sea*, Band Bd. 4. Wiley, New York.
- Lüschen, E., Bopp, M., Grassl, H., und TRANSALP Working Group (2001). TRANSALP - new seismic reflection images of the Eastern Alps. *Geol. Paläont. Mit. Innsbruck*, **Bd. 25**, 134–135.
- Lyon-Caen, H., Molnar, P., und Suarez, G. (1985). Gravity anomalies and flexure of the Brazilian shield beneath the Bolivian Andes. *Earth Planet. Sci. Lett.*, **75**, 81–92.
- Macario, A., Malinverno, A., und Haxby, W. F. (1995). On the robustness of elastic thickness estimates obtained using the coherence method. *J. Geophys. Res.*, **100(B8)**, 15163–15172.

- Makris, J. (1971). Aufbau der Kruste in den Ostalpen aus Schweremessungen und die Ergebnisse der Refraktionsseismik. Selbstverlag der Geophysikalischen Institute Heft 15, Hamburger Geophysikalische Einzelschriften, Hamburg.
- Martinec, Z. (1994). The density contrast at the mohorovičić discontinuity. *Geophys. J. Int.*, **117**, 539–544.
- McKenzie, D. und Fairhead, D. (1997). Estimates of the effective elastic thickness of the continental lithosphere from bouguer and free air gravity anomalies. *J. Geophys. Res.*, **102(B2)**, 27523–27552.
- McNutt, M. K., Diament, M., und Kogan, M. G. (1988). Variations of elastic plate thickness at continental thrust belts. *J. Geophys. Res.*, **93**, 8825–8838.
- Mengel, K., Sachs, P. M., Stosch, H. G., Wörner, G., und Loock, G. (1991). Crustal xenoliths from Cenozoic volcanic fields of West Germany: Implications for structure and composition of the continental crust. *Tectonophysics*, **195**, 271–289.
- Miller, H., Gebrande, H., und Schmedes, E. (1977). Ein verbessertes Strukturmodell für die Ostalpen, abgeleitet aus refraktionsseismischen Daten unter Berücksichtigung des Alpen-Längsprofils. *Geologische Rundschau*, **98**, 77–93.
- Mooney, W. D., Laske, G., und Masters, T. G. (1998). Crust5.1: a global crustal model at 5 degrees X 5 degrees. *Journal of Geophys. Res.*, **103(1)**, 727–747.
- Moritz, H. (1980). Geodetic Reference System 1980. *Bulletine Geodesique (The Geodesist's Handbook)*, **54/3**, 395–402.
- Moritz, H. (1990). *The figure of the Earth, Theoretical Geodesy and the earth's interior*. Wichmann, Karlsruhe.
- Müller, A. (1999). *Ein EDV-orientiertes Verfahren zur Berechnung der topographischen Reduktion im Hochgebirge mit digitalen Gelndemodellen am Beispiel der Zentralen Anden*. Berliner Geowissenschaftliche Abhandlungen (B), Bd. 34, Freie Universität Berlin.
- Müller, K. (1987). *Anwendung moderner gravimetrischer Interpretationstechniken zur Erkundung der Kruste von Süddeutschland*. Dissertation, TU Clausthal.
- Nafe, J. E. und Drake, C. L. (1963). Physical properties of marine sediments. In M. Hill, editor, *The sea*, Band 3, Seiten 784–815. Interscience, New York.
- Parker, R. L. (1972). The rapid calculation of potential anomalies. *Geophys. J. R. Astr. Soc.*, **31**, 447–455.
- Pavoni, N., Ahjos, T., Freeman, R., Gregerson, S., Langer, H., Leydecker, G., Roth, P., Suhadolc, P., und Uski, M. (1992). European instrumental earthquake data. In D. Blundell, R. Freeman, und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*. Cambridge University Press, London.

- Pfiffner, A. (1992). Alpine orogeny. In D. Blundell, R. Freeman, und S. Mueller, editors, *A Continent Revealed: The European Geotraverse*, Seiten 180–189. Cambridge University Press.
- Pfiffner, O., Frei, W., Valasek, P., Stäuble, M., Levato, L., DuBois, L., Schmid, S. M., und Smithson, S. B. (1990). Crustal shortening in the Alpine orogen: Results from deep seismic reflection profiling in the Eastern Swiss Alps, Line NFP 20-EAST. *Tectonics*, **9(6)**, 1327–1355.
- Pfiffner, O. A., Lehner, P., Heitzmann, P., Mueller, S., und Steck, A., editors (1997). *Deep Structure of the Alps, Results from NRP 20*. Birkhäuser Verlag, Basel.
- Pilkington, M. (1990). Lithospheric flexure and gravity anomalies at proterozoic plate boundaries in the Canadian Shield. *Tectonophysics*, **176**, 277–290.
- Pratt, J. H. (1855). On the attraction of the Himalaya Mountains and of the elevated regions beyond them, upon the plumb line in India. *Philos. Trans. R. Soc. London*, **145**, 53–100.
- Ranalli, G. (1997). Rheology of the lithosphere in space and time. In J. Burg und M. Ford, editors, *Orogeny through time*, Band 121, Seiten 19–37. Geological Society Special Publication.
- Reid, A. B., Allsop, J. M., Granser, H., Millett, A. J., und Somerton, I. W. (1990). Magnetic interpretation in three dimensions using Euler deconvolution. *Geophysics*, **55**, 80–91.
- Roberts, A. (2001). Curvature attributes and their application to 3D interpreted horizons. *First break*, **19.2**, 85–100.
- Rosner, M. (1994). *Reinterpretation der Krustenstruktur der Ostalpen mittels strahlenseismischer 3D-Modellrechnung*. Diplomarbeit, Univ. München.
- Roure, F., Polino, R., und Nicolich, R. (1990). Early Neogene deformations beneath the Po plain: constraints on the post-collisional Alpine evolution. In D. D. M.P. Coward und R. Park, editors, *Alpine Tectonics*, Band 45, Seiten 157–188. Geol. Soc. Lond. Spec. Pub.
- Roy, L., Agarwal, B. N. P., und Shaw, R. K. (2000). A new concept in Euler deconvolution of isolated gravity anomalies. *Geophysical Prospecting*, **48**, 559–575.
- Royden, L. (1993). The tectonic expression of slab pull at convergent plate boundaries. *Tectonics*, **12**, 303–325.
- Royden, L. und Karner, G. D. (1984). Flexure of the lithosphere beneath the Apennine and Carpathian foredeep basins: Evidence for an insufficient topographic load. *Amer. Assoc. Pet. Geol.*, **68**, 704–712.
- Sachsenhofer, R. (2001). Syn- and post-collisional heat flow in the Cenozoic Alps. *Int. J. Earth Sci.*, **90**, 579–592.
- Sandwell, D. T., Smith, W. H. F., Smith, S. M., und Small, C. (2001). Seafloor topography. [http://topex.ucsd.edu/marine\\_topo/mar\\_topo.html](http://topex.ucsd.edu/marine_topo/mar_topo.html).
- Scarascia, S. und Cassinis, R. (1997). Crustal structures in the central-eastern Alpine sector: a revision of the available DSS data. *Tectonophysics*, **271**, 157–188.



- Schmidt, S. (1985). *Untersuchungen zum regionalen Verlauf des Vertikalgradienten der Schwere im Hochgebirge*. Dissertation, TU Clausthal.
- Schmidt, S. (2000). IGMAS - Interactive Gravity and magnetic Application System. [http://userpage.fu-berlin.de/sschmidt/Sabine\\_IGMAS.html](http://userpage.fu-berlin.de/sschmidt/Sabine_IGMAS.html).
- Schmidt, S. und Götze, H.-J. (1998). Interactive visualization and modification of 3D models using GIS functions. *Physics and Chemistry of the Earth*, **23 (3)**, 289–296.
- Schmidt, S. und Götze, H.-J. (1999). Integration of data constraints and potential field modelling - an example from southern Lower Saxony, Germany. *Physics and Chemistry of the Earth (A)*, **24 (3)**, 191–196.
- Schöler, W. (1976). *Die Krustenstruktur der Ostalpen nach Ergebnissen gravimetrischer Untersuchungen unter besonderer Berücksichtigung der gemessenen Vertikalgradienten*. Dissertation, TU Clausthal.
- Schön, J. (1983). *Petrophysik*. Akademie-Verlag, Berlin.
- Senftl, E. und Exner, C. (1973). Rezente Hebung der Hohen Tauern und geologische Interpretation. *Verh. Geol. B.-A.*, **2**, 209–234.
- Sinclair, H. D., Coakley, B. J., Allen, P. A., und Watts, A. B. (1991). Simulation of foreland basin stratigraphy using a diffusion model of mountain belt uplift and erosion: An example from the central Alps, Switzerland. *Tectonics*, **10**, 599–620.
- Sobolev, S. und Babeyko, A. Y. (1994). Modeling of mineralogical composition, density and elastic wave velocities in anhydrous magmatic rocks. *Surveys in Geophysics*, **15**, 515–544.
- Spakman (1990). Images of the upper mantle of central Europe and the Mediterranean. *Terra Nova*, **2**, 542–552.
- Spakman *et al.* (1993). Travel-time tomography of the European-Mediterranean mantle down to 1400 km. *Phys. Earth Planet. Int.*, **79**, 3–74.
- Stacey, F. D. (1992). *Physics of the earth - third edition*. Brookfield Press, Brisbane.
- Steinhauser, P. und Gutdeutsch, R. (1976). Rezente Krustenbewegung und Isostasie in den Hohen Tauern. *Arch. Met. Geoph. Biokl.*, **A, 25**, 141–149.
- Stewart, J. und Watts, A. B. (1997). Gravity anomalies and spatial variations of flexural rigidity at mountain ranges. *J. Geophys. Res.*, **102(B3)**, 5327–5352.
- Suhadolc, P., Panza, G. F., und Mueller, S. (1990). Physical properties of the lithosphere-asthenosphere system in Europe. *Tectonophysics*, **176**, 123–135.
- Tang, J., Lerche, I., und J., C. (1992). An inverse method for calculating basement geometry. *J. Geodyn.*, **15**, 85–106.
- Thompson, D. T. (1982). EULDEPH: a new technique for making computer-assisted depth estimates from magnetic data. *Geophysics*, **47**, 31–37.

- TRANSALP Working Group (2001). European orogenic processes research transects the Eastern Alps. *EOS*, **82 (40)**, 453, 460–461.
- Turcotte, D. L. und Schubert, G. (1982). *Geodynamics: Applications of continuum physics to geological problems*. John Wiley and Sons, New York.
- U.S. Geological Survey (2001). GTOPO30 - Global Topographic Data. <http://edcdaac.usgs.gov/gtopo30/gtopo30.html>.
- Valasek, V., Mueller, S., Frei, W., und Holliger, K. (1991). Results of nfp 20 seismic reflection profiling along the alpine section of the european geotraverse. *Geophys. J. Int.*, **105**, 85–102.
- Vening-Meinesz, F. A. (1939). Tables fondamentales pour la réduction isostatique régionale. *Bull. Geod.*, **63**, 711–776.
- Wagini, A., Steinhauser, P., und Meurers, B. (1988). Isostatic residual gravity map of Austria. *U.S. Geological Survey Open File Report*, **87-402**.
- Watts, A. B. (2001). *Isostasy and flexure of the lithosphere*. Cambridge University Press, Cambridge.
- Watts, A. B., Lamb, J. D., Fairhead, J. D., und Dewey, J. F. (1995). Lithospheric flexure and bending of the central Andes. *Earth and Planetary Science Letters*, **134**, 9–21.
- Woollard, G. P. (1959). Crustal structure from gravity and seismic measurements. *J. Geophys. Res.*, **64(10)**, 1521–1544.
- Yan, Q. Z. und Mechie, J. (1989). A fine structural section through the crust and lower lithosphere along the axial region of the Alps. *Geophys. J. Int.*, **98**, 465–488.
- Ye, S., Ansorge, J., Kissling, E., und Mueller, S. (1995). Crustal structure beneath the eastern Swiss Alps derived from seismic refraction data. *Tectonophysics*, **242**, 199–221.
- Zhang, C., Mushayandebvu, M. F., Reid, A. B., Fairhead, J. D., und Odegard, M. E. (2000). Euler deconvolution of gravity tensor gradient data. *Geophysics*, **65**, 512–520.