


Volume 73 (2017)

**Supporting information for article:** 


Protein crystallization and initial neutron diffraction studies of the photosystem II subunit PsbO

Martin Bommer, Leighton Coates, Holger Dau, Athina Zouni and Holger Dobbek



## **Supplementary Figure S1**

Crystals obtained at 40 mg ml $^{-1}$  protein concentration and varying concentrations of PEG 400. Drops were set up in MRC maxi plates as listed in table 2 (100 mM MES-NaOH, 200 mM calcium acetate, 10 mM TCEP, 22-32 % PEG 400). 0.19 mM Cymal-7 was added to A) and 10 mM trimethylamine-HCl to B). 0.2  $\mu$ l of a 1:1000 dilution of crystal seed stock was added to the columns indicated. The seed stock was prepared by vortexing several large crystals and a glass bead together in 100  $\mu$ l of the reservoir solution for 1 minute.



	Spots	a (Å)	b (Å)	C (Å)	Mosaicity	Resolution
	indexed	` ,	, ,	` ,	(°)	(Å)
MRC maxi	360	54.8	54.8	192.4	0.40	1.2
MRC maxi, 10 mM diaminopentane	440	54.7	54.7	192.3	0.30	1.2
MRC maxi, cross-linked	331	55.1	55.1	192.9	0.15	1.1
MRC maxi, cross-linked,						
40% ethylene glycol	460	55.1	55.1	193.5	0.20	1.2
A Capillary, 10 mM diaminopentane	461	54.9	54.9	192.9	0.30	1.1
<b>B</b> Capillary, 0.4% low melt agarose	468	55.2	55.2	193.2	0.30	1.1
C Capillary, cross-linked	625	55.1	55.1	193.1	0.30	1.1

## **Supplementary Figure S2**

Images show slices along the beam stop of X-ray diffraction test images collected at 100 K. The right-side low-resolutions panels were reproduced at a lower intensity for visibility of individual spots. Crystals were grown in capillaries under the conditions listed in table 2. A) 10 mM 1,5-diaminopentane was added to the precipitant side. B) 0.4% low melting-point agarose was added to the protein side. C) A crystal flash-frozen after cross-linking with glutaraldehyde, taken from the same capillary as the one used for neutron diffraction. Two test images,  $90^{\circ}$  apart were indexed with *labelit.index*. Dimensions of the  $P6_122$  cell and 80% mosaicity values are shown in the table. Resolution values are approximate and refer to the outermost diffraction spots visible. A,B,C refer to the same diffraction images as above.