

6. Literaturverzeichnis:

- 1 McFarland LV: Epidemiology, risk factors and treatments for antibiotic-associated diarrhea. *Dig Dis* 1998; 16:292-307
- 2 McFarland LV: Facteurs de risque de la diarrhée associée aux antibiotiques. Une revue de la littérature. *Ann Med Interne* 1998; 149:261-266
- 3 Bartlett JG: How to identify the cause of antibiotic-associated diarrhea. *J Crit Illn* 1994; 9(12):1063-1067
- 4 Kelly CP, Pothoulakis C, LaMont JT: *Clostridium difficile* colitis. *N Engl J Med* 1994; 330:257-262
- 5 Gerding DN: Disease associated with *Clostridium difficile* infection. *Ann Intern Med* 1989; 110:255-257
- 6 Gerding DN, Johnson S: *Clostridium-difficile*-assoziierte Erkrankung einschließlich Pseudomembranöse Kolitis. *Harrisons Innere Medizin, Deutsche Ausgabe in Zusammenarbeit mit der Charité*. Seite 815-817; 16. Auflage; Herausgeber Dietel M, Suttrop N, Zeitz M, Kasper DL, Braunwald E, Fauci AS, Hauser SL, Longo DL, Jameson JL; ABW Wissenschaftsverlag Berlin 2005
- 7 Fekety R: Guidelines for diagnosis and management of *Clostridium difficile*-associated diarrhea and colitis. *AM J Gastroenterol* 1997; 92:739-750
- 8 Kyne L, Hamel MB, Polavaram R, Kelly CP: Health care costs and mortality associated with nosocomial diarrhea due to *Clostridium difficile*. *Clin Infect Dis* 2002; 34:346-353
- 9 Karow T, Lang R: Antibiotika. Allgemeine und Spezielle Pharmakologie und Toxikologie. Seite 533-576; 10. Auflage; Herausgeber Karow T, Lang R; Thomas Karow 2002
- 10 Eckburg PB, Bik EM, Bernstein CN, Purdom E, Dethlefsen L, Sargent M, Gill SR, Nelson KE, Relman DA: Diversity of the human intestinal microbial flora. *Science* 2005; 308:1635-1638
- 11 Bär W: Physiologische Bakterienflora: Kolonisationsresistenz, endogene Opportunisteninfektionen; Probiotika. *Medizinische Mikrobiologie und Infektiologie*. Seite 35-44; 5. Auflage; Herausgeber Hahn H, Falke D, Kaufmann SHE, Ullmann U; Springer Medizin Verlag Heidelberg 2005

- 12 Borriello SP, Lasrson HE, Welch AR, Barclay F, Stringer MF, Bartholomew BA : Enterotoxigenic *Clostridium perfringens*: a possible cause of antibiotic-associated diarrhoea. Lancet 1984; 323:305-307
- 13 Asha NJ, Wilcox MH: Laboratory diagnosis of *Clostridium perfringens* antibiotic-associated diarrhoea. J Med Microbiol 2002; 51:891-894
- 14 Finney JMT: Gastroenterostomy for cicatrizing ulcer of the pylorus. Bull Johns Hopkins Hosp 1893; 4:53
- 15 Altemeier WA, Hummel RP, Hill EO: Staphylococcal enterocolitis following antibiotic therapy. Ann Surg 1963; 157:847-857
- 16 Larson HF, Parry JV, Price AB, Davies DR, Dolby J, Tyrell DAJ: Undescribed toxin in pseudomembranous colitis. Br Med J 1977; 1:1246-1248
- 17 Bartlett JG, Onderdonk AB, Cisneros RL, Kasper DL: Clindamycin-associated colitis due to a toxin-producing species of *Clostridium* in hamsters. J Infect Dis 1977; 136:701-705
- 18 Danna PL, Urban C, Bellinh E, Rahal JJ: Role of candida in pathogenesis of antibiotic-associated diarrhea in elderly inpatients. Lancet 1991; 337:511-514
- 19 Toffler RB, Pingoud EG, Burrell MI: Acute colitis related to penicillin and penicillin derivates. Lancet 1978; 312:707-709
- 20 Benoit R, Dorval D, Loulergue J, Bacq Y, Oliver JM, Audurier A, Metman EH: Post-antibiotic diarrheas: role of *Klebsiella oxytoca*. Gastroenterol Clin Biol 1992; 16:860-864
- 21 Inamatsu T, Ooshima H, Masuda Y, Fukayama M, Adachi K, Takeshima H, Hashimoto H: Clinical spectrum of antibiotic associated enterocolitis due to methicillin resistant *Staphylococcus aureus*. Nippon Rinsho 1992; 50:1087-1092
- 22 Rhee KY, Soave R, Maltz C: Methicillin-resistant *Staphylococcus aureus* as a cause of antibiotic-associated diarrhea. J Clin Gastroenterol 2004; 38:299-300
- 23 Hovius SE, Rietra PJ: Salmonella colitis clinically presenting as a pseudomembranous colitis. Neth J Surg 1982; 34:81-82
- 24 Holmberg SD, Osterholm MT, Senger KA, Cohen ML: Drug-resistant Salmonella from animals fed antimicrobials. N Engl J Med 1984; 311:617-622
- 25 Olsen SJ, DeBess EE, McGivern TE, Marano N, Eby T, Mauvais S, Balan VK, Zirnstein G, Cieslak PR, Angulo FJ: A Nosocomial outbreak of

- fluoroquinolone-resistant salmonella infection. N Engl J Med 2001; 344:1572-1579
- 26 Borriello SP, Barclay FE, Welch AR, Stringer MF, Watson GN, Williams RK, Seal DV, Sullens K: Epidemiology of diarrhoea caused by enterotoxigenic *Clostridium perfringens*. J Med Microbiol 1985; 20:363-372
- 27 Jackson SG, Yip-Chuck DA, Clark JB, Brodsky MH: Diagnostic importance of *Clostridium perfringens* enterotoxin analysis in recurring enteritis among elderly, chronic care psychiatric patients. J Clin Microbiol 1986; 23:748-751
- 28 Borriello SP: Clostridial diseases of the gut. Clin Infect Dis 1995; 20:242-50
- 29 Mpamugo O, Donovan T, Brett MM: Enterotoxigenic *Clostridium perfringens* as a cause of sporadic cases of diarrhoea. J Med Microbiol 1995; 43:442-445
- 30 Abrahao C, Carman RJ, Hahn H, Liesenfeld O: Similar frequency of detection of *Clostridium perfringens* enterotoxin and *Clostridium difficile* toxins in patients with antibiotic-associated diarrhea. Eur J Clin Microbiol Infect Dis 2001; 20:676-677
- 31 Forward LJ, Tompkins DS, Brett MM: Detection of *Clostridium difficile* cytotoxin and *Clostridium perfringens* enterotoxin in cases of diarrhoea in the community. J Med Microbiol 2003; 52:753-757
- 32 Peeters TL, Matthijs G, Depoortere I, Cachet T, Hoogmartens J, Vantrappen G: Erythromycin is a motilin receptor agonist. Am J Physiol 1989; 257:G470-474
- 33 Caron F, Ducrotte P, Lerebours E, Colin R, Humbert G, Denis P: Effects of amoxicillin clavulanate combination on the motility of the small intestine in human beings. Antimicrob Agents Chemother 1991; 35:1085-1088
- 34 Dobbins WO, Herrero BA, Mansbach M: Morphologic alterations associated with neomycin induced malabsorption. Am J Med Sci 1968; 225:63-77
- 35 Rao SS, Edwards CA, Austen CJ, Bruce C, Read NW: Impaired colonic fermentation of carbohydrate after ampicillin. Gastroenterology 1988; 94:928-932
- 36 Clausen MR, Bonnen H, Tvede M, Mortensen PR: Colonic fermentation to short-chain fatty acids is decreased in antibiotic associated diarrhea. Gastroenterology 1991; 101:1497-1504
- 37 Ruppin H, Bar-Meir S, Soergel KH, Wood CM, Schmitt MG Jr: Absorption of short-chain fatty acids by the colon. Gastroenterology 1980; 78:1500-1507

- 38 Roediger WE: Role of anaerobic bacteria in the metabolic welfare of the colonic mucosa in man. *Gut* 1980; 21:793-798
- 39 Roediger WE: The colonic epithelium in ulcerative colitis: an energy-deficiency disease? *Lancet* 1980; 316:712-715
- 40 Harig JM, Soergel KH, Komorowski RA, Wood CM: Treatment of diversion colitis with short-chain fatty acid irrigation. *N Engl J Med* 1989; 320:23-28
- 41 Berr F, Kullak-Ublick GA, Paumgartner G, Munzing W, Hylemon PB: 7 alpha-dehydroxylating bacteria enhance deoxycholic acid input and cholesterol saturation of bile in patients with gallstones. *Gastroenterology* 1996; 111:1611-1620
- 42 Hofmann AF: Bile acids, diarrhea and antibiotics: data, speculation, and a unifying hypothesis. *J Infect Dis* 1977; 135(Suppl):S126-132
- 43 McFarland LV, Surawicz CM, Greenberg RN, Ekmer GW, Moyer KA, Melcher SA, Bowen KE, Cox JL: Prevention of beta-lactam-associated diarrhea by *Saccharomyces boulardii* compared with placebo. *Am J Gastroenterol* 1995; 90:439-448
- 44 Nelson DE, Auerbach SB, Baltch AL, Desjardin E, Beck-Sague C, Rheal C, Smith RP, Jarvis WR: Epidemic *Clostridium difficile*-associated diarrhea: Role of second- and third-generation cephalosporins. *Infect Control Hosp Epidemiol* 1994; 15:88-94
- 45 Brown E, Talbot GH, Axelrod P, Provencher M, Hoegg C: Risk factors for *Clostridium difficile* toxin-associated diarrhea. *Infect Control Hosp Epidemiol* 1990; 11:283-290
- 46 Karlstrom O, Fryklund B, Tullus K, Burman LG: A prospective nationwide study of *Clostridium difficile*-associated diarrhea in Sweden. *Clin Infect Dis* 1998; 26:141-145
- 47 Fekety R, McFarland LV, Surawicz CM, Greenberg RN, Elmer GW, Mulligan ME: Re-current *Clostridium difficile* diarrhea: Characteristics of and risk factors for patients enrolled in a prospective, randomized, double-blinded trial. *Clin Infect Dis* 1997; 24:324-333
- 48 Hutin Y, Casin I, Lesprit P, Welker Y, Decazes J-M, Lagrange P, Modai J, Molina J-M : Prevalence of and risk factors for *Clostridium difficile* colonization at admission to an infectious disease ward. *Clin Infect Dis* 1997; 24:920-924

- 49 McFarland LV: Epidemiology of infectious and iatrogenic nosocomial diarrhea in a cohort of general medicine patients. *Am J Infect Control* 1995; 23:295-305
- 50 Mulligan ME, Miller SD, McFarland LV, Fung HC, Kwok RY: Elevated levels of serum immunoglobulins in asymptomatic carriers of *Clostridium difficile*. *Clin Infect Dis* 1993; 16(Suppl):S239-244
- 51 Kyne L, Warny M, Qamar A, Kelly CP: Association between antibody response to toxin A and protection against recurrent *Clostridium difficile* diarrhoea. *Lancet* 2001; 357:189-193
- 52 Thibault A, Miller MA, Gaese C: Risk factors for the development of *Clostridium difficile*-associated diarrhea during a hospital outbreak. *Infect Control Hosp Epidemiol* 1991; 12:345-348
- 53 Surawicz CM, Elmer GW, Speelman P, McFarland LV, Chinn J, Van Belle G: Prevention of antibiotic-associated diarrhea by *Saccharomyces boulardii*: A prospective study. *Gastroenterology* 1989; 96:981-988
- 54 Hurley BW, Nguyen CC. The spectrum of pseudomembranous enterocolitis and antibiotic-associated diarrhea. *Arch Intern Med* 2002; 162:2177-2184
- 55 Olson MM, Shanholtzer CJ, Lee JT Jr, Gerding DN: Ten years of prospective *Clostridium difficile*-associated disease surveillance and treatment at the Minneapolis VA Medical Center, 1982-1991. *Infect Control Hosp Epidemiol* 1994; 15:371-381
- 56 Hogenauer C, Hammer HF, Krejs GJ, Reisinger EC: Mechanisms and management of antibiotic-associated diarrhea. *Clin Infect Dis* 1998; 27:702-710
- 57 Ticehurst JR, Aird DZ, Dam LM, Borek AP, Hargrove JT, Carroll KC: Effective detection of toxigenic *Clostridium difficile* by a two-step algorithm including tests for antigen and cytotoxin. *J Clin Microbiol* 2006; 44:1145-1149
- 58 Lenzen-Großimlinghaus R, Strohmeyer G: Antibiotika-assoziierte Diarrhoe. *Dtsch Med Wochenschr* 2003; 128:437-439
- 59 Florea NR, Kuti JL, Nightingale CH, Nicolau DP: Treatment of *Clostridium difficile*-associated disease (CDAD). *Conn Med* 2003; 67:153-155
- 60 Adam J, Barret A, Barret-Bellet C, Benedetti E, Calendini A, Darchen P et al: Essais cliniques controles en double insu de l'ultra-levure

- lyophilisee. Etude multicentrique par 25 medecins de 388 cas. Gaz Méd Fr 1977; 84:2072-2078
- 61 Siitonen S, Vapaatalo H, Salminen S, Gordin A, Saxelin M, Wikberg R, Kirkkola A: Effect of lactobacillus GG yoghurt in prevention of antibiotic associated diarrhoea. Ann Med 1990; 22:57-59
- 62 Tankanow RM, Ross MB, Ertel IJ, Dickinson DG, McCormick LS, Garfinkel JF: A double-blind placebo-controlled study of the efficacy of Lactinex in the prophylaxis of amoxicillin-induced diarrhea. DICP 1990; 24:382-384
- 63 Wunderlich PF, Braun L, Fumagalli I, D'Apuzzo V, Heim F, Karly M, Lodi R, Politta G, Vonbank F, Zeltner L: Double-blind report on the efficacy of lactic acid-producing Enterococcus SF68 in the prevention of antibiotic-associated diarrhoea. J Int Med Res 1989; 17:333-338.
- 64 McFarland LV: Diarrhea acquired in the hospital. Gastroenterol Clin North Am 1993; 22:563-577
- 65 Brooks SE, Veal RO, Kramer M, Dore L, Schupf N, Adachi M: Reduction in the incidence of *Clostridium difficile*-associated diarrhea in an acute care hospital and a skilled nursing facility following replacement of electronic thermometers with single-use disposables. Infect Control Hosp Epidemiol 1992; 13:98-103
- 66 Johnson S, Gerding DN, Olson MM, Weiler MD, Hughes RA, Clabots CR, Peterson LR: Prospective, controlled study of vinyl glove use to interrupt *Clostridium difficile* nosocomial transmission. Am J Med 1990; 80:137-140
- 67 Cartmill TD, Panigrahi H, Worsley MA, McCann DC, Nice CN, Keith E: Management and control of a large outbreak of diarrhoea due to *Clostridium difficile*. J Hosp Infect 1994; 27:1-15
- 68 Rodloff AC: Obligate anaerobe spore-forming rods (Clostridia). Medizinische Mikrobiologie und Infektiologie. Seite 339-348; 5. Auflage; Herausgeber Hahn H, Falke D, Kaufmann SHE, Ullmann U; Springer Medizin Verlag Heidelberg 2005
- 69 Voth DE, Ballard JD: *Clostridium difficile* toxins: mechanism of action and role in disease. Clin Microbiol Rev 2005; 18:247-263
- 70 Pothoulakis C: Pathogenesis of *Clostridium difficile*-associated diarrhoea. Eur J Gastroenterol Hepatol 1996; 8:1041-1047
- 71 Hatheway CL: Toxigenic clostridia. Clin Microbiol Rev 1990; 3:66-98

- 72 Rood JI, Cole ST: Molecular genetics and pathogenesis of *Clostridium perfringens*. Microbiol Rev 1991; 55:621-648
- 73 Daube G, Simon P, Limbourg B, Manteca C, Mainil J, Kaeckenbeeck A: Hybridization of 2,659 *Clostridium perfringens* isolates with gene probes for seven toxins (alpha, beta, epsilon, iota, theta, mu, and enterotoxin) and for sialidase. Am J Vet Res 1996; 57:496-501
- 74 Kokai-Kun JF, Songer JG, Czeczulin JR, Chen F, McClane BA: Comparison of Western immunoblots and gene detection assays for identification of potentially enterotoxigenic isolates of *Clostridium perfringens*. J Clin Microbiol 1994; 32:2533-2539
- 75 Olsen SJ, MacKinon LC, Goulding JS, Bean NH, Slutsker L: Surveillance for foodborne-disease outbreaks - United States, 1993-1997. MMWR CDC Surveill Summ 2000; 49:1-62
- 76 Cornillot E, Saint-Joanis B, Daube G, Katayama S, Granum PE, Canard B, Cole ST: The enterotoxin gene (*cpe*) of *Clostridium perfringens* can be chromosomal or plasmid-borne. Mol Microbiol 1995; 15:639-647
- 77 Collie RE, McClane BA: Evidence that the enterotoxin gene can be episomal in *Clostridium perfringens* isolates associated with non-food-borne human gastrointestinal diseases. J Clin Microbiol 1998; 36:30-36
- 78 Skjelkvale R, Uemura T: Experimental diarrhoea in human volunteers following oral administration of *Clostridium perfringens* enterotoxin. J Appl Bacteriol 1977; 43:281-286
- 79 McClane BA: The complex interactions between *Clostridium perfringens* enterotoxin and epithelial tight junctions. Toxicon 2001; 39:1781-1791
- 80 Borriello SP, Carman RJ: Clostridial diseases of the gastrointestinal tract in animals. Clostridia in gastrointestinal disease. Seite 195-215; Herausgeber Borriello SP; CRC Press, Boca Raton, Florida 1985
- 81 Brynestad S, Sarker MR, McClane BA, Granum PE, Rood JI: Enterotoxin plasmid from *Clostridium perfringens* is conjugative. Infect Immun 2001; 69:3483-3487
- 82 Modi N, Wilcox MH: Evidence for antibiotic induced *Clostridium perfringens* diarrhoea. J Clin Pathol 2001; 54:748-751

- 83 Heikinheimo A, Lindstrom M, Korkeala H: Enumeration and isolation of cpe-positive *Clostridium perfringens* spores from feces. J Clin Microbiol 2004; 42:3992-3997
- 84 Samuel SC, Hancock P, Leigh DA: An investigation into *Clostridium perfringens* enterotoxin associated diarrhoea. J Hosp Infect 1991; 18:219-230
- 85 Hancock P: Antibiotic associated diarrhea *C. difficile* or *C. perfringens*? Rev Med Microbiol 1997; 8(Suppl):66-67.
- 86 Pituch H, van den Braak N, van Belkum A, Van Leeuwen W, Obuch-Woszczatynski P, Luczak M, Verbrugh H, Meisel-Mikolajczyk F, Martirosian G: Characterization of *Clostridium perfringens* strains isolated from Polish patients with suspected antibiotic-associated diarrhea. Med Sci Monit 2002; 8:85-88
- 87 Ackermann G, Thomalla S, Ackermann F, Schaumann R, Rodloff AC, Ruf BR: Prevalence and characteristics of bacteria and host factors in an outbreak situation of antibiotic-associated diarrhoea. J Med Microbiol 2005; 54:149-153
- 88 Notermans S, Heuvelman C, Beckers H, Uemura T: Evaluation of the ELISA as tool in diagnosing *Clostridium perfringens* enterotoxins. Zentralbl Bakteriol Mikrobiol Hyg [B] 1984; 179:225-234
- 89 Sarker MR, Shivers RP, Sparks SG, Juneja VK, McClane BA: Comparative experiments to examine the effects of heating on vegetative cells and spores of *Clostridium perfringens* isolates carrying plasmid genes versus chromosomal enterotoxin genes. Appl Environ Microbiol 2000; 66:3234-3240
- 90 Bartholomew BA, Stringer MF, Watson GN, Gilbert RJ: Development and application of an enzyme linked immunosorbent assay for *Clostridium perfringens* type A enterotoxin. J Clin Pathol 1985; 38:222-228
- 91 Wada A, Masuda Y, Fukayama M, Hatakeyama T, Yanagawa Y, Watanabe H, Inamatsu T: Nosocomial diarrhoea in the elderly due to enterotoxigenic *Clostridium perfringens*. Microbiol Immunol 1996; 40:767-771
- 92 Brynestad S, Synstad B, Granum PE: The *Clostridium perfringens* enterotoxin gene is on a transposable element in type A human food poisoning strains. Microbiology 1997; 143:2109-2115
- 93 Panaccio M, Lew A: PCR based diagnosis in the presence of 8% (v/v) blood. Acids Res 1991; 19:291-292

- 94 Do N, Adams RP: A simple technique for removing plant polysaccharide contaminants from DNA. *Biotechniques* 1991; 10:162-166
- 95 Tsai YL, Olson BH: Rapid method for separation of bacterial DNA from humic substances in sediments for polymerase chain reaction. *Appl Environ Microbiol* 1992; 58:2292-2295
- 96 Hill WE: The polymerase chain reaction: applications for detection of foodborne pathogens. *Crit Rev Food Sci Nutr* 1996; 36:123-173
- 97 Wernars K, Heuvelman CJ, Chakraborty T, Notermans SH: Use of the polymerase chain reaction for direct detection of *Listeria monocytogenes* in soft cheese. *J Appl Bacteriol* 1991; 70:121-126
- 98 Kim S, Labbe RG, Ryu S: Inhibitory effects of collagen on the PCR for detection of *Clostridium perfringens*. *Appl Environ Microbiol* 2000; 66:1213-1215
- 99 Yamagishi T, Serikawa T, Morita R, Nakamura S, Nishida S: Persistent high numbers of *Clostridium perfringens* in the intestines of Japanese aged adults. *Jpn J Microbiol* 1976; 20:397-403
- 100 Stringer MF, Watson GN, Gilbert RJ, Wallace JG, Hassall JE, Tanner EI, Webber PP: Faecal carriage of *Clostridium perfringens*. *J Hyg Lond* 1985; 95:277-288
- 101 Gibert M, Jolivet-Reynaud C, Popoff MR: Beta2 toxin, a novel toxin produced by *Clostridium perfringens*. *Gene* 1997; 203:65-73
- 102 Fisher DJ, Miyamoto K, Harrison B, Akimoto S, Sarker MR, McClane BA: Association of beta2 toxin production with *Clostridium perfringens* type A human gastrointestinal disease isolates carrying a plasmid enterotoxin gene. *Mol Microbiol* 2005; 56:747-762
- 103 Lembcke B, Kist M, Lentze MJ, Bruns J, Gesche M, Herrmann M, Gyr N: Antibiotic-associated diarrhea: incidence, risk factors of antibiotics and patients, pathophysiology and differential diagnosis - an interdisciplinary approach to a common problem. *Schweiz Rundsch Med Prax* 2003; 92:751-759
- 104 Faris B, Faris C, Clark J Brown R Poxton IR: Metronidazole-resistant strain of *Clostridium perfringens* isolated from a clinical specimen. *J Infect* 1999; 39:164-165

- 105 Loo VG, Poirier L, Miller MA, Oughton M, Libman MD, Michaud S, Bourgault AM, Nguyen T, Frenette C, Kelly M, Vibien A, Brassard P, Fenn S, Dewar K, Hudson TJ, Horn R, Rene P, Monczak Y, Dascal A: A predominantly clonal multi-institutional outbreak of *Clostridium difficile*-associated diarrhea with high morbidity and mortality. N Engl J Med 2005; 353:2442-2449
- 106 McDonald LC, Killgore GE, Thompson A, Owens RC Jr, Kazakova SV, Sambol SP, Johnson S, Gerding DN: An epidemic, toxin gene-variant strain of *Clostridium difficile*. N Engl J Med 2005; 253:2433-2551