

## 9 Literatur

**Alto, K., P. Slatin, E. Karaharju and P. Waris** (1985). “Pin-hole changes after external fixation of tubular bone”. Arch Orthop Trauma Surg 104 (2): 118-20.

**Amling, M., and G. Delling** (1996). “Cell biology of osteoclasts and molecular mechanisms of bone resorption.” Pathologe 17 (5): 358-367.

**Anderson, D. E., G. St-Jean, D. C. Richardson, R. M. DeBowes, J. K. Roush, S. R. Lowry, P. W. Toll, H. M. Aberman, D. C. Van Sickle and J. J. Hoskinson** (1997). “Improved osseointeraction of calcium phosphate-coated external fixation pins. Studies in calves.” Acta Orthop Scand 68 (6): 571-576.

**Anderson, J. M.** (1993). “Mechanisms of inflammation and infection with implanted devices.” Cardiovasc Pathol 2 (3 Suppl): 33S-41S.

**Ansell, R. H., and J. T. Scales** (1968). “A pilot study of some factors which affect the strength of screws and their insertion and holding power in bone.” J Biomech 1: 279-302.

**Aro, H. T., and E. Y. Chao** (1993). “Biomechanics and biology of fracture repair under external fixation.” Hand Clin 9 (4):531-542.

**Aro, H. T., M. D. Markel and E. Y. Chao** (1993). “Cortical bone reactions at the interface of external fixation half-pins under different loading conditions.” J Trauma 35 (5): 776-785.

**Aron, D. N. and C. W. Dewey** (1992). “Application and postoperative management of external skeletal fixators.” Vet Clin North Am Small Anim Pract 22 (1): 69-97.

**Barka, T., and P. J. Anderson** (1962). “Histochemical methods for acid phosphatase using hexazonium pararosanilin as coupler.” J Histochem Cytochem 10: 741-753.

**Bassett, C. A. L.** (1962). “Current Concepts in Bone Formation.” J Bone and Joint Surg, 44-A: 1217-1244.

**Bax, B. E., J. M. Wozney and D. E. Ashhurst** (1999). "Bone morphogenetic protein-2 increases the rate of callus formation after fracture of the rabbit tibia." *Calcif Tissue Int* 65: 83-89.

**Beaupre, G. S., T. E. Orr and D. R. Carter** (1990). "An approach for time-dependent bone modeling and remodeling-theoretical development." *J Orthop Res* 8 (5): 651-661.

**Beaupre, G. S., T. E. Orr and D. R. Carter** (1990). "An approach for time-dependent bone modeling and remodeling-application: a preliminary remodeling simulation." *J Orthop Res* 8 (5): 662-670.

**Behrens, F.** (1989). "General theory and principles of external fixation." *Clin Orthop* 241: 15-23.

**Bengtsson, A. K., and E. J. Ryan** (2002). "Immune function of the decoy receptor osteoprotegerin." *Crit Rev Immunol* 22 (3): 201-1215.

**Benninghoff, A.** (1939). "Lehrbuch der Anatomie des Menschen." Bd. I Lehmann, München, Berlin.

**Bentolila, V., T. M. Boyce, D. P. Fyhrie, R. Drumb, T. M. Skerry and M. B. Schaffler** (1998). "Intracortical remodeling in adult rat long bones after fatigue loading." *Bone* 23 (3): 275-281.

**Biliouris, T. L., E. Schneider, B. A. Rahn, B. Gasser and S. M. Perren** (1989). "The effect of radial preload on the implant-bone interface: a cadaveric study." *J Orthop Trauma* 3 (4): 323-332.

**Bostman, O., E. Hirvensalo, J. Makinen and P. Rokkanen** (1990). "Foreign-body reactions to fracture fixation implants of biodegradable synthetic polymers." *J Bone Joint Surg Br* 72 (4): 592-596.

**Bourne, J. A.** (2000). "Immunochemistry" Laboratory DAKO Corporation, 4. Aufl., 7-13, Carpinteria, CA, USA.

**Brandt, R. B., and S. A. Siegel** (1980). "Spectrophotometric assay for D(-)lactate in plasma." *Anal Biochem* 102: 39-46.

**Branemark, P. I.** (1983). "Osteointegration and its experimental Background." *J Prosthet Dent* 50: 399-410.

**Braun, H.** (1914). "Allgemeine Operationslehre, Knochenoperationen, Vereinigung getrennter Knochen." In: Bier, A.H., Braun, H., Kümmel (Hrsg.): *Chirurgische Operationslehre*, Bd. I, Barth, Leipzig, S.136.

**Bromme, S.** (2001). "Mechanotransduktion in Osteoblasten." Marburg, Philipps-Universität, Fachbereich Humanmedizin, Diss.

**Brunner, E.** (1999). "Nichtparametrische Analyse longitudinaler Daten.", Dr. Edgar Brunner, , R. Oldenbourg Verlag München Wien, S26-27.

**Bucher, O.** (1985). "Cytologie, Histologie und mikroskopische Anatomie des Menschen." Verlag Hans Huber, 10. Auflage, Bern, Schweiz.

**Bucher, O., and H. Wartenberg,** (1997). "Cytologie, Histologie und mikroskopische Anatomie des Menschen." 12. Aufl., Huber Verlag, Bern.

**Burny, F.** (1984). "The pin as a percutaneous implant." *Orthopaedics* 7: 610-615.

**Burr, D. B., R. B. Martin, M. B. Schaffler and E. L.Radin** (1985). "Bone remodeling in response to in vivo fatigue microdamage." *J Biomech* 18 (3): 189-200.

**Caja, V. L., and A. Moroni** (1996). "Hydroxyapatite coated external fixation pins: an experimental study." *Clin Orthop* 325: 269-75.

**Capper, M., C. Soutis and O. O. Oni** (1994). "Comparison of the stresses generated at the pin-bone interface by standard and conical external fixator pins." *Biomaterials* 15 (6): 471-473.

**Carter, D. R.** (1987). "Mechanical loading history and skeletal biology." *J Biomech* 20 (11-12): 1095-1109.

**Chao, E. Y. S. and K.-N. An** (1982). "Biomechanical Analysis of External Fixation Devices for the Treatment of Open Bone Fractures." In *Finite Elements in Biomechanics*, Edited by R. H. Gallenger, B.R. Simon, P.c. Johnson, and J.F. Gross. New York, Wiley.

**Churches, A. E., K. E. Tanner and J. D. Harris** (1985). "The Oxford external fixator: fixator stiffness and the effects of bone pin loosening." *Engineer Med* 14 (1): 3-11.

**Claes, L.** (1990). "The biomechanics of osteosynthesis." *Aktuelle Probl Chir Orthop* 34: 32-38.

**Claes, L., P. Augat, G. Suger and H. J. Wilke** (1997). "Influence of size and stability of the osteotomy gap on the success of fracture healing." *J Orthop Res* 15 (4): 577-584.

**Claes, L., and A. Ignatius** (2002). "Development of new, biodegradable implants." *Chirurg* 73 (10): 990-996.

**Clasper, J. C., S. A. Stapley, D. M. G. Bowley, C. E. Kenward, V. Taylor and P. E. Watkins** (2001). "Spread of infection, in an animal model, after intramedullary nailing of an infected external fixator pin track." *J Orthop Res* 19 (1): 155-159.

**Clasper, J. C., L. B. Cannon, S. A. Stapley, V. M. Taylor and P. E. Watkins** (2001). "Fluid accumulation and the rapid spread of bacteria in the pathogenesis of external fixator pin track infection." *Injury* 32 (5): 377-381.

**Clèries, L., J. M. Fernández-Pradas and J. L. Morenza** (2000). "Bone ingrowth on and resorption of calcium phosphate coatings obtained by pulsed laser deposition." *J Biomed Mater Res* 49: 43-52.

**Collinge, C. A., G. Goll, D. Seligson and K. J. Easley** (1994). "Pin tract infections: silver vs uncoated pins." Orthopedics 17 (5): 445-448.

**Dahme, E., and E. Weiss** (1999). "Grundriß der speziellen pathologischen Anatomie der Haustiere." 5. Aufl., Enke, Stuttgart, S. 320-335.

**Daniels, A. U., M. S. Taylor and J. Heller** (1992). "Toxicity of absorbable polymers for fracture fixation devices." 38th Annual Meet., Orthopaedic Soc., Feb. 17-20, Washington, D.C..

**David, A., A. Pommer, J. Eitenmuller, G. Muhr and M. P. Hahn** (1994). "Animal experiment study of tensile strength of hydroxylapatite-coated AO/ASIF Schanz'screws for external fixators." Unfallchirurg 97 (8): 391-398.

**DeJong, M. E., M. T. DeBerardino, D. E. Brooks, M. B. Nelson, A. A. Campbell, M. C. Bottoni, A. E. Pusateri, M. R. Walton, C. H. Guymon and A. T. McManus** (2001). "Antimicrobial efficacy of external fixator pins coated with a lipid stabilized hydroxyapatite/chlorhexidine complex to prevent pin tract infection in a goat model." J Trauma 50 (6): 1008-1014.

**Dobbins, J. J., D. Seligson and M. J. Raff** (1988). "Bacterial colonization of orthopedic fixation devices in the absence of clinical infection." J Infect Dis 158 (1): 203-205.

**Donath, K.** (1987). "Die Trenn-Dünnschlifff-Technik zur Herstellung histologischer Präparate von nicht schneidbaren Geweben und Materialien." Exakt & Kulzer, Norderstedt.

**Duan, H., Y. Song, Z. Peng, L. Liu, C. Xiong, X. Zhang, F. Luo, X. Zhu, and D. Lin** (2000). "The effect of polylactide screws on fracture." Sheng Wu Yi Xue Gong Cheng Xue Za Zhi 17 (4):376-379.

- Duda, G. N., K. Eckert-Hubner, R. Sokiranski, A. Kreutner, R. Miller and L. Claes** (1998). “Analysis of inter-fragmentary movement as a function of musculoskeletal loading conditions in sheep.” *J Biomech* 31 (3): 201-210.
- Duda, G. N., M. Sollmann, S. Sporrer, J. E. Hoffmann, J. P. Kassi, C. Khodadadyan and M. Raschke** (2002). “Interfragmentary motion in tibial osteotomies stabilized with ring fixators.” *Clin Orthop Mar* 396:163-172.
- Dürselen, L., and L. Claes** (1987). “Comparative Mechanical Study on Unilateral External Fixation Systems.” *Chirurg. Forum f. experim. u. klin. Forsch.* Berlin Heidelberg, Springer-Verlag.
- Dunlop, R. H., and P. B. Hammond** (1965). “D-Lactic acidosis of ruminants.” *Ann NY Acad Sci* 119: 1109-1132.
- Edge, A. J., and R. A. Denham** (1981). “External fixation for complicated tibial fractures.” *J Bone Joint Surg Br* 63 (1): 92-7.
- Edwards, C. C.** (1986). “Complications of external fixation.” In: *Complications in Orthopaedic Surgery*, edited by C.H. Epps, Jr. Philadelphia, J.B. Lippincott, Ed. 2, vol. 1.
- Egger, E. L** (1991). “Complications of external fixation.” *Vet Clin North Am Small Anim Pract* 21 (4): 705-733.
- Eitel, F., R. K. Schenk and L. Schweiberer** (1980). “Cortical revascularization after medullary nailing in dog tibiae.” *Unfallheilkunde* 83 (5): 202-207.
- Eitel, F., R. K. Schenk and L. Schweiberer** (1981). “Morphological examination of animal-experiment results: comparison with regeneration of the human bone-structure. II. Research results.” *Unfallheilkunde* 84 (6): 255-264.
- Elliott, W. H.** (1959). “Amino-acetone: Ist isolation and role in metabolism.” *Nature* 183: 1051-1052.

- Emami, A., B. Mjoberg, G. Karlstrom and S. Larsson** (1995). "Treatment of closed tibial shaft fractures with unilateral external fixation." *Injury* 26 (5): 299-303.
- Evans, M., J. Kenwright and K. E. Tanner** (1979). "Analysis of single-sided external fracture fixation." *J Mech Engineer* 8 (3): 133-137.
- Finlay, J. B., M. B. Hurtig, W. R. Hardie, A. B. Liggins and S. W. Batte** (1995). "Geometrical properties of the ovine tibia: a suitable animal model to study the pin-bone interface in fracture fixation?" *Proc Inst Mech Eng [H]* 209 (1): 37-50.
- Frost, H. M.** (1969). "Tetracycline-based histological analysis of bone remodeling." *Calcif Tissue Res* 3 (3): 211-237.
- Fukada, E.** (1968). "Mechanical deformation and electrical polarization in biological substances." *Biorheology* 5:199-208.
- Gallo J., P. Kaminek, V. Ticha, P. Rihakova and R. Ditmar** (2002). "Particle disease. A comprehensive theory of periprosthetic osteolysis: a review." *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 146 (2): 21-28.
- Garberina, M. J., R. D. Fitch, E. D. Hoffmann, W. T. Hardaker, T. P. Vail and S. P. Scully** (2001). "Knee arthrodesis with circular external fixation." *Clin Orthop* 382: 168-178.
- Goldner, J.** (1938). "A modification of the Masson trichrom technique for routine laboratory purpose." *Amer J Path* 14: 237-243.
- Gondolph-Zink, B.** (1998). "Effect of hydroxyapatite layering on the osteo-integration of weightbearing and non-weightbearing implants. Comparison to other microporous surfaces in animal experiments." *Orthopade* 27 (2): 96-104.
- Goodship, A. E., P. E. Watkins, H. S. Rigby and J. Kenwright** (1993). "The role of fixator frame stiffness in the control of fracture healing. An experimental study." *J Biomech* 26 (9): 1027-35.

**Gordon, J. E., J. Kelly-Hahn, C. J. Carpenter and P. L. Schoenecker** (2000). “Pin site care during external fixation in children: results of a nihilistic approach.” *Pediatr Orthop* 20 (2): 163-165.

**Green, S. A., and M. J. Ripley** (1984). “Chronic osteomyelitis in pin tracks.” *J Bone Joint Surg Am* 66 (7): 1092-1098.

**Grosse-Siestrup, C., and K. Affeld** (1984). “Design criteria for percutaneous devices.” *J Biomed Mater Res* 18: 357-382.

**Hall, C. W., P. A. Cox and S. R. Mc Fareland** (1984). “Some factors that influence prolonged interfacial continuity.” *J Biomed Mater Res* 18: 383-393.

**Hansmann, C.** (1886). “Eine neue Methode der Fixierung der Fragmente bei complicierten Frakturen.” *Verh Dtsch Ges Chir* 15.

**Hardy, N., F. Burny and G. A. Deutsch** (1984). “Pin tract histology study: Preliminary clinical investigations.” *Orthopedics* 7: 616-618.

**Helmus, N. M.** (2002). “Biomaterials in Design and Reliability of Medical Devices.” Boston Scientific, Natick, MA, USA.

**Hench, L. L., and J. Wilson** (1984). “Surface-active biomaterials.” *Science* 9 226 (4675): 630-636.

**Hench, L. L., and J. M. Polak** (2002). “Third-generation biomedical materials.” *Science* 8 295 (5557): 1014-1017.

**Hente, R., J. Cordey, B. A. Rahn, M. Maghsudi, S. von Gumppenberg and S. M. Perren** (1999). “Fracture healing of the sheep tibia treated using a unilateral external fixator. Comparison of static and dynamic fixation.” *Injury* 30 Suppl 1: A44-51.

**Hermanns, W.** (1986). "Identification of osteoclasts and their differentiation from mononuclear phagocytes by enzyme histochemistry." *Histochemistry* 86: 225-227.

**Hierholzer, G., and R. Kleining** (1982). "Theoretical principles and biomechanics of external fixator osteosynthesis." *Langenbecks Arch Chir* 358: 105-112.

**Hoentzsch, D.** (1997). "Fixateur externe-Montagen mit dem AO-Rohrsystem." *OP-Journal* 13: 18-28.

**Hofmann, G. O., H. Liedtke, G. Ruckdeschel and G. Lob** (1990). "The influence of bacterial contaminations on the biodegradation of PLA implants." *Clin Mater* 6 (2): 137-150.

**Huiskes, R. and E. Y. Chao** (1986). "Guidelines for external fixation frame rigidity and stresses." *J Orthop Res* 4 (1): 68-75.

**Hunt, J. A. and D. F. Williams** (1995). "Quantifying the soft tissue response to implanted materials." *Biomaterials* 16 (3):167-170.

**Huré, G., and K. Donath** (1996). "Does Titanium surface treatment influence the bone-implant interface? SEM and Histomorphometry in a 6-month sheep study." *Int J Oral Maxillofac Implants* 11: 506-511.

**Hyldahl, C., S. Pearson, S. Tepic and S. M. Perren** (1991). "Induction and prevention of pin loosening in external fixation: an in vivo study on sheep tibiae." *J Orthop Trauma* 5 (4): 485-492.

**Ignatius, A. A., P. Augat and L. E. Claes** (2001). "Degradation behavior of composite pins made of tricalcium phosphate and poly(L,D,L-lactide)." *J Biomater Sci Polym Ed* 12 (2): 185-194.

**Ilizarov, G. A.** (1992). "Transosseous Osteosynthesis. Theroretical and clinical aspects of the regeneration and growth of tissue." Springer, Berlin.

**Jukema, G. N., and G. Hierholzer** (1997). "Geschichte und Entwicklung der Fixateur externe-Osteosynthese." OP-Journal 13 (1): 4-9.

**Kamke, D., and W. Walcher** (1994). "Physik für Mediziner." 2. Auflage, B. G. Teubner, Stuttgart, S. 617-639.

**Kay, M. W., S. C. Roe, L. F. Stikeleather, A. Mahmoud and C. F. Abrams** (1998). "Axial vibration of threaded external fixation pins: detection of pin loosening." Ann Biomed Eng 26 (3): 361-368.

**Klein, P., H. Schell, F. Streitparth, M. Heller, J. P. Kassi, F. Kandziorra, H. Bragulla, N. P. Haas and G. N. Duda** (2002). "The initial phase of fracture healing is specifically sensitive to mechanical conditions." submitted: J Orthop Res.

**Klinkmann, H., and D. Falkenhagen** (1989). "Biokompatibilität: Die Notwendigkeit einer komplexen Betrachtung." Wiss Infor Aktuelle Nephrologie 22: 115-130.

**Knabe, C.** (1990). "Lokale Reaktionen der marginalen Haut um perkutane Implantate." Berlin, Freie Univ., Fachber. Zahnmed., Diss.

**Koskikare, K., T. Toivonen and P. Rokkanen** (1998). "Tissue response to bioabsorbable self-reinforced polylevolactide and polyglycolide pins implanted intra-articularly and directly into the bone on different levels. An experimental study on rats." Arch Orthop Trauma Surg 118 (3): 149-155.

**Kossa, J. V.** (1901). "Über die im Organismus künstlich erzeugbaren Verkalkungen." Ziegler's Beitr path Anat 29: 163-202.

**Krischak, G. D., A. Janousek, S. Wolf, P. Augat, L. Kinzl and L. E. Claes** (2002). "Effects of one-plane and two-plane external fixation on sheep osteotomy healing and complications." Clinical Biomechanics 17: 470-476.

**Lanyon, L. E., W. G. J. Hampson, A. E. Goodship and J. S. Shah** (1975). "Bone deformation recorded in vivo from strain gauges attached to the human tibial shaft." *Acta Orthop Scand* 46: 256-268.

**Lanyon, L. E., and S. Bourn** (1979). "The influence of mechanical function on the development and remodelling of the tibia." *J. Bone Jt Surg* 61-A (2): 263-273.

**Leenslag, J. W., and A. J. Pennings** (1987). "Resorbable materials of poly(L-lactide). VI Plates and screws for internal fracture fixation." *Biomaterials* 8: 70-73.

**Lewallen, D. G., E. Y. S. Chao and P. J. Kelly** (1982). "External Skeletal Fixation vs. Dynamic Compression Plating of Canine Tibial Fractures: A Comparison of the Biomechanics, Histology , and Physiology of Fracture Healing." *Trans Orthop Res Soc* 7: 183.

**Liebich, J.** (1999). "Funktionelle Histologie der Haussäugetiere." 3. Auflage, Schattauer, Stuttgart, S. 46-64.

**Lind, M., S. Overgaard, C. Bunger and K. Soballe** (1999). "Improved bone anchorage of hydroxypatite coated implants compared with tricalcium-phosphate coated implants in trabecular bone in dogs." *Biomaterials* 20 (9): 803-808.

**Lucke, M., G. Schmidmaier, S. Sadoni, B. Wildemann, R. Schiller, N. P. Haas and M. Raschke** (2002). "Gentamycin Coating of metallic Implants Reduces Implant Related Osteomyelitis in Rats." submitted to *Bone*.

**Mahan, J., D. Seligson, S. L. Henry, P. Hynes and J. Dobbins** (1991). "Factors in pin tract infections." *Orthopedics* 14 (3): 305-308.

**Mainil-Varlet, P., C. Hauke, V. Maquet, G. Printzen, S. Arens, T. Schaffner, R. Jerme, S. Perren and U. Schlegel** (2001). "Polylactide implants and bacterial contamination: an animal study." *J Biomed Mater Res* 54 (3): 335-343.

**Mainil-Varlet, P., B. Rahn and S. Gogolewski** (1997). “Long-term in vivo degradation and bone reaction to various polylactides. 1. One-year results.” *Biomaterials* 18 (3): 257-266.

**Maki, D. G., C. E. Weise and H. W. Sarafin** (1977). “A semiquantitative method for identifying intravenous-catheter-related infection.” *N Eng J Med* 296 (23):1035-09.

**Martin, A. B.** (1987). “Osteonal remodeling in response to screw implantation in canine femora.” *J Orthop Res* 5: 445-452.

**Martin, R. B.** (2000). “Toward a unifying theory of bone remodeling.” *Bone* 26 (1): 1-6.

**Masse, A., A. Bruno, M. Bosetti, A. Biasibetti, M. Cannas and P. Gallinaro** (2000). “Prevention of pin track infection in external fixation with silver coated pins: clinical and microbiological results.” *J Biomed Mater Res* 53 (5): 600-604.

**Matter, P, J. Brennwald and S. M. Perren** (1975). “Healing of bone defects following removal of osteosynthesis screws.” *Z Unfallmed Berufskr* 68 (2): 104-107.

**Matthews, L. S., C. A. Green and S. A. Goldstein** (1984). “The thermal effects of skeletal fixation-pin insertion in bone.” *J Bone Joint Surg Am* 66 (7): 1077-83.

**McDonald, D. E., R. H. Palmer, D. A. Hulse, J. S. Neigut, W. A. Hyman and M. R. Slater** (1994). “Holding power of threaded external skeletal fixation pins in the near and far cortices of cadaveric canine tibiae.” *Vet Surg* 23 (6): 488-493.

**Meinig, R. P., B. Rahn, S. M. Perren and S. Gogolewski** (1996). “Bone regeneration with resorbable polymeric membranes: treatment of diaphyseal bone defects in the rabbit radius with poly(L-lactide) membrane. A pilot study.” *J Orthop Trauma* 10 (3): 178-190.

**Melcher, A. H., and J. T. Irving** (1962). “The healing mechanism in artificially created circumscribed defects in the femora of albino rats.” *J Bone Joint Surg* 44 B (4): 928-936.

**Moroni, A., V. L. Caja, M. C. Maltarello, L. Savarino, F. Marinelli, S. Stea, M. Visentin and S. Giannini** (1997). “Biomechanical, scanning electron microscopy, and microhardness analyses of the bone-pin interface in hydroxyapatite coated versus uncoated pins.” J Orthop Trauma 11 (3): 154-61.

**Moroni, A., S. Toksvig-Larsen, M. C. Maltarello, L. Orienti, S. Stea and S. Giannini** (1998). “A comparison of hydroxyapatite-coated, titanium-coated, and uncoated tapered external-fixation pins. An in vivo study in sheep.” J Bone Joint Surg Am 80 (4): 547-554.

**Moroni, A., P. Aspenberg, S. Toksvig-Larsen, G. Falzarano and S. Giannini** (1998). “Enhanced fixation with hydroxyapatite coated pins.” Clin Orthop (346): 171-177.

**Moroni, A., J. Heikkila, G. Magyar, S. Toksvig-Larsen and S. Giannini** (2001). “Fixation strength and pin tract infection of hydroxyapatite-coated tapered pins.” Clin Orthop Jul 388: 209-217.

**Morton, D. B., and P. H. M. Griffiths** (1985). “Guidelines on the recognition and assessment of pain, distress and discomfort in experimentell animals and on hypothesis for assessment.” Vet Rec (116): 431-436.

**Mosimann, W., und T. Kohler** (1990). “Zytologie, Histologie, mikroskop Anatomie der Haussäugetiere.” Paray Verlag, Berlin, Hamburg, Germany.

**Mouzin, O., K. Soballe and J. E. Bechtold** (2001). “Loading improves anchorage of hydroxyapatite implants more than titanium implants.” J Biomed Mater Res 58 (1): 61-68.

**Nelson, J. P.** (1977). “The operating room environment and its influence on deep wound infection.” The Hip: Proceedings of the Fifth Open Scientific Meeting of The Hip Society, St. Luis, C.V. Mosby.

**Newman, R. J., R. B. Duthie and M. J. Francis** (1985). “Nuclear magnetic resonance studies of fracture repair.” Clin Orthop 198: 297-303.

**Ng, K. W., E. Romas, L. Donnan and D. M. Findlay** (1997). "Bone biology." Baillieres Clin Endocrinol Metab 11 (1): 1-22.

**Nickel, R., A. Summer und E. Seiferle** (1992). "Lehrbuch der Anatomie der Haustiere." Band I, 6. Auflage, Verlag Paul Parey, Berlin und Hamburg, Germany, S. 15-23.

**Nomura, S. and T. Takano-Yamamoto** (2000). "Molecular events caused by mechanical stress in bone." Matrix Biol 19 (2): 91-96.

**Nordstrom, P., H. Pihlajamaki, T. Toivonen, P. Tormala and P. Rokkanen** (1998). "Tissue response to polyglycolide and polylactide pins in cancellous bone." Arch Orthop Trauma Surg 117 (4-5): 197-204.

**Oni, O. O., M. Capper and C. Soutis** (1993). "Bending stiffness of conical and standard external fixator pins." Biomaterials 14 (13): 1036-1038.

**Paivarinta, U., O. Bostman, A. Majola, T. Toivonen, P. Tormala, P and P. Rokkanen** (1993). "Intraosseous cellular response to biodegradable fracture fixation screws made of polyglycolide or polylactide." Arch Orthop Trauma Surg 112 (2): 71-4.

**Palay, D.** (1990). "Problems, obstacles and complications of limb lengthening by the Ilizarov technique." Clin Orthop 250: 94-98.

**Panagiotopoulos E., M. Dauner, Y. Missirlis, L. Caramaro, H. Plank and L. Khaldi** (1997). "Soft tissue and cancellous bone reaction to the implantation of novel biodegradable pins and plates in rabbits." Acta Orthop Scand Suppl 275: 119-22.

**Perren, S. M.** (1992). "Biomechanical basis of fracture treatment." Orthopade 21 (1): 3-10.

**Perren S. M., M. Russenberger, S. Steinemann, M. E. Muller and M. Allgower** (1969). "A dynamic compression plate." Acta Orthop Scand Suppl 125: 31-41.

- Pettine, K. A., E. Y. Chao and P. J. Kelly** (1993). "Analysis of the external fixator pin-bone interface." *Clin Orthop* 293: 18-27.
- Petty W, S. Spanier, J. J. Shuster and C. Silverthorne** (1985). "The influence of skeletal implants on incidence of infection. Experiments in a canine model." *J Bone Joint Surg Am* 67 (8): 1236-1244.
- Pommer, A., A. David, P. Barczik and G. Muhr** (1998). "Loosening of Schanz'screws in external fixator montage of the lower extremity." *Unfallchirurg* 101 (9): 708-712.
- Prokop, A., A. Jubel, H. J. Helling, C. Udomkaewkanjana, H.G. Brochhagen and K. E. Rehm** (2002). "New biodegradable polylactide implants (Polypin-C) in therapy for radial head fractures." *Chirurg* 73 (10): 997-1004.
- Raschke, M. J., S. F. Kolbeck, M. Dahne, T. Lindner, K. Raun and H. Bail** (2000). "Recombinant growth hormone accelerates regenerate consolidation in distraction osteosynthesis." *Chirurg* 71 (9): 1009-1015.
- Reinacher, M.** (1999). "Stütz- und Bewegungsapparat." Dahme E, Weiss E, Grundriß der speziellen pathologischen Anatomie der Haustiere, 5. Aufl., Enke, Stuttgart, Germany.
- Remedios, A.** (1999). "Bone and bone healing." *Vet Clin North Am Small Anim Pract* 29 (5): 1029-1044.
- Respet, P. J., P. G. Kleinman and B. P. Meinhard** (1987). "Pin tract infections: a canine model." *J Orthop Res* 5 (4): 600-603.
- Rhinelander, F. W.** (1974). "Tibial blood supply in relation to fracture healing." *Clin Orthop* 105 (0): 34-81.
- Riede, U. N.** (1993). "Entzündungspathologie." In: Allgemeine und spezielle Pathologie, Thieme Verlag, Stuttgart, Germany.

- Roberts W. E., R. K. Smith, Y. Zilberman, P. G. Mozsary and R. S. Smith** (1984). “Osseous adaptation to continuous loading of rigid endosseous implants.” Am J Orthod 86 (2): 95-111.
- Rommens, P. M., P. L. Broos, K. Stappaerts and J. A. Gruwez** (1988). “Internal stabilization after external fixation of fractures of the shaft of the tibia: sense or nonsense?” Injury 19 (6): 432-5.
- Romppanen, T.** (1982). “Practical approach to a morphometric study.” Morphometry in morphological diagnosis. University press, Kupio.
- Sax, N. J.** (1984). “Dangerous properties of industrial materials.” Van Nostrand Reinhold Company, New York.
- Schatzker, J., J. G. Horne and G. Sumner-Smith** (1975). “The effect of movement on the holding power of screws in bone.” Clin Orthop 111: 257-262.
- Schatzker, J., J. G. Horne and G. Sumner-Smith** (1975). “The reaction of cortical bone to compression by screw threads.” Clin Orthop 111: 263-265.
- Schatzker, J.** (1995) “Osseointegration of metal.” Can J Surg 38 Suppl 1: 49-54.
- Schmidmaier, G., B. Wildemann, A. Stemberger, N. P. Haas and M. Raschke** (2001). “Biodegradable poly(D,L-lactide) coating of implants for continuous release of growth factors.” J Biomed Mater Res 58 (4): 449-455.
- Schmidmaier, G., B. Wildemann, H. Bail, M. Lucke, T. Fuchs, A. Stemberger, A. Flyvbjerg, N. P. Haas and M. Raschke** (2001). “Local application of growth factors (Insulin-like growth factor-1 and transforming growth factor- $\beta$ 1) from a biodegradable Poly(D,L-lactide) coating of osteosynthetic implants accelerates fracture healing in rats.” Bone 28 (4): 341-350.

**Schweiberer, L., R. Baumgart and S. Deiler** (1999). "The biological reaction in atrophic and hypertrophic pseudarthrosis of diaphysis of long bone. Causes and forms of appearance." Chirurg 70 (11): 1193-1201.

**Shim, S. S.** (1968). "Physiology of blood circulation of bone." JBJS Vol 50-A, 4: 812-824.

**Sisk, T. D.** (1983). "General principles and techniques of external skeletal fixation." Clin Orthop 180: 96-100.

**Soballe, K.** (1993). "Hydroxyapatite ceramic coating for bone implant fixation: Mechanical and histological studies in dogs." Acta Orthopaedica Scandinavica Suppl 255 (64): 13-14.

**Steinmann, R., H. Gerngross and W. Hartel** (1990). "The use of bioresorbable implants (Biofix) in surgery. The indications, technic and initial clinical results." Aktuelle Traumatol 20 (2): 102-107.

**Stürmer, K. M.** (1993). "Measurement of intramedullary pressure in an animal experiment and propositions to reduce the pressure increase." Injury 24 Suppl 3: S.7-21.

**Stürmer, K. M., and W. Schuchardt** (1980). "New aspects of closed intramedullary nailing and marrow cavity reaming in animal experiments. III. Bone-healing, revascularisation and remodeling." Unfallheilkunde 83 (9): 433-5.

**Stürmer, K. M.** (1984). "Histologic finding of fracture healing using external fixation and its clinical significance." Unfallchirurgie 10 (3): 110-22.

**Summer, K.** (1993). "Toxicological Evaluation of the Incorporation of Polymers and Copolymers Based on L- and D-Lactide and Glycolide." Neuherberg, Germany.

**Suter, P. F.** (1994). "Unfallhund" Niemand, H. G. und Suter P. F. (Hrsg.), "Praktikum der Hundeklinik" 8. Aufl., Blackwell Wissenschafts-Verlag, Berlin, S. 173-174.

- Tielinen, L., M. Manninen, P. Puolakkainen, H. Pihlajamaki, T. Pohjonen, J. Rautavuori and P. Tormala** (1998). "Polylactide pin with transforming growth factor beta 1 in delayed osteotomy fixation." *Clin Orthop* 355: 312-322.
- Tubbs, P. K.** (1965). "The metabolism of D-a-hydroxy acids in animal tissues." *Ann NY Acad Sci* 119: 920-926.
- Ungersböck, A., O. E. Pohler and S. M. Perren** (1996). "Evaluation of soft tissue interface at Titanium implants with different surface treatments: Experimental study on rabbits." *Bio Med Mater Eng* 4 (4): 317-325.
- Vangsness, C.T. Jr., D. R. Carter and V. H. Frankel** (1981). "In vitro evaluation of the loosening characteristics of self-tapped and non-self-tapped cortical bone screws." *Clin Orthop* 157: 279-286.
- Van Sliedregt, A., A. M. Radder and C. A. van Blitterswijk** (1992). "In vitro biocompatibility testing of polylactides. Part I proliferation of different cell types." *J Mater Sci: Mater Med* 3: 365-370.
- Vercaigne, S., J. G. Wolke, I. Naert and J. A. Jansen** (1998). "Histomorphometrical and mechanical evaluation of titanium plasma-spray-coated implants placed in the cortical bone of goats." *J Biomed Mater Res* 41 (1): 41-48.
- Voos, K., B. Rosenberg, M. Fagrhi and D. Seligson** (1999). "Use of a tobramycin-impregnated polymethylmethacrylate pin sleeve for the prevention of pin-tract infection in goats." *J Orthop Trauma* 13 (2): 98-101.
- Ward, P.** (1998). "Care of skeletal pins: a literature review." *Nurs Stand* 12 (39): 34-38.
- Williams, D. F.** (1996). "Implantable materials and infection." *Injury* 27 Suppl 3: SC1-4.
- Winiwarter, H. v., and G. Sainmout** (1908). "Erfahrungen über die Flemmingsche Dreifachfärbung." *Z wiss Mikr* 25: 157-162.

**Wolfensohn, S., und M. Lloyd** (1994). “Recognition of pain and distress in laboratory animals.” Handbook of laboratory animal management and welfare. S. Wolfensohn und M. Lloyd, Oxford, New York, Tokyo, Oxford University Press 1:174-180.

**Wolff, J.** (1892). “Das Gesetz der Transformation der Knochen.” Hirschwald, Berlin, Germany, S. 1-152.

**Wu, J. J., H. S. Shyr, E. Y. Chao and P. J. Kelly** (1984). “Comparison of osteotomy healing under external fixation devices with different stiffness characteristics.” J Bone Joint Surg Am 66 (8): 1258-1264.

**Yasuda, I.** (1958). “Study on bone dynamics.” J Bone Joint Surg Am 40: 227.

**Zych, G. A., and J. J. Hutson** (1995). “Diagnosis and management of infection after tibial intramedullary nailing.” Clin Orthop 315: 153-162.