

## Literatur:

- (1) American Academy of Pediatrics: Committee on Sports Medicine and Fitness: *"Human Immunodeficiency Virus and Other Blood-borne Viral Pathogens in the Athletic Setting"*, Pediatrics, 1999, 104 (6), S. 1400-1403
- (2) Arey B. und Beal M.: *"The Role of Exercise in the Prevention and Treatment of Wasting in Acquired Immune Deficiency Syndrome"*, J Assoc Nurses AIDS Care, 2002, 13 (1), S. 29-49
- (3) Baigis J., Korniewicz D., Chase G. et al.: *"Effectiveness of a Home-Based Exercise Intervention for HIV-Infected Adults: A Randomized Trial"*, J Assoc Nurses AIDS Care, 2002, 13 (2), S. 33-45
- (4) Biviji A., Paiement G. und Steinbach L.: *"Musculoskeletal manifestations of human immunodeficiency virus infection"*, J Am Acad Orthop Surg, 2002, 10 (5), S. 312-320
- (5) Bopp C., Phillips K., Fulk L. et al.: *"Clinical Implications of Therapeutic Exercise in HIV/AIDS"*, J Assoc Nurses AIDS Care, 2003, 14 (1), S. 73-78
- (6) Brew B., Tisch S. und Law M.: *"Lactate concentrations distinguish between nucleoside neuropathy and HIV neuropathy"*, AIDS, 2003, 17 (7), S. 1094-1096
- (7) Brown L., Drotman D., Chu A. et al.: *"Bleeding Injuries in Professional Football: Estimating the Risk for HIV Transmission"*, Ann Intern Med, 1995, 122 (4), S. 271-274
- (8) Cade W., Fantry L., Nabar S. et al.: *"Impaired Oxygen On- Kinetics in Persons with Human Immunodeficiency Virus are not due to Highly Active Antiretroviral Therapy"*, Arch Phys Med Rehabil, 2003, 84 (12), S. 1831- 1838
- (9) Chou F.: *"Testing a Predictive Model of the Use oh HIV/ AIDS Symptom Self-Care Strategies"*, AIDS Patient Care STDs, 2004, 18 (2), S. 109-117

- (10) Ciccolo J., Jowers E. und Bartholomew J.: *"The Benefits of Exercise Training for Quality of Life in HIV/ AIDS in the Post-HAART Era"*, Sports Med, 2004, 34 (8), S. 487-499
- (11) Clingerman E.: *"Participation in Physical Activity by Persons Living with HIV Disease"*, J Assoc Nurses AIDS Care, 2003, 14 (5), S. 59-70
- (12) Cohen B.: *"Neurologic Complications of HIV Infection"*, Primary Care, 1997, 24 (3), S. 575-595
- (13) Corless I., Haugen Bunch E., Kemppainen J. et al.: *"Self-Care for Fatigue in Patients with HIV"*, ONF, 2002, 29 (5), S. E60-E68
- (14) Cruess D., Evans D., Repetto M. et al.: *"Prevalence, diagnosis and pharmacological treatment of mood disorders in HIV disease"*, Biol Psychiatry, 2003, 54 (3), S. 307-316
- (15) Dorman J.: *"Contagious Diseases in Competitive Sport: What are the Risks"*, J Am Coll Health, 2000, 49 (3), S. 105-109
- (16) Duda J. und Tappe M.: *"The personal incentives for exercise questionnaire: The preliminary development"*, Perceptual & Motor skills, 1989, 68, S. 1122
- (17) Dudgeon W., Phillips K., Bopp C. et al.: *"Physiological and Psychological Effects of Exercise Interventions in HIV Disease"*, AIDS Patient Care STDs, 2004, 18 (2), S. 81-98
- (18) Duggan J., Peterson W., Schutz M. et al.: *"Use of Complementary and Alternative Therapies in HIV-Infected Patients"*, AIDS Patient Care STDs, 2001, 15 (3), S. 159-167
- (19) Feller A. und Flanigan T.: *"HIV, Infectious Diseases and Competitive Athletics"*, Med Health R I, 2000, 83 (2), S. 56-59
- (20) Friis-Møller N., Sabin C., Weber R. et al.: Data collection on the Adverse Events of Anti-HIV Drugs (DAD) Study Group: *"Combination antiretroviral Therapy and the risk of myocardial infarction"*, N Engl J Med, 2003, 349 (21), S. 1993-2003

- (21) Gözl J., Mayr C. und Heise W.: *"HIV und AIDS"*, 3. Auflage, Urban & Fischer Verlag, München -Jena (Germany), 1999, S. 191-200
- (22) Greene K., Berger J., Reeves C. et al.: *"Most Frequently Used Alternative and Complementary Therapies and Activities by Participants in the AMCOA Study"*, J Assoc Nurses AIDS Care, 1999, 10 (3), S. 60-73
- (23) Haskell W.: *"Sport, Bewegung und Gesundheit. Auf dem Weg in ein neues Jahrhundert"*, Orthopäde, 2000, 29 (11), S. 930-935
- (24) Hoffmann C. und Kamps B.: *"HIV.NET 2003"*, Steinhäuserverlag, Wuppertal (Germany), 2003, S. 485-503
- (25) Hoffmann C. und Kamps B.: *"HIV.NET 2003"*, Steinhäuser Verlag, Wuppertal (Germany), 2003, S. 79-85
- (26) Hoffmann G.: *"Kongreßbericht: Prävention durch Bewegung und Sport"*, Deutsches Ärzteblatt, 2002, 99 (9), S. A 577-A 580;  
<http://www.aerzteblatt.de/v4/archiv/artikel.asp?id=30636>
- (27) Hollmann W. und Löllgen H.: *"Kongreßbericht: Bedeutung der körperlichen Aktivität für kardiale und zerebrale Funktionen"*, Deutsches Ärzteblatt, 2002, 99 (20), S. A 1379-A 1381; <http://www.aerzteblatt.de/v4/archiv/artikel.asp?id=31633>
- (28) Institut S.-. *"Sportstudie 2005"*, 2005, [http://www.soko-institut.de/docs/Kurzauswertung\\_Sportstudie2005.pdf](http://www.soko-institut.de/docs/Kurzauswertung_Sportstudie2005.pdf)
- (29) Justice A., McGinnis K., Atkinson J. et al.: *"Psychiatric and neurocognitive disorders among HIV-positive and negative veterans in care: Veterans Aging Cohort Five-Site Study"*, AIDS, 2004, 18 (Suppl 1), S. 49-59
- (30) Kenyon G.: *"Six scales for assessing attitude toward physical activity"*, Research Quarterly, 1968, 39, S. 566-574

- (31) Keyser R., Peralta L., Cade W. et al.: "*Functional Aerobic Impairment in Adolescents Seropositive for HIV: A Quasiexperimental Analysis*", Arch Phys Med Rehabil, 2000, 81 (11), S. 1479-1484
- (32) Kline P.: "*The Handbook of Psychological Testing*", Vol. 2nd Ed., Routledge, London, 2000
- (33) LeMura L. und von Duvillard S.: "*Clinical Exercise Physiology; Application and Physiological Principles*", Lippincott Williams & Wilkins, Philadelphia (USA), 2004, S. 455-481
- (34) Löllgen H.: "*Primärprävention kardialer Erkrankungen: Stellenwert der körperlichen Aktivität*", Deutsches Ärzteblatt, 2003, 100 (15), S. A 987-A 986;  
<http://www.aerzteblatt.de/v4/archiv/artikel.asp?id=36501>
- (35) Mallal S.: "*Mitochondrial Toxicity*", Medscape: HIV/ AIDS Updates, 2002, S.  
<http://www.medscape.com/viewarticle/441841>
- (36) menshealth: "*Schönheitsideal*", 2006, <http://www.menshealth.de/beckham-hat-die-traumfigur.8332.htm>
- (37) Motl R., Konopack J., McAuley E. et al.: "*Depressive symptoms among older adults: long-term reduction after a physical activity intervention*", J Behav Med, 2005, 28 (4), S. 385-394
- (38) Moyle G.: "*Double "d" Drug Danger*", AIDS Read, 2003, 13 (1), S. 15-24
- (39) Neidig J., Smith B. und Brashers D.: "*Aerobic Exercise Training for Depressive Symptom Management in Adults Living with HIV Infection*", J Assoc Nurses AIDS Care, 2003, 14 (2), S. 30-40
- (40) Nixon S., O'Brian K., Glazier R. et al.: "*Aerobic exercise intervention for adults living with HIV/ AIDS (Cochrane Review)*", The Cochrane Library, Oxford, 2003,

- (41) O'Brian K., Nixon S., Glazier R. et al.: *"Progressive resistive exercise interventions for adults living with HIV/ AIDS"*, Cochrane Database Syst Rev, Oxford, 2004,
- (42) O'Brian K., Nixon S., Tynan A. et al.: *"Effectiveness of Aerobic Exercise in Adults Living with HIV/ AIDS: Systematic Review"*, Med Sci Sports Exerc, 2004, 36 (10), S. 1659-1666
- (43) O'Dell M., Hubert H., Lubeck D. et al.: *"Physical disability in a cohort of persons with AIDS: data from the AIDS Time-Oriented Health Outcome Study"*, AIDS, 1996, 10 (6), S. 667- 673
- (44) Peters B., Winer J., Landon D. et al.: *"Mitochondrial myopathy associated with chronic zidovudine therapy in AIDS"*, Q J Med, 1993, 86 (1), S. 5-15
- (45) Petito C., Navia B., Cho E. et al.: *"Vacuolar myelopathy pathologically resembling subacute combined degeneration in patients with the acquired immunodeficiency syndrome"*, N Engl J Med, 1985, 312 (14), S. 874-879
- (46) Plate A. und Boyle B.: *"Musculoskeletal Manifestations of HIV Infection"*, AIDS Read, 2003, 13 (2), S. 62-72 u. 76
- (47) RKI, (Robert Koch-Institut), Epidemiologisches Bulletin, Sonderausgabe A, Berlin, 29. Mai 2007, S. 5-14,
- (48) Roubenoff R. und Wilson I.: *"Effect of resistance training on self-reported physical functioning in HIV infection"*, Med Sci Sports Exerc, 2001, 33 (11), S. 1811-1817
- (49) Scevola D., Di Matteo A., Lanzarini P. et al.: *"Effect of exercise and strength training on cardiovascular status in HIV-infected patients receiving highly active antiretroviral therapy"*, AIDS, 2003, 17 (Suppl 1), S. S123-S129
- (50) Shevitz A., Wilson I., McDermott A. et al.: *"A Comparison of the Clinical and Cost-Effectiveness of 3 Intervention Strategies for AIDS Wasting"*, JAIDS, 2005, 38 (4), S. 399-406

- (51) Siegel K., Brown-Bradley C. und Lekas H.: *"Strategies for Coping with Fatigue Among HIV-Positive Individuals Fifty Years and Older"*, AIDS Patient Care STDs, 2004, 18 (5), S. 275-288
- (52) Simpson D., Bender A., Farraye J. et al.: *"Human Immunodeficiency Virus Wasting Syndrome may represent a treatable myopathy"*, Neurology, 1990, 40 (3 Pt 1), S. 535-538
- (53) Smith B., Neidig J., Nickel J. et al.: *"Aerobic exercise: effects on parameters related to fatigue, dyspnoea, weight and body composition in HIV-infected adults"*, AIDS, 2001, 15 (6), S. 693-701
- (54) Strawford A. und Hellerstein M.: *"The Etiology of Wasting in the Human Immunodeficiency Virus and Acquired Immunodeficiency Syndrome"*, Semin Oncol, 1998, 25 (2 Suppl 6), S. 76-81
- (55) The American Medical Society for Sports Medicine (AMSSM) und The American Academy of Sports Medicine (AASM): *"Human Immunodeficiency Virus and Other Blood-Borne Pathogens in Sports"*, Clin J Sport Med, 1995, 5 (3), S. 199-204
- (56) The Dana Consortium on Therapy for Dementia and Related Cognitive Disorders: *"Clinical confirmation of the American Academy of Neurology algorithm for HIV-1-associated cognitive/ motor disorder"*, Neurology, 1996, 47 (5), S. 1247-1253
- (57) Tsao J., Dobalian A., Moreau C. et al.: *"Stability of anxiety and depression in a national sample of adults with human immunodeficiency virus"*, J Nerv Ment Dis, 2004, 192 (2), S. 111-118
- (58) wikipedia: *"Fitnessstudio"*, 2007, <http://de.wikipedia.org/wiki/Fitnessstudio>
- (59) Yarasheki K., Tebas P., Stanerson B. et al.: *"Resistance exercise training reduces hypertriglyceridemia in HIV- infected men treated with antiviral therapy"*, Appl Physiol, 2001, 90, S. 133- 138