

## 8. Literaturverzeichnis

- [1] Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ (1990) Basic local alignment search tool. *J Mol Biol* 215: 403-410
- [2] Araujo RM, Puig A, Lasobras J, Lucena F, Jofre J (1997) Phages of enteric bacteria in fresh water with different levels of faecal pollution. *J Appl Microbiol* 82: 281-286
- [3] Beuret C, Kohler D, Baumgartner A, Lüthi TM (2002) Norwalk-like Virus Sequences in Mineral Waters: One-Year monitoring of three brands. *Appl Environ Microbiol* Volume 68, No. 4: 1925-1931
- [4] Borchardt MA, Bertz PD, Spencer SK, Battigelli DA (2002) Incidence of enteric viruses in groundwater from household wells in Wisconsin. *Appl Environ Microbiol*: 1172-1180
- [5] Bosch A (1998) Human enteric viruses in the water environment: A minireview. *Internatl Microbiol* 1: 191-196
- [6] Bosch A, Lucena F, Diez JM, Gajardo R, Blasi M, Jofre J (1991) Waterborne viruses associated with hepatitis outbreak. *J Am Water Works Assoc* 83: 80-83
- [7] CDC (2005) Progress toward poliomyelitis eradication Afghanistan and Pakistan January 2004 to February 2005. *MMWR Morb Mortal Wkly Rep* 54 (11): 276-279
- [8] CDC (2005) Progress toward poliomyelitis eradication Sudan 2004. *MMWR Morb Mortal Wkly Rep* 54 (4): 97-99
- [9] Chang LY, Tsao KC, Hsia SH, Shih SR, Huang CG, Chan WK, Hsu KH, Fang TY, Huang YC, Lin TY (2004) Transmission and clinical features of enterovirus 71 infections in household contacts in Taiwan. *JAMA* Vol. 291 (2): 222-227

- [10] Chapron CD, Ballester NA, Fontaine JH, Prades CN, Margolin AB (2000) Detection of astroviruses, enteroviruses and adenovirus types 40 and 41 in surface waters collected and evaluated by the information collecting rule and an integrated cell culture-nested PCR procedure. *Appl Environ Microbiol* Volume 66, No. 6: 2520-2525
- [11] Cook SM, Glass RI, LeBaron CW, Ho MS (1990) Global seasonality of rotavirus infections. *Bull World Health Organ* 68: 171-177
- [12] Costa-Mattioli M, Ferre V, Monpoeho S, Garcia L, Colina R, Billaudel S, Vega I, Perez-Bercoff R, Cristina J (2001) Genetic variability of hepatitis A virus in South America reveals heterogeneity and co-circulation during epidemic outbreaks. *J General Virol* 82: 2647-2652
- [13] Costa-Matiolli M, Ferre V, Casane D, Perez-Bercoff R, Coste-Burel M, Imbert-Marcille BM, Andre EC, Bressollette-Bodin C, Billaudel S, Cristina J (2003) Evidence of recombination in natural populations of hepatitis A virus. *Virology* 311: 51-59
- [14] Donaldson KA, Griffin DW, Paul JH (2001) Detection, quantification and identification of enteroviruses from surface waters and sponge tissue from the Florida Keys using real-time RT-PCR. *Wat Res* 36: 2505-2514
- [15] Dumke R, Feuerpfeil I (1997) Ergebnisbericht zum Statusseminar Dez. 1997 „Verhalten von Mikroorganismen und Viren bei der Trinkwasseraufbereitung“. Hrsg. Forschungszentrum Karlsruhe GmbH
- [16] Enriquez CE, Hurst CJ, Gerba CP (1995) Survival of enteric adenoviruses 40 and 41 in tap, sea and waste water. *Water Res* 29: 2548-2553
- [17] Fout GS, Martinson BC, Moyer MW, Dahling DR (2003) A multiplex reverse-transcription-PCR method for detection of human enteric viruses in groundwater. *Appl Environ Microbiol* 69: 3158-3164

- [18] Gantzer C, Maul A, Audic JM, Schwartzbrod L (1998) Detection of infectious enteroviruses, enterovirus genomes, somatic coliphages and *Bacteriodes fragilis* phages in treated wastewater. *Appl Environ Microbiol* Volume 64, No.11: 4307-4312
- [19] Gassilloud B, Schwartzbrod L, Gantzer C (2003) Presence of viral genomes in mineral water: a sufficient condition to assume infectious risk?. *Appl Environ Microbiol* Volume 69, No.7: 3965-3969
- [20] Gofti-Laroche L, Gratacap-Cavallier B, Demanse D, Genoulaz O, Seigneurin M, Zmirou D (2003) Are waterborne astrovirus implicated in acute digestive morbidity?. *J Clinical Virol* 27: 74-82
- [21] Hahn, Falke (1999) Medizinische Mikrobiologie und Infektiologie 3. Auflage. Springer-Verlag
- [22] Höhne M, Schreier E (2004) Detection and characterization of norovirus outbreaks in Germany; application of a one-tube RT-PCR using a fluorogenic real-time detection system. *J Med Virol* 72: 312-319
- [23] Hot, D, Legaey O, Jacques J, Gantzer C, Caudrelier Y, Guyard K, Lange M, Andreoletti L (2003) Detection of somatic phages, infectious enteroviruses and enterovirus genomes as indicators of human enteric viral pollution in surface water. *Wat Research* 37: 4703-4710
- [24] Innis, Gelfand (1990) Optimization of PCRs: PCR Protocols: A guide to methods and applications. Academic Press Inc
- [25] Keller C. (1993) Grundlagen der Radiochemie 3. Auflage. Salle und Sauerländer Verlag
- [26] Kopecka H, Dubrou S, Prevot J, Marechal J, Lopez-Pila JM (1993) Detection of naturally occurring enteroviruses in waters by Reverse Transcription, Polymerase Chain Reaction and Hybridization. *Appl Environ Microbiol* Volume 59, No.4: 1213-1219

[27] LeBaron CW, Lew J, Glass RI, Weber JM, Ruiz-Palacios (1990) Annual rotavirus epidemic patterns in North America. Result of a 5-year retrospective survey of 88 centers in Canada, Mexico and the United States. Rotavirus Study Group. JAMA 264: 983-988

[28] Le Cann P, Ranariaona S, Monpoeho S, Le Guyader F, Ferre V (2004) Quantification of human astroviruses in sewage using real-time RT-PCR. Res Microbiol 155: 11-15

[29] Lee SH, Kim SJ (2002) Detection of infectious enteroviruses and adenoviruses in tap water in urban areas in Korea. Wat Research 36: 248-256

[30] Lewin (1991) Gene- Lehrbuch der molekularen Genetik 2. Auflage. VCH-Verlag

[31] Lillquist DR, McCabe ML, Church KH (2003) A comparison of traditional handwashing training with active handwashing training in the food handler industry. J Environ health 67 (6): 13-16

[32] Linz, Degenhardt (1990) Die Polymerase-Kettenreaktion- ein Überblick. Naturwissenschaften 77: 515-530

[33] Lodder WJ, de Roda Husman AM (2005) Presence of noroviruses and other enteric viruses in sewage and surface waters in the Netherlands. Appl Environ Microbiol 71(3): 1453-1461

[34] Lopez-Pila JM, Szewzyk R (1998) Wege zu einer rationalen Ableitung von mikrobiologischen Grenzwerten in Badegewässern. Hrsg. Bundesgesundheitsblatt 41

[35] Lopman B, Reacher M, Gallimore C, Adak GK, Gray JJ, Brown D (2003) A summertime peak of „winter vomiting disease“: surveillance of noroviruses in England and Wales, 1995 to 2002. BMC Public Health 3: 13

[36] Lopman B, Vennema H, Kohli E, Pothier P, Sanchez A, Negredo A, Buessa J, Schreier E, Reacher M, Brown D, Gray J, Iturriza M, Gallimore C, Bottiger B, Hedlund KO, Torven M, von Bonsdorff CH, Maunula L, Poljsak-Prijatelj M, Zimsek J, Reuter G, Szucs G, Melegi B, Svensson L, von Duijnhoven Y, Koopmans M (2004) Increase in viral gastroenteritis outbreaks in Europe and epidemic spreads of new norovirus variant. Lancet 363: 682-688

[37] Macaluso A, Gabrieli R, Lanni L, Saccaro S, Panna A, Divizia M (2004) Enteric viruses and bacteriological parameters in molluscs. Ann Ig 16 (1-2): 237-245

[38] Mao Y, Zhu C, Boederker EC (2003) Footborne enteric infections. Curr Opin Gastroenterol 19 (1): 11-12

[39] Martella V, Terio V, Arista S, Elia G, Corrente M, Madio A, Pratelli A, Tempesta M, Cirani A, Buonavoglia C (2004) Nucleotide variation in the VP7 Gene affects PCR genotyping of G9 rotaviruses identified in Italy. J Medical Virol 72: 143-148

[40] Martin (1996) Elektrophorese von Nukleinsäuren. Spektrum Akademischer Verlag

[41] Mehnert DU, Stewien KE (1992) Detection and distribution of rotavirus in raw sewage and Creeks in Sao Paulo, Brazil. Appl Environ Microbiol:140-143

[42] Modrow, Falke (1997) Molekulare Virologie. Spektrum Akademischer Verlag

[43] Mounts AW, Ando T, Koopmans M, Bresee JS, Noel J, Glass RI (2000) Cold weather seasonality of gastroenteritis associated with norwalk-like viruses. J Infect Dis 181 Suppl 2: 284-287

[44] Nadan S, Walter JE, Grabow WO, Mitchell DK, Taylor MB (2003) Molecular characterization of astroviruses by reverse transcriptase PCR and sequence analysis: comparison of clinical and environmental isolates from South Africa. Appl Environ Microbiol 69: 747-753

[45] Oberste MS, Maher K, Michele SM, Belliot G, Uddin M, Pallarisch MA (2005) Enteroviruses 76, 89, 90 and 91 represent a novel group within the species human enterovirus A. *J Gen Virol* 86: 445-451

[46] Oh DY, Schreier (2001) Molecular characterization of human astroviruses in Germany. *Arch Virol* 146: 443-455

[47] Oh DY, Gaedicke G, Schreier E (2003) Viral agents of acute gastroenteritis in German children: prevalence and molecular diversity. *J Med Virol* 71: 82-93

[48] Parshionikar SU, Willian-True S, Fout S, Robbins DE, Seys SA, Cassady JD, Harris R (2003) Waterborne outbreaks of gastroenteritis associated with a norovirus. *Appl Environ Microbiol* Volume 69, No. 9: 5263-5268

[49] Pusch D, Oh DY, Wolf S, Dumke R, Schröter-Bobsin U, Höhne M, Röske I, Schreier E (2005) Detection of enteric viruses and bacterial indicators in German environmental waters *Arch Virol* published online January 13, 2005

[50] Pusch D, Ihle S, Lebuhn M, Graeber I, Lopez-Pila JM (2005) Quantitative detection of enteroviruses in activated sludge by cell culture and real-time PCR using paramagnetic capturing. *Public Health* (in press)

[51] Sano D, Fukushi K, Yoshida Y, Omura T (2003) Detection of enteric viruses in municipal sewage sludge by a combination of the enzymatic virus elution method and RT-PCR. *Wat Research* 37: 3490-3498

[52] Schernewski G, Jülich WD (2001) Risk assessment of virus infection in the Oder estuary (southern Baltic) on the basis of spatial transport and virus decay simulations. *Inter J Hyg Environ Health* 203: 317-325

[53] Schlegel (1992) Allgemeine Mikrobiologie 7. Auflage. Thieme Verlag

[54] Streyer (1996) Biochemie 4. Auflage. Spektrum Akademischer Verlag

[55] Verstergaard HT, Johnsen CK, Bottiger B (2004) An unusual enterovirus outbreak in Denmark: clinical characteristics and molecular epidemiology. Scand J Infect Dis 30 (11-12): 840-847

[56] Villena C, El-Senousy WM, Abad FX, Pinto RM, Bosch A (2003) Group A rotavirus in sewage samples from Barcelona and Cairo: Emergence of unusual genotypes. Appl Environ Microbiol Volume 69, No.7: 3919-3923

[57] Walter R, Rudiger S (1981) A two-stage technique for concentration of viruses from solutions with low virus titers (e.g. drinking water). J Hyg Epidemiol Microbiol Immunol 25: 71-81

[58] White, Fenner (1986) Medical Virology 3. Edition. Academic Press INC London-New York-Montreal-Tokyo

(59) WHO (1997) Manual for the virological investigation of polio1: 44-51, Geneva, Switzerland

[60] Wilson, Goulding (1991) Methoden der Biochemie 3. Auflage. Thieme-Verlag