

6 Literaturverzeichnis

1. Agrawal P., Bhatia M.S., Malik S.C. (1997): Postpartum Psychosis: A Clinical Study, *International Journal of Social Psychiatry* 43 (3):217-222
2. American Psychiatric Association (1994): *Diagnostic and Statistical Manual of Mental Disorders*, 4th Edition, APA, Washington
3. Appleby L., Gregoire A., Platz C., Prince M., Kumar R. (1993): Screening women for high risk of postnatal depression, *J. of Psychosomatic Res.* 38(6):539-545
4. Arentsen K. (1968): Postpartum Psychoses. With particular reference to the prognosis, *Dan Med Bull* 15:97-100
5. Aschaffenburg G. (1901): Ueber die Klinischen Formen der Wochenbettpsychosen, *Allg Z Psychiatr* 58, 337-356
6. Baker A.A., Morrison M., Game J.A., Thorpe J.G. (1961): Admitting schizophrenic mothers with their babies, *Lancet* ii:237-239
7. Beck A. T. (1961): An Inventory for measuring depression, *Arch of Gen Psychiatry* 4:561-571
8. Bell A.J., Land N.M., Milne S., Hassanyeh F. (1994): Long-term outcome of postpartum psychiatric illness requiring admission, *J. of Affective Disorders* 31:67-70
9. Bernazzani O., Saucier JF., David H., Borgeat F. (1997): Psychosocial predictors of depressive symptomatology level in postpartum women, *J. of Affective Disorders* 46:39-49
10. Boyce P.M., Todd A.L. (1992): Increased risk of postnatal depression after emergency caesarean section, *Med J Aust* 157 (3):172-174
11. Boyle G.J., Boucher E.J. (2000): Relationship between premenstrual syndrome and postnatal depression: An exploratory study, *Multivariate Experimental Clinical Research* 12(1):43-55
12. Brockington I.F. (1996): *Motherhood and mental health*, Oxford University Press
13. Brockington I. F., Cox-Roper A. (1988): The nosology of puerperal mental illness. In: Kumar R., Brockington I. : *Motherhood and mental illness 2. Causes and consequences*. Wright, London Boston
14. Buist A.E., Dennerstein L., Burrows G.D. (1990): Review of a mother- baby unit in a psychiatric hospital, *Australian and New Zealand Journal of Psychiatry* 24:103-108

15. Critchlow D.G., Bond A.J., Wingrove J. (2001): Mood disorder history and personality assessment in premenstrual dysphoric disorder, *J Clin Psychiatry* 62(9):688-693
16. Cutrona C.E. (1983): Causal Attributions and Perinatal Depression, *J Abnorm Psychol* 92 (2):161-172
17. Cutrona C.E. (1984): Social support and stress in the transition to parenthood, *J Abnorm Psychol* 93:378-390
18. Da Silva L., Johnstone C. (1981): A Follow-up Study of Severe Puerperal Psychiatric Illness, *Br J Psychiatry* 139: 346-354
19. Davidson J., Robertson E. (1985): A follow-up study of postpartum illness, *Acta Psychiatr Scand* 71:451-457
20. Dean C., Williams R.J., Brockington I.F. (1989): Is puerperal psychosis the same as bipolar manic- depressive disorder? A family study, *Psychological Medicine* 19:637-647
21. Deichgräber K. (1933): Die Epidemien und das Corpus Hippocraticum. Voruntersuchung zu einer Geschichte der koischen Ärzteschule, ADAW, Leipzig
22. Esquirol E. (1838): Mental maladies: A treatise on insanity, Hunt EK (trans) Lea& Blanchard, Philadelphia, 1845
23. Fallgatter A.J., Schnizlein M., Pfuhlmann B., Heidrich A. (2002): Klinische Aspekte der Wochenbettpsychosen, *Nervenarzt* 73:680-685
24. Freyberger H.J., Schürmann A., Drescher S., Dilling H. (1996): Rooming-in in der Psychiatrie- Behandlungsmethoden und Durchführung, *Fortsch. Neurol. Psychiat.* 64:312-319
25. Guilfordt J. P. (1956): Fundamental statistics in psychology and education, New York McGraw-Hill Book Company, Inc
26. Handley S.L., Dunn T.L., Baker J.M. (1977): Mood changes in the puerperium, and plasma tryptophan and cortisol concentrations, *Br Med J* 2:18-20
27. Handley S.L., Dunn T. L., Waldron G., Baker J.M. (1980): Tryptophan, cortisol and puerperal mood, *Br J Psychiatry* 136: 498-508
28. Hartmann W. (1081): Über die gemeinsame Hospitalisierung von psychisch kranken Müttern mit ihren Kindern, *Psychiat. Prax.* 8:136-141
29. Jones I., Craddock N. (2001): Familiality of the Puerperal Trigger in Bipolar Disorder : Results of a Family Study, *Am J Psychiatry* 158:913-917

-
30. Kapfhammer H.-P. (2000): Psychische Störungen im Wochenbett, aus Möller H.J., Laux G., Kapfhammer H.-P.: Psychiatrie und Psychotherapie, Springer-Verlag
 31. Kendell R. E. (1985): Emotional and physical factors in the genesis of puerperal mental disorders, *J Psychosom Res* 29:3-11
 32. Kendell R.E., Rennie D., Clarke J.A., Dean C. (1981): The social and obstetric correlates of psychiatric admission in the puerperium, *Psychol Med* 11:341-350
 33. Kendell R. E., Chalmers L. C., Platz C. (1987): Epidemiology of puerperal psychoses, *Br J Psychiatry* 150:662-673
 34. Klompenhouwer J.L., van Hulst A. M. (1991): Classification of postpartum psychosis: a study of 250 mother and baby admissions in the Netherlands, *Acta psychiatr Scand* 84:255-261
 35. Kuevi V., Causon r., Dixon A.F. (1983): Plasma amine and hormone changes in postpartum psychoses, *Clin Endocrinol* 19 :39-46
 36. Kumar R., Marks M., Platz C., Yoshida K. (1995): Clinical survey of a psychiatric mother and baby unit: characteristics of 100 consecutive admissions, *J Affect Disord* 33:11-22
 37. Kumar R., Robson K.M.(1984): A prospective study of emotional disorders in childbearing women, *Br J Psychiatry* 144:35-47
 38. Lane A., Keville R., Morris M., Kinsella A., Turner M., Barry S. (1997): Postnatal depression and elation among mothers and their partners: prevalence and predictors, *Br J Psychiatry* 171:550-555
 39. Main T.F. (1958): Mothers with children in a psychiatric hospital, *Lancet* ii:845-847
 40. Marcé LV (1858): *Traité de la folie des femmes encientes, de nouvelles, accouchees et de nourrices*, Bailliere, Paris
 41. Marks M.N., Wieck A., Checkley S.A., Kumar R. (1992): Contribution of psychological and social factors to psychotic and non-psychotic relapse after childbirth in women with previous histories of affective disorder, *J of Affective Disorders* 29:253-264
 42. Martin M.E. (1958): Puerperal mental illness a follow-up study of 75 cases, *Br Med J* ii:773-777
 43. Meltzer E.S., Kumar R. (1985): Puerperal mental illness, clinical features and classification: a study of 142 mother- and baby admissions, *Br J of Psychiatry* 147: 647-654

-
44. Milgrom J., Burrows G. D., Snellen M., Stamboulakis W., Burrows K. (1998): Psychiatric illness in women: a review of the function of a specialist mother- baby unit, *Australian and New Zealand J Psychiatry* 32:680-686
 45. Nemeroff C.B., Simon J.,S., Haggerty J.J., Evans D.L. (1985): Antithyroid antibodies in depressed patients, *Am J Psychiatry* 142:840-843
 46. Nonacs R., Cohen L.S.: Postpartum mood disorders (1998): Diagnosis and treatment guidelines, *J Clin Psychiatry* 59: 34-40
 47. O`Hara M.W. (1986): Social Support, Life Events, and Depression During Pregnancy and the Puerperium, *Arch Gen Psychiatry* 43:569-573
 48. O`Hara M.W. (1987): post-partum "blues", depression, and psychosis: A review, *J Psychosomatic Obstetrics and Gynaecology* 7:205-227
 49. O`Hara M.W., Campbell S.B., Rehm L.P. (1982): Predicting Depressive Symptomatology. Cognitive-Behavioral Models and Postpartum Depression, *J Abnorm Psychol* 91 (6):457-461
 50. O`Hara M.W., Neunaber D.J., Zekosi E.M.: (1984): Prospective Study of Postpartum Depression: Prevalence, Course, and Predictive Factors, *J Abnorm Psychol* 93 (2):158-171
 51. O`Hara M.W., Rehm L.P., Campbell S.B. (1983): Postpartum depression: A role for social network and life stress variables, *J Nerv Ment Dis* 171:336-341
 52. O`Hara M.W., Schlechte J.A., Lewis D.A., Varner M.W. (1991): Controlled prospective study of postpartum mood disorders: psychological, environmental, and hormonal variables, *J Abnorm Psychol* 100 (1): 63-73
 53. O`Hara M.W., Swain A.M. (1996): Rates and risk of postpartum depression- a meta-analysis, *International Review of Psychiatry* 8:37-54
 54. O`Hara M.W., Zekosi E.M., Philips L.H., Wright E.J. (1990): Controlled prospective study of postpartum mood disorders: comparison of childbearing and nonchildbearing women, *J Abnorm Psychol* 99:3-15
 55. Paykel E.S., Emms E.M., Fletcher J., Rassaby E.S. (1980): Life Events and Social Support in Puerperal Depression, *Br J Psychiatry* 136:339-346
 56. Pfeleiderer, Breckwoldt, Martius (2001): *Gynäkologie und Geburtshilfe*, Thieme Verlag
 57. Pfuhlmann B., Stöber G., Franzek E., Beckmann H. (2000): Differenzierte Diagnostik, Verlauf und Ausgang postpartaler Psychosen, *Nervenarzt* 71:386-392

-
58. Philipps L.H.C., O'Hara M.W. (1991) : Prospective Study of Postpartum Depression: 4½-Year Follow-Up of Women and Children, *J Abnorm Psychol* 100 (2):151-155
 59. Pitt B. (1968): „Atypical“ depression following after childbirth, *Br J Psychiatry* 114:1325-1335
 60. Platz C., Kendell R.E. (1987):A “matched- control follow- up and family study of puerperal psychoses”, *Br J Psychiatry* 153:90-94
 61. Protheroe C. (1969): Puerperal psychoses: A long term study 1927-1961; *Br J Psychiatry* 115:9-30
 62. Remy N., Jaluvka V., Weitzel H.K. (1993): Mortality and fatalities after caesarean section in West Berlin 1975 to 1989, *Zentralbl Gynakol.* 115 (1):7-12
 63. Rhode A., Marneros A. (1993): Schizophrenia with onset postpartum compared with other schizophrenic psychoses, In-Press
 64. Rhode A., Marneros A. (1993): Zur Prognose der Wochenbettpsychosen: Verlauf und Ausgang nach durchschnittlich 26 Jahren, *Nervenarzt* 64:175-180
 65. Riecher-Rössler A. (1997): Psychiatric disorders and illnesses after childbirth, *Fortschr. Neurol. Psychiatr.* 65 (3):97-107
 66. Righetti-Veltima M., Conne-Perreard E., Bousquet A., Manzano J. (1998): Risk factors and predictive signs of postpartum depression, *J of Affective Disorders* 49:167-180
 67. Schöpf J., Bryois C., Jonquière M., Le PK. (1984) : On the Nosology of Severe Psychiatric Post-Partum Disorders, *Eur Arch Psychiatr Neurol Sci* 234 :54-63
 68. Schöpf J., Bryois C., Jonquière M., Scharfetter C. (1985): A Family Hereditary Study of Post-Partum „Psychoses“, *Eur Arch Psychiatr Neurol Sci* 235:164-170
 69. Schöpf J. (1992): Postpartum- Psychosen. Ein Beitrag zur Nosologie, Springer – Verlag
 70. Stein G., Milton F., Bebbington p.(1976): Relationship between mood disturbances and free and total plasma tryptophan in postpartum women, *Br Med J* 2:457
 71. Stewart D.E. (1989): Psychiatric Admission of Mentally Ill Mothers With Their Infants, *Can. J. Psychiatry* 34:34-37
 72. Stowe Z.N., Nemeroff C.B. (1995): Women at risk for postpartum-onset major depression, *Am J Obstet Gynecol* 173: 639-645
 73. Terp I.M., Mortensen P.B. (1998): Post-partum psychoses Clinical diagnoses and relative risk of admission after parturition, *Br J Psychiatry* 172:521-526

74. Terp I.M., Engholm G., Moller H., Mortensen P.B. (1999): A follow-up study of postpartum psychoses: prognosis and risk factors for readmission, *Acta Psychiatr Scand* 100:40-46
75. Vega- Dienstmaier J.M., Mazzotti G., Stucchi- Portocarrero S., Campos M. (1999): Prevalence and risk factors for depression in postpartum women, *Actas Esp Psiquiatr* 27(5):299-303
76. Warner R., Appleby L., Whitton A., Faragher B. (1996): Demographic and obstetric risk factors for postnatal psychiatric morbidity, *Br J Psychiatry* 168: 607-611
77. Watson J.P., Elliott S.A., Rugg A.J., Brough D.I. (1984): Psychiatric disorder in pregnancy and the first postnatal year, *Br. J. of Psychiatry* 144:453-462
78. World Health Organisation (1967): *Manual of the International Statistical Classification of Diseases, Injuries and causes of Death*, WHO: Geneva
79. World Health Organisation (1975): *International Classification of Diseases*, WHO, Geneva
80. World Health Organisation (1992): *The ICD-ten Classification of Mental and Behavioural Disorders: Clinical Descriptions and Diagnostic Guidelines*, WHO, Geneva
81. Wilson JE., Barglow P., Shipman W. (1972): The Prognosis of Postpartum Mental Illness, *Comprehensive Psychiatry* 13(4):305-316