

7 Literaturverzeichnis

1. Schleifer KH, Kipper-Bälz R. Transfer of *Streptococcus faecalis* and *Streptococcus faecium* to the genus *Enterococcus* nom. rev. as *Enterococcus faecalis* comb. nov. and *Enterococcus faecium* comb. nov. *Int J Syst Bacteriol* 1984;34:31-34.
2. Thiercelin ME. Sur un diplocoque saprophyte de l'intestine susceptible de devenir pathogène. *Comptes Rendus des Scéances de la Société de Biologie, Paris* 1899;51:269-271.
3. McCallum MG, Hastings TW. A case of acute endocarditis caused by *Micrococcus zymogenes*. *J Exp Med* 1899;4:521-534.
4. Andrewes FW, Horder TJ. A study of the streptococci pathogenic for man. *Lancet* 1906:708-713.
5. Lancefield RC. A serological differentiation of human and other groups of haemolytic streptococci. *Journal of Experimental Medicine* 1933;57:571-595.
6. Kalina A. The taxonomy and nomenclature of enterococci. *Int J Syst Bacteriol* 1970;20:185-189.
7. Collins MD, Jones D, Farrow JAE, Kipper-Bälz R, Schleifer KH. *Enterococcus avium* nom. rev., comb. nov.; *E. casseliflavus* nom. rev., comb. nov.; *E. durans* nom. rev., comb. nov.; *E. gallinarum* comb. nov. ; *E. malodoratus* sp. nov. *Int J Syst Bacteriol* 1984;34:220-223.
8. Collins MD, Jones D. *Enterococcus mundtii* sp. nov. *Int J Syst Bacteriol* 1986;36:8-12.
9. Collins MD, Facklam RR, Farrow JA, Williamson R. *Enterococcus raffinosus* sp. nov., *Enterococcus solitarius* sp. nov. and *Enterococcus pseudoavium* sp. nov. *FEMS Microbiol Lett* 1989;48(3):283-8.
10. Collins MD, Rodrigues UM, Pigott NE, Facklam RR. *Enterococcus dispar* sp. nov. a new *Enterococcus* species from human sources. *Lett Appl Microbiol* 1991;12(3):95-8.
11. de Vaux A, Laguerre G, Divies C, Prevost H. *Enterococcus asini* sp. nov. isolated from the caecum of donkeys (*Equus asinus*). *Int J Syst Bacteriol* 1998;48 Pt 2:383-7.
12. Kusuda R, Kawai K, Salati F, Banner CR, Fryer JL. *Enterococcus seriolicida* sp. nov., a fish pathogen. *Int J Syst Bacteriol* 1991;41(3):406-9.
13. Pompei R, Berlutti F, Thaller MC, Ingianni A, Cortis G, Dainelli B. *Enterococcus flavesiens* sp. nov., a new species of enterococci of clinical origin. *Int J Syst Bacteriol* 1992;42(3):365-9.
14. Devriese LA, Ceyssens K, Rodrigues UM, Collins MD. *Enterococcus columbae*, a species from pigeon intestines. *FEMS Microbiol Lett* 1990;59(3):247-51.
15. Descheemaeker P, Lammens C, Pot B, Vandamme P, Goossens H. Evaluation of arbitrarily primed PCR analysis and pulsed-field gel electrophoresis of large genomic DNA fragments for identification of enterococci important in human medicine. *Int J Syst Bacteriol* 1997;47(2):555-561.

16. Patel R, Piper KE, Rouse MS, et al. Determination of 16S rRNA sequences of enterococci and application to species identification of nonmotile *Enterococcus gallinarum* isolates. *J Clin Microbiol* 1998;36(11):3399-3407.
17. Noskin GA, Storsor Va, Cooper I, Peterson LR. Recovery of vancomycin-resistant enterococci on fingertips and environmental surfaces. *Infect Control Hosp Epidemiol* 1995;16:577-581.
18. Benno Y, Suzuki K, Narisawa K, Bruce WR, Mitsuoka T. Comparison of the fecal microflora in rural Japanese and urban Canadians. *Microbiol Immunol* 1986;30(6):521-32.
19. Enzensberger R, Shah PM, Knothe H. Impact of oral ciprofloxacin on the faecal flora of healthy volunteers. *Infection* 1985;13(6):273-5.
20. Noble CJ. Carriage of group D streptococci in the human bowel. *J Clin Pathol* 1978;31(12):1182-6.
21. Devriese LA, Pot B, Collins MD. Phenotypic identification of the genus *Enterococcus* and differentiation of phylogenetically distinct enterococcal species and species groups. *J Appl Bacteriol* 1993;75:399-408.
22. Anonym. Issues and controversies in prevention and control of VRE. Chicago, Illinois: Etna Communications, 1998.
23. Moellering RDJ. Enterococcus species, *Streptococcus bovis*, and *Leuconostoc* species. In: Mandell GL, Bennet JE, Dolin R, Etter L, eds. Principles and practice of infectious diseases. fourth ed. New York, Edingburg, London, Madrid, Melbourne, Milan, Tokyo: Churchill Livingston, 1995: 1826-1835.
24. Moellering RCJ. Infections due to group D streptococci. *Infect Dis Rev* 1981;6:1-17.
25. Landry SL, Kaiser DL, Wenzel RP. Hospital stay and mortality attributed to nosocomial enterococcal bacteremia: a controlled study. *Am J Infect Control* 1989;17:323-329.
26. Anonym. Infektionen in Deutschland; Erfassung und Prävention Teil 1: Prävalenz nosokomialer Infektionen:Qualitätssicherung in der Krankenhaushygiene. Baden-Baden: Nomos Verlagsgesellschaft, 1995.
27. Anonym. National Nosocomial Infections Surveillance (NNIS) System report, data summary from January 1990-May 1999, issued June 1999. *Am J Infect Control* 1999;27(6):520-532.
28. Blaimont B, J. C, Wauters G. Comparative distribution of *Enterococcus* species in feces and clinical samples. *Microb Ecol Health Dis* 1995;8:87-92.
29. Doubojas J, Tsakris A. Prevalence of antibiotic resistance among enterococci isolated in Greece. *J Antimicrob Chemother* 1995;35:236-238.
30. Gordon S, Swenson JM, Hill BC, et al. Antimicrobial susceptibility patterns of common and unusual species of enterococci causing infections in the United States. Enterococcal Study Group. *J Clin Microbiol* 1992;30(9):2373-8.
31. Green M, Barbadora K, Michaels M. Recovery of vancomycin-resistant gram-positive cocci from pediatric liver transplant recipients. *J Clin Microbiol* 1991;29(11):2503-6.

32. Kaufhold A, Klein R. Species identification and antibiotic susceptibility of enterococci isolated from clinical specimens of hospitalized patients. *Zentralbl Bakteriol* 1995;282(4):507-518.
33. Wallrauch C, Elsner E, Milatovic D, Cremer J, Bravny I. Antibiotikaresistenz der Enterokokken in Deutschland. *Medizinische Klinik* 1997;92(8):464-8.
34. Anglim AM, Klym B, Byers KE, Scheld WM, Farr BM. Effect of a vancomycin restriction policy on ordering practices during an outbreak of vancomycin-resistant *Enterococcus faecium*. *Arch Intern Med* 1997;157(10):1132-1136.
35. Bingen EH, Denamur E, Lambert-Zechovsky NJ, Elion J. Evidence for genetic unrelatedness of nosocomial outbreak of voncomycin-resistant *Enterococcus faecium* at a large teaching hospital. *J Clin Microbiol* 1991;29:1888-1892.
36. Boyce JM, Opal SM, Chow JW, et al. Outbreak of multidrug-resistant *Enterococcus faecium* with transferable vanB class vancomycin resistance. *J Clin Microbiol* 1994;32(5):1148-53.
37. Chadwick PR, Oppenheim BA, Fox A, Woodford N, Morgenstern GR, Scarffe JH. Epidemiology of an outbreak due to glycopeptide-resistant *Enterococcus faecium* on a leukaemia unit. *J Hosp Infect* 1996;34(3):171-82.
38. Donskey CJ, Schreiber JR, Jacobs MR, et al. A polyclonal outbreak of predominantly VanB vancomycin-resistant enterococci in northeast Ohio. Northeast Ohio Vancomycin-Resistant *Enterococcus* Surveillance Program. *Clin Infect Dis* 1999;29(3):573-9.
39. Handwerger S, Raucher B, Altarac D, et al. Nosocomial outbreak due to *Enterococcus faecium* highly resistant to vancomycin, penicillin, and gentamicin. *Clin Infect Dis* 1993;16(6):750-5.
40. Hwang YS, Brinton BG, Leonard RB, Blue SR, Woods ML, Carroll KC. Investigation of an outbreak of vancomycin-resistant *Enterococcus faecium* in a low prevalence university hospital. *J Investig Med* 1998;46(9):435-43.
41. Issack MI, Power EGM, French GL. Investigation of an outbreak of vancomycin-resistant *Enterococcus faecium* by random amplified polymorphic DNA (RAPD) assay. *J Hosp Infect* 1996;33:191-200.
42. Jordens J, Bates J, Griffiths D. Faecal carriage and nosocomial spread of vancomycin-resistant *Enterococcus faecium*. *J Antimicrob Chemother* 1994;34(4):515-28.
43. Lee HK, Lee WG, Cho SR. Clinical and molecular biological analysis of a nosocomial outbreak of vancomycin-resistant enterococci in a neonatal intensive care unit. *Acta Paediatr* 1999;88(6):651-4.
44. Livornese LL, Jr., Dias S, Samel C, et al. Hospital-acquired infection with vancomycin-resistant *Enterococcus faecium* transmitted by electronic thermometers. *Annals of Internal Medicine* 1992;117(2):112-6.
45. Mato R, de Lencastre H, Roberts RB, Tomasz A. Multiplicity of genetic backgrounds among vancomycin-resistant *Enterococcus faecium* isolates recovered from an outbreak in a New York City hospital. *Microb Drug Resist* 1996;2(3):309-17.

46. McCarthy KM, Nierop WV, Duse A, et al. Control of an outbreak of vancomycin-resistant Enterococcus faecium in an oncology ward in South Africa: effective use of limited resources. *J Hosp Infect* 2000;44(4):294-300.
47. Montecalvo MA, Horowitz H, Gedris C, et al. Outbreak of vancomycin-, ampicillin-, and aminoglycoside-resistant Enterococcus faecium bacteremia in an adult oncology unit. *Antimicrob Agents Chemother* 1994;38(6):1363-7.
48. Noskin GA, Peterson LR, Warren JR. Enterococcus faecium and Enterococcus faecalis bacteremia: acquisition and outcome. *Clin Infect Dis* 1995;20(2):296-301.
49. Woodford N. Glycopeptide-resistant enterococci: a decade of experience. *J Med Microbiol* 1998;47:849-862.
50. Neu HC. The crisis in antibiotic resistance. *Science* 1992;257:1057-1072.
51. Nikaido H. Prevention of drug access to bacterial targets: permeability barriers and efflux. *Science* 1991;264:382-388.
52. Spratt BG. Resistance to antibiotics mediated by target alterations. *Science* 1994;264:388-394.
53. Arthur M, Brisson Noel A, Courvalin P. Origin and evolution of genes specifying resistance to macrolide, lincosamide and streptogramin antibiotics: data and hypotheses. *J Antimicrob Chemother* 1987;20:783-802.
54. McManus MC. Mechanisms of bacterial resistance to antimicrobial agents. *Am J Health Syst Pharm* 1997;54:1420-1423.
55. Murray BE. Diversity among multidrug-resistant enterococci. *Emerg Infect Dis* 1998;4(1):37-47.
56. Chow oW, Donabedian SM, Zervos MJ. Emergence of increased resistance to quinupristin/dalfopristin during therapy for Enterococcus faecium bacteremia. *Clin Infect Dis* 1997;24:90-91.
57. Grayson ML, Eliopoulos GM, Wennersten CB, et al. Increasing resistance to beta-lactam antibiotics among clinical. *Antimicrob Agents Chemother* 1991;35(11):2180-4.
58. Leclercq R, ED, JD, Courvalin P. Plasmid-mediated resistance to vancomycin and teicoplanin in Enterococcus faecium. *N Engl J Med* 1988;319:157-161.
59. Uttley AHC, Collins CH, Naidoo J, Gerge RC. Vancomycin-resistant enterococci. *Lancet* 1988;1:57-58.
60. Johnson AP, Warner M, Woodford N, Speller DCE, Livermore DM. Anitbiotic resistance among enterococci causing endocarditis in the UK; analysis of isolates referred to a reference laboratory. *BMJ* 1998;317:629-630.
61. Boyle JF, Soumakis SA, Rendo A, et al. Epidemiologic analysis and genotypic characterization of a nosocomial outbreak of vancomycin-resistant enterococci. *J Clin Microbiol* 1993;31(5):1280-5.

62. Anonym. Intensive Care Antimicrobial Resistance Epidemiology (ICARE) Surveillance Report, data summary from January 1996 through December 1997: A report from the National Nosocomial Infections Surveillance (NNIS) System. *Am J Infect Control* 1999;27(3):279-284.
63. CDC. Nosocomial enterococci resistant to vancomycin-United States, 1989-1993. *MMWR* 1993;42:597-599.
64. Murray BE. Vancomycin-resistant enterococcal infections. *N Engl J Med* 2000;342(10):710-721.
65. Bhavnani SM, Drake JA, Forrest A, et al. A nationwide, multicenter, case-control study comparing risk factors, treatment, and outcome for vancomycin-resistant and -susceptible enterococcal bacteremia. *Diagn Microbiol Infect Dis* 2000;36(3):145-158.
66. Spanik S, Kremery V. Differences in risk factors and mortality in vancomycin-sensitive and vancomycin-resistant enterococcal bacteremia cancer patients. *Antiinfect drugs Chemotherap* 1997;15(2/3):51-52.
67. Goossens H. Spread of vancomycin-resistant enterococci; differences between the United States and Europe. *Infect Control Hosp Epidemiol* 1998;19:546-551.
68. Gambarotto K, Ploy MC, Turlure P, et al. Prevalence of vancomycin-resistant enterococci in fecal samples from hospitalized patients and nonhospitalized controls in a cattle-rearing area of France. *J Clin Microbiol* 2000;38(2):620-4.
69. Klare I, Heier H, Claus H, et al. Enterococcus faecium strains with vanA-mediated high-level glycopeptide resistance isolated from animal foodstuffs and fecal samples of humans in the community. *Microb Drug Resist* 1995;1(3):265-72.
70. Wendt C, Krause C, Xander LU, Loffler D, Floss H. Prevalence of colonization with vancomycin-resistant enterococci in various population groups in Berlin, Germany. *J Hosp Infect* 1999;42(3):193-200.
71. Martone WJ. Spread of vancomycin-resistant enterococci; why did it happen in the United States? *Infect Control Hosp Epidemiol* 1998;19:539-545.
72. McDonald LCi, Kuehnert MJ, Tenover FC, Jarvis WR. Vancomycin-resistant enterococci outside the health-care setting: prevalence, sources, and public health implications. *Emerg Infect Dis* 1997;3(3):311-317.
73. Kirst HA, Thompson DG, Nicas TI. Historical yearly usage of vancomycin. *Antimicrob Agents Chemother* 1998;42(5):1303-4.
74. Edmond MB, Ober JF, Weinbaum DL, et al. Vancomycin-resistant Enterococcus faecium bacteremia: risk factors for infection. *Clin Infect Dis* 1995;20(5):1126-1133.
75. Thal L, Donabedian SM, Robinson-Dunn B, et al. Molecular analysis of glycopeptide-resistant Enterococcus faecium isolates collected from Michigan hospitals over a 6-year period. *J Clin Microbiol* 1998;36:3303-3308.

76. Perlada DE, A GS, Cushion MT. Molecular epidemiology and antibiotic susceptibility of enterococci in Cincinnati, Ohio; a prospective citywide survey. *J Clin Microbiol* 1997;**35**:2342-2347.
77. HICPAC HICAC. Recommendations for preventing the spread of vancomycin resistance. *MMWR* 1994;**44**:1-12.
78. Brown AR, Amyes SG, Paton R, et al. Epidemiology and control of vancomycin-resistant enterococci (VRE) in a renal unit. *J Hosp Infect* 1998;**40**(2):115-24.
79. Klare I, Heier H, H.Claus, Witte W. Environmental strains of *Enterococcus faecium* with inducible high-level resistance to glycopeptides. *FEMS Microbiol Lett* 1993;**106**:23-30.
80. Jensen LB, Ahrens P, Dons L, Jones RN, Hammerum AM, Aarestrup FM. Molecular analysis of Tn1546 in *Enterococcus faecium* isolated from animals and humans. *J Clin Microbiol* 1998;**36**:437-442.
81. Schouten MA, Voss A, Hoogkamp-Korstanje JAA. VRE and meat. *Lancet* 1997;**349**:1258.
82. Witte W. Medical consequences of antibiotic use in agriculture. *Science* 1998;**279**:996-997.
83. Chadwick PR, Woodford N, Kaczmarski EB, Gray S, Barrell RA, Oppenheim BA. Glycopeptide-resistant enterococci isolated from uncooked meat. *J Antimicrob Chemother* 1996;**38**:908-909.
84. van den Braak N, Kreft D, van Belkum A, Verbrugh H, Endtz H. Vancomycin-resistant enterococci in vegetarians. *Lancet* 1997;**350**(9071):146-147.
85. Aarestrup FM, Madsen PAM, Pallesen LV, Poulsen RL, Westh H. Glycopeptide susceptibility among Danish *Enterococcus faecium* and *Enterococcus faecalis* isolates of animal and human origin and PCR identification of genes within the VanA cluster. *Antimicrob Agents Chemother* 1996;**40**:1939-1940.
86. Bell JM, Paton JC, Turnidge J. Emergence of vancomycin-resistant enterococci in Australia: phenotypic and genotypic characteristics of isolates. *J Clin Microbiol* 1998;**36**(8):2187-90.
87. Wegener HC, Aarestrup FM, Jensen LB, Hammerum AM, Bager F. Use of antimicrobial growth promoters in food animals and *Enterococcus faecium* resistance to therapeutic antimicrobial drugs in Europe. *Emerg Infect Dis* 1999;**5**(3):329-35.
88. Jensen LB. Differences in the occurrence of two base pair variants of Tn1546 from vancomycin-resistant enterococci from humans, pigs, and poultry. *Antimicrob Agents Chemother* 1998;**42**:2463-2464.
89. van den Braak N, van Belkum A, van Keulen M, Vliegenthart J, Verbrugh HA, Endtz HP. Molecular characterization of vancomycin-resistant enterococci from hospitalized patients and poultry products in The Netherlands. *J Clin Microbiol* 1998;**36**(7):1927-1932.
90. van den Bogaard AE, Jensen LB, Stobberingh EE. Vancomycin-resistant enterococci in turkeys and farmers. *N Engl J Med* 1997;**337**(1558-1559).

91. Simonsen GS, Haaheim H, Dahl KH, et al. Transmission of VanA-type vancomycin-resistant enterococci and vanA resistance elements between chicken and humans at avoparcin-exposed farms. *Microb Drug Resist* 1998;4(4):313-8.
92. Kruse H, Johansen BK, Rorvik LM, Schaller G. The use of avoparcin as a growth promoter and the occurrence of vancomycin-resistant Enterococcus species in Norwegian poultry and swine production. *Microb Drug Resist* 1999;5(2):135-139.
93. Bates J, Jordens JZ, Griffiths DT. Farm animals as a putative reservoir for vancomycin-resistant enterococcal infection in man. *J Antimicrob Chemother* 1994;34(4):507-14.
94. Devriese LA, Ieven M, Goossens H, et al. Presence of vancomycin-resistant enterococci in farm and pet animals. *Antimicrob Agents Chemother* 1996;40(10):2285-7.
95. Torell E, Cars O, Olsson-Liljequist B, Hoffman BM, Lindback J, Burman LG. Near absence of vancomycin-resistant enterococci but high carriage rates of quinolone-resistant ampicillin-resistant enterococci among hospitalized patients and nonhospitalized individuals in Sweden. *J Clin Microbiol* 1999;37(11):3509-13.
96. Bager F, Aarestrup FM, Madsen M, Wegener HC. Glycopeptide resistance in *Enterococcus faecium* from broilers and pigs following discontinued use of avoparcin. *Microb Drug Resist* 1999;5(1):53-6.
97. Pantosti A, Del Grosso M, Tagliabue S, Macri A, Caprioli A. Decrease of vancomycin-resistant enterococci in poultry meat after avoparcin ban. *Lancet* 1999;354(9180):741-742.
98. Robredo B, Singh KV, Baquero F, Murray BE, Torres C. Vancomycin-resistant enterococci isolated from animals and food. *Int J Food Microbiol* 2000;54(3):197-204.
99. van Belkum A, van den Braak N, Thomassen R, Verbrugh H, Endtz H. Vancomycin-resistant enterococci in cats and dogs. *Lancet* 1996;348(9033):1038-9.
100. Klare I, Badstuber D, Konstabel C, Bohme G, Claus H, Witte W. Decreased incidence of VanA-type vancomycin-resistant enterococci isolated from poultry meat and from fecal samples of humans in the community after discontinuation of avoparcin usage in animal husbandry. *Microb Drug Resist* 1999;5(1):45-52.
101. Schuster F, Graubner UB, Schmid I, Weiss M, Belohradsky BH. Vancomycin-resistant-enterococci--colonization of 24 patients on a pediatric oncology unit. *Klin Padiatr* 1998;210(4):261-3.
102. Perichon B, Reynolds P, Courvalin P. VanD-type glycopeptide-resistant *Enterococcus faecium* BM4339. *Antimicrob Agents Chemother* 1997;41(9):2016-8.
103. Leclercq R, Courvalin P. Resistance to glycopeptides in enterococci. *Clin Infect Dis* 1997;24(4):545-54.
104. Fines M, Perichon B, Reynolds P, Sahm DF, Courvalin P. VanE, a new type of acquired glycopeptide resistance in *Enterococcus faecalis* BM4405. *Antimicrob Agents Chemother* 1999;43(9):2161-4.
105. Arthur M, Courvalin P. Genetics and mechanisms of glycopeptide resistance in enterococci. *Antimicrob Agents Chemother* 1993;37:1563-1571.

106. Ostrowsky BE, Clark NC, Thauvin-Eliopoulos C, et al. A cluster of VanD vancomycin-resistant Enterococcus faecium: molecular characterization and clinical epidemiology. *J Hosp Infect* 1999;180(4):1177-85.
107. Casadewall B, Courvalin P. Characterization of the vanD glycopeptide resistance gene cluster from Enterococcus faecium BM4339. *J Bacteriol* 1999;181(12):3644-8.
108. Reynolds PE, Arias CA, Courvalin P. Gene vanXYC encodes D,D -dipeptidase (VanX) and D,D-carboxypeptidase (VanY) activities in vancomycin-resistant Enterococcus gallinarum BM4174. *Mol Microbiol* 1999;34(2):341-9.
109. Satake S, Clark N, Rimland D, Nolte FS, Tenover FC. Detection of vancocin-resistant enterococci in fecal samples by PCR. *J Clin Microbiol* 1997;35:2325-2330.
110. Roghmann M-C, Qaiyumi S, Schwalbe R, Morris JG. Natural history of colonization with vancomycin-resistant Enterococcus faecium. *Infect Control Hosp Epidemiol* 1997;18:679-680.
111. Schoonmaker DJ, Bopp LH, Baltch AL, Smith RP, Rafferty ME, George M. Genetic analysis of multiple vancomycin-resistant Enterococcus isolates obtained serially from two long-term-care patients. *J Clin Microbiol* 1998;36(7):2105-8.
112. Pearce CL, Evans MK, Peters SM, Cole MF. Clonal diversity of vancomycin-resistant enterococci from an outbreak in a tertiary care university hospital. *Am J Infect Control* 1998;26(6):563-8.
113. Bonten MJ, Hayden MK, Nathan C, et al. Epidemiology of colonisation of patients and environment with vancomycin-resistant enterococci. *Lancet* 1996;348(9042):1615-9.
114. Saherwala O. Inzidenzuntersuchung von VRE in einer gesunden Population. *Dissertationsarbeit, FU-Berlin Hygine Institut* 2001.
115. Devriese LA. Acidification of methyl-alpha-d-glucopyranoside: a useful test to differentiate Enterococcus casseliflavus and Enterococcus gallinarum from Enterococcus faecium species group and from Enterococcus faecalis. *J Clin Microbiol* 1996;34:2607-2608.
116. Carvalho MG, Teixeira LM, Facklam RR. Use of tests for acidification of methyl-alpha-d-glucopyranoside and susceptibility to efrotomycin for differentiation of strains of Enterococcus and some related genera. *J Clin Microbiol* 1998;36(6):1594-1587.
117. Teixeira LM. Update on gram-positive cocci; taxonxomy, identification, and clinical significance, Enterococcus. American Society of Microbiology 1998, Atlanta.
118. Cocconcelli PS, Porro D, Galandini S, Senini L. Development of RAPD protocol for typing of strains of lactic acid bacteria and enterococci. *Lett Appl Microbiol* 1995;21(6):376-9.
119. Lawyer FC, Stoffel S, Saiki RK, Myambo K, Drummond R, Gelfand DH. Isolation, characterization, and expression in Escherichia coli of the DNA polymerase gene from *Thermus aquaticus*. *J Biol Chem* 1989;264(11):6427-37.
120. Sharp PA, Sugden B, J. S. Detection of two restriction ensconces activities in Haemophilus parainfluenzae using analytical agarose-ethidium bromide electrophoresis. *Biochemistry* 1973;12(16):3055-3063.

121. Cheng S. A PCR assay for identification of *Enterococcus faecium*. *J Clin Microbiol* 1997;35:1248-1250.
122. Dutka -Malen S, Evers S, Courvalin P. Detection of glycopeptide resistance genotypes and identification to the species level of clinically relevant enterococci by PCR. *J Clin Microbiol* 1995;33:24-27.
123. Dutka -Malen S, Evers S, Courvalin P. Erratum. *J Clin Microbiol* 1995;33:1434.
124. Patel R, Uhl JR, Kohner P, Hopkins MK, Cockerill FR. Multiplex polymerase chain reaction detection of vanA, vanB, vanC-1, and vanC-2/3 genes in enterococci. *J Clin Microbiol* 1997;35:703-707.
125. Navarro F, Courvalin P. Analysis of genes encoding D-alanine-D-alanine ligase-related enzymes in *Enterococcus casseliflavus* and *Enterococcus flavescens*. *Antimicrob Agents Chemother* 1994;38(8):1788-93.
126. Leclercq R, Dutka-Malen S, Duval J, Courvalin P. Vancomycin resistance gene vanC is specific to *Enterococcus gallinarum*. *Antimicrob Agents Chemother* 1992;36(9):2005-8.
127. Williams JG, Kubelik AR, Livak KJ, Rafalski JA, Tingey SV. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* 1990;18(22):6531-5.
128. Barbier N, Saulnier P, Chachaty E, Dumontier S, Andremont A. Random amplified polymorphic DNA typing versus pulsed-field gel electrophoresis for epidemiological typing of vancomycin-resistant enterococci. *J Clin Microbiol* 1996;34(5):1096-1099.
129. Bassam BJ, Caetano-Anolles G, Gresshoff PM. DNA amplification fingerprinting of bacteria. *Appl Microbiol Biotechnol* 1992;38(1):70-6.
130. McClelland M, Honeycutt R, Mathieu-Daude F, Vogt T, Welsh J. Fingerprinting by arbitrarily primed PCR. *Meth Molecul Biol* 1997;85:13-24.
131. Tenover FC, Arbeit RD, Goering RV. How to select and interpret molecular strain typing methods for epidemiological studies of bacterial infections: a review for healthcare epidemiologists. Molecular Typing Working Group of the Society for Healthcare Epidemiology of America. *Infect Control Hosp Epidemiol* 1997;18(6):426-39.
132. Ieven M, Vercauteren E, Descheemaeker P, van Laer F, Goossens H. Comparison of direct plating and broth enrichment culture for the detection of intestinal colonization by glycopeptide-resistant enterococci among hospitalized patients. *J Clin Microbiol* 1999;37(5):1436-40.
133. Van der Auwera P, Pensart N, Korten V, Murray BE, Leclercq R. Influence of oral glycopeptides on the fecal flora of human volunteers: selection of highly glycopeptide-resistant enterococci. *J Infect Dis* 1996;173(5):1129-36.
134. Facklam RR. A review of the microbiological techniques for the isolation and identification of streptococci. *Crit Rev Clin Lab Sci* 1976;6(4):287-317.
135. Facklam RR, Collins MD. Identification of *Enterococcus* species isolated from human infections by a conventional test scheme. *J Clin Microbiol* 1989;27:731-734.

136. Sabbaj J, Sutter VL, Finegold SM. Comparison of selective media for isolation of presumptive group D streptococci from human feces. *Appl Microbiol* 1971;22(6):1008-1011.
137. Tenover FC. Ability of commercial and reference antimicrobial susceptibility testing methods to detect vancomycin resistance in enterococci. *J Clin Microbiol* 1995;33:1524-1527.
138. Van Horn KG, Gedris CA, Rodney KM. Selective isolation of vancomycin-resistant enterococci. *J Clin Microbiol* 1996;34(4):924-7.
139. Sahm DF. Rapid characterization schemes for surveillance isolates of vancomycin-resistant enterococci. *J Clin Microbiol* 1997;35:2026-2030.
140. Gordts B, Van Landuyt H, Ieven M, Vandamme P, Goossens H. Vancomycin-resistant enterococci colonizing the intestinal tracts of hospitalized patients. *J Clin Microbiol* 1995;33(11):2842-6.
141. Nelson RR. Selective isolation of vancomycin-resistant enterococci. *J Hosp Infect* 1998;39(1):13-8.
142. Wendt C, Krause C, Floss H. Validity of screening procedures for glycopeptide-resistant enterococci. *Eur J Clin Microbiol* 1999;18(6):422-7.
143. Teixeira LM, Facklam RR, Steigerwalt AG, Pigott Ne, Merquior VLC, Brenner DJ. Correlation between phenotypic characteristics and DNA relatedness within *Enterococcus faecium* strains. *J Clin Microbiol* 1995;33:1520-1523.
144. Donabedian SM, Chow JW, Shlaes DM, Green M, Zervos MJ. DNA hybridization and contour-clamped homogeneous electric field electrophoresis for identification of enterococci to the species level. *J Clin Microbiol* 1995;33(1):141-145.
145. Cartwright CP, Stock F, Fahle GA, Gill VJ. Comparison of pigment production and motility tests with PCR for reliable identification of intrinsically vancomycin-resistant enterococci. *J Clin Microbiol* 1995;33:1931-1933.
146. Vincent S, Knight RG, Green M, Sahm DF, Shlaes DM. Vancomycin susceptibility and identification of motile enterococci. *J Clin Microbiol* 1991;29:2335-2337.
147. Mitchel M, Gutman L. Methicillin-resistant *staphylococcus aureus* and vancomycin-resistant enterococci: therapeutic realities and possibilities. *Lancet* 1997;349:1901-1906.
148. Alonso-Echanove J, Robles B, Jarvis WR. Proficiency of clinical laboratories in Spain in detecting vancomycin-resistant *Enterococcus* spp. The Spanish VRE Study Group. *J Clin Microbiol* 1999;37(7):2148-2152.
149. Van Horn KG, Gedris CA, Rodney KM, Mitchell JB. Evaluation of commercial vancomycin agar screen plates for detection of vancomycin-resistant enterococci. *J Clin Microbiol* 1996;34(8):2042-4.
150. Toye B, Shymanski J, Bobrowska M, Woods W, Ramotar K. Clinical and epidemiological significance of enterococci intrinsically resistant to vancomycin (possessing the vanC genotype). *J Clin Microbiol* 1997;35(12):3166-3170.

151. Toye B, Shymanski J, Bobrowska M, Woods W, Ramotar K. Author's correction: Clinical and epidemiological significance of enterococci intrinsically resistant to vancomycin (possessing the vanC genotype). *J Clin Microbiol* 1998;36(5):1469.
152. Van Horn KG, Rodney KM. Colonization and microbiology of the motile enterococci in a patient population. *Diagn Microbiol Infect Dis* 1998;31(4):525-30.
153. Wilke WW, Marshall SA, Coffman SL, et al. Vancomycin-resistant Enterococcus raffinosus: molecular epidemiology, species identification error, and frequency of occurrence in a national resistance surveillance program. *Diagn Microbiol Infect Dis* 1997;29(1):43-9.
154. Turenne CY, Hoban DJ, Karlowsky JA, Zhanell GG, Kabani AM. Screening of stool samples for identification of vancomycin-resistant Enterococcus isolated should include the methyl-alpha-d- glucopyranoside test to differentiate nonmotile Enterococcus gallinarum from E. faecium. *J Clin Microbiol* 1998;36(8):2333-2335.
155. Hanson KL, Cartwright CP. Comparison of simple and rapid methods for identifying enterococci intrinsically resistant to vancomycin. *J Clin Microbiol* 1999;37(3):815-7.
156. Ramotarac K, Woods W, Larocque L, Toyea B. Comparison of phenotypic methods to identify enterococci intrinsically resistant to vancomycin (VanC VRE). *Diagn Microbiol Infect Dis* 2000;36(2):119-24.
157. Versalovic J, Woods CR, Jr., Georghiou PR, Hamill RJ, Lupski JR. DNA-based identification and epidemiologic typing of bacterial pathogens. *Arch Pathol Lab Med* 1993;117(11):1088-98.
158. Wayne LG, Brenner DJ, Colwell RR, et al. Report of the ad hoc committee on reconciliation of approaches to bacterial systematics. *Int J Syst Bacteriol* 1987;37:463-464.
159. Erlich HA, Gelfand D, Sninsky JJ. Recent advances in the polymerase chain reaction. *Science* 1991;252:1643-1651.
160. Evers S, Casadewall B, Charles M, Dutka-Malen S, Galimand M, Courvalin P. Evolution of structure and substrate specificity in D-alanine: D-alanine ligases and related enzymes. *Journal of Molecular Evolution* 1996;42(6):706-12.
161. Clark NC, Teixeira LM, Facklam RR, Tenover FC. Detection and differentiation of vanC-1, vanC-2, and vanC-3 glycopeptide resistance genes in enterococci. *J Clin Microbiol* 1998;36(8):2294-2297.
162. Kohner PC, Patel R, Uhl JR, et al. Comparison of agar dilution, broth microdilution, E-test, disk diffusion, and automated Vitek methods for testing susceptibilities of Enterococcus spp. to vancomycin. *J Clin Microbiol* 1997;35:3258-3263.
163. Huang MB, Baker CN, Banerjee S, Tenover FC. Accuracy of the E-test for determining antimicrobial susceptibilities of staphylococci, enterococci, *Campylobacter jejuni*, and gram-negative bacteria resistant to antimicrobial agents. *J Clin Microbiol* 1992;30(12):3243-3248.
164. Traub WH, Geipel U, Leonhard B. Antibiotic susceptibility testing (agar disk diffusion and agar dilution) of clinical isolates of *Enterococcus faecalis* and E. faecium: comparison of

- Mueller-Hinton, Iso-Sensitest, and Wilkins-Chalgren agar media. *Chemotherapy* 1998;44:217-229.
165. Swenson JM. New vancomycin disk diffusion breakpoints for enterococci. *J Clin Microbiol* 1992;30:2525-2528.
166. van Belkum A. Amplification-based DNA fingerprinting: from artifactual to definitive typing and in between. *J Clin Microbiol* 1997;35(11):3008-9.
167. Tyler KD, Wang G, Tyler SD, Johnson WM. Factors affecting reliability and reproducibility of amplification-based DNA fingerprinting of representative bacterial pathogens. *J Clin Microbiol* 1997;35(2):339-46.
168. Power EG. RAPD typing in microbiology-a technical review. *J Hosp Infect* 1996;34(4):247-65.
169. Penner GA, Bush A, Wise R, et al. Reproducibility of random amplified polymorphic DNA (RAPD) analysis among laboratories. *PCR Methods Appl* 1993;2(4):341-5.
170. van Belkum A, Kluytmans J, van Leeuwen W, et al. Multicenter evaluation of arbitrarily primed PCR for typing of *Staphylococcus aureus* strains. *J Clin Microbiol* 1995;33(6):1537-47.
171. Morrison D, Jones B, Eggleton C, Cookson BD. PCR typing of *Enterococcus faecium*. In: Horaud, ed. *Streptococci and the Host*. New York, 1997.
172. van Belkum A. DNA fingerprinting of medically important microorganisms by use of PCR. *Clinical Microbiology and Infection* 1994;7(2):174-84.
173. Killgore GE, Kato H. Use of arbitrary primer PCR to type *Clostridium difficile* and comparison of results with those by immunoblot typing. *J Clin Microbiol* 1994;32(6):1591-3.
174. Schierwater B, Ender A. Different thermostable DNA polymerases may amplify different RAPD products. *Nucleic Acids Research* 1993;21(19):4647-8.
175. Chiew Y-F, Hall LMC. Comparison of three methods for the molecular typing of Singapore isolates of enterococci with high-level aminoglycoside resistance. *J Hosp Infect* 1998;38:223-230.
176. Tenover FC. Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing. *J Clin Microbiol* 1995;33:2233-2239.
177. Edlund C, Lidbeck A, Kager L, Nord CE. Effect of enoxacin on colonic microflora of healthy volunteers. *Eur J Clin Microbiol* 1987;6(3):298-300.
178. Bergan T, Delin C, Johansen S, Kolstad IM, Nord CE, Thorsteinsson SB. Pharmacokinetics of ciprofloxacin and effect of repeated dosage on salivary and fecal microflora. *Antimicrob Agents Chemother* 1986;29(2):298-302.
179. Murray BE. The life and times of *Enterococcus*. *Clinical Microbiology Reviews* 1990;3:46-65.

180. Silverman J, Thal LA, Perri MB, Bostic G, Zervos MJ. Epidemiologic evaluation of antimicrobial resistance in community-acquired enterococci. *J Clin Microbiol* 1998;36:830-832.
181. Nourse C, Byrne C, Murphy H, Kaufmann ME, Clarke A, Butler K. Eradication of vancomycin resistant *Enterococcus faecium* from a paediatric oncology unit and prevalence of colonization in hospitalized and community-based children. *Epidemiol Infect* 2000;124(1):53-9.
182. Vandamme P, Vercauteren E, Lammens C, et al. Survey of enterococcal susceptibility patterns in Belgium. *J Clin Microbiol* 1996;34(10):2572-6.
183. Schouten MA, Voss A, Hoogkamp-Korstanje JA. Antimicrobial susceptibility patterns of enterococci causing infections in Europe. The European VRE Study Group. *Antimicrob Agents Chemother* 1999;43(10):2542-6.
184. Reinert RR, Conrads G, Schlaeger JJ, et al. Survey of antibiotic resistance among enterococci in North Rhine-Westphalia, Germany. *J Clin Microbiol* 1999;37(5):1638-41.
185. Ruoff KL, Maza Ldl, Murtagh MJ, Spargo JD, Ferraro MJ. Species identities of enterococci isolated from clinical specimens. *J Clin Microbiol* 1990;28:435-437.
186. Kaplan AH, Gilligan PH, Facklam RR. Recovery of resistant enterococci during vancomycin prophylaxis. *J Clin Microbiol* 1988;26(6):1216-8.
187. Morris JG, Jr., Shay DK, Hebden JN, et al. Enterococci resistant to multiple antimicrobial agents, including vancomycin. Establishment of endemicity in a university medical center. *Annals of Internal Medicine* 1995;123(4):250-9.
188. Taylor ME, Oppenheim BA, Chadwick PR, et al. Detection of glycopeptide-resistant enterococci in routine diagnostic faeces specimens. *J Hosp Infect* 1999;43(1):25-32.
189. Coque TM, Tomayko JF, Ricke SC, Okhyusen PC, Murray BE. Vancomycin-resistant enterococci from nosocomial, community, and animal sources in the United States. *Antimicrob Agents Chemother* 1996;40(11):2605-9.
190. Landman D, Quale JM, Oydna E, et al. Comparison of five selective media for identifying fecal carriage of vancomycin-resistant enterococci. *J Clin Microbiol* 1996;34(3):751-2.
191. Trabulsi A, Glover AM, Reising SF, Christie CD. Absence of rectal colonization with vancomycin-resistant enterococci among high-risk pediatric patients. *Infect Control Hosp Epidemiol* 1998;19(2):109-112.
192. Jones RN, Marshall SA, Pfaller MA, et al. Nosocomial enterococcal blood stream infections in the SCOPE Program: antimicrobial resistance, species occurrence, molecular testing results, and laboratory testing accuracy. SCOPE Hospital Study Group. *Diagn Microbiol Infect Dis* 1997;29(2):95-102.
193. HICPAC HICAC. Recommendations for preventing the spread of vancomycin resistance. *Infect Control Hosp Epidemiol* 1995;16:105-113.
194. Swenson JM. Development of a standardized screening method for detection of vancomycin-resistant enterococci. *J Clin Microbiol* 1994;32:1700-1704.

195. Grayson ML, Grabsch EA, Johnson PDR, et al. Outcome of a screening program for vancomycin-resistant enterococci in a hospital in Victoria. *Med J Australia* 1999;171(133-136).
196. Bergeron MG, Quellette M. Preventing antibiotic resistance using rapid DNA-based diagnostic tests. *Infect Control Hosp Epidemiol* 1998;19:560-564.
197. Jayaratne P, Rutherford C. Detection of clinically relevant genotypes of vancomycin-resistant enterococci in nosocomial surveillance specimens by PCR. *J Clin Microbiol* 1999;37(6):2090-2.
198. Woodford N, Egelton CM, Morrison D. Comparison of PCR with phenotypic methods for the speciation of Enterococci. In: Horaud, ed. *Streptococci and the Host*. New York: Plenum Press, 1997.
199. Hsueh PR, Teng LJ, Pan HJ, et al. Emergence of vancomycin-resistant enterococci at a university hospital in Taiwan: persistence of multiple species and multiple clones. *Infect Control Hosp Epidemiol* 1999;20(12):828-33.
200. Bingen EH, Denamur E, Lambert-Zeckovsky NY, Elion J. Evidence for the genetic unrelatedness of nosocomial vancomycin-resistant *Enterococcus faecium* strains in a pediatric hospital. *J Clin Microbiol* 1991;29:1888-1892.
201. Boisivon A, Thibault M, Leclercq R. Colonization by vancomycin-resistant enterococci of the intestinal tract of patients in intensive care units from French general hospitals. *Clinical Microbiology and Infection* 1997;3:175-178.
202. Suppoli JP, Kolho E, Salmenlinna S, Tarkka E, Vuopio-Varkila J, Vaara M. vanA and vanB incorporate into an endemic ampicillin-resistant vancomycin-sensitive *Enterococcus faecium* strain: effect on interpretation of clonality. *J Clin Microbiol* 1999;37:3934-3939.
203. Biavasco F, Miele A, Vignaroli C, Manso E, Lupidi R, Varaldo PE. Genotypic characterization of a nosocomial outbreak of VanA *Enterococcus faecalis*. *Microb Drug Resist* 1996;2(2):231-7.
204. Torell E, Fredlund H, Tornquist E, Myhre EB, Sjoberg L, Sundsfjord A. Intrahospital spread of vancomycin-resistant *Enterococcus faecium* in Sweden. *Scand J Infect Dis* 1997;29(3):259-63.