
Bibliography

- [1] R. P. Feynman, *Rev. Mod. Phys.* **20**, 367 (1948).
- [2] R. P. Feynman and A. R. Hibbs, *Quantum Mechanics and Path Integrals* (McGraw-Hill, New York, 1965).
- [3] R. P. Feynman, *Statistical Mechanics* (Benjamin, Reading MA, 1972).
- [4] H. Kleinert, *Path Integrals in Quantum Mechanics, Statistics, and Polymer Physics*, 2nd ed. (World Scientific, Singapore, 1995).
- [5] H. Kleinert and V. Schulte-Frohlinde, *Critical Properties of ϕ^4 -Theories* (World Scientific, Singapore, 2001).
- [6] M. E. Peskin and D. V. Schroeder, *Introduction to Quantum Field Theory* (Addison-Wesley, Redwood City, CA, 1995).
- [7] J. Polchinski, *String Theory*, 2 vols. (Cambridge University Press, 1998).
- [8] R. P. Feynman and H. Kleinert, *Phys. Rev. A* **34**, 5080 (1986).
- [9] R. Giachetti and V. Tognetti, *Phys. Rev. Lett.* **55**, 912 (1985).
- [10] H. Kleinert, *Phys. Rev. D* **57**, 2264 (1998).
- [11] H. Kleinert, *Phys. Lett. B* **434**, 74 (1998).
- [12] M. Bachmann, *Perturbatively Defined Path Integral in Phase Space*, in *Fluctuating Paths and Fields*, Eds. W. Janke, A. Pelster, H.-J. Schmidt, and M. Bachmann (World Scientific, Singapore, 2001), p. 57.
- [13] J. de Boer, B. Peeters, K. Skenderis, and P. van Nieuwenhuizen, *Nucl. Phys. B* **446**, 211 (1995); **459**, 631 (1996); F. Bastianielli, K. Schalm, and P. van Nieuwenhuizen, *Phys. Rev. D* **58**, 44002 (1998).
- [14] H. Kleinert and A. Chervyakov, *Phys. Lett. A* **273**, 1 (2000); *Phys. Lett. B* **464**, 257 (1999); **477**, 373 (2000).
- [15] G. 't Hooft and M. Veltman, *Nucl. Phys. B* **44**, 189 (1972).
- [16] H. Kleinert and A. Chervyakov, eprint: quant-ph/000206.
- [17] H. Kleinert, A. Pelster, and M. Bachmann, *Phys. Rev. E* **60**, 2510 (1999), eprint: quant-ph/9902051.
- [18] M. Bachmann, H. Kleinert, and A. Pelster, *Phys. Rev. A* **62**, 52509 (2000), eprint: quant-ph/0005074.

-
- [19] M. Bachmann, H. Kleinert, and A. Pelster, Phys. Lett. A **279**, 23 (2001), eprint: quant-ph/0005100.
- [20] M. Bachmann, H. Kleinert, and A. Pelster, Phys. Rev. A **60**, 3429 (1999), eprint: quant-ph/9812063. See also *Smearing Formulas for Density Matrices*, in Proceedings to the 6th Conference on *Path Integrals from peV to TeV* at Florence, Eds. R. Casalbuoni, R. Giachetti, V. Tognetti, R. Vaia, and P. Verucchi (World Scientific, Singapore, 1999), p. 489.
- [21] H. Kleinert, Fortschr. Phys. **30**, 187 (1982).
- [22] H. Kleinert, Fortschr. Phys. **30**, 351 (1982).
- [23] H. Kleinert, A. Pelster, B. Kastening, and M. Bachmann, Phys. Rev. E **62**, 1537 (2000), eprint: hep-th/9907168.
- [24] J. Külbeck, M. Böhm, and A. Denner, Comp. Phys. Comm. **60**, 165 (1991).
- [25] T. Hahn, hep-ph/9905354.
- [26] P. Nogueira, J. Comput. Phys. **105**, 279 (1993).
- [27] J. Neu, MS Thesis (in German), FU-Berlin (1990).
- [28] B. Kastening, Phys. Rev. D **54**, 3965 (1996).
- [29] B. Kastening, Phys. Rev. D **57**, 3567 (1998).
- [30] S. A. Larin, M. Mönnigmann, M. Strösser, and V. Dohm, Phys. Rev. B **58**, 3394 (1998).
- [31] H. Kleinert, *Gauge Fields in Condensed Matter*, Vol. I: *Superflow and Vortex Lines* (World Scientific, Singapore, 1989).
- [32] M. Bachmann, H. Kleinert, and A. Pelster, Phys. Rev. D **61**, 085017 (2000), eprint: hep-th/9907044.
- [33] R. F. Streater and A. S. Wightman, *PCT, Spin and Statistics, and All That* (Benjamin, New York, 1964).
- [34] J. Schwinger, *Particles, Sources, and Fields*, Vols. I and II (Addison-Wesley, Redwood City, 1973).
- [35] B. Kastening, Phys. Rev. E **61**, 3501 (2000).
- [36] A. Pelster and H. Kleinert, eprint: hep-th/0006153.
- [37] J. D. Bjorken and S. D. Drell, Vol. I: *Relativistic Quantum Mechanics*, Vol. II: *Relativistic Quantum Fields* (McGraw-Hill, New York, 1965).
- [38] D. J. Amit, *Field Theory, the Renormalization Group, and Critical Phenomena* (McGraw-Hill, New York, 1978).
- [39] C. Itzykson and J.-B. Zuber, *Quantum Field Theory* (McGraw-Hill, New York, 1985).
- [40] M. Le Bellac, *Quantum and Statistical Field Theory* (Oxford Science Publications, New York, 1991).
- [41] J. Zinn-Justin, *Quantum Field Theory and Critical Phenomena*, 3rd ed. (Oxford Science Publications, New York, 1996).
- [42] F. J. Dyson, Phys. Rev. **85**, 631 (1952).

-
- [43] C. M. Bender and S. A. Orszag, *Advanced Mathematical Methods for Scientists and Engineers* (McGraw-Hill, New York, 1978).
- [44] E. J. Weniger, *Comput. Phys. Rep.* **10**, 189 (1989); *Comput. Phys. Commun.* **92**, 1 (1991).
- [45] R. P. Feynman, *Phys. Rev.* **97**, 660 (1955).
- [46] H. Kleinert, *Phys. Lett. A* **173**, 332 (1993).
- [47] H. Kleinert and H. Meyer, *Phys. Lett. A* **184**, 319 (1994).
- [48] M. Bachmann, H. Kleinert, and A. Pelster, *Phys. Lett. A* **261**, 127 (1999), eprint: cond-mat/9905397.
- [49] M. Bachmann, H. Kleinert, and A. Pelster, *Phys. Rev. E* **63** 51709 (2001), eprint: cond-mat/0011281.
- [50] W. Helfrich, *Z. Naturforsch. A* **33**, 305 (1978); W. Helfrich and R.M. Servuss, *Nuovo Cimento D* **3**, 137 (1984).
- [51] P.M. Stevenson, *Phys. Rev. D* **23**, 2916 (1981).
- [52] W. Janke and H. Kleinert, *Phys. Rev. Lett.* **75**, 2787 (1995); *Phys. Lett. A* **206**, 283 (1995); R. Guida, K. Konishi, and H. Suzuki, *Ann. Phys.* **249**, 109 (1996).
- [53] H. Kleinert, W. Kürzinger, and A. Pelster, *J. Phys. A: Math. Gen.* **31**, 8307 (1998).
- [54] H. Kleinert, *Phys. Lett. A* **118**, 267 (1986).
- [55] W. Janke and H. Kleinert, *Phys. Lett. A* **118**, 371 (1986).
- [56] A. Cuccoli, V. Tognetti, P. Verrucchi, and R. Vaia, *Phys. Rev. A* **45**, 8418 (1992). See also the treatment of dissipation in: A. Cuccoli, A. Rossi, V. Tognetti, and R. Vaia, *Phys. Rev. E* **55**, 4849 (1997).
- [57] R. Jackiw, *Physica A* **159**, 269 (1989).
- [58] A. Okopińska, *Phys. Lett. A* **249**, 259 (1998).
- [59] This quantity should not be confused with the standard *effective potential* in quantum field theory in which the path average x_0 is not separated out. The effective classical potential always leads to a *convex* effective potential, due to the extra x_0 -integral in Z . See H. Kleinert, *Phys. Lett. B* **181**, 324 (1986).
- [60] G. C. Rossi and M. Testa, *Ann. Phys.* **148**, 144 (1983).
- [61] T. Kunihiro, *Phys. Rev. Lett.* **78**, 3229 (1997).
- [62] A. P. Prudnikov, Yu. A. Brychkov, and O. I. Marichev, *Integrals and Series*, Vol. 2 (Gordon and Breach, New York, 1986).
- [63] R. G. Storer, *J. Math. Phys.* **9**, 964 (1968).
- [64] J. C. Le Guillou and J. Zinn-Justin, *Ann. Phys. (N.Y.)* **147**, 57 (1983).
- [65] J. E. Avron, B. G. Adams, J. Čížek, M. Clay, M. L. Glasser, P. Otto, J. Paldus, and E. Vrscay, *Phys. Rev. Lett.* **43**, 691 (1979).
- [66] B. G. Adams, J. E. Avron, J. Čížek, P. Otto, J. Paldus, R. K. Moats, and H. J. Silverstone, *Phys. Rev. A* **21**, 1914 (1980).
- [67] V. A. Gani, A. E. Kudryavtsev, and V. M. Weinberg, eprint: physics/9708005 (1997).

-
- [68] I. D. Feranchuk and L. I. Komarov, *J. Phys. A: Math. Gen.* **17**, 3111 (1984).
- [69] L. D. Landau and E. M. Lifschitz, *Quantenmechanik*, 6. Auflage (Akademie-Verlag Berlin, 1979).
- [70] R. Loudon, *Am. J. Phys.* **27**, 649 (1959).
- [71] L. K. Haines and D. H. Roberts, *Am. J. Phys.* **37**, 1145 (1969).
- [72] R. Cohen, J. Lodenquai, and M. Ruderman, *Phys. Rev. Lett.* **25** (1970).
- [73] M. V. Ivanov and P. Schmelcher, *Phys. Rev. A* **61**, 022505 (2000).
- [74] P. Schmelcher and W. Schweizer (Eds.), *Atoms and Molecules in Strong External Fields* (Plenum Press, New York, 1998).
- [75] J. S. Heyl and L. Hernquist, *Phys. Rev. A* **58**, 3567 (1998).
- [76] H. Ruder, G. Wunner, H. Herold, and F. Geyer, *Atoms in Strong Magnetic Fields* (Springer-Verlag, Berlin, 1994).
- [77] J. T. Devreese and F. Brosens, in *Elementary Excitations in Solids*, Eds. J. L. Birman, C. Sébenne, and R. F. Wallis (Elsevier, Amsterdam, 1992), p. 283.
- [78] J. T. Devreese and F. Brosens, *Solid State Comm.* **79**, 819 (1991).
- [79] J. T. Devreese and F. Brosens, *Phys. Rev. B* **45**, 6459 (1992).
- [80] M. Steinberg, J. Ortner, and W. Ebeling, *Phys. Rev. E* **58**, 3806 (1998).
- [81] M. Steinberg, J. Ortner, and W. Ebeling, *Phys. Rev. E* **61**, 2290 (2000).
- [82] W. Ebeling, M. Steinberg, and J. Ortner, *Eur. Phys. J. D* **12**, 513 (2000).
- [83] C. Kouveliotou, S. Dieters, T. Strohmayer, J. van Paradijs, G. J. Fishman, C. A. Meegan, K. Hurley, J. Kommers, I. Smith, D. Frail, and T. Murakami, *Nature* **393**, 235 (1998); K. Hurley, P. Li, C. Kouveliotou, T. Murakami, M. Ando, T. Strohmayer, J. van Paradijs, F. Vrba, C. Luginbuhl, A. Yoshida, and I. Smith, *Astrophys. Journal*, **510**, L111 (1998); C. Kouveliotou, T. Strohmayer, K. Hurley, J. van Paradijs, M. H. Finger, S. Dieters, P. Woods, C. Thompson, and R. C. Duncan, *Astrophys. Journal*, **510**, L115 (1998).
- [84] T. O. Klaassen, J. L. Dunn, and C. A. Bates, in *Atoms and Molecules in Strong External Fields*, Eds. P. Schmelcher and W. Schweizer (Plenum Press, New York, 1998), p. 291.
- [85] W. Janke and H. Kleinert, *Phys. Lett. A* **117**, 353 (1986).
- [86] W. Janke, H. Kleinert, and M. Meinhart, *Phys. Lett. B* **217**, 525 (1989).
- [87] W. Janke, *Int. J. Mod. Phys. B* **4**, 1763 (1990).
- [88] G. Gompper and D. M. Kroll, *Europhys. Lett.* **9**, 59 (1989).
- [89] H. Kleinert, *Phys. Lett. A* **257**, 269 (1999).
- [90] U. Seifert, *Adv. in Physics* **46**, 13 (1997).
- [91] M. P. do Carmo, *Differentialgeometrie von Kurven und Flächen*, 3. Auflage (Vieweg, Braunschweig, 1998).
- [92] E. Kreyszig, *Differential Geometry* (Dover Publications, New York, 1991).
- [93] W. Helfrich, *Z. Naturforsch. C* **28**, 693 (1973).

-
- [94] R. Lipowsky, in *Statistical Mechanics of Biocomplexity*, Vol. 527 of Lecture Notes in Physics, Eds. D. Reguera, J. M. G. Vilar, and J. M. Rubi (Springer-Verlag, Berlin, 1999).
- [95] H. Kleinert, A. Chervyakov, and B. Hamprecht, *Phys. Lett. A* **260**, 182 (1999).
- [96] I. S. Gradstein and I. M. Ryshik, *Tables of Series, Products, and Integrals*, Vol. 2 (Verlag Harry Deutsch, Thun, 1981).
- [97] H. Kleinert, *Phys. Lett. B* **463**, 69 (1999).
- [98] R. Lipowsky, *Z. Phys. B* **97**, 193 (1995).
- [99] C. Hiergeist and R. Lipowsky, *Physica A* **244**, 164 (1997).
- [100] P.-G. De Gennes, *J. Chem. Phys.* **48**, 2257 (1968).
- [101] V. Pokrovski and A. Talapov, *Sov. Phys. JETP* **51**, 267 (1980).
- [102] H. B. Thacker, *Rev. Mod. Phys.* **53**, 253 (1981).
- [103] This technique was developed by H. Kleinert and A. Chervyakov in a perturbative calculation of the energy of a particle in a box (to be published).
- [104] W. Janke and H. Kleinert, *Phys. Rev. Lett.* **58**, 144 (1987).
- [105] An analogous estimate for a stack of strings [87] with Helfrich's method [50] is also too large by a factor $9/4$.
- [106] M. Bachmann and H.-J. Schmidt, *Phys. Rev. D* **62**, 043515 (2000), eprint: gr-qc/9912068.

