

9 Literaturverzeichnis

- AKESSON, K. (1995). Biochemical markers of bone turnover. *Acta Orthop Scand* 66: 376-386.
- ALLEN, M. J., HOFFMANN, W. E., RICHARDSON, D. C., BREUR, G. J. (1998). Serum markers of bone metabolism in dogs. *Am J Vet Res* 59: 250-254.
- BAUER, J. E., ASQUITH, R. L., KIVIPETTO, J. (1989). Serum biochemical indicators of liver function in neonatal foals. *Am J Vet Res* 50: 2037-2041.
- BIKLE, D. D. (1997). Biochemical markers in the assessment of bone disease. *Am J Med* 103: 427-436.
- BLACK, A., SCHOKNECHT, A., RALSTON, S. L., SHAPSES, S. A. (1999). Diurnal variation and age differences in the biochemical markers of bone turnover in horses. *J Anim Sci* 77: 75-83.
- BLUMSOHN, A., HANNON, R. A., WRATE, R., BARTON, J., AL-DEHALMI, A. W., COLWELL, A., EASTELL, R. (1994). Biochemical markers of bone turnover in girls during puberty. *Clin Endocrinol* 40: 663-670.
- BOLLEN, A. M., MARTIN, M. D., LEROUX, B. G., EYRE, D. R. (1995). Circadian variation in urinary excretion of bone collagen cross-links. *J Bone Miner Res* 10: 1885-1890.
- BONDE, M., GARNERO, P., FLEDELIUS, C., QVIST, P., DELMAS, P. D., CHRISTANSEN, C. (1997). Measurement of bone degradation products in serum using antibodies reactive with an isomerized form of an 8 amino acid sequence of the C-telopeptide of Type 1 collagen. *J Bone Miner Res* 12: 1028-1034.
- BONDE, M., QVIST, P., FLEDELIUS, C., RIIS, B. J., CHRISTIANSEN, C. (1994). Immunoassay for quantifying type I collagen degradation products in urine evaluated. *Clin Chem* 40: 2022-2025.
- BONDE, M., QVIST, P., FLEDELIUS, C., RIIS, B. J., CHRISTIANSEN, C. (1995). Applications of an enzyme immunoassay for a new marker of bone resorption (CrossLaps) - Follow up on hormone replacement therapy and osteoporosis risk assessment. *J Clin Endocrinol Metab* 80: 864-868.
- BOYD, J. W. (1984). The interpretation of serum biochemistry test results in domestic animals. *Vet Clin Pathol* 13: 7-14.

- BRAHM, H., PIEHL-AULIN, K., LJUNGHALL, S. (1996). Biochemical markers of bone metabolism during distance running in healthy regularly exercising men and women. *Scand J Med Sci Sports* 6: 26-30.
- BRAHM, H., PIEHL-AULIN, K., LJUNGHALL, S. (1997). Bone metabolism during exercise and recovery: The influence of plasma volume and physical fitness. *Calcif Tissue Int* 60: 192-198.
- BREIDENBACH, A., SCHLUMBOHM, C., HARMEYER, J. (1998). Peculiarities of vitamin D and of the calcium and phosphate homeostatic system in horses. *Vet Res* 29: 173-186.
- BURGESON, R. A. (1988). New collagens, new concepts. *Annu Rev Cell Bioil* 4: 552-577.
- CALVO, M. S., EYRE, D. R., GUNDBERG, C. M. (1996). Molecular basis and clinical application of biological markers of bone turnover. *Endocrin Rev* 17: 333-367.
- CAMPION, G. V., DELMAS, P. D., DIEPPE, P. A. (1989). Serum and synovial fluid osteocalcin (bone Gla protein) levels in joint disease. *Br J Rheumatol* 28: 393-398.
- CARPENTER, T., MACKOWIAK, S. J., TROIANO, N., GUNDBERG, C. M. (1992). Osteocalcin and its message: Relationship to bone histology in magnesium-deprived rats. *Am J Physiol* 263: 107-114.
- CARSTANJEN, B., DUBOUEF, F., DETILLEUX, J., BARTHEZ, P., LEPAGE, O. M. (2000). Quantitative ultrasound- and dual-X-ray absorptiometry measurements of the third metacarpal bone in horses: An in vivo-ex vivo study. *J Bone Mineral Res* 15: 5529.
- CASTILLO, L., TANAKA, Y., DE LUCA, H. F., SUNDA, L. M. (1977). The stimulation of 25-hydroxyvitamin D 1-alpha-hydroxylase by estrogen. *Arch Biochem Biophys* 179: 211-217.
- CHIAPPE, A., GONZALEZ, G., FRADINGER, E., IORIO, G., FERRETI, J. L., ZANCHETTA, J. (1999). Influence of age and sex in serum osteocalcin levels in thoroughbred horses. *Arch Int Physiol Biochim* 107: 50-54.
- CHRISTENSON, R. H. (1997). Biochemical markers of bone metabolism: An Overview. *Cin Biochem* 30: 573-593.
- COLOMBO, G., FANTI, P., YAO, C., MALLUCHE, H. H. (1993). Isolation and complete amino acid sequence of osteocalcin from canine bone. *J Bone Miner Res* 8: 733-743.

- DAVICCO, M. J. Y., FAULCONNIER, V., COXAM, H., DUBROEUCQ, H., MARTIN-ROSSET, W., BARLEY, J. P. (1994). Systemic bone growth factors in light breed mares and their foals. *Arch Int Physiol Biochim Biophys* 102: 115-119.
- DELMAS, P. D. (1995). Biochemical markers for the assessment of bone turnover. In: RIGGS, B. L., MELTON, L. J. H. (Hrsg.): *Osteoporosis: Etiology, diagnosis, and management*. Lippincott-Ravens, Philadelphia: 319-333.
- DELMAS, P. D., MALAVAL, L., ARLOT, M. (1985). Serum bone-Gla-protein compared to bone histomorphometry in endocrine diseases. *Bone* 6: 339-341.
- DELMAS, P. D., STENNER, D., WAHNER, H., MANN, K. G., RIGGS, B. L. (1983). Increase in serum bone-carboxyglutamic acid protein with aging in women. *J Clin Invest* 71: 1316-1321.
- DERNIAUX, B., ARLOT, M. A., CHAPUY, M. C. (1992). Serum osteocalcin is increased in patients with osteomalacia: Correlations with biochemical and histomorphometric findings. *J Clin Endocrinol Metab* 74: 1146-1151.
- DOTY, S., SCHOFIELD, B. H. (1976). Enzyme histochemistry of bone and cartilage cells. *Prog Histochem Cytochem* 8: 1-38.
- DUCY, P., DESBOIS, C., BOYCE, B., PINERO, G., STORY, B., DUNSTAN, C., SMITH, E., BONADIO, J., GOLDSTEIN, S., GUNDBERG, C., BRADLEY, A., KARSENTY, G. (1996). Increased bone-formation in osteocalcin-deficient mice. *Nature* 382: 448-452.
- DUMAS, M. B., SPANO, J. S. (1980). Characterization of equine alkaline phosphatase isoenzymes based on their electrophoretic mobility by polyacrylamide gel disc electrophoresis. *Am J Vet Res* 41: 2076-2081.
- EASTELL, R., CALVO, M. S., BURRITT, M. F., OFFORD, K. P., RUSSELL, R. G. G., RIGGS, B. L. (1992). Abnormalities in circadian patterns of bone resorption and renal calcium conservation in type I osteoporosis. *J Clin Endocrinol Metab* 74: 487-494.
- EBELING, P. R., PETERSEN, J. M., RIGGS, B. L. (1992). Utility of type 1 procollagen propeptide assays for assessing abnormalities in metabolic bone diseases. *J Bone Miner Res* 7: 1243-1250.
- EL SHORAFI, W. M., FEASTER, J. P., OTT, E. A. (1979). Horse metacarpal bone: Age, ash content, critical area and failure stress interrelationships. *J Anim Sci* 49: 797-802.
- ELIAKIM, A., RAISZ, L. G., BRASSEL, J. A., COOPER, D. M. (1997). Evidence for increased bone formation following a brief endurance-type training intervention in adolescent males. *J Bone Miner Res* 12: 1708-1713.

- ELLISON, R. S., JACOBS, R. M. (1990). An attempt to determine the tissue origin of equine serum alkaline phosphatase by isoelectric focusing. *Can Vet Res* 54: 119-125.
- ENBERGS, H., KARP, H. P., SCHÖNHERR, U. (1996). Untersuchungen zum Verlauf der Blutspiegel von Calcium, anorganischem Phosphat, alkalischer Phosphatase, Parathormon und Calcidiol (25-OH-D3) bei ein- bis zweijährigen Vollblutpferden. *Dtsch Tierärztl Wschr* 103: 491-493.
- ERIKSEN, E. F., BRIKEN, K., CHARLES, P. (1995). New markers of bone metabolism: Clinical use in metabolic bone disease. *Eur J Endocrinol* 132: 251-263.
- ERIKSEN, E. F., CHARLES, P., MELSEN, F., MOSEKILDE, L., RISTELI, L., RISTELI, J. (1993). Serum markers of type I collagen formation and degradation in metabolic bone disease: Correlations to bone histomorphometry. *J Bone Mineral Res* 8: 127-132.
- EYRE, D. (1992). New biomarkers of bone resorption. *J Clin Endocrinol Metab* 74: 470A-C.
- EYRE, D. R. (1996). Biochemical basis of collagen metabolites as bone turnover markers. In: BILEZIKIAN, J. P., RAISZ, L. G., RODAN, G. A. H. (Hrsg.): Principles of bone biology. Academic Press, San Diego: 143-154.
- FARRUGIA, W., MELICK, R. A. (1986). Metabolism of osteocalcin. *Calcif Tissue Int* 39: 234-238.
- FEDDE, K. N., LANE, C. C., WHYTE, P. M. (1988). Alkaline phosphatase is an ectoenzyme that acts on micromolar concentrations of natural substrates at physiological pH in human osteosarcoma. *Arch Biochem Biophys* 264: 400-409.
- FENTON, J. I., CHLEBEK-BROWN, K. A., NIELSEN, B. D., CORN, C. D., WAITE, K. S., CARON, J. P. (1999). Effect of longeing and glucosamine supplementation on serum markers of bone and joint metabolism in yearling Quarter horses. *Can J Vet Res* 63: 288-291.
- FISCHER, L. W., ROBEY, P. G., TUROSS, N. (1987). The Mr 24000 phosphoprotein from developing bone is the NH₂-terminal propeptide of the α 1-chain of type I collagen. *J Biol Chem* 262: 13457-13463.
- FLETCHER, K. L., TOPLIFF, D. R., HEATH, J., GAPLE, I. W., WARK, J. D. (1998). Effects of sex and weaning on serum osteocalcin concentration in horses. *Animal Science Report, Agricultural Experimental Station, Oklahoma State University*: 121-124.
- GALLAGHER, J. C., RIGGS, B. L., DE LUCA, H. F. (1980). Effect of estrogen on calcium absorption and serum vitamin D metabolites in postmenopausal osteoporose. *J Clin Endocrin* 51: 1359-1354.

- GARNERO, P. (2000). Markers of bone turnover for the prediction of fracture risk. *Osteoporos Int* 11: 55-65.
- GARNERO, P., DELMAS, P. D. (1998). Clinical usefulness of markers of bone remodelling in osteoporosis. In: MEUNIER, P. J. H. (Hrsg.): *Osteoporosis: Diagnosis and management*. Martin Dunitz, London: 79-101.
- GARNERO, P., GINEYTS, E., DELMAS, P. D. (1994). Assessment of bone resorption with a new marker of collagen degradation in patients with metabolic bone disease. *J Clin Endocrinol Metab* 79: 780-785.
- GEISER, D. R., FAULK, D. (1989). Ionized calcium in the horse. *Equine Pract* 11: 25-28.
- GEMEINER, M., SCHNABL, H., STÖCKL, W., KNEZEVIC, P., KLÄRING, W. (1978). Einfluss der Jahreszeit auf die Serumkonzentrationen des Kalziums, des anorganischen Phosphors, der alkalischen Phosphatase, des Magnesiums und des 25-Hydroxyvitamins D3 bei Jungpferden. *Zbl Vet Med* 25: 562-569.
- GEOR, R., HOPE, E., LAUPER, L., PIELA, S., KLASSEN, J., KING, V., MURPHY, M. (1995). Effect of glucocorticoids on serum osteocalcin concentration in horses. *Am J Vet Res* 56: 1201-1205.
- GOSSET, K. A., FRENCH, D. D. (1986). Effect of age on liver enzyme activity in serum of healthy quarter horses. *Am J Vet Res* 45: 354-356.
- GRIMSTON, S. K., MORRISON, K., HARDER, J. A., HANLEY, D. A. (1992). Bone mineral density during puberty in western Canadian children. *Bone and Mineral* 19: 85-96.
- GUNDBERG, C., GRANT, F. D., CONLIN, P. R. (1991). Acute changes in serum osteocalcin during induced hypocalcemia in humans. *J Clin Endocrinol Metab* 72: 438-443.
- HANK, A. M., HOFFMAN, W. E., SANEDI, R. K., SCHAFFER, D. J., DORNER, J. L. (1993). Quantitative determination of equine alkaline phosphatase isoenzymes in foal and adult serum. *J Vet Int Med* 7: 20-24.
- HANSON, D. A., WEIS, M. A. W., BOLLEN, A. M., MASLAN, S. L., SINGER, F. R., EYRE, D. R. (1992). A specific immunoassay for monitoring human bone resorption: Quantitation of type I collagen cross-linked N-telopeptides in urine. *J Bone Miner Res* 7: 1251-1258.
- HARRINGTON, D. D., PAGE, E. H. (1983). Acute vitamin D3 toxicosis in horses: Case reports and experimental studies of the comparative toxicity of vitamins D2 und D3. *J Am Vet Med Assoc* 182: 1358-1369.

- HENRY, H. L., NORMAN, A. W. (1984). Vitamin D: Metabolism and biological actions. *Ann Rev Nutr* 4: 493-520.
- HOECKSTRA, K. E., NIELSEN, B. D., ORTH, D. S., ROSENSTEIN, D. S., SCHOTT, H. C., SCHELL, J. E. (1999). Comparison of bone mineral content and biochemical markers of bone metabolism in stable- vs. pasture-reared horses. *Equine Vet J* 30: 601-604.
- HOLLICK, M. F. (1985). The photobiology of vitamin D and its consequences for humans. *Ann New York Acad Sci* 463: 1-13.
- HOPE, E., JOHNSTON, D. S., HEGSTAD, R. L., GEOR, R. J., MURPHY, M. J. (1993). Effects of sample collection and handling on concentration of osteocalcin in equine serum. *Am J Vet Res* 54: 1017-1020.
- HOYT, S., SICILIANO, P. D. (1999). A comparison of ELISA and RIA techniques for the detection of serum osteocalcin in horses. *Proc. 16th Equine Nutr. Physiol. Symp.*, 351-352.
- ISMAIL, F., EPSTEIN, S., PACIFICI, R., DROKE, D., THOMAS, S. B., AVIOLI, L. C. (1986). Serum bone gla protein (BGP) and other markers of bone mineral metabolism in postmenopausal osteoporosis. *Calcif Tissue Int* 39: 230-233.
- JACKSON, B., EASTELL, R. E., WILSON, A. M., LANYON, L. E., GOODSHIP, A. E., PRICE, J. S. (1998). The effect of exercise on biochemical markers of bone metabolism and insulin-like growth factor-I in two year old thoroughbreds. *J Bone Miner Res* 13: 521-526.
- JEFFCOTT, L. B., BUCKINGHAM, S. H. W., McCARTHY, R. N., CLEELAND, J. C., SCOTTI, E. (1986). Non-invasive measurement of bone: A review of clinical and research applications in the horse. *Equine Vet J* 18: 71-79.
- JEFFCOTT, L. B., McCARTNEY, R. N. (1985). Ultrasound as a tool for assessment of bone quality in the horse. *Vet Rec* 116: 337-342.
- JEFFCOTT, L. B., ROSSDALE, P. D., FREESTONE, J., J., F. C., TOWERS-CLARK, P. F. (1982). An assessment of wastage in thoroughbred racing from conception to 4 years of age. *Equine Vet J* 14: 185-198.
- JENKINS, M. A., STEER, C. B., CHENG, I. W., RATNAIKE, S. (1999). An unusual alkaline phosphatase isoenzyme associated with gastric carcinoma. *Ann Clin Biochem* 36: 743-748.
- KANN, P. (1994). Vitamin D und Osteoporose. *Dtsch Med Wschr* 119: 1479-1485.

- KARP, H. P. (1989). Die Konzentration von Calcium, anorganischem Phosphat, Parathormon und 25-Hydroxycholecalciferol sowie die Aktivität der alkalischen Phosphatase im Blutplasma von ein- und zweijährigen Vollblutpferden. Diss. med. vet., Bonn.
- KEENAN, D. M. (1979). Changes of blood metabolites in horses after racing, with particular reference to uric acid. *Aus Vet J* 55: 54-57.
- KIVIRIKKO, K. I. (1970). Urinary excretion of hydroxyproline in health and disease. *Int Rev Connect Tissue Res* 5: 93-163.
- KOYAMA, I., MIURA, M., MATSUZAKI, L., SAKAGISHI, Y., KOMADA, T. (1985). Sugar-chain heterogeneity of human alkaline phosphatase: Differences between normal and tumour-associated isoenzymes. *Am J Dis Child* 139: 736-740.
- KRISTOFFERSON, A., HULTDIN, J., HOLMLUND, I., THORSEN, K., LORENTZON, R. (1995). Effects of short-term maximal work on plasma calcium, parathyroid hormone, osteocalcin and biochemical markers of collagen metabolism. *Int J Sport Med* 16: 145-149.
- KYLMÄLÄ, T., TAMELA, T., RISTELI, L., RISTELI, J., TAUBE, T., ELOMAA, I. (1993). Evaluation of the effect of oral clodronate on skeletal metastases with type I collagen metabolites. A controlled trial of the Finnish Prostate Cancer Group. *Eur J Cancer* 29: 821-825.
- LAWRENCE, I. A., OTT, E. A. (1985). The use of non-invasive techniques to predict bone mineral content and strength in the horse. *Proceedings of the 9th Equine Nutrition And Physiology Symposium.*: 110-116.
- LEPAGE, O. M., CARSTANJEN, B., UEBELHART, D. (2001). Non-invasive assessment of equine bone: An update. *Vet J* 161: 10-23.
- LEPAGE, O. M., DESCOTEAUX, L., MARCAOUX, M., TREMBLAY, A. (1991). Circadian rhythms of osteocalcin in equine serum. Correlation with alkaline phosphatase, calcium, phosphate and total protein levels. *Can J Vet Res* 55: 5-10.
- LEPAGE, O. M., EICHER, R., UEBELHART, B., TSCHUDI, P. (1997). Influence of type and breed of horse on serum osteocalcin concentration and evaluation of the applicability of a bovine RIA and human IRMA. *Am J Vet Res* 58: 574-578.
- LEPAGE, O. M., HARTMAN, D. J., EICHER, R., UEBELHART, B., TSCHUDI, P., UEBELHART, D. (1998A). Biochemical markers of bone metabolism in draught and warmblood horses. *Vet J* 156: 169-175.

- LEPAGE, O. M., MARCOUX, M., TREMLAY, A., DUMAS, G. (1992). Sex does not influence serum osteocalcin levels in Standardbred horses of different ages. *Can J Vet Res* 56: 379-381.
- LEPAGE, O. M., TREMBLAY, A. (1990). Serum osteocalcin or bone Gla-protein, a biochemical marker for bone metabolism in horses: Differences in serum levels with age. *Can J Vet Res* 54: 223-226.
- LEPAGE, O. M., WHITTON, C., DANIELI, A., NIV, Y. (1998B). Multi site quantitative ultrasound measurements in horses: Preliminary results for metacarpal bone assessment. *Bone* 23: 214.
- MÄENPÄÄ, P. H., KOSKINEN, T., KOSKINEN, P. (1988B). Serum profiles of vitamins, A, E and D in mares and foals during different seasons. *J Anim Sci* 66: 1418-1423.
- MÄENPÄÄ, P. H., LAPPETELÄINEN, R., VIRKKUNEN, J. (1987). Serum retinol, 25-hydroxyvitamin D and alpha-tocopherol of racing Trotters in Finland. *Equine Vet J* 19: 237-240.
- MÄENPÄÄ, P. H., PIRSKANEN, A., KOSKINEN, E. (1988A). Biochemical indicators of bone formation in foals after transfer from pasture to stables for the winter months. *Am J Vet Res* 49: 1990-1992.
- MALM, H. T., RONNI-SIVULA, H. M., VIINIKKA, L. U., YLIKORKALA, O. R. (1993). Marathon running accompanied by transient decreases in urinary calcium and serum osteocalcin levels. *Calcif Tissue Int* 52: 209-211.
- MASON, R. S. (1985). Extra-renal production of 1, 25(OH)₂D₃ in the metabolism of vitamin D by non-traditional tissues. In: NORMAN, A., SCHAEFER, W. K., GRIGOLEIT, H. G., VON HERRATH, D. H. (Hrsg.): *Vitamin D. Chemical, biochemical and clinical update.* de Gruyter, Berlin: 23-32.
- MAWER, W. B., HANN, J. T., BERRY, J. L., DAVIES, M. (1985). Vitamin D metabolism in patients intoxicated with ergocalciferol. *Clin Sci* 68: 135-141.
- MCCARTHY, R. N., JEFFCOTT, L. B. (1992). Effects of treadmill exercise on cortical bone in the third metacarpus of young horses. *Res Vet Sci* 52: 28-37.
- MEAKIM, D. W., OTT, E. A., ASQUITH, R. L., FEASTER, J. P. (1981). Estimation of mineral content of the equine third metacarpal by radiographic photometry. *J Anim Sci* 53: 1019-1026.
- MILLIS, D. L. (1983). Influence of exercise and training on bone development in yearling horses. MSc Thesis, University of Florida.

- NAKAYAMA, M., GORAI, I., MINAGUCHI, H., ROSENQUIST, C., QVIST, P. (1998). Purification and characterization of bone-specific alkaline phosphatase from a human osteosarkoma cell line. *Calcif Tissue Int* 62: 67-73.
- NIELSEN, B. D., POTTER, G. D., GREENE, L. W., MORRIS, E. L., MURRAY-GERZIK, M., SMITH, W. M., MARTIN, M. T. (1998). Characterization of changes related to mineral balance and bone metabolism in the young racing Quarter horse. *J Equine Vet Sci* 18: 190-200.
- NISHIYAMA, S., TOMOEDA, S., OHTA, T., HIGUCHI, A., MATSUDA, I. (1988). Differences in basal and postexercise osteocalcin levels in athletics and non-athletic humans. *Calcif Tissue Int* 42: 150-154.
- NUNAMAKER, D. M., BUTTERWECK, D. M., PROVOST, M. T. (1990). Fatigue in thoroughbred racehorses: Relationships with age, peak bone strain, and training. *J Orthop Res* 8: 604-611.
- PRATT, G. W. (1980). An in vivo method of ultrasonically evaluating bone strength. *Proceeding 26th Annual Convention of American Association of Equine Practitioners.*: 295-301.
- PRICE, J. S. (1998). Biochemical markers of bone metabolism in horses: Potentials and limitations. *Vet J* 156: 163-165.
- PRICE, J. S., JACKSON, B., EASTELL, R., HOODSHIP, A. E., BLUMSOHN, A., WRIGHT, I., STONEHAM, S., LANYON, L. W., RUSSELL, R. G. G. (1995A). Age related changes in biochemical markers of bone metabolism in horses. *Equine Vet J* 27: 201-207.
- PRICE, J. S., JACKSON, B., EASTELL, R., WILSON, A. M., RUSSELL, R. G. G., LANYON, L. E., GOODSHIP, A. E. (1995B). The response of the skeleton to physical training: A biochemical study in horses. *Bone* 17: 221-227.
- PUZAS, J. E. (1993). The osteoblast. In: FAVUS, M. J. H. (Hrsg.): *Primer on the metabolic bone diseases and disorders on mineral metabolism*. American Society for Bone and Mineral Research, Chicago, 2. Aufl.: 15-21.
- RIGGS, B. L. (1991). Overview of osteoporosis. *West J Med* 154: 63-77.
- RIGGS, C. M. (1999). Aetiopathogenesis of parasagittal fractures of the distal condyles of the third metacarpal and third metatarsal bones - Review of the literature. *Equine Vet J* 31: 116-120.
- RISTELI, J., ELOMAA, I., NIEMI, S., NOVAMO, A., RISTELI, L. (1993B). Radioimmunoassay for the pyridinoline cross-linked carboxyterminal telopeptide of type I collagen: A new serum marker of bone collagen degradation. *Clin Chem* 39: 635-640.

- RISTELI, L., RISTELI, J. (1993A). Biochemical markers of bone metabolism. *Ann Med* 25: 385-393.
- ROBINS, S. P., DUNCAN, A., WILSON, N., EVANS, B. J. (1996). Standardization of pyridinium crosslinks, pyridinoline and deoxypyridinoline, for use as biochemical markers of collagen degradation. *Clin Chem* 42: 1621-1626.
- ROSS, P. D., KRESS, B. C., PARSON, R. E., WASNICH, R. D., ARMOUR, K. A., MIZRAHI, I. A. (2000). Serum bone alkaline phosphatase and calcaneus bone density predict fractures: A prospective study. *Osteoporos Int* 11: 76-82.
- ROSSDALE, P. D., HOPES, R., WINGFIELD DIGBY, N. J., OFFORD, K. (1985). Epidemiological study of wastage among racehorses 1982 and 1983. *Vet Rec* 116: 66-69.
- RUDBERG, A., MAGNUSSON, P., LARSSON, L., JOBORN, H. (2000). Serum isoforms of bone alkaline phosphatase increase during physical exercise in women. *Calcif Tissue Int* 66: 342-347.
- SALVESEN, H., PIEHL-AULIN, K., LJUNGHALL, S. (1994). Change in levels of the carboxyterminal propeptide of type I procollagen, the carboxyterminal cross-linked telopeptide of type I collagen and osteocalcin in response to exercise in well-trained men and women. *Scand J Med Sci Sports* 4: 186-190.
- SCHMITZ, D. G., JOYCE, J. R., REAGOR, J. C. (1982). Serum biochemical values in quarter horse foals in the first six months for life. *Equine Pract* 4: 24-30.
- SEIBEL, M. J. (2000). Molecular markers of bone turnover: Biochemical, technical and analytical aspects. *Osteoporos Int* 6: 18-29.
- SEIBEL, M. J., ROBINS, S. P., BILEZIKIAN, J. P. (1992). Urinary pyridinium crosslinks of collagen. Specific markers of bone resorption in metabolic bone disease. *Trend Endocrinol Metab* 3: 263-279.
- SIMON, L. S., KRANE, S. M., WORTMAN, P. D. (1984). Serum levels of type I and III procollagen fragments in Page's disease of bone. *J Clin Endocrinol metab* 58: 110-120.
- SINGER, F. R., ROODMAN, G. D. (1996). Paget's disease of bone. In: BILEZIKIAN, J. P., RAISZ, L. G., RODAN, G. A. H. (Hrsg.): Principles of bone biology. Academic Press, San Diego: 969-977.
- SMEDSRÖD, B., MEIKKO, J., RISTELI, L., RISTELI, J. (1990). Circulating carboxyterminal propeptide of type I procollagen is cleared mainly via the mannose receptor in liver endothelial cells. *Biochem J* 271: 345-350.
- SMITH, B. S. W., WRIGHT, H. (1984). 25-hydroxyvitamin D concentration in equine serum. *Vet Rec* 115: 579.

- STEIN, G. S., LIAN, J. B., OWEN, T. A. (1990). Relationship of cell growth to the regulation of tissue-specific gene expression during osteoblast differentiation. *FASEB J* 4: 3111-3123.
- THIEDE, M. A., SMOCK, S. L., PETERSEN, D. N. (1994). Presence of messenger ribonucleic acid encoding osteocalcin, a marker of bone turnover, in bone marrow megakaryocytes and peripheral blood platelets. *Endocrin* 135: 929-937.
- THOREN-TOLLING, K. (1988). Serum alkaline phosphatase isoenzymes in the horse: Variation with age, training, and in different pathological conditions. *J Vet Med Assoc* 35: 12-23.
- THORSEN, K., KRISTOFFERSON, A., LORENTZON, R. (1996). The effects of brisk walking on markers of bone and calcium metabolism in postmenopausal women. *Calcif Tissue Int* 58: 221-225.
- TRIVEDI, P., RISTELI, J., HINDMARSH, P. C., BROOK, C. G., MOWAT, A. P. (1991). Serum concentrations of the type I and III procollagen peptides as biochemical markers of growth velocity in healthy infants and children with growth disorders. *Paed Res* 30: 276-280.
- TRUEMAN, K. F., LUMSDEN, J. H., McSHERRY, B. J. (1983). Examination of the origin of increased serum alkaline phosphatase concentrations. *Can Vet J* 24: 108-111.
- TWEHUES, R. (1994). Der Vitamin-D-Stoffwechsel des Pferdes. Diss. med. vet. Hannover.
- VILLAREAL, D. T., CIVITELLI, R., CHINES, A., AVIOLI, L. V. (1991). Subclinical vitamin D deficiency in postmenopausal women with low vertebral bone mass. *J Clin Endocrin* 72: 628-634.
- WEDEMEYER, U. (2000). Reaktionen des Knochens und der Muskulatur bei jungen Pferden während intensiver Trainingsarbeit. Diss. med. vet., Hannover.
- WEISWEILER, B., TWEHUES, R., KUCZKA, A., MEYER, H., HARMEYER, J. (1993). Einfluss hoher Vitamin-D-Dosierungen auf Calcium-, Magnesium- und Phosphatstoffwechsel von Pferden. Klinische und pathomorphologische Befunde. *Pferdeheilkunde* 9: 343-352.
- WINKELSETT, S. (2003). Biochemische Knochenmarker und Parathormon bei Warmblutfohlen unter Berücksichtigung des Vorkommens der Osteochondrose. Diss. med. vet., Hannover.
- WITHOLD, W. (1996). Monitoring of bone turnover. Biological, preanalytical and technical criteria in the assessment of biochemical markers. *Eur J Clin Chem Clin Biochem* 34: 785-799.