

8. Literaturverzeichnis

- Adrian, M.J., Roy, W.E. und Karpovich, P.V. (1965):**
Normal gait of the dog: An electrogoniometric study.
Am J Vet Res, 27(116), 90–95.
- Allen, K., DeCamp, C.E., Braden T.D. und Bahns M. (1994):**
Kinematic gait analysis of the trot in healthy mixed breed dogs.
Vet Comp Ortho Traumatol, 7, 148–153.
- An, Y.H., Barfield, W.R. und Draughn, R.A. (2000):**
Basic concepts of mechanical property measurements and bone biomechanics. In: AN YH and Draughn RA (eds). Mechanical testing of bone and the bone implant interface. New York: CRC Press, 23–39.
- Aper, R.L., Litsky, A.S., Roe, S.C. und Johnson, K.A. (2003):**
Effect of bone diameter and eccentric loading on fatigue life of cortical screws used with interlocking nails.
AJVR, 64(5), 569–573.
- Arnoczky, S.P., Wilson, J.W. und Schwarz, A. (1985):**
Fractures and fracture biology.
In: Slatter DH (Hrsg). Textbook of small animal surgery (2nd ed). Philadelphia: Saunders, 1939–1945.
- Aron, D.N., Palmer, R.H. und Johnson, A.L. (1995):**
Biologic strategies and a balanced concept of repair of highly comminuted long bone fractures.
Comp Cont Ed Pract Vet, 17, 35–38.
- Auer, J.A. (2003):**
Fracture treatment according to the AO/ASIF Methods – History of AO-Vet.
In: Proceedings, Surgical fixation of fractures 2003. 34th Basic canine course. Columbus, Ohio, 3–4.
- Bankston, A.B., Keating, E.M. und Saha S. (1992):**
The biomechanical evaluation of intramedullary nails in distal femoral shaft fractures.
Clin Orthop, (276), 277–282.
- Basinger, R.R. und Suber, J.T. (2002):**
Supplemental fixation of fractures repaired with interlocking nails.
Vet Comp Orthop Traumatol 2, A1.

Basinger, R.R. und Suber, J.T. (2003):

Interlocking nail/external fixator tie-in: Description and application technique of two investigational devices.

In: Proceedings, 30th Annual Conference Veterinary Orthopedic Society (VOS) in Steamboat Springs, Colorado.

VOS: Verf, 33.

Baumgaertel, F. und Gotzen, L. (1994):

Die biologische Plattenosteosynthese bei Mehrfragmentfrakturen des gelenknahen Femur.

Unfallchirurg, 2, 78–84.

Beaupré, G.S., Carter, D.R., Dueland, R.T., Caler, W.E., und Spengler, D.M. (1988):

A biomechanical assessment of plate fixation, with insufficient bony support.

J Orthop Res, 6(5), 721–729.

Bechthold, J.E., Schaffhausen, J.M. und Kyle, R.F. (1989):

Comparison of interlocking and noninterlocking intramedullary nails in bending and torsion.

In: Harvey JP Jr, Daniels AU, Games RF (eds): American Society for Testing and Materials, Intramedullary Rods: Clinical performance and related laboratory testing, ASTM STP 1008.

Philadelphia: American Society for Testing and Materials, 60–64.

Benevenia, J., Zimmerman, M., Keating, J., Cyran, F., Balcksin, M., und Parsons, J. (2000):

Mechanical environment affects allograft incorporation.

J Biomed Mater Res, 53(1), 67–72.

Bernardé, A., Diop, A., Maurel, N. und Viguier, E. (2001):

An in vitro biomechanical study of bone plate and interlocking nail in a canine diaphyseal femoral fracture model.

Vet Surg, 30(5), 397–408.

Bernardé, A., Diop, A., Maurel, N. und Viguier, E. (2002):

An in vitro biomechanical comparison between bone plate and interlocking nail.

Vet Comp Ortho Trauma, 15, 57–66.

Bircher, H. (1886):

Eine neue Methode unmittelbarer Retention bei Frakturen der Röhrenknochen.

Arch Klin Chir, 34, 410–422.

Blum, J., Machemer, H., Baumgart, F., Schlegel, U., Wahl, D., und Rommens, PM. (1999):

Biomechanical comparison of bending and torsional properties in retrograde intramedullary nailing of humeral shaft fractures.

J Orthop Trauma, 13(5), 344–350.

- Blum, J. und Rommens, P.M. (2002):**
Proximale Verriegelung von Humerusmarknägeln und Verletzungsrisiko des N. axillaris.
Unfallchirurg, 105(1), 9–13.
- Böhm, P., Scherer, M.A., Früh, H.J., Ascherl, R. und Motzer, E. (1995):**
Experimentelle Untersuchungen über die biomechanischen Eigenschaften von Hohlnägeln und Vollnägeln zur verriegelbaren Marknagelung am Hund.
Biomed Tech, 40(1–2), 24–28.
- Bolhofner, B.R., Carmen, B. und Clifford, P. (1996):**
The results of open reduction and Internal fixation of distal femur fractures using a biologic (indirect) reduction technique.
J Orthop Trauma, 10(6), 372–377.
- Bonath, K.H. und Vannini, R. (1998):**
Die stabile Osteosynthese.
In: Bonath KH, Prieur WD (ed). Kleintierkrankheiten, Bd 3. Orthopädische Chirurgie und Traumatologie.
Stuttgart: Ulmer, 215–222.
- Bouvy, B.M., Markel, M.D., Chelikani, S., Egger, E., Piermattei, D. und Vanderby, R. (1993):**
Ex vivo biomechanics of Kirschner-Ehmer external skeletal fixation applied to canine tibiae.
Vet Surg, 22(3), 194–207.
- Braden, T.D., Brinker, W.O., Little, R.W., Jenkins, R.B. und Butler, D. (1973)**
Comparative biomechanical evaluation of bone healing in the dog.
J Am Vet Med Assoc, 163(1), 65–69.
- Brumback, R.J., Reilly, J.P., Poka, A., Lakatos, R.P., Bathon, G.H. und Burgess, A.R. (1988):**
Intramedullary nailing of femoral shaft fractures. Part I: Decision-making errors with interlocking fixation.
J Bone Joint Surg [Am], 70(10), 1441–1452.
- Brunnberg, L., Horst, C., Gagel, A., Weiler, A. und Raschke, M. (1998):**
Die No Contact Plate (NCP) Osteosyntheseplatte – Ein neues biologisches Implantatsystem.
Kleintierpraxis, 43(8), 579–591.
- Brunner, H. und Simpson, J.P. (1980):**
Fatigue fracture of bone plates.
Injury, 11(3), 203–207.

- Brinker, W.O., Piermattei, D.L. und Flo, G.L. (1990)**
Handbook of Small Animal Orthopedics and Fracture Repair. (3rd ed).
Philadelphia: Saunders, 125.
- Bucholz, R.W., Ross, S.E. und Lawrence, K.L. (1987):**
Fatigue fracture of the interlocking nail in the treatment of fractures of the distal part of the femoral shaft.
J Bone Joint Surg Am, 69(9), 1391–1399.
- Budsberg, S.C., Verstraete, M.C., Brown, J. und Reece, L. (1995):**
Vertical loading rates in clinically normal dogs at a trot.
Am J Vet Res, 56(10), 1275–1280.
- Burr, D.B. (1990):**
Bone Microstructure and mechanical properties: Cortical bone.
Lecture notes: Biomechanics/Biomaterial Research Center, Indiana University.
- Butts, M.K., Bechthold, J.E., Hoelzel, D.A., Kyle, R.F. und Gustilo, R.B. (1989):**
Testing method for evaluating bending stiffness and torsional stability of femur implanted with intramedullary nails.
In: Harvey JP Jr, Daniels AU, Games RF (Hrsg.): American Society for Testing and Materials, Intramedullary Rods: Clinical performance and related laboratory testing, ASTM STP 1008.
Philadelphia: American Society for Testing and Materials, 20–25.
- Carter, D.R. und Spengler, D.M. (1982):**
Biomechanics of fracture.
In: Sumner-Smith G (Hrsg.): Bone in Clinical Orthopedics.
Philadelphia: Saunders, 305–334.
- Carter, D.R., Vasu, R. und Harris, W.H. (1981):**
The plated femur: relationships between changes in bone stresses and bone loss.
Acta Orthop Scand, 52(3), 241–248.
- Cechner, P.E., Knecht, C.D. und Chaffee, V.W. (1977):**
Fracture repair failure in the dog: a review in 20 dogs.
J Am Anim Hosp Assoc, 13, 613–615.
- Chao, E.Y.S. und Aro, H.T. (1991):**
Biomechanics of fracture fixation.
In: Mow VC, Hayes WC (ed): Basic Orthopaedic Biomechanics.
New York: Raven, 23–25, 45, 358–363.
- Chen, A.L., Tejwani, N.C., Joseph, T.N., Kummer, F.J. und Koval, K.J. (2001–02):**
The effect of distal screw orientation on the intrinsic stability of a tibial intramedullary nail.
Bull Hosp Jt Dis, 60(2), 80–83.

Christie, J., Robinson, C.M., Pell, A.C., McBirnie, J. und Burnett, R. (1995):
Transcardiac echocardiography during invasive intramedullary procedures.
J Bone Joint Surg Br, 77(3), 450–455.

Conzemius, M. und Swainman, S. (1999):
Fracture Fixation with Screws and Bone Plates.
Vet Clin North Am Small Anim Pract, 29(5), 1117 – 1135.

Curry, T. (1990):
Geometry of the radiographic image.
In: Christensen's physics of diagnostic radiology. (4th ed).
Philadelphia: Williams and Wilkins, 219–222.

Dallman, M.J., Martin, R.A., Self, B.P. und Grant, J.W. (1990):
Rotational strength of double-pinning techniques in repair of transverse fractures
in femurs of dogs.
Am J Vet Res, 51(1), 123–127.

Daniels, A.U. J.P. Jr. und Games, R.F. (1989):
In: Daniels AU JP Jr, Games RF (Hrsg.); American Society for Testing and
Materials, Intramedullary Rods: Clinical performance and related laboratory
testing, ASTM STP 1008.
Philadelphia: American Society for Testing and Materials, 20–25.

DeCamp, C.E. (2004):
Persönliche Mitteilung.
Veterinary Medical Center, Michigan State University, E. Lansing, MI 48824.

DeCamp, C.E. (1997):
Kinetic and kinematic gait analysis and the assessment of lameness in the dog.
Vet Clin North Am Small Anim Pract, 27(4), 825–840.

DeCamp, C.E., Soutas-Little, R., Hauptman, J., Olivier, B. und Braden, T. (1993):
Kinematic gait analysis of the trot in healthy greyhounds.
Am J Vet Res, 54(4), 627–634.

DéJardin, LM. (2002):
Persönliche Mitteilung.
Veterinary Medical Center, Michigan State University, E. Lansing, MI 48824.

DeYoung, D.J. und Probst, C.W. (1985):
Methods of internal fracture fixation.
In: Slatter DH (Hrsg.); Textbook of small animal surgery. (2nd ed).
Philadelphia: Saunders, 1610–1640.

Dixon, B.C., Tomlinson, J.L. und Wagner-Mann, C.C. (1994):

Effects of three intramedullary pinning techniques on proximal pin location and articular damage in the canine tibia.

Vet Surg, 23(6), 448–455.

Dudley, M., Johnson, A.L., Olmstead, M., Smith, C.W., und Schaeffer, D.J. (1997):

Open reduction and bone plate stabilization, compared with closed reduction and external fixation, for treatment of comminuted tibial fractures: 47 cases (1980–1995) in dogs.

JAVMA, 211(15), 1008–1012.

Dueland, R.T. (1998):

History of interlocking nail fixation.

In: Proceedings, 8th Annual ACVS Veterinary Symposium in Chicago, Illinois. ACVS: Verf, 435.

Dueland, R.T. (1998):

Interlocking nail Biomechanics: Femoral construct values and fatigue data.

In: Proceedings, 8th Annual ACVS Veterinary Symposium in Chicago, Illinois. ACVS: Verf, 438–439.

Dueland, R.T. (2003):

Comparison of interlocking nail screws and bolts: Insertion torque, push-out strength, and mode of failure.

In: Proceedings, 13th Annual ACVS Veterinary Symposium in Washington D.C. ACVS: Verf, 7.

Dueland, R.T., Berglund, L., Vanderby, R. Jr. und Chao, E.Y. (1996):

Structural properties of interlocking nails, canine femora, and femur-interlocking nail constructs.

Vet Surg, 25(5), 386–396.

Dueland, R.T., Johnson, K.A. (1993):

Interlocking nail fixation of diaphyseal fractures of the dog. A multi-center study of 1991–92 cases.

Vet Surg, 22, 377.

Dueland, R.T., Johnson, K.A., Roe, S.C., Engen, M.H. und Lesser, A.S. (1997):

Five year multi-center experience with interlocking nailing of femoral, tibial and humeral fractures in the dog.

In: Proceedings, 24st Annual Conference Veterinary Orthopedic Society (VOS) in Montana, Big Sky.

VOS: Verf, 45.

Dueland, R.T., Johnson, K.A., Roe, S.C., Engen, M.H. und Lesser, A.S. (1999):

Interlocking nail treatment of diaphyseal long-bone fractures in dogs.

J Am Vet Med Assoc, 214(1), 59–66.

Dueland, R.T., Johnson, K.A., Roe, S.C., Engen, M.H. und Lesser, A.S. (1999):

Interlocking nail treatment of diaphyseal long-bone fractures in dogs.
J Am Vet Med Assoc, 14(1), 59–66.

Dueland, R.T., Vanderby, R. und McCabe, R.P. (1997):

Fatigue study of six and eight mm diameter interlocking nails with screw holes of variable size and number.
Vet Comp Orthop Traumatol, 10, 194–199.

Duhautois, B. (2003):

Use of veterinary interlocking nails for diaphyseal fractures in dogs and cats: 121 cases.
Vet Surg, 32, 8–20.

Duhautois, B. (2001):

L’encoulage verrouillé dans le traitement des fractures du chien et du chat: Étude clinique rétrospective sur 21 cas (1992–1999).
Prat Méd Chir Anim Comp, 9–10(5), 481–496.

Duhautois, B. (1995):

L’encoulage verrouillé en chirurgie vétérinaire: Étude clinique retrospective sur 45 cas.
Prat Méd Chir Anim Comp, 30, 613–630.

Duhautois, B. (1993):

L’encoulage verrouillé en chirurgie vétérinaire: De la conception aux premiers cas cliniques.
Prat Méd Chir Anim Comp 28, 657–683.

Dunning, D. (2003):

Surgical wound infection and the use of antibiotics.
In: Slatter (Hrsg). Textbook of Small Animal Surgery. (3rd ed).
Philadelphia: Saunders, 113–122.

Durall, I. und Diaz, M.C. (1996):

Early experience with the use of an interlocking nail for the repair of canine femoral shaft fractures.
Vet Surg, 25(5), 397–406.

Durall, I. und Diaz, M.C. (1999):

Clavo cerrojados en gatos. 16 casos clinicos.
Pequenos animals, 20, 5–23.

Durall, I., Diaz-Bertrana, M.C., Puchol, J.L. und Franch, J. (2003):

Radiographic findings related to interlocking nailing: windshield-wiper effect, and locking screw failure.
Vet Comp Orthop Traumatol, 16, 217–222.

Durall, I., Diaz, M.C. und Morales, I. (1993):

An experimental study of compression of femoral fractures by an interlocking intramedullary pin.
Vet Comp Orthop Pract, 34, 26–30.

Durall, I., Diaz, M.C. und Morales, I. (1994):

Interlocking nail stabilization of humeral fractures. Initial experience in seven clinical cases.
Vet Comp Orthop Traumatol, 7, 3–8.

Egger, E.L., Gottsauner-Wolf, F., Palmer, J., Aro, H.T. und Chao, E.Y. (1993):

Effects of axial dynamization on bone healing.
J Trauma, 34(2), 185–192.

Eisenmenger, A.B. (1974):

Die Bündelnagelung nach Hackethal bei Kleintieren.
20. Jahrestag Fachgruppe Kleintierkrankheiten DVG, Mannheim.
Arch. Tierärztliche Fortbildung, 1, 270.

Eitel, F., Schenk, K.R. und Schweibert, L. (1980):

Corticale Revitalisierung nach Marknagelung an der Hundetibia.
Unfallheilkunde, 83, 202.

ElMaraghy, A.W., ElMaraghy, M., Nousiainen, M. und Richards, R. (2001):

Influence of the number of cortices on the stiffness of plate fixation of diaphyseal fractures.
J Orthop Trauma, 15(3), 186–191.

Emmerson, K.P., und Sher, J.L. (1998):

A method of treatment of non-union of humeral shaft fractures following treatment by locked intramedullary nail: a report of three cases.
Injury, 29(7), 550–552.

Endo, K., Nakamura, K., Maeda, H. und Matsushita, T. (1998):

Interlocking intramedullary nail method for the treatment of femoral and tibial fractures in cats and small dogs.
J Vet Med Sci, 60(1), 119–122.

Evans, H.E . (1993):

Tibia.
In: Miller's Anatomie of the dog. (3rd ed).
Philadelphia: Saunders, 208 – 210.

Farill, J. (1952):

Orthopaedics in Mexico.
J. Bone Joint Surg [Am], 34, 506–512.

Fourneaux, RW. (1974):

Two cases of fat embolism in the dog.
J Am Anim Hosp Assoc, 10, 45–47.

Franklin, J.L., Winquist, R.A., Benirschke, S.K. und Hansen, S.T. Jr. (1988):

Broken intramedullary nails.
J Bone Joint Surg Am, 70(10), 1463–1471.

Galuppo, L.D., Stover, S.M., Aldridge, A., Hewes, C. und Taylor, K.T. (2002):

An in vitro biomechanical investigation of an MP35N intramedullary interlocking nail system for repair of third metacarpal fractures in adult horses.
Vet Surg, 31(3), 211–225.

Gautier, E., Perren, S.M. und Cordey, J. (2000):

Effect of plate position relative to bending direction on the rigidity of a plate osteosynthesis. A theoretical analysis.
Injury, 31(3), 14–20.

Georgiadis, G.M., Minster, G.J. und Moed, B.R. (1990):

Effects of dynamization after interlocking tibial nailing: an experimental study in dogs.
J Orthop Trauma, 4(3), 323–330.

Gerber, C., Mast, J.W. und Ganz, R. (1990):

Biological internal fixation of fractures.
Arch Orthop Trauma Surg, 109, 295–303.

Giebel, W. und Galic, M. (2000):

Statistik.
In: Die medizinische Doktorarbeit (4. Auflage).
Stuttgart: Kohlhammer, 122.

Gibson, K.L. und Van Ed, R.T. (1991):

Stack Pinning of long bone fractures: A retrospective study.
Vet Comp Orthop Traumatol, 4, 48–53.

Goodship, A.E., Lanyon, L.E., Nicopoulos, A. und O'Connor, J.A. (1980):

A technique for investigating the response of bone to change in its mechanical environment.
J Bone Joint Surg [Br], 277, 39P

Goodship, A.E., Kelly, D.J., Rigby, H.S., Watkins, P.E. und Kenwright, J. (1987):

The effect of different regimens of axial micromovement on the healing of experimental tibial fractures.
Trans Orthop 11:285.

Griffin, H. (2003):

Continued evolution of ESF concepts.
IMEX™ Update, May 2003.
IMEX™, Longview, TX 75603.

Hajek, P.D., Bicknell, H.R. Jr., Bronson, W.E., Albright, J.A. und Saha, S. (1993):

The use of one compared with two distal screws in the treatment of femoral shaft fractures with interlocking intramedullary nailing. A clinical and biomechanical analysis.

J Bone Joint Surg [Am], 75(4), 519–525.

Haug, R.H. (1993):

The effects of screw number and length on two methods of tension band plating. J Oral Maxillofac Surg, 51(2), 159–162.

Haug, R.H. (1993):

Effect of screw number on reconstruction plating.
Oral surg Oral Med Oral Pathol, 75(6), 664–668.

Heitemeyer, U., Kemper, F., Hierholzer, G. und Haines, J. (1987):

Severely comminuted femoral shaft fractures: treatment by bridging-plate osteosynthesis.

Arch Orthop Trauma Surg, 106(5), 327–330.

Hilgers, R.D., Bauer, P. und Scheiber, V. (2002):

Einführung in die Medizinische Statistik.
Berlin: Springer, 23–45.

Holper, B., Tschegg, E.K., Stanzl-Tschegg, S. und Gabler, C. (2002):

Möglichkeiten zur Verbesserung der Ermüdungserscheinungen von Verriegelungsschrauben solider Tibianägel. Ein mathematisches Modell mit praktischen Schlussfolgerungen.
Unfallchirurg, 105(2), 140–146.

Hooper, G.J., Keddell, R.C. und Penny, I.D. (1991):

Conservative management or closed nailing for tibial shaft fractures.
J Bone Joint Surg, 73(B), 83–85.

Horstman, C.L., Beale, B.S. (2002):

Long bone fracture repair using the interlocking nail in a minimally invasive surgical procedure in cats and dogs: 65 cases (1994 – 2000).
Vet Comp Orthop Traumatol, 2, A16.

Hottinger, H.A., DeCamp, C.E., Olivier, N.B., Hauptman, J.G., Soutas-Little, R. (1996):

Noninvasive kinematic analysis of the walk in healthy large-breed dogs.
Am J Vet Res, 57(3), 381–388.

Huckstep, R.L. (1975):

An intramedullary nail for rigid fixation and compression of fractures of the femur.
J Bone Joint Surg [Br], 57(2), 253.

Huckstep, R.L. (1986):

The Huckstep intramedullary compression nail. Indications, technique, and results.
Clin Orthop, 212, 48–61.

Hulse, D. (1997):

Decision making in fracture management.
In: Fossum (Hrsg.). Small animal surgery.
St. Louis: Mosby, 730 –733.

Hulse, D. (2002):

Decision making in fracture management.
In: Fossum (Hrsg.). Small animal surgery. (2nd ed).
St. Louis: Mosby, 1002.

Hulse, D., Ferry, K., Fawcett, A., Gentry, D., Hyman, W., Geller, S. und Slater, M. (2000):

Effect of intramedullary pin size on reducing bone plate strain.
Vet Comp Ortho Traumatol, 13(4), 185–190.

Hulse, D. und Hyman, B. (1991):

Biomechanics of fracture fixation failure.
Vet Clin North Am Small Anim Pract, 21(4), 647–667.

Hulse, D., Hyman, W., Nori, M. und Slater, M. (1997):

Reduction in plate strain by addition of an intramedullary pin.
Vet Surg, 26(6), 451–459.

Hunt, J.M., Aitken, M.L., Denny, H.R. und Gibbs, C. (1980):

The complications of diaphyseal fractures in dogs: a review of 100 cases.
J Small Anim Pract, 21(2), 103–119.

Johnson, K.A. (2003):

Plate-Rod.
In: Slatter (ed). Textbook of Small Animal Surgery. (3rd ed)
Philadelphia: Saunders, 1816–1817.

Johnson, K.A. (1994):

Osteomyelitis in dogs and cats.
J Am Vet Med Assoc, 204(12), 1882–1887.

Johnson, K.A. (1998):

Interlocking nail instrumentation and application.
In: Proceedings, 8th Annual ACVS Veterinary Symposium in Chicago, Illinois.
ACVS: Verf, 438–439.

Johnson, K.A. und Huckstep, R.L. (1985):

Bone remodeling in canine femora after internal fixation with the “Huckstep nail”.
Vet Radiol, 27, 20.

Johnson, K.D., Johnston, D.W. und Parker, B. (1984):

Comminuted femoral-shaft fractures: treatment by roller traction, cerclage wires and an intramedullary nail, or an interlocking intramedullary nail.
J Bone Joint Surg [Am], 66(8), 1222–1235.

Johnson, K.D., Tencer, A.F. und Blumenthal S. (1986):

Biomechanical performance of locked intramedullary nail systems in comminuted femoral shaft fractures.
Clin Orthop Rel Res, 206, 151–161.

Johnston, S.A., Lancaster, R.L., Hubbard, R.P. und Probst, C.W. (1991):

A biomechanical comparison of 7-hole 3.5 mm broad and 5-hole 4.5 mm narrow dynamic compression plates.
Vet Surg, 20(4), 235–239.

Kaltenecker, G., Wruhs, O. und Quaicoe, S. (1990):

Lower infection rate after interlocking nailing in open fractures of femur and tibia.
J Trauma, 30(4), 474–479.

Karampour, K. (2001):

Untersuchungen zur Stabilität des Knochenlagers unter Einwirkung von Verriegelungsschrauben bei axialer Belastung in einem Tibia-Marknagel-Modell.
München: Technische Universität, Fachbereich für Medizin, Diss.

Karnezis, I.A., Miles, A.W., Cunningham, J.L. und Learmonth, I. (1998):

“Biological” internal fixation of long bone fractures: a biomechanical study of a “noncontact” plate system.
Injury, 29(9), 689–695.

Keating, J.F., O'Brien, P.J., Blachut, P.A., Meek, R.N. und Broekhuyse, H.M. (1997):

Locking intramedullary nailing with and without reaming for open fractures of the tibial shaft. A prospective, randomized study.
J Bone Joint Surg [Am], 79(3), 334–341.

- Kempf, I., Grosse, A. und Lafforgue, D. (1978):**
L'apport du verrouillage dans l'encoulage centro-medullaire des os longs.
Rev Chir Orthop Reparatrice Appar Mot, 64(8), 635–651.
- Kempf, I., Grosse, A. und Beck, G. (1985):**
Closed locked intramedullary nailing. Its application to comminuted fractures of the femur.
J Bone Joint Surg [Am], 67(5), 709–720.
- Kenwright, J. und Goodship, A.E. (1989):**
Controlled mechanical stimulation in the treatment of tibial fractures.
Clin Orthop, 241, 36–47.
- Kenwright, J., Goodship, A.E. und Evans, M. (1984):**
The influence of intermittent micromovement upon the healing of experimental fractures.
Orthopedics, 17(3), 481–484.
- Kenwright, J., Harris, J.D. und Evans, M. (1980):**
External skeletal fixation for tibial shaft fractures.
J Bone Joint Surg [Br], 62-B, 525.
- Kirsch, J. (2002):**
Persönliche Mitteilung.
Veterinary Medical Center, Michigan State University, E. Lansing, MI 48824.
- Kleining, R. und Hax, P.M. (1981):**
Die interne Überbrückungsosteosynthese ohne Reposition des Stückbruchbereiches als Alternative zur internen Fragmentfixation von Stückbrüchen nach anatomischer Reposition.
Hefte Unfallheilkd, 153, 213–223.
- Klemm, K.W. und Börner, M. (1986):**
Interlocking nailing for complex fractures of the femur and tibia.
Clin Orthop Rel Res, 212, 89–100.
- Kowalski, M.J., Schemitsch, E.H., Harrington, R. und Chapman, J. (1996):**
A comparative biomechanical evaluation of a noncontacting plate and currently used devices for tibial fixation.
J Trauma, 40(1), 5–9.
- König, F. (1913):**
Über die Implantation von Elfenbein zum Ersatz von Knochen und Gelenkenden.
Beit Klin Chir, 85, 91–114.

Kramers, P. (1998):

Biomechanik der Frakturheilung.
In: Bonath KH, Prieur WD (ed). Kleintierkrankheiten, Bd 3. Orthopädische Chirurgie und Traumatologie.
Stuttgart: Ulmer, 52.

Küntscher, G. (1940):

Die Behandlung von Knochenbrüchen bei Tieren durch Marknagelung. Archiv für Wissensch. Prakt. Tierheil, 75, 262–273.

Küntscher, G. (1962):

Praxis der Marknagelung.
Stuttgart: Schattauer.

Küntscher, G. (1967):

Practice of intramedullary nailing.
Illinois: Springfield.

Küntscher, G. (1968):

Die Marknagelung des Trümmerbruchs.
Langenbecks Archiv für Chirurgie, 322, 1063–1069.

Kyle, R.F., Schaffhausen, J.M. und Bechtold, J.E. (1991):

Biomechanical characteristics of interlocking femoral nails in the treatment of complex femoral fractures.
Clin Orthop, 267:169–173.

Lanyon, L.E., Rubin, C.T., O'Connor, J.A. und Goodship, A.E. (1982):

The stimulus for mechanically adaptive bone remodeling.
In: Menczel J, Robin GC, Makin M, Steinberg R. Osteoporosis.
Chichester: J Wiley & Sons.

Larin, A. Eich, C.S., Parker, R.B. und Stubbs, W.P. (2001):

Repair of diaphyseal femoral fractures in cats using interlocking intramedullary nails: 12 cases (1996–2000).
J Am Vet Med Assoc, 219(8), 1098–1104.

Lee, D.V., Bertram, J.E. und Todhunter, R.J. (1999):

Acceleration and balance in trotting dogs.
J Exp Biol, 202(24), 3565–3573.

Lesser, A. (1984):

Complications from improper intramedullary pin placement in tibial fractures.
Modern Veterinary Practice, 11, 940–944.

Lewis, D.D. (1998):

Biomechanics of interlocking nails (canine).

In: Proceedings, 8th Annual ACVS Veterinary Symposium in Chicago Illinois.
ACVS: Verf, 119–121.

Lippert, F.G.III. und Hirsch, C.(1974):

The three dimensional measurement of tibia fracture motion by photogrammetry.
Clin. Orthop. 105:130.

Little, F.M., Hill, C.M. und Kageyama, T. (2001):

Bending Properties of Stainless Steel Dynamic Compression Plates and Limited Contact Dynamic Compression Plates.
Vet Comp Orthop Traumatol, 14(2), 64–68.

Lorinson, D. (2000):

Anwendung des Verriegelungsnagels bei Frakturen langer Röhrenknochen von Hund und Katze.
Wien Tierartz Monat, 87, 278–283.

Markel, M.D. und Sielman, E. (1993):

Radiographic study of homotypic variation of long bones in dogs.
Am J Vet Res, 54(12), 2000–2003.

Markel, M.D., Sielman, E., Rapoff, A.J. und Kohles, S.S. (1994):

Mechanical properties of long bones in dogs.
Am J Vet Res, 55(8), 1178–1183.

Markel, M.D. (2003):

Persönliche Mitteilung.
Comparative Orthopaedic Research Laboratory, Department of Medical Sciences,
University of Wisconsin, Madison, WI 53706.

Matis, U. (1998):

Biologische Osteosynthese.
In: Bonath KH, Prieur WD (ed). Kleintierkrankheiten, Bd 3. Orthopädische Chirurgie und Traumatologie.
Stuttgart: Ulmer, 230–240.

Matis, U. (1999):

Osteosynthese mit Platte.
In: Schebitz H, Brass W (Hrsg.). Operationen an Hund und Katze.
(2.Auflage).
Berlin: Blackwell-Wissenschafts Verlag, 59–60.

McDuffee, L.A., Stover, S.M., Bach, J.M. und Taylor, K.T. (2000):

An in vitro biomechanical investigation of an equine interlocking nail.
Vet Surg, 29(1), 38–47.

Meyer, R.W., Plaxton, N.A., Postak, P.D., Gilmore, A. und Froimson, M.I. (2000):
Mechanical comparison of a distal femoral side plate and a retrograde intramedullary nail.
J Orthop Trauma, 14(6), 398–404.

Moses, P.A., Lewis, D.D., Lanz, O.I., Stubbs, W.P., Cross, A.R. und Smith, K.R. (2002):
Intramedullary interlocking nail stabilisation of 21 humeral fractures in 19 dogs and one cat.
Aust Vet J, 80(6), 336–343.

Müller, M.E., Allgöwer, M., Schneider, R. und Willenegger H. (1977):
Manual of Internal Fixation. AO Techniques, 2nd Ed.
Springer: Berlin.

Muir, P. und Johnson, K.A. (1996):
Interlocking intramedullary nail stabilization of a femoral fracture in a dog with osteomyelitis.
J Am Vet Med Assoc, 209(7), 1262–1264.

Muir, P. und Johnson, K.A. (1995):
Tibial intercalary allograft incorporation: comparison of fixation with locked intramedullary nail and dynamic compression plate.
J Orthop Res, 13(1), 132–137.

Muir, P., Johnson, K.A. und Markel, M.D. (1995):
Area moment of inertia for comparison of implant cross-sectional geometry and bending stiffness.
Vet Comp Orthop Traumatol, 8, 146–52.

Muir, P., Parker, R.B. und Goldsmid, S.E. (1993):
Interlocking intramedullary nail stabilization of a diaphyseal tibial fracture.
J Sm Anim Pract, 34, 26–30.

Mow, V.C. und Hayes, W.C. (1997):
Basic orthopaedic biomechanics (2nd ed).
Philadelphia: Lippincott-Raven.

Nachtigall, W. (2001):
Biomechanik.
Braunschweig: Vieweg und Sohn.

O'Connor, J.A., Goodship, A.E., Rubin, C.T. und Lanyon, L.E. (1981):
The effect of externally applied loads on the bone remodelling in the radius of the sheep.
In: Stokes IAF. Mechanical factors and the skeleton.
London: John Libbey, 83–90.

Penwick, R.C., Mosier, D.A. und Clark, D.M. (1991):
Healing of canine autogenous bone graft donor sites.
Vet Surg, 20:229–234.

Perren, S.M. (1991):
The concept of biological plating using the limited contact-dynamic compression plate (LC-DCP). Scientific background, design and application.
Injury, 22 (Suppl 1), 1–41.

Pohler, O.E.M. und Straumann, F. (1984):
Biomechanics and Mechanics of Implants.
In: Brinker WD, Hohn RB, Prieur WD (Hrsg.). Manual of internal fixation in small animals.
New York:, Springer-Verlag, 89–104.

Pohler, O.E.M. (1998):
Grundlagen der stabilen Osteosynthese.
In: Bonath KH, Prieur WD (Hrsg.). Kleintierkrankheiten, Bd 3. Orthopädische Chirurgie und Traumatologie.
Stuttgart: Ulmer, 189–203.

Prieur, W.D. und Sumner-Smith, G. (1984):
Principals of the AO/ASIF method.
In: Brinker WD, Hohn RB, Prieur WD (Hrsg.). Manual of internal fixation in small animals.
New York: Springer-Verlag, 1–32.

Prieur, W.D., Sumner-Smith, G. und Pohler, O.E.M. (1984):
Principals of the AO/ASIF technique.
In: Brinker WD, Hohn RB, Prieur WD (Hrsg.). Manual of internal fixation in small animals.
New York: Springer, 31–32.

Radasch, R.M. (1999):
Biomechanics of bone and fractures.
Vet Clin North Am Small Anim Pract, 29(5), 1045–1082.

Ramotowski, W. und Granowski, R. (1991):
Zespol. An original method of stable osteosynthesis.
Clin Orthop, 272, 67–75.

Reems, M.R., Beale, B.S. und Hulse, D.A. (2003):
Use of plate-rod construct and principles of biological osteosynthesis for repair of diaphyseal fractures in dogs and cats: 47 cases (1994–2001).
J Am Vet Med Assoc, 223(3), 330–335.

Reems, M.R., Pluhar, G.E., Landmann, B. und Wheeler, D. (2003):

Ex vivo comparison of one versus two distal screws in 8mm interlocking nails to stabilize distal canine femoral fractures.

In: Proceedings, 30th Annual Conference Veterinary Orthopedic Society in Steamboat Springs, Colorado. VOS: Verf, 35.

Reems, M.R., Pluhar, G.E. und Wheeler, D. (2003):

Ex vivo comparison of the Model 11 versus Model 22 interlocking nailing systems to stabilize mid-diaphyseal canine tibial fractures.

In: Proceedings: 13th Annual ACVS Veterinary Symposium in Washington D.C. ACVS: Verf, 16.

Rhinelander, F.W. (1968):

The normal circulation of diaphyseal cortex and its response to fracture.

J Bone and Joint Surg, 50(A), 784–800.

Roe, S.C. (1998):

Biomechanics principles of interlocking nails fixation.

In: Proceedings, 8th Annual ACVS Veterinary Symposium in Chicago, Illinois. ACVS: Verf, 436–437.

Roberts, C.S., King, D., Wang, M., Seligson, D. und Voor, M.J. (1999):

Should distal interlocking of tibial nails be performed from a medial or a lateral direction? Anatomical and biomechanical considerations.

J Orthop Trauma, 3(1), 27–32.

Roush, J.K., McLaughlin, R.M. (1999):

Using interlocking nail fixation to repair fractures in small animals.

Vet Med, 94(1), 46–52.

Rumph, P.F., Lander, J.E., Kincaid, S.A. und Kammermann, J.R. (1994):

Ground reaction force profiles from force platform gait analyses of clinically normal mesomorphic dogs at the trot.

Am J Vet Res, 55(6), 756–761.

Russel, T.A., Taylor, J.C. und LaVelle, D.G. (1991):

Mechanical characterization of femoral interlocking intramedullary nailing systems.

J Orthop Trauma, 5, 332–340.

Sanders, R., Haidukewych, G.J., Milne, T., Dennis, J. und Latta, L.L. (2002):

Minimal versus maximal plate fixation techniques of the ulna: the biomechanical effect of number of screws and plate length.

J Orthop Trauma, 16(3), 166–171.

Schandlmaier, P., Farouk, O., Krettek, C., Reimers, N. und Mannss, J. (2000):

Biomechanics of femoral interlocking nails.

Injury, 31(6), 437–443.

Schandlmaier, P., Krettek, C. und Tscherne, H. (1996):
Biomechanical study of nine different tibia locking nails.
J Orthop Trauma, 10(1), 37–44.

Schlisch, T. (2002):
Redefining Osteosynthesis: Another Revolution in Fracture Care.
In: Schlisch T. Surgery, Science and Industry. A revolution in Fracture Care,
1950s–1990s.
Chippenham: Palgrave Macmillian, 197–219.

Schmidtmann, U., Knopp, W., Wolff, C. und Stürmer, K.M. (1997):
Ergebnisse der elastischen Plattenosteosynthese einfacher Femurfrakturen beim
Polytrauma. Ein alternatives Verfahren.
Unfallchirurg, 100(12), 949–956.

Schneider, E., Michel, M.C., Genge, M. und Perren, S.M. (1990):
Loads acting on an intramedullary femoral nail.
In: Telemetry in Orthopaedics. Bergmann, Craichen, Rohlmann (Hrsg.).
Berlin (Verf): Forschungsvermittlung der FU Berlin, 221–227.

Schrader, S.C. (1991):
Complications associated with the use of Steinmann intramedullary pins and
cerclage wires for fixation of long-bone fractures.
Vet Clin North Am Small Anim Pract, 21(4), 687–703.

Schröder, L. (2001):
Zum 100. Geburtstag von Professor Dr. Gerhard Küntscher.
Schleswig-Holsteinisches Ärzteblatt, 1, 3–5.

Seligson, D. (1985):
Historical introduction.
In: Seligson D (Hrsg.). Concepts in intramedullary nailing.
Orlando: Grune & Stratton, 3–26, 179.

Selktar, R. und Sarver, J.J. (2000):
Measurements in biomechanics.
In: Zeevi Dvir (Hrsg.): Clinical biomechanics.
Philadelphia: Churchill Livingstone, 1–33.

Smith, G.K. (1985):
Biomechanics pertinent to fracture etiology, reduction and fixation.
In: Newton CD, Nunamaker DM (Hrsg.): Textbook of Small Animal Orthopedics.
Philadelphia: Lippincott, 195–230.

Smith, M.M., Vasseur, P.B. und Saunders, H.M. (1989):
Bacterial growth associated with metallic implants in dogs.
J Am Vet Med Assoc, 195(6), 765–767.

Stürmer, K.M. und Schuchardt, W. (1980):

Neue Aspekte der gedeckten Marknagelung und des Aufbohrens der Markhöhle im Tierexperiment. Teil III: Knochenheilung, Gefäßversorgung und Knochenumbau.
Unfallheikd, 83, 433–445.

Stürmer, K.M. (1996):

Elastic plate osteosynthesis, biomechanics, indications and technique in comparison with rigid osteosynthesis.
Unfallchirurg, 99(11), 816–829.

Suber, J.T., Basinger, R.R. und Keller, W.G. (2002):

Two unreported modes of interlocking nail failure: Breakout and screw bending.
Vet Comp Ortho Traumatol, 15(4), 228–232.

Suber, J.T. und Basinger, R.R. (2003):

Clinical experience with the interlocking nail bolt: 27 Cases.
In: Proceedings, 30th Annual Conference Veterinary Orthopedic Society (VOS) in Steamboat Springs, Colorado.
VOS: Verf, 100.

Suber, J.T., May, B.M. und Basinger, R.R. (2002):

A comparison of bending and gap stiffness between interlocking nails and interlocking nails supplemented with stack pins.
Vet Comp Orthop Traumatol 2, A12.

Suhm, N., Jacob, A.L., Nolte, L.P., Regazzoni, P. und Messmer, P. (2000):

Surgical navigation based on fluoroscopy-clinical application for computer-assisted distal locking of intramedullary implants.
Comput Aided Surg, 5(6), 391–400.

Sumner-Smith, G. und Prieur, W.D. (1998):

Fehlerhafte und verzögerte Frakturheilung, Pseudarthrose
In: Bonath KH, Prieur WD (Hrsg.). Kleintierkrankheiten, Bd 3. Orthopädische Chirurgie und Traumatologie.
Stuttgart: Ulmer, 647–653.

Tencer, A.F., Johnson, K.D., Johnston, D.W. und Gill, K. (1984):

A biomechanical comparison of various methods of stabilization of subtrochanteric fractures of the femur.
J Orthop Res, 2(3), 297–305.

Tepic, S., Remiger, A.R., Morikawa, K., Predieri, M. und Perren, S.M. (1997):

Strength recovery in fractured sheep tibia treated with a plate or an internal fixator: an experimental study with a two-year follow-up.
J Orthop Trauma, 11(1), 14–23.

- Thimsen, D.A., Hoeltzel, D.A., Kyle, R.F. (1984):**
A biomechanical analysis of the Grosse-Kempf interlocking intramedullary nail in torsion and 4-point bending.
Trans Orthop Res Soc, 9,70.
- Thometz, J.G. und Lamdan, R. (1995):**
Osteonecrosis of the femoral head after intramedullary nailing of a fracture of the femoral shaft in an adolescent. A case report.
J Bone Joint Surg [Am], 77(9), 1423–1426.
- Thuro, K. und Plininger, R. (1998):**
Einführung in die Ingenieurgeologie. 7. Auflage.
München (Verf.): Technische Universität München, 1–30.
- Tornquist, H., Hearn, T.C. und Schatzker J. (1996):**
The strength of plate fixation in relation to the number and spacing of bone screws.
J Orthop Traum 10, 204–208.
- Trostle, S.S., Wilson, D.G., Dueland, R.T. und Markel, M.D. (1995):**
In vitro biomechanical comparison of solid and tubular interlocking nails in neonatal bovine femurs.
Vet Surg, 24(3), 235–243.
- Ueng, S.W. und Shih, C.H. (1998):**
Augmentative plate fixation for the management of femoral nonunion with broken interlocking nail.
J Trauma, 45(4), 747–752.
- Ungersbock, A., Pohler, O.M.E. und Perren, S.M. (1994):**
Evaluation of the soft tissue interface at titanium implants with different surface treatments: experimental study on rabbits.
Biomed Mater Eng, 4(4), 317–325.
- Uta, S. (1992):**
A new intramedullary nailing system for long bone fractures – biomechanical evaluation and animal study of a new intramedullary nail.
Nippon Seikeigeka Gakkai Zasshi, 66(9), 907–918.
- Vasseur, P.B., Paul, H.A. und Crumley, L. (1984):**
Evaluation of fixation devices for prevention of rotation in transverse fractures of the canine femoral shaft: an in vitro study.
Am J Vet Res, 45(8), 1504–1507.
- Vaughan, L.C. (1975):**
Complications associated with the internal fixation of fractures in dogs.
J Small Anim Pract, 16(7), 415–426.

- Weiß, H. und Schmit-Neuerburg, K.P. (1983):**
Tierexperimentelle Erfahrungen mit dem Verriegelungsnagel zur Versorgung von Tibia-Etagenbrüchen.
Hefte zur Unfallheilk, 161, 11–23.
- Weißbach, W. (1998):**
Werkstoffkunde und Werkstoffprüfung. (14. Auflage).
Braunschweig: Vieweg.
- Winquist, R.A. und Hansen, S.T. (1980):**
Comminuted fractures of the femoral shaft treated by intramedullary nailing.
Orthop Clin North Am, 11(3), 633–648.
- Winquist, R.A., Hansen, S.T. Jr und Clawson, D.K. (1984):**
Closed intramedullary nailing of femoral fractures. A report of five hundred and twenty cases.
J Bone Joint Surg, 66(4), 529–539.
- Wiss, D.A., Brien, W.W. und Stetson, W.B. (1990):**
Interlocked nailing for treatment of segmental fractures of the femur.
J Bone Joint Surg [Am], 72(5), 724–728.
- Withrow, S.J. und Amis, T.C. (1977):**
Sciatic nerve injury associated with intramedullary fixation of femoral fractures.
J Am Anim Hosp Assoc, 13, 562–568.
- Witzel, U. (1989):**
Generelle Systematik und Beurteilung temporärer Implantate aus biomechanischer Sicht.
In: Deutscher Verband für Materialforschung und –prüfung (Hrsg.): Generelle Beurteilungskriterien für die Wirksamkeit temporärer Implantate.
Berlin: Verband für Materialforschung und Materialprüfung, 5–48.
- Wolf, J.W., White, A.A., Panjabi, M.M. und Southwick, W.O. (1981):**
Comparison of cyclic loading versus constant compression in the treatment of long-bone fractures in rabbits.
J Bone and Joint Surg, 63(5), 805–810.
- Yanoff, S.R., Hulse, D.A. und Hogan, H.A. (1992):**
Measurements of vertical ground reaction force in jumping dogs.
Vet Comp Orthop Traumatol, 5, 44–50.