

Aus der Klinik für
Anaesthesiologie und operative Intensivmedizin
des Klinikums Benjamin Franklin
der Freien Universität Berlin
Leiter: Univ.-Prof. Dr. med. Christoph Stein

**Die Bestimmung des Sauerstoffverbrauchs bei Patienten mit Sepsis.
Ein Methodenvergleich zwischen der Berechnung mit der
Fickschen Formel und der indirekten Kalorimetrie.**

Inaugural-Dissertation
zur
Erlangung der medizinischen Doktorwürde
an den Medizinischen Fachbereichen
der Freien Universität Berlin

vorgelegt von Dagmar Bischoff
aus Minden

Referent: Herr Professor Dr. med. Walter Schaffartzik

Korreferent: Herr Professor Dr. med. Christoph Stein

Gedruckt mit Genehmigung des Fachbereichs Humanmedizin der Freien Universität Berlin

Promoviert am 13.12.2002

Inhaltsverzeichnis

	Seite
1. Einführung	3
1.1. Physiologische Grundlagen des Sauerstofftransportes	3
1.2. Der Sauerstofftransport bei kritisch kranken Patienten	4
1.3. Meßmethoden des Sauerstofftransportes	6
1.3.1. Kalkulation von $\dot{V}O_2$ und $\dot{D}O_2$ mit Hilfe der Fickschen Formel	6
1.3.2. Kalorimetrie	6
1.3.2.1. Direkte Kalorimetrie	6
1.3.2.2. Indirekte Kalorimetrie	7
1.3.2.2.1. Meßprinzip	7
1.3.2.2.2. Geschlossene Systeme	7
1.3.2.2.3. Offene Systeme	7
1.3.2.2.4. Methodische Probleme	8
1.3.2.2.5. 7250 Metabolic Monitor	8
1.3.2.2.6. Anwendungsgebiete	9
2. Ziel der Untersuchung	10
3. Material und Methodik	10
3.1. Patienten	10
3.2. Methodik	11
3.2.1. Kalkulation mit der Fickschen Formel	11
3.2.2. Indirekte Kalorimetrie	13
3.2.3. Berechnungen	16
3.3. Untersuchungsprotokoll	19
3.4. Statistische Auswertung	20

	Seite
4. Ergebnisse	20
5. Diskussion	25
5.1. Ergebnisse der vorliegenden Studie	25
5.2. Vergleich mit anderen Studien	26
5.3. Effekte von Dobutamin	27
5.4. Statistische Probleme	28
5.5. Probleme der Meßmethoden des Sauerstofftransportes	29
5.5.1. Fehlerquellen der indirekten Kalorimetrie	29
5.5.2. Fehlerquellen der Kalkulation mit Hilfe der Fickschen Formel	32
5.6. Pulmonaler Sauerstoffverbrauch	36
5.6.1. Erhöhter pulmonaler Sauerstoffverbrauch bei Pneumonie	37
5.7. Koronarer Blutfluß über die Venae Thebesiae	38
5.8. Vergleich zwischen der Kalkulation mit Hilfe der Fickschen Formel und der Spirometrie	38
5.9. Zunahme der Methodendifferenz und zunehmende Streuung der Differenzen bei hohem $\dot{V}O_2$	39
5.10. Klinischer Nutzen der indirekten Kalorimetrie beim kritisch kranken Patienten	40
6. Zusammenfassung	41
7. Literatur	42
8. Danksagung	55
9. Lebenslauf	56

7. Literatur

1. Nunn JF:
In: Nunn`s Applied Respiratory Physiology, 4th edition. Butterworth Heinemann Ltd, 1993
2. Malinowski T, Sheldon RL, Branson R:
Respiratory monitoring in the intensive care unit.
In: Wilkins RL, Sheldon RL, Krider SJ (eds.): Clinical Assessment in Respiratory Care, 2nd editio. The C.V. Mosby Company, 1990: 190-213
3. Reinhart K:
Monitoring of O₂ transport and tissue oxygenation in septic shock.
In: Reinhart K, Eyrich K (eds). Clinical aspects of O₂ transport and tissue oxygenation. Springer, Berlin Heidelberg New York, 1989: 193-213
4. Vincent JL:
The relationship between oxygen demand, oxygen uptake and oxygen supply.
Int Care Med 6 (Suppl 2), 1990: 145-148
5. Reinhart K:
Zum Monitoring des Sauerstofftransportsystems.
Anaesthesist 37, 1988: 1-9
6. Shoemaker WC, Appel PL, Kram HB:
Incidence, physiologic description, compensatory mechanisms, and therapeutic implications of monitored events.
Crit Care Med 17 (12), 1989: 1277-1285
7. Pinsky MR, Schlichtig R:
Regional oxygen delivery in oxygen supply-dependent states.
Int Care Med 16 (Suppl 2), 1990: 169-171

8. Danek SJ, Lynch JP, Weg JG, Dantzker DR:
The dependence of oxygen uptake and oxygen delivery in the Adult Respiratory Distress Syndrome.
Am Rev Resp Dis 122, 1980: 387-395
9. Mohsenifar Z, Goldbach P, Tashkin DP, Campisi DJ:
Relationship between O₂-delivery and O₂-consumption in the Adult Respiratory Distress Syndrome.
Chest 84, 1983: 267-271
10. Tuchs Schmidt J, Oblitas D, Fried JC:
Oxygen consumption in sepsis and septic shock.
Crit Care Med 19 (5), 1991: 664-671
11. Dantzker DR, Foresman B, Gutierrez G:
Oxygen supply and utilization relationships. A reevaluation.
Am Rev Respir Dis 143, 1991: 675-679
12. Hankeln KB, Gronemeyer R, Held A, Böhmert F:
Use of continuous noninvasive measurement of oxygen consumption in patients with adult respiratory distress syndrome following shock of various etiologies.
Crit Care Med 19 (5), 1991: 642-649
13. Shoemaker WC, Appel PL, Kram HB:
Measurement of tissue perfusion by oxygen transport patterns in experimental shock and in high-risk surgical patients.
Int Care Med 16 (Suppl 2), 1990: 135-144
14. Shoemaker WC, Appel PL, Kram HB:
Tissue oxygen debt as a determinant of lethal and nonlethal postoperative organ failure.
Crit Care Med 16 (11), 1988: 1117-1120

15. Sibbald WJ, Bersten A, Rutledge FS:
The role of tissue hypoxia in multiple organ failure.
In: Reinhart K, Eyrich K (eds.): Clinical aspects of oxygen transport and tissue oxygenation. Springer, Berlin Heidelberg New York, 1989: 102-114
16. Cain SM, Curtis SE:
Experimental models of pathologic supply dependency.
Crit Care Med 19 (5), 1991: 603-612
17. Nightingale P:
Optimization of oxygen transport to the tissues.
Acta Anaesth Scand 37 (Suppl 98), 1993: 32-36
18. Goris RJA, te Boekhorst TPA, Nuytinek JKS, Gimbrère JSF:
Multiple organ failure. Generalized autodestructive inflammation?
Arch Surg 120, 1985: 1109-1115
19. Montgomery AB, Stager MA, Carrico CJ, Hudson LD:
Causes of mortality in patients with the Adult Respiratory Distress Syndrome.
Am Rev Respir Dis 132, 1985: 485-489
20. Skootsky SA, Abraham E:
Continuous oxygen consumption measurement during initial emergency department resuscitation of critically ill patients.
Crit Care Med 16 (7), 1988: 706-709
21. Jardin F, Bourdarias JP:
Right heart catheterization at bedside: a critical view.
Int Care Med 21, 1995: 291-295
22. Klein W, Kaufmann P, Smolle KH, Zweiker R, Gasser R, Eber B:
Hämodynamisches Monitoring - Was ist nützlich? Was ist möglich?
Intensivmed 32, 1995: 438-442

23. Civetta JM:
Critical illness - The non-steady state.
Surg Forum 23, 1972: 153-155
24. Kemper M, Weissman C, Damask MC, et al:
Variability of oxygen consumption and carbon dioxide production in the critically ill patient.
Respir Care 28, 1983: 1340
25. Ferrannini E:
The theoretical bases of Indirect Calorimetry: A Review.
Metabolism 37 (3), 1988: 287-301
26. Webb P:
The measurement of energy expenditure.
J Nutr 121, 1991: 1897-1901
27. Dietrich KA, Romero MD, Conrad SA:
The technique of measuring energy expenditure at the bedside.
J Crit Ill 4 (7), 1989: 65-74
28. Keidel W-D:
Indirekte Kalorimetrie.
In: Kurzgefaßtes Lehrbuch der Physiologie, 6. Auflage. Georg Thieme Verlag, 1985:
7.4-7.10
29. Browning JA, Linberg SE, Turney SZ, Chodoff P:
The effects of a fluctuating FiO_2 on metabolic measurements in mechanically ventilated patients.
Crit Care Med 10 (2), 1982: 82-85
30. Ultman JS, Bursztein S:
Analysis of error in the determination of respiratory gas exchange at varying FiO_2 .
J Appl Physiol 50 (1), 1981: 210-216

31. Braun U, Turner E, Freiboth K:
Ein Verfahren zur Bestimmung von O₂-Aufnahme und CO₂-Abgabe aus den Atemgasen beim beatmeten Patienten.
Anaesthesist 31, 1982: 307-310
32. Takala J, Keinänen O, Väisänen P, Kari A:
Measurement of gas exchange in intensive care: Laboratory and clinical validation of a new device.
Crit Care Med 17, 1989: 1041-1047
33. Braun U, Zundel J, Freiboth K, Weyland W, Turner E, Heidemeyer CF, Hellige G:
Evaluation of methods for indirect calorimetry with a ventilated lung model.
Int Care Med 15, 1989: 196-202
34. Weyland W, van der Horst J, Weyland A, Reiter M, Freiboth K, Braun U:
Validierung der Gasaustausch-Monitoringfunktion des Engström-Elvira-Beatmungsgerätes.
Anaesthesist 41, 1992: 210-217
36. Weyland W, Weyland A, Gefeller O, Al-Soufi S, Sydow M, Braun U:
A ventilator with an integrated gas-exchange monitoring function.
Crit Care Med 22, 1994: 864-871
37. Westenskow DR, Cutler CA, Wallace WD:
Instrumentation for monitoring gas exchange and metabolic rate in critically ill patients.
Crit Care Med 12 (3), 1984: 183-187
38. Damask MC, Weissman C, Askanazi J, Hyman AI, Rosenbaum SH, Kinney JM:
A systematic method for validation of gas exchange measurement.
Anaesthesiology 57, 1982: 213-218

39. Makita K, Nunn JF, Royston B:
Evaluation of metabolic measuring instruments for use in critically ill patients.
Crit Care Med 18 (6), 1990: 638-644
40. Nunn JF, Makita K, Royston B:
Validation of oxygen consumption measurements during artificial ventilation.
J Appl Physiol 67 (5), 1989: 2129-2134
41. Nelson LD, Anderson HB, Garcia H:
Clinical validation of a new metabolic monitor suitable for use in critically ill patients.
Crit Care Med 15 (10), 1987: 951-957
42. Levinson MR, Groeger JS, Miodownik S, Ray C, Brennan MF:
Indirect calorimetry in the mechanically ventilated patient.
Crit Care Med 15, 1987: 144-147
43. Behrendt W, Weiland C, Kalff J, Glani G:
Continuous measurement of oxygen uptake: Evaluation of the Engström metabolic
computer and clinical experiences.
Acta Anaesthesiol Scand 31, 1987: 10-14
44. Bredbacka S, Kawachi S, Norlander O, Kirk B:
Gas exchange during ventilator treatment: a validation of a computerized technique
and its comparison with the Douglas bag method.
Acta Anaesthesiol Scand 28, 1984: 462-468
45. Tissot S, Delafosse B, Bertrand O, Bouffard Y, Viale JP, Annat G:
Clinical validation of the Deltatrac monitoring system in mechanically ventilated
patients.
Int Care Med 21, 1995: 149-153

46. Myburgh JA:
Derived oxygen saturations are not clinically useful for the calculation of oxygen consumption.
Anaesth Intens Care 20, 1992: 460-463
47. Weissman C, Sardar A, Kemper M:
An in vitro evaluation of an instrument designed to measure oxygen consumption and carbon dioxide production during mechanical ventilation.
Crit Care Med 22 (12), 1994: 1995-2000
48. Van Lanschot JJB, Feenstra BWA, Vermeij CG, Bruining HA:
Calculation versus measurement of total energy expenditure.
Crit Care Med 14 (11), 1986: 981-985
49. Brandi LS, Grana M, Mazzanti T, Giunta F, Natali A, Ferrannini E:
Energy expenditure and gas exchange measurements in postoperative patients: Thermodilution versus indirect calorimetry.
Crit Care Med 20 (9), 1992: 1273-1283
50. Shikora SA, Bistran BR, Borlase BC, Blackburn GL, Stone MD, Benotti PN:
Work of breathing: Reliable predictor of weaning and extubation.
Crit Care Med 18 (2), 1990: 157-162
51. Lewis WD, Chawls W, Benotti PN:
Bedside assessment of the work of breathing.
Crit Care Med 16, 1988: 117
52. Keinänen O, Takala J, Kari A:
Continuous measurement of cardiac output by the Fick principle: clinical validation in intensive care.
Crit Care Med 20 (3), 1992: 360-365

53. Feustel PJ, Perkins RJ, Oppenlander JE, Stratton HH, Cohen IL:
Feasibility of continuous oxygen delivery and cardiac output measurement by application of the Fick principle.
Am J Respir Crit Care Med 149, 1994: 751-758
54. Members of the American College of Chest Physicians/ Society of Critical Care Medicine Consensus Conference:
Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis.
Crit Care Med 20 (6), 1992: 864-874
55. Knaus WA, Draper EA, Wagner DP, Zimmermann JE:
Apache II: a severity of disease classification system.
Crit Care Med 13 (10), 1985: 818-829
56. Levett JM, Replogle RL:
Thermodilution cardiac output: a critical analysis and review of the literature.
J Surg Res 27, 1979: 392-404
57. Maethe EA:
Determination of cardiac output.
In: Benumof JL (ed.): Clinical procedures in Anesthesia and Intensive Care. J. B. Lippincott Company 1992: 497-505
58. Nishikawa T, Dohi S:
Errors in the measurement of cardiac output by thermodilution.
Can J Anaesth 40 (2), 1993: 142-153
59. Chiolerio R, Mavrocordatos P, Bracco D, Schutz Y, Cayeux C, Revelly JP:
O₂-consumption by the Fick-method. Methodologic factors.
Am J Respir Crit Care Med 149, 1994: 1118-1122

60. Nightingale P:
Practical points in the application of oxygen transport principles.
Int Care Med 16 (Suppl 2), 1990: 173-177
61. Parbrook GD, Davis PD, Parbrook EO:
Basic Physics and Measurement in Anaesthesia, Third edition. Butterworth-Heinemann Ltd., 1990
62. Meriläinen PT:
A differential paramagnetic sensor for breath-by-breath oximetry.
J Clin Monit 6, 1990: 65-73
63. Altman DG, Bland JM:
Measurement in medicine: the analysis of method comparison studies.
Statistician 32, 1983: 307-317
64. Bland JM, Altman DG:
Statistical method for assessing agreement between two methods of clinical measurement.
Lancet 8, 1986: 307-310
65. Vermeij CG, Feenstra BWA, Bruining HA:
Oxygen delivery and oxygen uptake in post-operative and septic patients.
Chest 98, 1990: 415-420
66. Hanique G, Dugernier T, Laterre PF, Roeseler J, Dougnac A, Reynaert MS:
Evaluation of oxygen uptake and delivery in critically ill patients: a statistical reappraisal.
Int Care Med 20, 1994: 19-26
67. Hanique G, Dugernier T, Laterre PF, Dougnac A, Roeseler J, Reynaert MS:
Significance of pathologic oxygen supply dependency in critically ill patients: Comparison between measured and calculated methods.
Int Care Med 20, 1994: 12-18

68. Hanique G, Lys C, Roeseler J, Dugernier T, Reynaert M:
Two methods of clinical measurement of oxygen uptake and delivery: a statistical analysis of agreement and repeatability.
Int Care Med 16 (Suppl 1),1990: 130
69. De Backer D, Moraine J, Berre J, Kahn RJ, Vincent JL:
Effects of dobutamine on oxygen consumption in septic patients. Direct versus indirect determinations.
Am J Respir Crit Care Med 150, 1994: 95-100
70. Bizouarn P, Soulard D, Blanloeil Y, Guillet A, Goarin Y:
Oxygen consumption after cardiac surgery - a comparison between calculation by Fick's principle and measurement by indirect calorimetry.
Int Care Med 18, 1992: 206-209
71. Myburgh JA, Webb RK, Worthley LIG:
Ventilation/perfusion indices do not correlate with the difference between oxygen consumption measured by the Fick principle and metabolic monitoring systems in critically ill patients.
Crit Care Med 20, 1992: 479-482
72. Bizouarn P, Blanloeil Y, Pinaud M:
Comparison between oxygen-consumption calculated by Fick's principle using continuous thermodilution technique and measured by indirect calorimetry.
Br J Anaest 75, 1995: 719-723
73. Oudemans-van Straaten HM, Scheffer GJ, Eysman L, Wildevuur CRH:
Oxygen consumption after cardiopulmonary bypass - implications of different measuring methods.
Int Care Med 19, 1993: 105-110

74. Smithies MN, Bihari DJ:
Problems with oxygen consumption in the ICU.
Int Care Med 18, 1992: 41
75. Light RB:
Intrapulmonary oxygen consumption in experimental pneumococcal pneumonia.
J Appl Physiol 64 (6), 1988: 2490-2495
76. Jolliet P, Thorens JB, Nicod L, Pichard C, Kyle U, Chevrolet JC:
Relationship between pulmonary oxygen consumption, lung inflammation and
calculated venous admixture in patients with acute lung injury.
Int Care Med 22, 1996: 277-285
77. Becq MC, Mangalaboyi J, Chopin C, Chambrin MC, Rime A, Mehdaoui H, Lestavel
PH, Fourrier F:
The difference between oxygen consumption estimated by Fick and expired gas
methods increases in pneumonia.
Int Care Med 18, 1992: 41
78. Bihari DJ, Smithies MN, Pozniak A, et al.:
A comparison of direct and indirect measurements of oxygen delivery and
consumption: The effects of prostacyclin in two human volunteers.
Scand J Clin Lab Invest 47 (Suppl 188), 1987: 37
79. Trush DN:
Spirometric versus Fick-derived oxygen consumption: Which method is better?
Crit Care Med 24 (1), 1996: 91-95
80. Stock MC, Ryan ME:
Oxygen consumption calculated from the Fick equation has limited utility.
Crit Care Med 24 (1), 1996: 86-90

81. Dietrich KA, Romero MD, Conrad SA:
Effects of gas leaks around endotracheal tubes on indirect calorimetry measurement.
JPEN 14 (4), 1990: 408-413
82. Myers J, Walsh D, Sullivan M, Froelicher V:
Effect of sampling on variability and plateau in oxygen uptake.
J Appl Physiol 68 (1), 1990: 404-410
83. Dietrich KA, Romero MD, Conrad SA:
The technique of measuring energy expenditure at the bedside.
J Crit Ill 4 (7), 1989: 65-74
84. Versprille A:
Thermodilution in mechanically ventilated patients.
Int Care Med 10, 1984: 213-215
85. Jebson PJR, Karkow WS:
Pulsatile flow simulator for comparison of cardiac output measurements by
electromagnetic flow meter and thermodilution.
J Clin Monit 2, 1986: 6-14
86. Pearl RG, Rosenthal MH, Nielson L, Ashton JPA, Brown BW:
Effects of injectate volume and temperature on thermodilution cardiac output
determination.
Anesthesiology 64, 1986: 798-801
87. Smithies MN, Royston B, Makita K, Konieczko K, Nunn JF:
Comparison of oxygen consumption measurements: Indirect calorimetry versus the
reversed Fick method.
Crit Care Med 19 (11), 1991: 1401-1406

88. Ronco JJ, Phang PT, Walley KR, Wiggs B, Fenwick JC, Russell JA:
Oxygen consumption is independent of changes in oxygen delivery in Severe Adult Respiratory Distress Syndrome.
Am Rev Resp Dis 143, 1991: 1267-1273
89. Iparraguirre HP, Giniger R, Garber VA, Quiroga E, Jorge MA:
Comparison between measured and Fick-derived values of hemodynamic and oxymetric variables in patients with acute myocardial infarction.
Am J Med 85, 1988: 349-352
90. Bhatt S, Hutchinson R, Tomlinson B, Oh T, Mak M:
Effects of dobutamine on oxygen supply and uptake in healthy volunteers.
Br J Anaesth 69, 1992: 298-302
91. Matarese LE:
Indirect calorimetry: Technical aspects.
J Am Diet Assoc 97 (suppl 2), 1997: 154-160
92. Keinänen O, Takala J:
Calculated versus measured oxygen consumption during and after cardiac surgery. Is it possible to estimate lung oxygen consumption?
Acta Anaesthesiol Scand 41, 1997: 803-809
93. Consensus Conference:
Tissue hypoxia: How to detect, how to correct, how to prevent.
Am J Respir Crit Care Med 154, 1996: 1573-1578

8. Danksagung

Mein erster Dank gilt Herrn Professor Dr. med. Walter Schaffartzik für die Überlassung des Dissertationsthemas und für die kritische Diskussion bei der Fertigstellung meiner Arbeit.

Herrn Oberarzt Dr. med. Carsten Sanft danke ich für die organisatorische und klinische Betreuung der Studie sowie seiner Unterstützung bei der Anfertigung des Manuskripts.

Dem Team der Abteilung für medizinische Statistik des Klinikums Benjamin Franklin der Freien Universität Berlin danke ich für die Hilfe bei der statistischen Auswertung der Daten.

Ich möchte mich auch bei den Patienten beziehungsweise ihren Angehörigen bedanken, die die Einwilligung zu dieser Studie gaben.

Nicht zuletzt danke ich meinem Bruder stud. ing. Andreas Bepperling für die gute Zusammenarbeit.

9. Lebenslauf

Angaben zur Person

Name: Bischoff
 Vorname: Dagmar
 Geburtstag und –ort: 29.01.67 in Minden
 Wohnort: Werther Str. 118, 33615 Bielefeld

Schulbildung und Studiengang

1973-1977 Grundschole Windheim-Döhren
 1977-1986 Städtisches Gymnasium Petershagen
 10.06.1986 Allgemeine Hochschulreife
 1987-1994 Studium der Medizin an der Freien Universität Berlin

Ärztliche Tätigkeit

02.95-07.96 Arzt im Praktikum in der I. Inneren Abteilung des
 Auguste-Viktoria-Krankenhauses, Berlin
 Chefarzt Prof. Dr. med Meyer

10.96-03.97 Weiterbildungsassistenz in einer internistisch-kardiologischen
 Praxisgemeinschaft

12.97-10.99 Weiterbildungsassistenz in der Kardiologischen Abteilung des
 Herz- und Diabeteszentrums Nordrhein-Westfalen
 Chefarzt Prof. Dr. med Horstkotte

Seit 11.99 Weiterbildungsassistenz in der I. Medizinischen Klinik des
 Franziskus-Hospitals, Bielefeld
 Chefarzt Priv.-Doz. Dr. med Steffen