

5 References

- K. Alibek and S. Handelman (1999) *Biohazard*. Random House.
- A. Allaoui, J. Mounier, M. C. Prevost, P. J. Sansonetti and C. Parsot (1992) IcsB: a *Shigella flexneri* virulence gene necessary for the lysis of protrusions during intercellular spread. *Mol. Microbiol.*, **6**, 1605-1616.
- P. Aspenström, U. Lindberg and A. Hall (1996) Two GTPases, Cdc42 and Rac, bind directly to a protein implicated in the immunodeficiency disorder Wiskott-Aldrich syndrome. *Curr. Biol.*, **6**, 70-75.
- A. Aszodi, A. Pfeifer, M. Ahmad, M. Glauner, X. H. Zhou, L. Ny, K. E. Andersson, B. Kehrel, S. Offermanns and R. Fassler (1999) The vasodilator-stimulated phosphoprotein (VASP) is involved in cGMP- and cAMP-mediated inhibition of agonist-induced platelet aggregation, but is dispensable for smooth muscle function. *EMBO J.*, **18**, 37-48.
- M. L. Bernardini, J. Mounier, H. d'Hauteville, M. Coquis-Rondon and P. J. Sansonetti (1989) Identification of *icsA*, a plasmid locus of *Shigella flexneri* that governs bacterial intra- and intercellular spread through interaction with F-actin. *Proc.Natl.Acad.Sci.USA*, **86**, 3867-3871.
- T. Betakova, E. J. Wolffe and B. Moss (1999) Regulation of vaccinia virus morphogenesis: phosphorylation of the A14L and A17L membrane proteins and C-terminal truncation of the A17L protein are dependent on the F10L kinase. *J. Virol.*, **73**, 3534-3543.
- R. Blasco and B. Moss (1991) Extracellular vaccinia virus formation and cell-to-cell virus transmission are prevented by deletion of the gene encoding the 37,000-dalton outer envelope protein. *J. Virol.*, **65**, 5910-5920.
- R. Blasco and B. Moss (1992) Role of cell-associated enveloped vaccinia virus in cell-to-cell spread. *J. Virol.*, **66**, 4170-4179.
- R. Blasco, J. Sisler, R. and B. Moss (1993) Dissociation of progeny vaccinia virus from the cell membrane is regulated by a viral envelope glycoprotein : effect of a point mutation in the lectin homology domain of the A34R gene. *J. Virol.*, **67**, 3319-3325.
- K. Bruckner and R. Klein (1998) Signaling by Eph receptors and their ephrin ligands. *Curr. Opin. Neurobiol.*, **8**, 375-382.
- R. A. Brundage, G. A. Smith, A. Camilli, J. A. Theriot and D. A. Portnoy (1993) Expression and phosphorylation of the *Listeria monocytogenes* ActA protein in mammalian cells. *Proc.Natl.Acad.Sci.USA*, **90**, 11890-11894.
- L. Buday (1999) Membrane-targeting of signalling molecules by SH2/SH3 domain-containing adaptor proteins. *Biochim. Biophys. Acta*, **1422**, 187-204.
- E. Butt, K. Abel, M. Krieger, D. Palm, V. Hoppe, J. Hoppe and U. Walter (1994) cAMP- and cGMP-dependent protein kinase phosphorylation sites of the focal adhesion vasodilator-stimulated phosphoprotein (VASP) in vitro and in intact human platelets. *J. Biol. Chem.*, **269**, 14509-14517.
- J. Cairns (1960) The initiation of vaccinia infection. *Virology*, **11**, 603-623.
- L. A. Cameron, M. J. Footer, O. A. van and J. A. Theriot (1999) Motility of ActA protein-coated microspheres driven by actin polymerization. *Proc. Natl. Acad. Sci. U S A*, **96**, 4908-4913.
- M.-F. Carrier, A. Ducruix and D. Pantaloni (1999) Signalling to actin: the Cdc42-N-WASP-Arp2/3 connection. *Chem. Biol.*, **6**, R235-R240.

- M.-F. Carlier, V. Laurent, J. Santolini, R. Melki, D. Didry, G.-X. Xia, Y. Hong, N.-H. Chua and D. Pantaloni (1997) Actin depolymerizing factor (ADF/cofilin) enhances the rate of filament turnover: implication in actin-based motility. *J. Cell Biol.*, **136**, 1307-1323.
- M. F. Carlier, C. Jean, K. J. Rieger, M. Lenfant and D. Pantaloni (1993) Modulation of the interaction between G-actin and thymosin beta 4 by the ATP/ADP ratio: possible implication in the regulation of actin dynamics. *Proc. Natl. Acad. Sci. U S A*, **90**, 5034-5038.
- S. Chakrabarti, J. R. Sisler and B. Moss (1997) Compact, synthetic, vaccinia virus early/late promoter for protein expression. *Biotechniques*, **23**, 1094-1097.
- T. Chakraborty, F. Ebel, E. Domann, K. Niebuhr, B. Gerstel, S. Pistor, G. C. Temm, B. M. Jockusch, M. Reinhard, U. Walter and a. l. et (1995) A focal adhesion factor directly linking intracellularly motile *Listeria monocytogenes* and *Listeria ivanovii* to the actin-based cytoskeleton of mammalian cells. *EMBO J.*, **14**, 1314-1321.
- T. Chakraborty, W. M. Leimeister, E. Domann, M. Hartl, W. Goebel, T. Nichterlein and S. Notermans (1992) Coordinate regulation of virulence genes in *Listeria monocytogenes* requires the product of the *prfA* gene. *J. Bacteriol.*, **174**, 568-574.
- M. Charles, J. Magdalena, J. A. Theriot and M. B. Goldberg (1999) Functional analysis of a rickettsial OmpA homology domain of *Shigella flexneri* IcsA. *J. Bacteriol.*, **181**, 869-878.
- C. S. Chung, J. C. Hsiao, Y. S. Chang and W. Chang (1998) A27L protein mediates vaccinia virus interaction with cell surface heparan sulfate. *J. Virol.*, **72**, 1577-1585.
- S. Cudmore, P. Cossart, G. Griffiths and M. Way (1995) Actin-based motility of vaccinia virus. *Nature*, **378**, 636-638.
- S. Cudmore, I. Reckmann, G. Griffiths and M. Way (1996) Vaccinia virus: a model system for actin-membrane interactions. *J. Cell Sci.*, **109**, 1739-1747.
- S. Cudmore, I. Reckmann and M. Way (1997) Viral Manipulations of the actin cytoskeleton. *Trends Microbiol.*, **5**, 142-148.
- H. d'Hauteville, L. R. Dufourcq, F. Nato and P. J. Sansonetti (1996) Lack of cleavage of IcsA in *Shigella flexneri* causes aberrant movement and allows demonstration of a cross-reactive eukaryotic protein. *Infect. Immun.*, **64**, 511-517.
- H. d'Hauteville and P. J. Sansonetti (1992) Phosphorylation of IcsA by cAMP-dependent protein kinase and its effect on intracellular spread of *Shigella flexneri*. *Mol. Microbiol.*, **6**, 833-841.
- G. A. Dabiri, J. M. Sanger, D. A. Portnoy and F. S. Southwick (1990) *Listeria monocytogenes* moves rapidly through the host-cell cytoplasm by inducing directional actin assembly. *Proc. Natl. Acad. Sci. USA*, **87**, 6068-6072.
- S. Dales (1963) The uptake and development of vaccinia virus in strain L cells followed with labeled viral deoxyribonucleic acid. *J. Cell Biol.*, **18**, 51-72.
- V. David, E. Gouin, M. V. Troys, A. Grogan, A. W. Segal, C. Ampe and P. Cossart (1998) Identification of cofilin, coronin, Rac and capZ in actin tails using a *Listeria* affinity approach. *J. Cell Sci.*, 2877-2884.
- M. de Grado, A. Abe, A. Gauthier, O. Steele-Mortimer, R. DeVinney and B. Finlay (1999) Identification of the intimin-binding domain of Tir of enteropathogenic *Escherichia coli*. *Cell. Microbiol.*, **1**, 7-17.

- F. M. DeFilippes (1982) Restriction enzyme mapping of vaccinia virus DNA. *J. Virol.*, **43**, 136-139.
- C. Dehio, M. C. Prevost and P. J. Sansonetti (1995) Invasion of epithelial cells by *Shigella flexneri* induces tyrosine phosphorylation of cortactin by a pp60c-src-mediated signalling pathway. *EMBO J.*, **14**, 2471-2482.
- M. Derrien, A. Punjabi, M. Khanna, O. Grubisha and P. Traktman (1999) Tyrosine phosphorylation of A17 during vaccinia virus infection: involvement of the H1 phosphatase and the F10 kinase. *J. Virol.*, **73**, 7287-7296.
- F. G. Dold, J. M. Sanger and J. W. Sanger (1994) Intact alpha-actinin molecules are needed for both the assembly of actin into the tails and the locomotion of *Listeria monocytogenes* inside infected cells. *Cell Motil. Cytoskeleton*, **28**, 97-107.
- E. Domann, J. Wehland, M. Rohde, S. Pistor, M. Hartl, W. Goebel, W. M. Leimeister, M. Wuenscher and T. Chakraborty (1992) A novel bacterial virulence gene in *Listeria monocytogenes* required for host cell microfilament interaction with homology to the proline-rich region of vinculin. *EMBO J.*, **11**, 1981-1990.
- S. Dramsi and P. Cossart (1998) Intracellular pathogens and the actin cytoskeleton. *Annu. Rev. Cell Dev. Biol.*, **14**, 137-166.
- J. Dubochet, M. Adrian, K. Richter, J. Garces and R. Wittek (1994) Structure of intracellular mature vaccinia virus observed by cryoelectron microscopy. *J. Virol.*, **68**, 1935-1941.
- S. A. Duncan and G. L. Smith (1992) Identification and characterization of an extracellular envelope glycoprotein affecting vaccinia virus egress. *J. Virol.*, **66**, 1610-1621.
- C. Egile, H. d'Hauteville, C. Parsot and P. J. Sansonetti (1997) SopA, the outer membrane protease responsible for polar localization of IcsA in *Shigella flexneri*. *Mol. Microbiol.*, **23**, 1063-1073.
- C. Egile, T. P. Loisel, V. Laurent, R. Li, D. Pantaloni, P. J. Sansonetti and M.-F. Carlier (1999) Activation of the Cdc42 effector N-WASP by the *Shigella flexneri* IcsA protein promotes actin nucleation by Arp2/3 complex and bacterial actin-based motility. *J. Cell Biol.*, **146**, 1319-1332.
- P. D. Ellner (1998) Smallpox: gone but not forgotten. *Infection*, **26**, 263-269.
- M. Engelstad, S. T. Howard and G. L. Smith (1992) A constitutively expressed vaccinia gene encodes a 42-kDa glycoprotein related to complement control factors that forms part of the extracellular virus envelope. *Virology*, **188**, 801-810.
- A. A. Fedorov, E. Fedorov, F. Gertler and S. C. Almo (1999) Structure of EVH1, a novel proline-rich ligand-binding module involved in cytoskeletal dynamics and neural function. *Nature Struct. Biol.*, **6**, 661-665.
- E. Friederich, E. Gouin, R. Hellio, C. Kocks, P. Cossart and D. Louvard (1995) Targeting of *Listeria monocytogenes* ActA protein to the plasma membrane as a tool to dissect both actin-based cell morphogenesis and ActA function. *EMBO J.*, **14**, 2731-2744.
- F. Frischknecht, S. Cudmore, V. Moreau, I. Reckmann, S. Röttger and M. Way (1999a) Tyrosine phosphorylation is required for actin based motility of vaccinia but not *Listeria* or *Shigella*. *Curr. Biol.*, **9**, 89-92.
- F. Frischknecht, V. Moreau, S. Röttger, S. Gonfloni, I. Reckmann, G. Superti-Furga and M. Way (1999b) Actin based motility of vaccinia virus mimics receptor tyrosine kinase signalling. *Nature*, **401**, 926-929.

- I. Fukuda, T. Suzuki, H. Munakata, N. Hayashi, E. Katayama, M. Yoshikawa and C. Sasakawa (1995) Cleavage of *Shigella* surface protein VirG occurs at a specific site, but the secretion is not essential for intracellular spreading. *J. Bacteriol.*, **177**, 1719-1726.
- S. J. Goebel, G. P. Johnson, M. E. Perkus, S. W. Davis, J. P. Winslow and E. Paoletti (1990) The complete DNA sequence of vaccinia virus. *Virology*, **179**, 247-266.
- M. B. Goldberg (1997) *Shigella* actin-based motility in the absence of vinculin. *Cell Motil. Cytoskeleton*, **37**, 44-53.
- M. B. Goldberg and P. J. Sansonetti (1993) *Shigella* subversion of the cellular cytoskeleton: a strategy for epithelial colonization. *Infect. Immun.*, **61**, 4941-4946.
- M. B. Goldberg and J. A. Theriot (1995) *Shigella flexneri* surface protein IcsA is sufficient to direct actin-based motility. *Proc. Natl. Acad. Sci. U S A*, **92**, 6572-6576.
- R. M. Golsteyn, M. C. Beckerle, T. Koay and E. Friederich (1997) Structural and functional similarities between the human cytoskeletal protein zyxin and the ActA protein of *Listeria monocytogenes*. *J. Cell Sci.*, 1893-1906.
- S. Gonfloni, J. C. Williams, K. Hattula, A. Weijland, R. K. Wierenga and G. Superti-Furga (1997) The role of the linker between the SH2 domain and catalytic domain in the regulation and function of Src. *EMBO J.*, **16**, 7261-7271.
- D. L. Goosney, G. M. de and B. B. Finlay (1999) Putting *E. coli* on a pedestal: a unique system to study signal transduction and the actin cytoskeleton. *Trends Cell Biol.*, **9**, 11-14.
- E. Gouin, H. Gantelet, C. Egile, I. Lasa, H. Ohayon, V. Villiers, P. Gounon, P. J. Sansonetti and P. Cossart (1999) A comparative study of the actin-based motilities of the pathogenic bacteria *Listeria monocytogenes*, *Shigella flexneri* and *Rickettsia conorii*. *J. Cell Sci.*, 1697-1708.
- D. W. Grosenbach, D. O. Ulaeto and D. E. Hruby (1997) Palmitoylation of the vaccinia virus 37-kDa major envelope antigen. Identification of a conserved acceptor motif and biological relevance. *J. Biol. Chem.*, **272**, 1956-1964.
- R. Guinamard, P. Aspenstrom, M. Fougereau, P. Chavrier and J. C. Guillemot (1998) Tyrosine phosphorylation of the Wiskott-Aldrich syndrome protein by Lyn and Btk is regulated by CDC42. *FEBS Lett.*, **434**, 431-436.
- A. Hall (1998) Rho GTPases and the actin cytoskeleton. *Science*, **279**, 509-514.
- K. Heimann, J. M. Percival, R. Weinberger, P. Gunning and J. L. Stow (1999) Specific isoforms of actin-binding proteins on distinct populations of Golgi-derived vesicles. *J. Biol. Chem.*, **274**, 10743-10750.
- R. A. Heinzen, S. S. Grieshaber, K. L. Van and C. J. Devin (1999) Dynamics of actin-based movement by *Rickettsia rickettsii* in vero cells. *Infect. Immun.*, **67**, 4201-4207.
- R. A. Heinzen, S. F. Hayes, M. G. Peacock and T. Hackstadt (1993) Directional actin polymerization associated with spotted fever group *Rickettsia* infection of Vero cells. *Infect. Immun.*, **61**, 1926-1935.
- S. G. Heiss and J. A. Cooper (1991) Regulation of CapZ, an actin capping protein of chicken muscle, by anionic phospholipids. *Biochemistry*, **30**, 8753-8758.
- D. A. Henderson (1996) In H. Koprowski and M. B. A. Oldstone (eds.), *Smallpox Eradication*, Bloomington, pp. 39-43.

- D. S. Henderson (1999) The looming threat of bioterrorism. *Science*, **283**, 1279-1282.
- J. Heuser and J. H. Morisaki (1992) Time-lapse video microscopy of endosomal 'rocketing' in La/Zn treated cells. *Mol. Biol. Cell*, **3**, 172a.
- H. N. Higgs and T. D. Pollard (1999) Regulation of actin polymerization by Arp2/3 complex and WASp/Scar proteins. *J. Biol. Chem.*, **274**, 32531-32524.
- S. Higley and M. Way (1997) Characterization of the vaccinia virus F8L protein. *J. Gen. Virol.*, **78**, 2633-2637.
- G. Hiller, C. Jungwirth and K. Weber (1981) Fluorescence microscopical analysis of the life cycle of vaccinia virus in the chick embryo fibroblasts. *Exp. Cell Res.*, **132**, 81-87.
- G. Hiller and K. Weber (1982) A phosphorylated vaccinia virion polypeptide of molecular weight of 11,000 is exposed on the surface of mature particles and interacts with actin-containing cytoskeletal elements. *J. Virol.*, **44**, 647-657.
- G. Hiller and K. Weber (1985) Golgi-derived membranes that contain an acylated viral polypeptide are used for vaccinia virus envelopment. *J. Virol.*, **55**, 651-659.
- G. Hiller, K. Weber, L. Schneider, C. Parajsz and C. Jungwirth (1979) Interaction of assembled progeny pox viruses with the cellular cytoskeleton. *Virology*, **98**, 142-153.
- S. Hiscox and W. G. Jiang (1999) Ezrin regulates cell-cell and cell-matrix adhesion, a possible role with E-cadherin/beta-catenin. *J. Cell Sci.*, **271**, 3081-3090.
- J. C. Hsiao, C. S. Chung and W. Chang (1998) Cell surface proteoglycans are necessary for A27L protein-mediated cell fusion: identification of the N-terminal region of A27L protein as the glycosaminoglycan-binding domain. *J. Virol.*, **72**, 8374-8379.
- C. Huang, J. Liu, C. C. Haudenschild and X. Zhan (1998) The role of tyrosine phosphorylation of cortactin in the locomotion of endothelial cells. *J. Biol. Chem.*, **273**, 25770-25776.
- C. Huang, Y. Ni, T. Wang, Y. Gao, C. C. Haudenschild and X. Zhan (1997) Down-regulation of the filamentous actin cross-linking activity of cortactin by Src-mediated tyrosine phosphorylation. *J. Biol. Chem.*, **272**, 13911-13915.
- S. Huttelmaier, B. Harbeck, O. Steffens, T. Messerschmidt, S. Illenberger and B. M. Jockusch (1999) Characterization of the actin binding properties of the vasodilator- stimulated phosphoprotein VASP. *FEBS Lett.*, **451**, 68-74.
- S. N. Isaacs, E. J. Wolffe, L. G. Payne and B. Moss (1992) Characterization of a vaccinia virus-encoded 42-kilodalton class I membrane glycoprotein component of the extracellular virus envelope. *J. Virol.*, **66**, 7217-7224.
- P. A. Janmey and C. Chaponnier (1995) Medical aspects of the actin cytoskeleton. *Curr. Opin. Cell Biol.*, **7**, 111-117.
- K. G. Jarvis, J. A. Giron, A. E. Jerse, T. K. McDaniel, M. S. Sonnenberg and J. B. Kaper (1995) Enteropathogenic *Escherichia coli* contains a putative type III secretion system necessary for the export of proteins involved in attaching and effacing lesion formation. *Proc. Natl. Acad. Sci. U S A*, **92**, 7996-8000.
- E. Jenner (1798) *An inquiry into the causes and effects of variolae vaccine, a disease discovered in some of the western countries of England, particularly Gloucestershire and known by the name of the cowpox.*

- G. P. Johnson, S. J. Goebel and E. Paoletti (1993) An update on the vaccinia virus genome. *Virology*, **196**, 381-401.
- J. L. Kadurugamuwa, M. Rohde, J. Wehland and K. N. Timmis (1991) Intercellular spread of *Shigella flexneri* through a monolayer mediated by membranous protrusions and associated with reorganization of the cytoskeletal protein vinculin. *Infect. Immun.*, **59**, 3463-71.
- D. Kalman, O. D. Weiner, D. L. Goosney, J. W. Sedat, B. B. Finlay, A. Abo and J. M. Bishop (1999) Enteropathogenic *E. coli* acts through WASP and Arp2/3 complex to form actin pedestals. *Nature Cell Biol.*, **1**, 389-391.
- I. Karunasagar, G. Krohne and W. Goebel (1993) *Listeria ivanovii* is capable of cell-to-cell spread involving actin polymerization. *Infect. Immun.*, **61**, 162-169.
- B. Kenny (1999) Phosphorylation of tyrosine 474 of the enteropathogenic *Escherichia coli* (EPEC) Tir receptor molecule is essential for actin nucleating activity and is preceded by additional host modifications. *Mol. Microbiol.*, **31**, 1229-1241.
- B. Kenny, R. DeVinney, M. Stein, D. J. Reinscheid, E. A. Frey and B. B. Finlay (1997) Enteropathogenic *E. coli* (EPEC) transfers its receptor for intimate adherence into mammalian cells. *Cell*, **91**, 511-520.
- B. Kenny and B. B. Finlay (1997) Intimin-dependent binding of enteropathogenic *Escherichia coli* to host cells triggers novel signaling events, including tyrosine phosphorylation of phospholipase C-gamma1. *Infect. Immun.*, **65**, 2528-2536.
- C. Kocks and P. Cossart (1993) Directional actin assembly by *Listeria monocytogenes* at the site of polar surface expression of the actA gene product involving the actin-bundling protein plastin (fimbrin). *Infect. Agents. Dis.*, **2**, 207-209.
- C. Kocks, E. Gouin, M. Tabouret, P. Berche, H. Ohayon and P. Cossart (1992) *Listeria monocytogenes*-induced actin assembly requires the actA gene product, a surface protein. *Cell*, **68**, 521-531.
- C. Kocks, R. Hellio, P. Gounon, H. Ohayon and P. Cossart (1993) Polarized distribution of *Listeria monocytogenes* surface protein ActA at the site of directional actin assembly. *J. Cell Sci.*, **105**, 699-710.
- C. Kocks, J.-B. Marchand, E. Gouin, H. d'Hauteville, P. J. Sansonetti, M.-F. Carlier and P. Cossart (1995) The unrelated surface proteins ActA of *Listeria monocytogenes* and IcsA of *Shigella flexneri* are sufficient to confer actin-based motility on *Listeria innocua* and *Escherichia coli* respectively. *Mol. Microbiol.*, **18**, 413-423.
- K. L. Kotloff, J. P. Winickoff, B. Ivanoff, J. D. Clemens, D. L. Swerdlow, P. J. Sansonetti, G. K. Adak and M. M. Levine (1999) Global burden of *Shigella* infections: implications for vaccine development and implementation of control strategies. *Bull. World Health Organ.*, **77**, 651-666.
- T. Kreis and R. Vale (1999) *Guidebook to the Cytoskeletal and Motor Proteins*. Oxford University Press.
- M. Kuhn, M. C. Prevost, J. Mounier and P. J. Sansonetti (1990) A nonvirulent mutant of *Listeria monocytogenes* does not move intracellularly but still induces polymerization of actin. *Infect. Immun.*, **58**, 3477-3486.
- E. H. La Brec, H. Schneider, T. J. Magnani and S. B. Formal (1964) Epithelial cell penetration as an essential step in pathogenesis of bacillary dysentery. *J. Bacteriol.*, **88**, 1503-1518.

- R. O. Laine, K. L. Phaneuf, C. C. Cunningham, D. Kwiatkowski, T. Azuma and F. S. Southwick (1998) Gelsolin, a protein that caps the barbed ends and severs actin filaments, enhances the actin-based motility of *Listeria monocytogenes* in host cells. *Infect. Immun.*, **66**, 3775-3782.
- R. O. Laine, W. Zeile, F. Kang, D. L. Purich and F. S. Southwick (1997) Vinculin proteolysis unmasks an ActA homolog for actin-based *Shigella* motility. *J. Cell Biol.*, **138**, 1255-1264.
- C. Lamaze, L. M. Fujimoto, H. L. Yin and S. L. Schmid (1997) The actin cytoskeleton is required for receptor-mediated endocytosis in mammalian cells. *J Biol Chem*, **272**, 20332-20335.
- U. K. Lämmli (1970) Cleavage of structural proteins during the assembly of the head of the bacteriophage T4. *Nature*, **227**, 680-685.
- I. Lasa, E. Gouin, M. Goethals, K. Vancompernelle, V. David, J. Vandekerckhove and P. Cossart (1997) Identification of two regions in the N-terminal domain of ActA involved in the actin comet tail formation by *Listeria monocytogenes*. *EMBO J.*, **16**, 1531-1540.
- V. Laurent, T. P. Loisel, B. Harbeck, A. Wehman, L. Grobe, B. M. Jockusch, J. Wehland, F. B. Gertler and M. F. Carlier (1999) Role of proteins of the Ena/VASP family in actin-based motility of *Listeria monocytogenes*. *J. Cell Biol.*, **144**, 1245-1258.
- M. Lett, C., C. Sasakawa, N. Okada, T. Sakai, S. Makino, M. Yamada, K. Komatsu and M. Yoshikawa (1989) VirG, a plasmid-coded virulence gene of *Shigella flexneri*: identification of the virG protein and determination of the complete coding sequence. *J. Bacteriol.*, **171**, 353-359.
- M. M. Levine and R. Edelman (1984) Enteropathogenic *Escherichia coli* of classic serotypes associated with infant diarrhea: epidemiology and pathogenesis. *Epidemiol. Rev.*, **6**, 31-51.
- W. Li, P. Hu, E. Y. Skolnik, A. Ullrich and J. Schlessinger (1992) The SH2 and SH3 domain-containing Nck protein is oncogenic and a common target for phosphorylation by different surface receptors. *Mol. Cell. Biol.*, **12**, 5824-5833.
- S. Lin and S. S. Broyles (1994) Vaccinia protein kinase 2: a second essential serine/threonine protein kinase encoded by vaccinia virus. *Proc. Natl. Acad. Sci. U S A*, **91**, 7653-7657.
- S. Lin, W. Chen and S. S. Broyles (1992) The vaccinia virus B1R gene product is a serine/threonine protein kinase. *J. Virol.*, **66**, 2717-2723.
- T. P. Loisel, R. Boujemaa, D. Pantaloni and M.-F. Carlier (1999) Reconstitution of actin based motility of *Listeria* and *Shigella* using pure proteins. *Nature*, **401**, 613-616.
- L. Ma, R. Rohatgi and M. W. Kirschner (1998) The Arp2/3 complex mediates actin polymerization induced by the small GTP-binding protein Cdc42. *Proc. Natl. Acad. Sci. U S A*, **95**, 15362-153627.
- L. M. Machesky, S. J. Atkinson, C. Ampe, J. Vandekerckhove and T. D. Pollard (1994) Purification of a cortical complex containing two unconventional actins from *Acanthamoeba* by affinity chromatography on profilin-agarose. *J. Cell Biol.*, **127**, 107-115.
- L. M. Machesky and R. H. Insall (1998) Scar1 and the related Wiskott-Aldrich syndrome protein WASP regulate the actin cytoskeleton through the Arp2/3 complex. *Curr. Biol.*, **8**, 1347-1356.
- L. M. Machesky and R. H. Insall (1999) Signaling to actin dynamics. *J. Cell Biol.*, **146**, 267-272.
- L. M. Machesky, R. D. Mullins, H. N. Higgs, D. A. Kaiser, L. Blanchoin, R. C. May, M. E. Hall and T. D. Pollard (1999) Scar, a WASp-related protein, activates nucleation of actin filaments by the Arp2/3 complex. *Proc. Natl. Acad. Sci. USA*, **96**, 3739-3744.
- L. M. Machesky, E. Reeves, F. Wientjes, F. J. Mattheyse, A. Grogan, N. F. Totty, A. L. Burlingame, J. J. Hsuan and A. W. Segal (1997) Mammalian actin-related protein 2/3 complex

- localizes to regions of lamellipodial protrusion and is composed of evolutionarily conserved proteins. *Biochem. J.*, 105-112.
- L. M. Machesky and M. Way (1998) Actin branches out. *Nature*, **394**, 125-126.
- S. K. Maciver (1998) How ADF/cofilin depolymerizes actin filaments. *Curr. Opin. Cell Biol.*, **10**, 140-144.
- S. Makino, C. Sasakawa, K. Kamata, T. Kurata and M. Yoshikawa (1986) A genetic determinant required for continuous reinfection of adjacent cells on large plasmid in *Shigella flexneri* 2a. *Cell*, **46**, 551-555.
- J. B. Marchand, P. Moreau, A. Paoletti, P. Cossart, M. F. Carlier and D. Pantaloni (1995) Actin-based movement of *Listeria monocytogenes*: actin assembly results from the local maintenance of uncapped filament barbed ends at the bacterium surface. *J. Cell Biol.*, **130**, 331-343.
- R. C. May, M. E. Hall, H. N. Higgs, T. D. Pollard, T. Chakraborty, J. Wehland, L. M. Machesky and A. S. Sechi (1999) The Arp2/3 complex is essential for the actin-based motility of *Listeria monocytogenes*. *Curr. Biol.*, **9**, 759-762.
- J. H. McCarty (1998) The Nck SH2/SH3 adaptor protein: a regulator of multiple intracellular signal transduction events. *BioEssays*, **20**, 913-921.
- A. A. McIntosh and G. L. Smith (1996) Vaccinia virus glycoprotein A34R is required for infectivity of extracellular enveloped virus. *J. Virol.*, **70**, 272-281.
- J. Mengaud, C. Geoffroy and P. Cossart (1991) Identification of a new operon involved in *Listeria monocytogenes* virulence: its first gene encodes a protein homologous to bacterial metalloproteases. *Infect. Immun.*, **59**, 1043-1049.
- C. J. Merrifield, S. E. Moss, C. Ballestrem, B. A. Imhof, G. Giese, I. Wunderlich and W. Almers (1999) Endocytic vesicles move at the tips of actin tails in cultured mast cells. *Nature Cell Biol.*, **1**, 72-74.
- H. Miki, K. Minura and T. Takenawa (1996) N-WASP, a novel actin-depolymerizing protein, regulates the cortical cytoskeletal rearrangement in a PIP2-dependent manner downstream of tyrosine kinases. *EMBO J.*, **15**, 5326-5335.
- H. Miki, T. Sasaki, Y. Takai and T. Takenawa (1998) Induction of filopodium formation by a WASP-related actin-depolymerizing protein N-WASP. *Nature*, **391**, 93-96.
- H. Minnigan and R. W. Moyer (1985) Intracellular location of rabbit poxvirus nucleic acid within infected cells as determined by *in situ* hybridization. *J. Virol.*, **55**, 634-643.
- A. Mogilner and G. Oster (1996) Cell motility driven by actin polymerization. *Biophys. J.*, **71**, 3030-3045.
- V. Moreau and M. Way (1999) *In vitro* approaches to study actin and microtubule dependent cell processes. *Curr. Opin. Cell Biol.*, **11**, 152-158.
- C. Morgan (1976) Vaccinia virus reexamined: Development and release. *Virology*, **73**, 43-58.
- B. Moss (1996) In B. N. Fields (ed.) *Poxviridae: The viruses and their replication*, Lippincott-Raven, Vol. 2, pp. 2637-71.
- J. Mounier, V. Laurent, A. Hall, P. Fort, M. F. Carlier, P. J. Sansonetti and C. Egile (1999) Rho family GTPases control entry of *Shigella flexneri* into epithelial cells but not intracellular motility. *J. Cell Sci.*, 2069-2080.

- J. Mounier, A. Ryter, R. M. Coquis and P. J. Sansonetti (1990) Intracellular and cell-to-cell spread of *Listeria monocytogenes* involves interaction with F-actin in the enterocyte like cell line Caco-2. *Infect. Immun.*, **58**, 1048-1058.
- P. Mourrain, I. Lasa, A. Gautreau, E. Gouin, A. Pugsley and P. Cossart (1997) ActA is a dimer. *Proc. Natl. Acad. Sci. U S A*, **94**, 10034-10039.
- S. Muallem, K. Kwiatkowska, X. Xu and H. L. Yin (1995) Actin filament disassembly is a sufficient final trigger for exocytosis in nonexcitable cells. *J. Cell Biol.*, **128**, 589-598.
- R. D. Mullins, J. A. Heuser and T. D. Pollard (1998a) The interaction of Arp2/3 complex with actin: nucleation, high affinity pointed end capping, and formation of branching networks of filaments. *Proc. Natl. Acad. Sci. USA*, **95**, 6181-6186.
- R. D. Mullins, J. F. Kelleher, J. Xu and T. D. Pollard (1998b) Arp2/3 complex from *Acanthamoeba* binds profilin and cross-links actin filaments. *Mol. Biol. Cell*, **9**, 841-852.
- R. D. Mullins and T. D. Pollard (1999a) Rho-family GTPases require the Arp2/3 complex to stimulate actin polymerization in *Acanthamoeba* extracts. *Curr. Biol.*, **9**, 405-415.
- R. D. Mullins and T. D. Pollard (1999b) Structure and function of the Arp2/3 complex. *Curr. Opin. Struc. Biol.*, **9**, 244-249.
- K. Niebuhr, T. Chakraborty, M. Rohde, T. Gazlig, B. Jansen, P. Kollner and J. Wehland (1993) Localization of the ActA polypeptide of the *Listeria monocytogenes* in infected tissue culture cell lines: ActA is not associated with actin "comets". *Infect. Immun.*, **61**, 2793-2802.
- K. Niebuhr, F. Ebel, R. Frank, M. Reinhard, E. Domann, U. D. Carl, U. Walter, F. B. Gertler, J. Wehland and T. Chakraborty (1997) A novel proline-rich motif present in ActA of *Listeria monocytogenes* and cytoskeletal proteins is the ligand for the EVH1 domain, a protein module present in the Ena/VASP family. *EMBO J.*, **16**, 5433-5444.
- H. Ogawa, A. Nakamura and R. Nakaya (1968) Cinemicrographic study of tissue cell cultures infected with *Shigella flexneri*. *Japan J. Med. Sci. Biol.*, **21**, 259-273.
- M. B. A. Oldstone (1998) *Viruses, Plagues and History*. Oxford University Press.
- F. Oosawa and S. Asakura (1975) *Thermodynamics of the Polymerization of Proteins*. Academic Press, London.
- T. Pal, J. W. Newland, B. D. Tall, S. B. Formal and T. L. Hale (1989) Intracellular spread of *Shigella flexneri* associated with the kcpA locus and a 140-kilodalton protein. *Infect. Immun.*, **57**, 477-486.
- D. Park and S. G. Rhee (1992) Phosphorylation of Nck in response to a variety of receptors, phorbol myristate acetate, and cyclic AMP. *Mol. Cell. Biol.*, **12**, 5816-5823.
- J. Parkinson, E. and G. L. Smith (1994) Vaccinia virus gene A36R encodes a Mr. 43-50 K protein on the surface of extracellular enveloped virus. *Virology*, **204**, 376-390.
- L. G. Payne (1980) Significance of extracellular enveloped virus in the *in vitro* and *in vivo* dissemination of vaccinia. *J. Gen. Virol.*, **50**, 89-100.
- L. G. Payne and K. Kristenson (1979) Mechanism of vaccinia virus release and its specific inhibition by N₁-isonicotinoyl-N₂-3-methyl-4-chlorobenzoylhydrazine. *J. Virol.*, **32**, 614-622.

- L. G. Payne and K. Kristensson (1982) The effect of cytochalasin D and monensin on enveloped vaccinia virus release. *Arch. Virol.*, **74**, 11-20.
- L. G. Payne and E. Norrby (1976) Presence of hemagglutinin in the envelope of extracellular vaccinia virus particles. *J. Gen. Virol.*, **32**, 63-72.
- C. S. Peskin, G. M. Odell and G. F. Oster (1993) Cellular motions and thermal fluctuations: the Brownian ratchet. *Biophys. J.*, **65**, 316-324.
- S. Pistor, T. Chakraborty, K. Niebuhr, E. Domann and J. Wehland (1994) The ActA protein of *Listeria monocytogenes* acts as a nucleator inducing reorganization of the actin cytoskeleton. *EMBO J.*, **13**, 758-763.
- S. Pistor, T. Chakraborty, U. Walter and J. Wehland (1995) The bacterial actin nucleator protein ActA of *Listeria monocytogenes* contains multiple binding sites for host microfilament proteins. *Curr. Biol.*, **5**, 517-525.
- T. D. Pollard (1986) Assembly and dynamics of the actin filament system in nonmuscle cells. *J. Cell. Biochem.*, **31**, 87-95.
- T. D. Pollard and J. A. Cooper (1986) Actin and actin-binding proteins. A critical evaluation of mechanisms and functions. *Annu. Rev. Biochem.*, **55**, 987-1035.
- B. Pope and H. M. Kent (1996) High efficiency 5 min transformation of *Escherichia coli*. *Nuc. Acids Res.*, **24**, 536-537.
- K. E. Prehoda, D. J. Lee and W. A. Lim (1999) Structure of the Enabled/VASP homology 1 domain-peptide complex: a key component in the spatial control of actin assembly. *Cell*, **97**, 471-480.
- M. C. Prevost, M. Lesourd, M. Arpin, F. Vernel, J. Mounier, R. Hellio and P. J. Sansonetti (1992) Unipolar reorganization of F-actin layer at bacterial division and bundling of actin filaments by plastin correlate with movement of *Shigella flexneri* within HeLa cells. *Infect. Immun.*, **60**, 4088-4099.
- N. Ramesh, I. M. Anton, Q. N. Martinez and R. S. Geha (1999) Waltzing with WASP. *Trends Cell Biol.*, **9**, 15-19.
- I. Reckmann, S. Higley and M. Way (1997) The vaccinia virus F17R protein interacts with actin. *FEBS. Lett.*, **409**, 141-146.
- M. Reinhard, K. Giehl, K. Abel, C. Haffner, T. Jarchau, V. Hoppe, B. M. Jockusch and U. Walter (1995) The proline-rich focal adhesion and microfilament protein VASP is a ligand for profilins. *EMBO J.*, **14**, 1583-1589.
- F. Ressay, D. Didry, C. Egile, D. Pantaloni and M. F. Carlier (1999) Control of actin filament length and turnover by actin depolymerizing factor (ADF/cofilin) in the presence of capping proteins and ARP2/3 complex. *J. Biol. Chem.*, **274**, 20970-62097.
- J. E. Rickard and P. Sheterline (1986) Cytoplasmic concentrations of inorganic phosphate affect the critical concentration for assembly of actin in the presence of cytochalasin D or ADP. *J. Mol. Biol.*, **191**, 273-280.
- D. n. Riese and D. F. Stern (1998) Specificity within the EGF family/ErbB receptor family signaling network. *BioEssays*, **20**, 41-48.

- O. M. Rivero-Lezcano, A. Macillia, J. H. Sameshima and K. C. Robbins (1995) Wiskott-Aldrich syndrome protein physically associates with Nck through Src homology domains. *Mol. Cell. Biol.*, **15**, 5725-5731.
- J. F. Rodriguez and G. F. Smith (1990) IPTG-dependent vaccinia virus: Identification of a virus protein enabling virion envelopment by Golgi membrane and egress. *Nuc. Acid Res.*, **18**, 5347-5351.
- R. Rohatgi, L. Ma, H. Miki, M. Lopez, T. Kirchhausen, T. Takenawa and M. W. Kirschner (1999) The interaction between N-WASP and the Arp2/3 complex links Cdc42-dependent signals to actin assembly. *Cell*, **97**, 221-231.
- N. Roos, M. Cyrklaff, S. Cudmore, R. Blasco, J. Krijnse-Locker and G. Griffiths (1996) The use of a novel immunogold cryoelectron microscopic method to investigate the structure of the intracellular and extracellular forms of vaccinia virus. *EMBO J.*, **15**, 2343-2355.
- R. L. Roper, L. G. Payne and B. Moss (1996) Extracellular vaccinia virus envelope glycoprotein encoded by the A33R gene. *J. Virol.*, **70**, 3753-3762.
- R. L. Roper, E. J. Wolffe, A. Weisberg and B. Moss (1998) The envelope protein encoded by the A33R gene is required for formation of actin-containing microvilli and efficient cell-to-cell spread of vaccinia virus. *J. Virol.*, **72**, 4192-4204.
- J. L. Rosel, P. L. Earl, J. P. Weir and B. Moss (1986) Conserved TAAATG sequence at the transcriptional and translational initiation sites of vaccinia virus late genes deduced by structural and functional analysis of the HindIII H genome fragment. *J. Virol.*, **60**, 436-449.
- J. Rosenblatt, B. J. Agnew, H. Abe, J. R. Bamburg and T. J. Mitchison (1997) *Xenopus* actin depolymerizing factor/cofilin (XAC) is responsible for the turnover of actin filaments in *Listeria monocytogenes* tails. *J. Cell Biol.*, **136**, 1323-1332.
- I. Rosenshine, S. Ruschkowski, M. Stein, D. J. Reinscheid, S. D. Mills and B. B. Finlay (1996) A pathogenic bacterium triggers epithelial signals to form a functional bacterial receptor that mediates actin pseudopod formation. *EMBO J.*, **15**, 2613-2624.
- S. Röttger, F. Frischknecht, I. Reckmann, G. L. Smith and M. Way (1999) Interactions between vaccinia virus IEV membrane proteins and their roles in IEV assembly and actin tail formation. *J. Virol.*, **73**, 2863-2875.
- C. M. Sanderson, F. Frischknecht, M. Way, M. Hollinshead and G. L. Smith (1998a) Roles of vaccinia virus EEV-specific proteins in intracellular actin tail formation and low pH-induced cell-cell fusion. *J. Gen. Virol.*, **79**, 1415-1425.
- C. M. Sanderson, M. Way and G. L. Smith (1998b) Virus-induced cell motility. *J. Virol.*, **72**, 1235-1243.
- J. M. Sanger, R. Chang, F. Ashton, J. B. Kaper and J. W. Sanger (1996) Novel form of actin-based motility transports bacteria on the surfaces of infected cells. *Cell Mot. Cytoskeleton*, **34**, 279-287.
- J. M. Sanger, J. W. Sanger and F. S. Southwick (1992) Host cell actin assembly is necessary and likely to provide the propulsive force for intracellular movement of *Listeria monocytogenes*. *Infect. Immun.*, **60**, 3609-3619.
- P. J. Sansonetti, D. J. Kopecko and S. B. Formal (1982) Involvement of a plasmid in the invasive ability of *Shigella flexneri*. *Infect. Immun.*, **35**, 852-60.
- P. J. Sansonetti, J. Mounier, M. C. Prevost and R. M. Mege (1994) Cadherin expression is required for the spread of *Shigella flexneri* between epithelial cells. *Cell*, **76**, 829-839.

- S. Sarkar (1999) Focal adhesions. *Curr. Biol.*, **9**, R428.
- M. Schaechter, F. M. Bozeman and J. E. Schamdel (1957) Study on the growth of *Rickettsiae* II. Morphologic observations of living *Rickettsia* in tissue culture cells. *Virology*, **3**, 160-172.
- D. A. Schafer and J. A. Cooper (1995) Control of actin assembly at filament ends. *Ann. Rev. Cell Dev. Biol.*, **11**, 497-518.
- M. Schmelz, B. Sodeik, M. Ericsson, E. J. Wolffe, H. Shida, G. Hiller and G. Griffiths (1994) Assembly of vaccinia virus: The second wrapping cisterna is derived from the *trans*-Golgi network. *J. Virol.*, **68**, 130-147.
- A. Schmidt and M. N. Hall (1998) Signaling to the actin cytoskeleton. *Annu. Rev. Cell Dev. Biol.*, **14**, 305-338.
- T. A. Schroer, E. Fyrberg, J. A. Cooper, R. H. Waterston, D. Helfman, T. D. Pollard and D. I. Meyer (1994) Actin-related protein nomenclature and classification. *J. Cell Biol.*, 1777-1778.
- A. S. Sechi, J. Wehland and J. V. Small (1997) The isolated comet tail pseudopodium of *Listeria monocytogenes*: a tail of two actin filament populations, long and axial and short and random. *J. Cell Biol.*, **137**, 155-167.
- H. She, S. Rockow, J. Tang, R. Nishimura, E. Y. Skolnik, M. Chen, B. Margolis and W. Li (1997) Wiskott-Aldrich syndrome protein is associated with the adapter protein Grb2 and the epidermal growth factor receptor in living cells. *Mol. Biol. Cell*, **8**, 1709-1721.
- K. D. Shere, S. Sallustio, A. Manassis, T. G. D'Aversa and M. B. Goldberg (1997) Disruption of IcsP, the major *Shigella* protease that cleaves IcsA, accelerates actin-based motility. *Mol. Microbiol.*, **25**, 451-462.
- A. Skoudy, G. T. Nhieu, N. Mantis, M. Arpin, J. Mounier, P. Gounon and P. Sansonetti (1999) A functional role for ezrin during *Shigella flexneri* entry into epithelial cells. *J. Cell Sci.*, 2059-2068.
- G. Smith, A., J. Theriot, A. and D. Portnoy, A. (1996) The tandem repeat domain in the *Listeria monocytogenes* ActA protein controls the rate of actin-based motility, the percentage of moving bacteria, and the localization of vasodilator-stimulated phosphoprotein and profilin. *J. Cell Biol.*, **135**, 647-660.
- G. A. Smith and D. A. Portnoy (1997) How the *Listeria monocytogenes* ActA protein converts actin polymerization into a motile force. *Trends Microbiol.*, **5**, 272-276.
- G. A. Smith, D. A. Portnoy and J. A. Theriot (1995) Asymmetric distribution of the *Listeria monocytogenes* ActA protein is required and sufficient to direct actin-based motility. *Mol. Microbiol.*, **17**, 945-951.
- S. B. Snapper and F. S. Rosen (1999) The Wiskott-Aldrich syndrome protein (WASP): Roles in signaling and cytoskeletal organization. *Annu. Rev. Immunol.*, **17**, 905-929.
- B. Sodeik, R. W. Doms, M. Ericsson, G. Hiller, C. E. Machamer, W. v. t. Hof, G. v. Meer, B. Moss and G. Griffiths (1993) Assembly of vaccinia virus: Role of the intermediate compartment between the endoplasmic reticulum and the Golgi stacks. *J. Cell Biol.*, **121**, 521-541.
- R. H. Sohn and C. P. Goldschmidt (1994) Profilin: at the crossroads of signal transduction and the actin cytoskeleton. *BioEssays*, **16**, 465-472.
- Z. Songyang and L. C. Cantley (1995) Recognition and specificity in protein tyrosine kinase-mediated signalling. *TIBS*, **20**, 470-475.

- F. S. Southwick and D. L. Purich (1994) Arrest of *Listeria* movement in host cells by a bacterial ActA analogue: Implications for actin-based motility. *Proc. Natl. Acad. Sci. USA*, **91**, 5168-5172.
- G. V. Stokes (1976) High-voltage electron microscope study of the release of vaccinia virus from whole cells. *J. Virol.*, **18**, 636-643.
- E. J. Strauss (1996) Intracellular pathogens: A virus joins the movement. *Curr. Biol.*, **6**, 504-507.
- A. N. Sun, A. Camilli and D. A. Portnoy (1990) Isolation of *Listeria monocytogenes* small-plaque mutants defective for intracellular growth and cell-to-cell spread. *Infect. Immun.*, **58**, 3770-3778.
- T. Suzuki, H. Miki, T. Takenawa and C. Sasakawa (1998) Neural Wiskott-Aldrich syndrome protein is implicated in the actin based motility of *Shigella flexneri*. *EMBO J.*, **17**, 2767-2776.
- T. Suzuki, S. Saga and C. Sasakawa (1996) Functional analysis of *Shigella* VirG domains essential for interaction with vinculin and actin-based motility. *J. Biol. Chem.*, **271**, 21878-21885.
- T. M. Svitkina and G. G. Borisy (1999) Arp2/3 complex and actin depolymerizing factor/cofilin in dendritic organization and treadmilling of actin filament array in lamellipodia. *J. Cell Biol.*, **145**, 1009-1026.
- M. Symons, J. M. Derry, B. Karlak, S. Jiang, V. Lemahieu, F. McCormick, U. Francke and A. Abo (1996) Wiskott-Aldrich syndrome protein, a novel effector for the GTPase CDC42Hs, is implicated in actin polymerization. *Cell*, **84**, 723-734.
- C. Temm-Grove, J., B. Jockusch, M., M. Rohde, K. Niebuhr, T. Chakraborty and J. Wehland (1994) Exploitation of microfilament proteins by *Listeria monocytogenes*: microvillus-like composition of the comet tails and vectorial spreading in polarized epithelial sheets. *J. Cell. Sci.*, **107**, 2951-2960.
- N. Teyssie, C. Chiche-Portiche and D. Raoult (1992) Intracellular movements of *Rickettsia conorii* and *R. typhi* based on actin polymerization. *Res. Microbiol.*, **143**, 821-829.
- J. Theriot, A., T. Mitchison, J., L. Tilney, G. and D. Portnoy, A. (1992) The rate of actin-based motility of intracellular *Listeria monocytogenes* equals the rate of actin polymerization. *Nature*, **357**, 257-260.
- J. Theriot, A., J. Rosenblatt, D. Portnoy, A., P. Goldschmidt-Clermont, J. and T. Mitchison, J. (1994a) Involvement of profilin in the actin-based motility of *Listeria monocytogenes* in cells and in cell-free extracts. *Cell*, **76**, 505-517.
- J. A. Theriot (1997) Accelerating on a treadmill: ADF/cofilin promotes rapid turnover in the dynamic cytoskeleton. *J. Cell Biol.*, **136**, 1165-1168.
- J. A. Theriot, J. Rosenblatt, D. A. Portnoy, P. J. Goldschmidt-Clermont and T. J. Mitchison (1994b) Involvement of profilin in the actin-based motility of *L. monocytogenes* in cells and in cell-free extracts. *Cell*, **76**, 505-517.
- L. G. Tilney, D. J. DeRosier and M. S. Tilney (1992) How *Listeria* exploits host cell actin to form its own cytoskeleton. I. Formation of a tail and how that tail might be involved in movement. *J. Cell. Biol.*, **71**, 71-81.
- L. G. Tilney and D. A. Portnoy (1989) Actin filaments and the growth, movement and spread of the intracellular bacterial parasite, *Listeria monocytogenes*. *J. Cell. Biol.*, **109**, 1597-1608.
- P. Traktman, M. K. Anderson and R. E. Rempel (1989) Vaccinia virus encodes an essential gene with strong homology to protein kinases. *J. Biol. Chem.*, **264**, 21458-21461.

- P. Traktman, A. Caligiuri, S. A. Jesty, K. Liu and U. Sankar (1995) Temperature-sensitive mutants with lesions in the vaccinia virus F10 kinase undergo arrest at the earliest stage of virion morphogenesis. *J. Virol.*, **69**, 6581-6587.
- K. Tsutsui (1983) Release of vaccinia virus from FL cells infected with IHD-W strain. *J. Electron Microsc.*, **32**, 125-140.
- K. Tsutsui, F. Uno, K. Akatsuka and S. Nii (1983) Electron microscopic study on vaccinia virus release. *Arch. Virol.*, **75**, 213-218.
- A. Vanderplasschen, M. Hollinshead and G. L. Smith (1998) Intracellular and extracellular vaccinia virions enter cells by different mechanisms. *J. Gen. Virol.*, **79**, 877-887.
- A. Vanderplasschen and G. L. Smith (1997) A novel virus binding assay using confocal microscopy: demonstration that the intracellular and extracellular vaccinia virions bind to different cellular receptors. *J. Virol.*, **71**, 4032-4041.
- B. J. Vazquez, C. Kocks, S. Dramsi, H. Ohayon, C. Geoffroy, J. Mengaud and P. Cossart (1992) Nucleotide sequence of the lecithinase operon of *Listeria monocytogenes* and possible role of lecithinase in cell-to-cell spread. *Infect. Immun.*, **60**, 219-230.
- M. L. Vitale, Rodriguez, Del, Castillo, A, L. Tchakarov and J. M. Trifaro (1991) Cortical filamentous actin disassembly and scinderin redistribution during chromaffin cell stimulation precede exocytosis, a phenomenon not exhibited by gelsolin. *J. Cell Biol.*, **113**, 1057-1067.
- M. L. Vitale, E. P. Seward and J. M. Trifaro (1995) Chromaffin cell cortical actin network dynamics control the size of the release-ready vesicle pool and the initial rate of exocytosis. *Neuron*, **14**, 353-363.
- R. Waldmann, M. Nieberding and U. Walter (1987) Vasodilator-stimulated protein phosphorylation in platelets is mediated by cAMP- and cGMP-dependent protein kinases. *Eur J Biochem*, **167**, 441-448.
- S. Wang and S. Shuman (1995) Vaccinia virus morphogenesis is blocked by temperature-sensitive mutations in the F10 gene, which encodes protein kinase 2. *J Virol*, **69**, 6376-6388.
- M. Way, B. Pope and A. G. Weeds (1992) Evidence for functional homology in the F-actin binding domains of gelsolin and alpha-actinin: implications for the requirements of severing and capping. *J. Cell Biol.*, **119**, 835-842.
- M. D. Welch, A. H. DePace, S. Verma, A. Iwamatsu and T. J. Mitchison (1997a) The human Arp2/3 complex is composed of evolutionarily conserved subunits and is localized to cellular regions of dynamic actin filament assembly. *J. Cell Biol.*, **138**, 375-384.
- M. D. Welch, A. Iwamatsu and T. J. Mitchison (1997b) Actin polymerization is induced by Arp2/3 protein complex at the surface of *Listeria monocytogenes*. *Nature*, **385**, 265-269.
- M. D. Welch, J. Rosenblatt, J. Skole, D. A. Portnoy and T. J. Mitchison (1998) Interaction of human Arp2/3 complex and the *Listeria monocytogenes* ActA protein in actin filament nucleation. *Science*, **281**, 105-108.
- M. D. Welch (1999) The world according to Arp: regulation of actin nucleation by the Arp 2/3 complex. *Trends Cell Biol.*, **9**, 423-427.
- M. Wharton, R. A. Spiegel, J. M. Horan, R. V. Tauxe, J. G. Wells, N. Barg, J. Herndon, R. A. Meriwether, J. N. MacCormack and R. H. Levine (1990) A large outbreak of antibiotic-resistant shigellosis at a mass gathering. *J Infect. Dis.*, **162**, 1324-1328.

J. White, L. Johannes, F. Mallard, A. Girod, S. Grill, S. Reinsch, P. Keller, B. Tzschaschel, A. Echard, B. Goud and E. H. Stelzer (1999) Rab6 Coordinates a Novel Golgi to ER Retrograde Transport Pathway in Live Cells. *J. Cell Biol.*, **147**, 743-760.

WHO (1980) *The global eradication of small pox. Final report of the global commission for the certification of small pox eradication*, World Health Organization.

H. H. Winkler (1990) *Rickettsia* species (as organisms). *Annu. Rev. Microbiol.*, **44**, 131-153.

T. Wittmann (1999) *Mechanisms of Xklp2 localization to mitotic spindle poles*, PhD-thesis, Heidelberg University.

E. J. Wolffe, E. Katz, A. Weisberg and B. Moss (1997) The A34R glycoprotein gene is required for induction of specialized actin-containing microvilli and efficient cell-to-cell transmission of vaccinia virus. *J. Virol.*, **71**, 3904-3915.

H. Wu and J. T. Parsons (1993) Cortactin, an 80/85-Kilodalton pp60src substrate, is a filamentous actin-binding protein enriched in the cell cortex. *J. Cell Biol.*, **120**, 1417-1426.

J. Xu, J. F. Casella and T. D. Pollard (1999) Effect of capping protein, CapZ, on the length of actin filaments and mechanical properties of actin filament networks. *Cell Motil. Cytoskeleton*, **42**, 73-81.

W. L. Zeile, R. C. Condit, J. I. Lewis, D. L. Purich and F. S. Southwick (1998) Vaccinia locomotion in host cells: evidence for the universal involvement of actin-based motility sequences ABM-1 and ABM-2. *Proc. Natl. Acad. Sci. U S A*, **95**, 13917-13922.

W. L. Zeile, D. L. Purich and F. S. Southwick (1996) Recognition of two classes of oligoproline sequences in profilin-mediated acceleration of actin-based *Shigella* motility. *J. Cell Biol.*, **133**, 49-59.

S. H. Zigmond (1998) Actin cytoskeleton: the Arp2/3 complex gets to the point. *Curr. Biol.* **8**, R654-R657.