

## Literaturverzeichnis

- Abel, M. H. und D. T. Baird (1980):  
The effect of 17 beta-estradiol and progesterone on prostaglandin production by human endometrium maintained in organ culture.  
*Endocrinology* **106**: 1599-1606.
- Aitken, R. J. (1977):  
Changes in the protein content of mouse uterine flushings during normal pregnancy and delayed implantation, and after ovariectomy and oestradiol administration.  
*J Reprod Fertil* **50**: 29-36.
- Allen, E. (1922):  
The oestrous cycle in the mouse.  
*Am J Anat* **30**: 297-371.
- Amaroso, E. C. (1952):  
Placentation.  
In: Marshalls Physiology of Reproduction.  
Parks, A. S. (Hsg.) London: Longmans 164-188.
- Arthur, A. T., B. D. Cowan und J. C. Daniel (1972):  
Steroid binding to blastokinin.  
*Fertil Steril* **23**: 85-92.
- Arvidson, N. G. (1977):  
Early oestrogen-induced changes in uterine albumin exchange in mice.  
*Acta Physiol Scand* **100**: 325-331.
- Bailey, K. J. (1987):  
Diurnal progesterone rhythms in the female mouse.  
*J Endocrinol* **112**: 15-21.
- Barnea, A. und J. Gorski (1970):  
Estrogen-induced protein. Time course of synthesis.  
*Biochemistry* **9**: 1899-1904.
- Bazer, F. W., W. W. Thatcher, F. Matinat-Botte, M. Terqui, M. C. Lacroix, S. Bernard, M. Revault und D. H. Dubois (1991):  
Composition of uterine flushings from Large White and prolific Chinese Meishan gilts.  
*Reprod Fertil Dev* **3**: 51-60.
- Beato, M. (1987):  
Induction of transcription by steroid hormones.  
*Biochim Biophys Acta* **910**: 95-102.
- Beier, H. M. (1974):  
Oviducal and uterine fluids.  
*J Reprod Fertil* **37**: 221-237.
- Beier, H. M. und K. Beier-Hellwig (1973):  
Specific secretory protein of the female genital tract.  
*Acta Endocrinol Suppl (Copenh)* **180**: 404-425.
- Bergeron, C., A. Ferenczy, D. O. Toft, W. Schneider und G. Shyamala (1988):  
Immunocytochemical study of progesterone receptors in the human endometrium during the menstrual cycle.  
*Lab Invest* **59**: 862-869.
- Bergman, M. D., B. S. Schachter, K. Karelus, E. P. Combatsiaris, T. Garcia und J. F. Nelson (1992):  
Up-regulation of the uterine estrogen receptor and its messenger ribonucleic acid during the mouse estrous cycle: the role of estradiol.  
*Endocrinology* **130**: 1923-1930.
- Boomsma, R. A., R. C. Jaffe und H. G. Verhage (1982):  
The uterine pregestational response to cats: changes in morphology and progesterone receptors during chronic administration of progesterone to estradiol-primed and nonprimed animals.  
*Biol Reprod* **26**: 511-521.
- Brenner, R. M., N. B. West und M. C. McClellan (1990):  
Estrogen and progestin receptors in the reproductive tract of male and female primates.  
*Biol Reprod* **42**: 11-19.
- Butcher, R. L., W. E. Collins und N. W. Fugo (1974):  
Plasma concentration of LH, FSH, prolactin, progesterone and estradiol-17beta throughout the 4-day estrous cycle of the rat.  
*Endocrinology* **94**: 1704-1708.

- Campos, G. A., G. C. Liggins und R. F. Seemark (1980): Differential production of PGF and 6-keto-PGF<sub>1</sub> alpha by the rat endometrium and myometrium in response to oxytocin, catecholamines and calcium ionophore. *Prostaglandins* **20**: 297-310.
- Canning, M. B. und W. D. Billington (1983): Hormonal regulation of immunoglobulins and plasma cells in the mouse uterus. *J Endocrinol* **97**: 419-424.
- Carlborg, L. G. (1966): Quantitative determination of sialic acids in the mouse vagina. *Endocrinology* **78**: 1093-1099.
- Carson-Jurica, M. A., W. T. Schrader und B. W. O'Malley (1990): Steroid receptor family: structure and functions. *Endocr Rev* **11**: 201-220.
- Casslen, B. (1986): Uterine fluid volume. Cyclic variations and possible extrauterine contributions. *J Reprod Med* **31**: 506-510.
- Clauberg, C. (1931): Genitalzyklus und Schwangerschaft bei der weissen Maus. *Arch Gynäkol* **147**: 550-596.
- Cook, M. J. (1965): The anatomy of the laboratory mouse. London: Acad. Press.
- Cooke, P. S., D. L. Buchanan, P. Young, T. Setiawan, J. Brody, K. S. Korach, J. Taylor, D. B. Lubahn und G. R. Cunha (1997): Stromal estrogen receptors mediate mitogenic effects of estradiol on uterine epithelium. *Proc Natl Acad Sci U S A* **94**: 6535-6540.
- Cowan, B. D. und J. C. Daniel (1972): Difference in electrophoretic mobility between the albumin of rabbit uterine fluid and serum albumin. *Fertil Steril* **23**: 81-84.
- Daniel, J. C. (1970): Coincidence of embryonic growth and uterine protein in the ferret. *J Embryol Exp Morphol* **24**: 305-312.
- Daniel, J. C. und R. S. Krishnan (1969): Studies on the relationship between uterine fluid components and the diapausing state of blastocysts from mammals having delayed implantation. *J Exp Zool* **172**: 267-281.
- Das, S. K., H. Tsukamura, B. C. Paria, G. K. Andrews und S. K. Dey (1994): Differential expression of epidermal growth factor receptor (EGF-R) gene and regulation of EGF-R bioactivity by progesterone and estrogen in the adult mouse uterus. *Endocrinology* **134**: 971-981.
- De, M., T. R. Sanford und G. W. Wood (1992): Interleukin-1, interleukin-6, and tumor necrosis factor alpha are produced in the mouse uterus during the estrous cycle and are induced by estrogen and progesterone. *Dev Biol* **151**: 297-305.
- DeLeon, D. D., M. B. Zelinski-Wooten und M. S. Barkley (1990): Hormonal basis of variation in oestrous cyclicity in selected strains of mice. *J Reprod Fertil* **89**: 117-126.
- DiAugustine, R. P., P. Petrusz, G. I. Bell, C. F. Brown, K. S. Korach, J. A. McLachlan und C. T. Teng (1988): Influence of estrogens on mouse uterine epidermal growth factor precursor protein and messenger ribonucleic acid. *Endocrinology* **122**: 2355-2363.
- Dickens, C. J., S. D. Maguiness, M. T. Comer, A. Palmer, A. J. Rutherford und H. J. Leese (1995): Human tubal fluid: formation and composition during vascular perfusion of the fallopian tube. *Hum Reprod* **10**: 505-508.
- Dixon, S. N. und R. A. Gibbons (1979): Proteins in the uterine secretions of the cow. *J Reprod Fertil* **56**: 119-127.
- Dobson, A. D., O. M. Conneely, W. Beattie, B. L. Maxwell, P. Mak, M. J. Tsai, W. T. Schrader und B. W. O'Malley (1989): Mutational analysis of the chicken progesterone receptor. *J Biol Chem* **264**: 4207-4211.

- Döcke, F. (1994):  
Veterinärmedizinische Endokrinologie.  
Jena, Stuttgart: Gustav Fischer Verlag.
- Dreier, H. K. (1997):  
Genitaltrakt.  
In: Klinische Labordiagnostik in der Veterinärmedizin. Kraft, W. und U. M. Dürr (Hsg.) Stuttgart, New York: Schattauer-Verlag  
199-209.
- Finlay, T. H., J. Katz, A. Rasums, S. Seiler und M. Levitz (1981):  
Estrogen-stimulated uptake of alpha 1-protease inhibitor and other plasma proteins by the mouse uterus.  
*Endocrinology* **108**: 2129-2136.
- Finn, C. A. und L. Martin (1970):  
The role of the oestrogen secreted before oestrus in the preparation of the uterus for implantation in the mouse.  
*J Endocrinol* **47**: 431-438.
- Fujii, H., T. Sato, S. Kaneko, O. Gotoh, Y. Fujii-Kuriyama, K. Osawa, S. Kato und H. Hamada (1997):  
Metabolic inactivation of retinoic acid by a novel P450 differentially expressed in developing mouse embryos.  
*Embo J* **16**: 4163-4173.
- Fuxe, K. und O. Nilsson (1963):  
The mouse uterine surface epithelium during the estrous cycle.  
*Anat Rec* **145**: 541-548.
- Gaddum, J. H. (1997):  
The technique of superfusion. 1953  
*Br J Pharmacol* **120**: 82-87; discussion 80-81.
- Gehring, K. (1956):  
Zur Zucht und Haltung der weißen Maus.  
*Zentralblatt für Veterinärmedizin* **3**: 742-766.
- Geisert, R. D., T. N. Pratt, F. W. Bazer, J. S. Mayes und G. H. Watson (1994):  
Immunocytochemical localization and changes in endometrial progestin receptor protein during the porcine oestrous cycle and early pregnancy.  
*Reprod Fertil Dev* **6**: 749-760.
- Gore-Langton, R. E. und M. A. Surani (1976):  
Uterine luminal proteins of mice.  
*J Reprod Fertil* **46**: 271-274.
- Gorski, J., D. Toft, G. Shyamala, D. Smith und A. Notides (1968):  
Hormone receptors: Studies on the interaction of estrogen with the uterus.  
*Recent Prog. Horm. Res.* **24**: 45-80.
- Graham, J. D. und C. L. Clarke (1997):  
Physiological action of progesterone in target tissues.  
*Endocr Rev* **18**: 502-519.
- Gronemeyer, H. (1991):  
Transcription activation by estrogen and progesterone receptors.  
*Annu Rev Genet* **25**: 89-123.
- Guiochon-Mantel, A., H. Loosfelt, P. Lescop, S. Sar, M. Atger, M. Perrot-Applanat und E. Milgrom (1989):  
Mechanisms of nuclear localization of the progesterone receptor: evidence for interaction between monomers.  
*Cell* **57**: 1147-1154.
- Gur, E., E. Dremencov, B. Lerer und M. E. Newman (2001):  
Functional effects of corticosterone on 5-HT(1A) and 5-HT(1B) receptor activity in rat brain: in vivo microdialysis studies.  
*Eur J Pharmacol* **411**: 115-122.
- Hegle-Hartung, C., K. Chwalisz und H. M. Beier (1992):  
Distribution of estrogen and progesterone receptors in the uterus: an immunohistochemical study in the immature and adult pseudopregnant rabbit.  
*Histochemistry* **97**: 39-50.
- Heukeshoven, J. (1991):  
zitiert nach Westermeier, R. SDS-Polyacrylamid-Elektrophorese : Coomassie- und Silberfärbung.  
In: Elektrophorese-Praktikum. Westermeier, R. H. (Hsg.) Weinheim: VCH Verlagsgesellschaft mbH 182.
- Hild-Petito, S., H. G. Verhage und A. T. Fazleabas (1992):  
Immunocytochemical localization of estrogen and progestin receptors in the baboon (*Papio anubis*) uterus during implantation and pregnancy.  
*Endocrinology* **130**: 2343-2353.

- Hoffmeister, H. und H. Schulz (1961):  
Lichtoptische und elektronenoptische Befunde am Endometrium der geschlechtsreifen Frau während der Proliferations- und Sekretionsphase unter besonderer Berücksichtigung der Faserstrukturen.  
Beiträge zur path. Anat. **124**: 415-446.
- Holinka, C. F. und E. Gurpide (1981):  
Hormone-related enzymatic activities in normal and cancer cells of human endometrium.  
J Steroid Biochem **15**: 183-192.
- Horwitz, K. B., Y. Koseki und W. L. McGuire (1978):  
Estrogen control of progesterone receptor in human breast cancer: role of estradiol and antiestrogen.  
Endocrinology **103**: 1742-1751.
- Huang, H. L., S. T. Chu und Y. H. Chen (1999):  
Ovarian steroids regulate 24p3 expression in mouse uterus during the natural estrous cycle and the preimplantation period.  
J Endocrinol **162**: 11-19.
- Jefferson, W. N., E. Padilla-Banks und R. R. Newbold (2000):  
Lactoferrin is an estrogen responsive protein in the uterus of mice and rats.  
Biol Reprod **14**: 103-110.
- Jensen, E. V., T. Suzuki, T. Kawashima, W. E. Stumpf, P. W. Jungblut und E. R. DeSombre (1968):  
A two-step mechanism for the interaction of estradiol with rat uterus.  
Proc Natl Acad Sci U S A **59**: 632-638.
- Joshi, S. G. (1983):  
A progestagen-associated protein of the human endometrium: basic studies and potential clinical applications.  
J Steroid Biochem **19**: 751-757.
- Kachkache, M., G. M. Acker, G. Chaouat, A. Noun und M. Garabedian (1991):  
Hormonal and local factors control the immunohistochemical distribution of immunocytes in the rat uterus before conceptus implantation: effects of ovariectomy, fallopian tube section, and injection.  
Biol Reprod **45**: 860-868.
- Kassis, J. A. und J. Gorski (1981):  
Estrogen receptor replenishment. Evidence for receptor recycling.  
J Biol Chem **256**: 7378-7382.
- Kastner, P., A. Krust, B. Turcotte, U. Stropp, L. Tora, H. Gronemeyer und P. Chambon (1990):  
Two distinct estrogen-regulated promoters generate transcripts encoding the two functionally different human progesterone receptor forms A and B.  
Embo J **9**: 1603-1614.
- Kaye, A. M., N. Reiss, A. Shaer, M. Sluyser, S. Iacobelli, D. Amroch und Y. Soffer (1981):  
Estrogen responsive creatine kinase in normal and neoplastic cells.  
J Steroid Biochem. **15**: 69-75.
- Kraus, W. L., M. M. Montano und B. S. Katzenellenbogen (1993):  
Cloning of the rat progesterone receptor gene 5'-region and identification of two functionally distinct promoters.  
Mol Endocrinol **7**: 1603-1616.
- Kurita, T., K. J. Lee, P. S. Cooke, J. A. Taylor, D. B. Lubahn und G. R. Cunha (2000a):  
Paracrine regulation of epithelial progesterone receptor by estradiol in the mouse female reproductive tract.  
Biol Reprod **62**: 821-830.
- Kurita, T., K. J. Lee, P. S. Cooke, J. P. Lydon und G. R. Cunha (2000b):  
Paracrine regulation of epithelial progesterone receptor and lactoferrin by progesterone in the mouse uterus.  
Biol Reprod **62**: 831-838.
- Kurita, T., P. Young, J. R. Brody, J. P. Lydon, O. M. BW und G. R. Cunha (1998):  
Stromal progesterone receptors mediate the inhibitory effects of progesterone on estrogen-induced uterine epithelial cell deoxyribonucleic acid synthesis.  
Endocrinology **139**: 4708-4713.
- Laemmli, U. K. (1970):  
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.  
Nature **227**: 680-685.

- Lamb, J. C. (1978):  
Transitional changes in the surface epithelium of the cyclic mouse, vagina, cervix and uterus : scanning electronmicroscopic studies.  
*Biol Reprod* **19**: 701-711.
- Lampen, A., S. Meyer, T. Arnhold und H. Nau (2000):  
Metabolism of vitamin A and its active metabolite all-trans-retinoic acid in small intestinal enterocytes.  
*J Pharmacol Exp Ther* **295**: 979-985.
- Landers, J. P. und T. C. Spelsberg (1992):  
New concepts in steroid hormone action: transcription factors, proto-oncogenes, and the cascade model for steroid regulation of gene expression.  
*Crit Rev Eukaryot Gene Expr* **2**: 19-63.
- Lawn, A. M. (1973):  
The ultrastructure of the endometrium during the sexual cycle.  
*Adv Reprod Physiol* **6**: 61-95.
- Lee, S. J., F. Talamantes, E. Wilder, D. I. Linzer und D. Nathans (1988):  
Trophoblastic giant cells of the mouse placenta as the site of proliferin synthesis.  
*Endocrinology* **122**: 1761-1768.
- Leppi, T. J. (1964):  
A study of the uterine cervix of the mouse.  
*Anat Rec* **150**: 51-66.
- Li, S. H. und Y. H. Chen (1999):  
Various forms of mouse lactoferrins: purification and characterization.  
*J Chromatogr B Biomed Sci Appl* **726**: 45-52.
- Li, W., R. A. Boomsma und H. G. Verhage (1992):  
Immunocytochemical analysis of estrogen and progestin receptors in uteri of steroid-treated and pregnant cats.  
*Biol Reprod* **47**: 1073-1081.
- Liebermann, J. und D. Schams (1994):  
Actions of somatotrophin on oxytocin and progesterone release from the microdialysed bovine corpus luteum in vitro.  
*J Endocrinol* **143**: 243-250.
- Liebich, H.-G. (1993):  
Funktionelle Histologie.  
Stuttgart, New York: Schattauer.
- Luisi, B. F., W. X. Xu, Z. Otwinowski, L. P. Freedman, K. R. Yamamoto und P. B. Sigler (1991):  
Crystallographic analysis of the interaction of the glucocorticoid receptor with DNA.  
*Nature* **352**: 497-505.
- MacLaughlin, D. T. und G. S. Richardson (1983):  
Analysis of human uterine luminal fluid proteins following radiolabeling by reductive methylation: comparison of proliferative and secretory phase samples.  
*Biol Reprod* **29**: 733-742.
- MacLaughlin, D. T., N. F. Santoro, H. H. Bauer, D. Lawrence und G. S. Richardson (1986):  
Two-dimensional gel electrophoresis of endometrial protein in human uterine fluids: qualitative and quantitative analysis.  
*Biol Reprod* **34**: 579-585.
- Martin, L. (1984):  
On the source of uterine 'luminal fluid' proteins in the mouse.  
*J Reprod Fertil* **71**: 73-80.
- Martin, L. und C. A. Finn (1970a):  
Interactions of oestradiol and progestins in the mouse uterus.  
*J Endocrinol* **48**: 109-115.
- Martin, L., C. A. Finn und J. Carter (1970b):  
Effects of progesterone and oestradiol-17 beta on the luminal epithelium of the mouse uterus.  
*J Reprod Fertil* **21**: 461-469.
- Martin, L., C. A. Finn und G. Trinder (1973):  
Hypertrophy and hyperplasia in the mouse uterus after oestrogen treatment: an autoradiographic study.  
*J Endocrinol* **56**: 133-144.
- McCormack, J. T. und G. S. Greenwald (1974):  
Progesterone and oestradiol-17beta concentrations in the peripheral plasma during pregnancy in the mouse.  
*J Endocrinol* **62**: 101-107.

- McDowell, K. J., M. H. Adams, C. Y. Adam und K. S. Simpson (1999): Changes in equine endometrial oestrogen receptor alpha and progesterone receptor mRNAs during the oestrous cycle, early pregnancy and after treatment with exogenous steroids. *J Reprod Fertil* **117**: 135-142.
- McDowell, K. J., D. C. Sharp und W. Grubaugh (1987): Comparison of progesterone and progesterone + oestrogen on total and specific uterine proteins in pony mares. *J Reprod Fertil Suppl* **35**: 335-342.
- Metz-Boutique, M. H., J. Jolles, J. Mazurier, F. Schoentgen, D. Legrand, G. Spik, J. Montreuil und P. Jolles (1984): Human lactotransferrin: amino acid sequence and structural comparisons with other transferrins. *Eur J Biochem* **145**: 659-676.
- Michael, S. D. (1976): Plasma prolactin and progesterone during the estrous cycle in the mouse. *Proc Soc Exp Biol Med* **153**: 254-257.
- Misrahi, M., M. Atger, L. d'Auriol, H. Loosfelt, C. Meriel, F. Fridlansky, A. Guiochon-Mantel, F. Galibert und E. Milgrom (1987): Complete amino acid sequence of the human progesterone receptor deduced from cloned cDNA. *Biochem Biophys Res Commun* **143**: 740-748.
- Morrow, D. A. (1986): Current Therapy in Theriogenology. Philadelphia: W.B. Sanders Company.
- Murphy, L. J. und A. Ghahary (1990): Uterine insulin-like growth factor-1: regulation of expression and its role in estrogen-induced uterine proliferation. *Endocr Rev* **11**: 443-453.
- Murray, M. K. und H. G. Verhage (1985): The immunocytochemical localization of a cat uterine protein that is estrogen dependent (CUPED). *Biol Reprod* **32**: 1229-1235.
- Nelson, J. F., L. S. Felicio, P. K. Randall, C. Sims und C. E. Finch (1982): A longitudinal study of estrous cyclicity in aging C57BL/6J mice: I. Cycle frequency, length and vaginal cytology. *Biol Reprod* **27**: 327-339.
- Niederreither, K., V. Subbarayan, P. Dolle und P. Chambon (1999): Embryonic retinoic acid synthesis is essential for early mouse post-implantation development. *Nat Genet* **21**: 444-448.
- Nitschke, T. und G. Fabian (1970): Messungen am Endometrium der Maus in den Zyklusphasen. *Zentralbl Veterinärmed A* **17**: 216-229.
- Nordenvall, M., U. Ulmsten und U. Ungerstedt (1989): Influence of progesterone on the sodium and potassium concentrations of rat uterine fluid investigated by microdialysis. *Gynecol Obstet Invest* **28**: 73-77.
- O'Malley, B. W., W. T. Schrader, S. Mani, C. Smith, N. L. Weigel, O. M. Conneely und J. H. Clark (1995): An alternativ ligand-independent pathway for activation of steroid receptors. *Rec Prog Horm Res* **56**: 333-347.
- Oettel, M. (1985): Weibliche Sexualhormone. In: Medizinische Pharmakologie. Markwardt, F. (Hsg.) Leipzig: Thieme Verlag 710-721.
- Ohta, Y., T. Sato und T. Iguchi (1993): Immunocytochemical localization of progesterone receptor in the reproductive tract of adult female rats. *Biol Reprod* **48**: 205-213.
- Oliphant, G., C. Cabot, P. Ross und J. Marta (1984): Control of the humoral immune system within the rabbit oviduct. *Biol Reprod* **31**: 205-212.
- Parczyk, K., R. Madjno, H. Michna, Y. Nishino und M. R. Schneider (1997): Progesterone receptor repression by estrogens in rat uterine epithelial cells. *J Steroid Biochem Mol Biol* **63**: 309-316.

- Peek, M. J., I. S. Fraser, C. A. Phillips, T. M. Resta, P. M. Blackwell und R. Markham (1985):  
The measurement of human endometrial prostaglandin production. A comparison of two in vitro methods.  
*Prostaglandins* **29**: 3-18.
- Pentecost, B. T. und C. T. Teng (1987):  
Lactotransferrin is the major estrogen inducible protein of mouse uterine secretions.  
*J Biol Chem* **262**: 10134-10139.
- Persson, I. (1996):  
Cancer risk in women receiving estrogen-progestin replacement therapy.  
*Maturitas* **23**: S37-45.
- Plapinger, L. (1982):  
Surface morphology of uterine and vaginal epithelia in mice during normal postnatal development.  
*Biol Reprod* **26**: 961-972.
- Poyser, N. L. (1985):  
Prostaglandin output from the early pregnant rat uterus superfused in vitro, and the effect of A23187 and trifluoperazine.  
*J Reprod Fertil* **74**: 271-277.
- Poyser, N. L. und L. J. Brydon (1983):  
Prostaglandin release from the guinea-pig uterus superfused in vitro. Effect of stage of estrous cycle, progesterone, estradiol, oxytocin and A23187.  
*Prostaglandins* **25**: 443-456.
- Pratt, W. B., D. J. Jolly, D. V. Pratt, S. M. Hollenberg, V. Giguere, F. M. Cadepond, G. Schweizer-Groyer, M. G. Catelli, R. M. Evans und E. E. Baulieu (1988):  
A region in the steroid binding domain determines formation of the non-DNA-binding, 9 S glucocorticoid receptor complex.  
*J Biol Chem* **263**: 267-273.
- Press, M. F., J. A. Udoive und G. L. Greene (1988):  
Progesterone receptor distribution in the human endometrium. Analysis using monoclonal antibodies to the human progesterone receptor.  
*Am J Pathol* **131**: 112-124.
- Radke, J. M., M. J. Owens und C. B. Nemerooff (2001):  
The effects of glutamate receptor agonists on neuropeptid Y release using in vivo microdialysis.  
*Eur J Pharmacol* **411**: 129-134.
- Ray, W. J., G. Bain, M. Yao und D. I. Gottlieb (1997):  
CYP26, a novel mammalian cytochrome P450, is induced by retinoic acid and defines a new family.  
*J Biol Chem* **272**: 18702-18708.
- Remmele, W. und H. E. Stegner (1987):  
Nachweis von Östrogenrezeptoren (ER-ICA) im Mammakarzinomgewebe: Vorschlag zur einheitlichen Bewertung des Untersuchungsbefundes.  
*Der Frauenarzt* **2**: 40-43.
- Renfree, M. B. (1973):  
Proteins in the uterine secretions of the marsupial *Macropus eugenii*.  
*Dev Biol* **32**: 41-49.
- Richter, O., E. Wardelmann, F. Dombrowski, C. Schneider, R. Kiel, K. Wilhelm, J. Schmolling, M. Kupka, H. van der Ven und D. Krebs (2000):  
Extracorporeal perfusion of the human uterus as an experimental model in gynaecology and reproductive medicine.  
*Hum* **15**: 1235-1240.
- Ringler, I. (1961):  
The composition of rat uterine luminal fluid.  
*Endocrinology* **68**: 281-291.
- Roberts, R. M. und F. W. Bazer (1988):  
The functions of uterine secretions.  
*J Reprod Fertil* **82**: 875-892.
- Rothchild, I. (1993):  
Role of progesterone in initiating and maintaining pregnancy.  
In: *Progesterone and Progestins*. Bardin, C. W., Milgrom, E., Mauvais-Jarvis, P. (Hsg.) New York: Raven Press 219-229.
- Saffran, J., B. K. Loeser, S. A. Bohnett und L. E. Faber (1976):  
Binding of progesterone receptor by nuclear preparations of rabbit and guinea pig uterus.  
*J Biol Chem* **251**: 5607-5613.

- Sakai, Y., C. Meno, H. Fujii, J. Nishino, H. Shiratori, Y. Saijoh, J. Rossant und H. Hamada (2001):  
The retinoic acid-inactivating enzyme CYP26 is essential for establishing an uneven distribution of retinoic acid along the antero-posterior axis within the mouse embryo.  
*Genes* **15**: 213-225.
- Santoro, N., D. T. MacLaughlin, H. H. Bauer, A. A. Hargraves, H. L. Dickey und G. S. Richardson (1989):  
In vitro protein production by the human endometrium.  
*Biol Reprod* **40**: 1047-1055.
- Savouret, J. F., M. Misrahi, H. Loosfelt, M. Atger, A. Bailly, M. Perrot-Applanat, M. T. Vu Hai, A. Guiuchon-Mantel, A. Jolivet, F. Lorenzo et al. (1989):  
Molecular and cellular biology of mammalian progesterone receptors.  
*Recent Prog Horm Res* **45**: 65-116; discussion 116-120.
- Scheunert, A. und S. Trautmann (1987):  
*Lehrbuch der Veterinärphysiologie*.  
Berlin, Hamburg: Parey Verlag.
- Schmiedeberg, K. (2001):  
Einfluß von ernährungs- und pharmakologisch relevanten Vitamin A-Derivaten auf das Geruchssystem der Maus.  
unveröffentlicht, Abstract Göttingen
- Schneider, W., C. Ramachandran, P. G. Satyaswaroop und G. Shyamala (1991):  
Murine progesterone receptor exists predominantly as the 83-kilodalton 'A' form.  
*J Steroid Biochem Mol Biol* **38**: 285-291.
- Shibata, H., T. E. Spencer, S. A. Onate, G. Jenster, S. Y. Tsai, M. J. Tsai und B. W. O'Malley (1997):  
Role of co-activators and co-repressors in the mechanism of steroid/thyroid receptor action.  
*Recent Prog Horm Res* **52**: 141-164.
- Shirai, E., R. Iizuka und Y. Notake (1972):  
Analysis of human uterine fluid protein.  
*Fertil Steril* **23**: 522-528.
- Sierralta, W. D. und H. H. Thole (1996):  
Retrieval of estradiol receptor in paraffin sections of resting porcine uteri by microwave treatment. Immunostaining patterns obtained with different primary antibodies.  
*Histochem Cell Biol* **105**: 357-363.
- Silbernagel, S. (2001):  
*Taschenatlas der Physiologie*.  
Stuttgart, New York, München: Thieme-Verlag; Dt. Taschenbuch-Verlag.
- Sonneveld, E. und P. T. van der Saag (1998):  
Metabolism of retinoic acid: implications for development and cancer.  
*Int J Vitam Nutr Res* **68**: 404-410.
- Sullivan, D. A., G. S. Richardson, D. T. MacLaughlin und C. R. Wira (1984):  
Variations in the levels of secretory component in human uterine fluid during the menstrual cycle.  
*J Steroid Biochem* **20**: 509-513.
- Surani, M. A. (1975):  
Hormonal regulation of proteins in the uterine secretion of ovariectomized rats and the implications for implantation and embryonic diapause.  
*J Reprod Fertil* **43**: 411-417.
- Surani, M. A. (1977):  
Qualitative and quantitative examination of the proteins of rat uterine luminal fluid during pro-oestrus and pregnancy and comparison with those of serum.  
*J Reprod Fertil* **50**: 281-287.
- Tait, S. A., J. F. Tait, M. Okamoto und C. Flood (1967):  
Production of steroids by in vitro superfusion of endocrine tissue. I. Apparatus and a suitable analytical method for adrenal steroid output.  
*Endocrinology* **81**: 1213-1225.
- Tausk, M. und J. H. H. Thijssen (1986):  
*Pharmakologie der Hormone*.  
Stuttgart: Thieme Verlag.

- Teng, C. T., B. T. Pentecost, Y. H. Chen, R. R. Newbold, E. M. Eddy und J. A. McLachlan (1989):  
Lactotransferrin gene expression in the mouse uterus and mammary gland.  
*Endocrinology* **124**: 992-999.
- Teng, C. T., M. P. Walker, S. N. Bhattacharyya, D. G. Klapper, R. P. DiAugustine und J. A. McLachlan (1986):  
Purification and properties of an oestrogen-stimulated mouse uterine glycoprotein (approx. 70 kDa).  
*Biochem J* **240**: 413-422.
- Tibbetts, T. A., M. Mendoza-Meneses, O. M. BW und O. M. Conneely (1998):  
Mutual and intercompartmental regulation of estrogen receptor and progesterone receptor expression in the mouse uterus.  
*Biol Reprod* **59**: 1143-1152.
- Topper, Y. J. und C. S. Freeman (1980):  
Multiple hormone interactions in the developmental biology of the mammary gland.  
*Physiol Rev* **60**: 1049-1106.
- Tora, L., H. Gronemeyer, B. Turcotte, M. P. Gaub und P. Chambon (1988):  
The N-terminal region of the chicken progesterone receptor specifies target gene activation.  
*Nature* **333**: 185-188.
- Tsai, M. J. und B. W. O`Malley (1994):  
Molecular mechanisms of action of steroid/thyroid receptor superfamily members.  
*Annu Rev Biochem* **63**: 451-486.
- Umapathysivam, K. und W. R. Jones (1981a):  
Electrophoretic analysis of human endometrial proteins.  
*Gynecol Obstet Invest* **12**: 245-254.
- Uotinen, N., R. Puustinen, S. Pasanen, T. Manninen, M. Kivineva, H. Syvala, P. Tuohimaa und T. Ylikomi (1999):  
Distribution of progesterone receptor in female mouse tissues.  
*Gen Comp Endocrinol* **115**: 429-441.
- Urzua, M. A., R. Stambaugh, G. Flickinger und L. Mastroianni, Jr. (1970):  
Uterine and oviduct fluid protein patterns in the rabbit before and after ovulation.  
*Fertil Steril* **21**: 860-865.
- Vallet, J. L. und R. K. Christenson (1996):  
The effect of estrone and estradiol treatment on endometrial total protein, uteroferrin, and retinol-binding protein secretion during midpregnancy or midpseudopregnancy in swine.  
*J Anim Sci* **74**: 2765-2772.
- Vallet, J. L., R. K. Christenson, W. E. Trout und H. G. Klemcke (1998):  
Conceptus, progesterone, and breed effects on uterine protein secretion in swine.  
*J Anim Sci* **76**: 2657-2670.
- Verhage, H. G., R. A. Boomsma, M. K. Murray und R. C. Jaffe (1983):  
Subcellular compartmentalization of the progesterone receptor in cat uteri following the acute administration of progesterone.  
*Biol Reprod* **28**: 545-550.
- Vermot, J., V. Fraulob, P. Dolle und K. Niederreither (2000):  
Expression of enzymes synthesizing (aldehyde dehydrogenase 1 and reinaldehyde dehydrogenase 2) and metabolizing (Cyp26) retinoic acid in the mouse female reproductive system  
*Endocrinology* **141**: 3638-3645.
- Vianney, M. J. (1965):  
Vaginal cytodiagnosis of the estrous cycle of the mouse with fluorescence microscopy.  
*Fertility and sterility* **16**: 401-414.
- von Bruchhausen, F., G. Dannhardt, S. Ebel, A. W. Frahm, E. Hackenthal und U. Holzgrabe (1993):  
Band 8. Stoffe E-O;  
Band 9. Stoffe P-Z.  
In: Hagers Handbuch der pharmazeutischen Praxis. von Bruchhausen, F. (Hsg.) Berlin, Heidelberg: Springer Verlag
- Walmer, D. K., M. A. Wrona, C. L. Hughes und K. G. Nelson (1992):  
Lactoferrin expression in the mouse reproductive tract during the natural estrous cycle: correlation with circulating estradiol and progesterone.  
*Endocrinology* **131**: 1458-1466.

- Wang, X. N., S. K. Das, D. Damm, M. Klagsbrun, J. A. Abraham und S. K. Dey (1994): Differential regulation of heparin-binding epidermal growth factor-like growth factor in the adult ovariectomized mouse uterus by progesterone and estrogen. *Endocrinology* **135**: 1264-1271.
- Weihua, Z., S. Saji, S. Makinen, G. Cheng, E. V. Jensen, M. Warner und J. A. Gustafsson (2000): Estrogen receptor (ER) beta, a modulator of ERalpha in the uterus. *Proc* **97**: 5936-5941.
- Wetzstein, R. und H. Wagner (1960): Elektronenmikroskopische Untersuchung am menschlichen Endometrium. *Anat Anz* **108**: 362-375.
- White, J. A., Y. D. Guo, K. Baetz, B. Beckett-Jones, J. Bonasoro, K. E. Hsu, F. J. Dilworth, G. Jones und M. Petkovich (1996): Identification of the retinoic acid-inducible all-trans-retinoic acid 4-hydroxylase. *J Biol Chem* **271**: 29922-29927.
- White, J. A., H. Ramshaw, M. Taimi, W. Stangle, A. Zhang, S. Everingham, S. Creighton, S. P. Tam, G. Jones und M. Petkovich (2000): Identification of the human cytochrome P450, P450RAI-2, which is predominantly expressed in the adult cerebellum and is responsible for all-trans-retinoic acid metabolism. *Proc* **97**: 6403-6408.
- Wiesner, E. und R. Ribbeck (2000): Wörterbuch der Veterinärmedizin. Stuttgart, New York: Fischer Verlag.
- Wolf, D. P. und L. Mastroianni, Jr. (1975): Protein composition of human uterine fluid. *Fertil Steril* **26**: 240-247.
- Yamamoto, Y., R. Zolfaghari und A. C. Ross (2000): Regulation of CYP26 (cytochrome P450RAI) mRNA expression and retinoic acid metabolism by retinoids and dietary vitamin A in liver of mice and rats. *Faseb* **14**: 2119-2127.
- Yu, L. C. und Y. H. Chen (1993): The developmental profile of lactoferrin in mouse epididymis. *Biochem J* **296**: 107-111.
- Yuan, Y. und R. G. Carlson (1987): Structure, cyclic changes, and function, vagina and vulva, rat. In: Genital System. Jones, T. C., U. Mohr und R. D. Hunt (Hsg.) Heidelberg: Springer-Verlag 161-168.
- Zavy, M. T., D. C. Sharp, F. W. Bazer, A. Fazleabas, F. Sessions und R. M. Roberts (1982): Identification of stage-specific and hormonally induced polypeptides in the uterine protein secretions of the mare during the oestrous cycle and pregnancy. *J Reprod Fertil* **64**: 199-207.
- Zhang, Z., C. Funk, D. Roy, S. Glasser und J. Mulholland (1994): Heparin-binding epidermal growth factor-like growth factor is differentially regulated by progesterone and estradiol in rat uterine epithelial and stromal cells. *Endocrinology* **134**: 1089-1094.