

6 Literaturverzeichnis

- Adam, C. und Felsenfeld, G. (2000) Methylation of a CTCF-dependant boundary controls imprinted expression of the Igf2 gene. *Nature* **405**, 482-485.
- Ariel, I., Ayesh, S., Perlman, E.J., Pizov, G., Tanos, V., Schneider, T., Erdmann, V.A., Podeh, D., Komitowski, D., Quasem, A.S., de Groot, N. und Hochberg, A. (1997) The product of the imprinted H19 gene is an oncofetal RNA. *J. Clin. Pathol.: Mol. Pathol.* **50**, 34-44.
- Ariel, I., Lustig, O., Schneider, T., Pisov, G., Sappir, B.S., de Groot, N. und Hochberg, A. (1995) The imprinted H19 gene as a tumor marker in bladder carcinoma. *Urology* **45**, 335-338.
- Ashley Jr., C.T., Wilkinson, K.D., Reines, D. und Warren, S.T. (1993) FMR1 protein: conserved RNP family domains and selective RNA binding. *Science* **262**, 563-566.
- Barlow, D.P. (1993) Methylation and imprinting: from host defence to gene regulation? *Science* **260**, 309-310.
- Barlow, D.P. (1995) Gametic imprinting in mammals. *Science* **270**, 1610-1613.
- Barlow, D.P. (1997) Competition- a common motif for the imprinting mechanism? *EMBO J.* **16**, 6899-6905.
- Barlow, D.P., Stöger, R., Herrmann, B.G., Saito, K. und Schweifer, N. (1991) The mouse insulin-like growth factor type 2 receptor is imprinted and closely linked to the tme locus. *Nature* **349**, 84-87.
- Bartolomei, M.S., Zemel, S. und Tilghman, S.M. (1991) Parental imprinting of the mouse H19 gene. *Nature* **351**, 153-155.
- Barton, S.C., Surani, M.A. und Norris, M.L. (1984) Role of paternal and maternal genomes in mouse development. *Nature* **311**, 374-376.
- Baylin, S.B. (1997) Tying it all together: epigenetics, genetics, cell cycle and cancer. *Science*, 277, 1948-1949.
- Bazar, L., Harris, V., Sunitha, I., Hartmann, D. und Avigan, M. (1995) A transactivator of c-myc is coordinately regulated with the proto-oncogene during cellular growth. *Oncogene* **10**, 2229-2238.
- Bell, A.C. und Felsenfeld, G. (2000) Methylation of a CTCF-dependant boundary controls imprinted expression of the Igf2 gene. *Nature* **405**, 482-485.
- Bhattacharya, S.K., Ramchandani, S., Cervoni, N. und Szyf, M. (1999) A mammalian protein with specific demethylase activity for mCpG DNA. *Nature* **397**, 579-583.
- Brannan, C.I., Claire Dees, E., Ingram, R.S. und Tilghman, S.M. (1990) The product of the H19 gene may function as an RNA. *Mol. Cell. Biol.* **10**, 28-36.
- Cattanach, B.M. und Kirk, M. (1985) Differential activity of maternally and paternally derived chromosome regions in mice. *Nature* **315**, 496-498.
- Cavenee, W.K. und White, R.L. (1995) Anhäufung genetischer Defekte bei Krebs. Spektrum der Wissenschaft 05/95, 36-44.
- Chung, C.T., Niemela, S.L. und Miller, R.H. (1989) One-step preparation of competent *Escherichia coli*: Transformation and storage of bacterial cells in the same solution. *Proc. Natl. Acad. Sci. USA* **86**, 2172-2175.
- Clark, S.J., Harrison, J., Paul, C.L. und Frommer, M. (1994) High sensitivity mapping of methylated cytosines. *Nucleic Acids Res.* **22**, 2990-2997.
- Cline, J., Braman, J.C. und Hogrefe, H.H. (1996) PCR fidelity of *Pfu* DNA polymerase and other thermostable DNA polymerases. *Nucleic Acids Res.* **120**, 467-473.
- Constanzi, C. und Pehrson, J.R. (1998) Histone macroH2A1 is concentrated in the inactive X chromosome of female mammals. *Nature* **393**, 599-601.
- Cooper, D.W., Johnston, P.G., Watson, J.M. und Graves, J.A.M. (1993) X-inactivation in marsupials and monotremes. *Semin. Dev. Biol.* **4**, 117-128.
- DeChiara, T.M., Robertson, E.J. und Efstratiadis, A. (1991) Parental imprinting of the mouse insulin-like growth factor II gene. *Cell* **64**, 849-859.

- Doyle, G.A.R., Betz, N.A., Leeds, P.F., Fleisig, A.J., Prokipcak, R.D. und Ross, J. (1998) The c-myc coding region determinant-binding protein: a member of a family of KH domein RNA-binding proteins. *Nucleic Acids Res.* **26**, 5036-5044.
- Eden, S., Hashimshony, T., Kehet, I., Thorne, A.W. und Cedar, H. (1998) DNA methylation models histone acetylation. *Nature* **394**, 842.
- Elkin, M., Shevelev, A., Schulze, E., Tykocinsky, M., Cooper, M., Ariel, I., Pode, D., Kopf, E., de Groot, N. und Hochberg, A. (1995) The expression of the imprinted H19 and IGF2 genes in human bladder carcinoma. *FEBS Lett.* **374**, 57-61.
- Erdmann, V.A., Szymanski, M. Hochberg, A. de Groot, N. und Barciszewski, J. (1999) Collection of mRNA-like noncoding RNAs. *Nucleic Acid Res.* **27**, 192-195.
- Fahnestock, S.R. und Nomura, M. (1972) Activity of ribosomes containing 5S RNA with a chemically modified 3'-terminus. *Proc. Natl. Acad. Sci. USA* **69**, 363-365.
- Feil, R. und Khosla, S. (1999) Genomic imprinting in mammals: an interplay between chromatin and DNA methylation? *Trends Genet.* **15**, 431-435.
- Feinberg, A.P. (1993) Genomic imprinting and gene activation in cancer. *Nat. Genet.* **4**, 110-113.
- Fire, A. (1999) RNA-triggered gene silencing. *Trends Genet.* **15**, 358-363.
- Glassman, M.L., de Groot, N. und Hochberg, A. (1996) The role of imprinted genes in human embryogenesis, placental development and tumorigenesis. *Placental Pharmacology*, 105-123, CRC Press Inc.
- Goshen, R., Rachmilewitz, J., Schneider, T., de Groot, N., Ariel, I., Palti, Z. und Hochberg, A. (1993) The expression of the H19 and IGF2 genes during embryogenesis and placental development. *Mol. Reprod. Dev.* **34**, 374-379.
- Hao, Y., Crenshaw, T., Moulton, T., Newcomb, E. und Tycko, B. (1993) Tumor-suppressor activity of H19 RNA. *Nature* **365**, 764-767.
- Hark, A.T., Schoenherr, C.J., Katz, D.J., Ingram, R.S. Levorse, J.M. und Tilghman, S.M. (2000) CTCF mediates methylation-sensitive enhancer-blocking activity at the H19/Igf2 locus. *Nature* **405**, 486-489.
- Hausch, F. und Jäschke, A. (1998) A novel carboxy-functionalized photocleavable dinucleotide analog for the selection of RNA catalysts. *Tetrahedron Lett.* **39**, 6157-6158.
- Hurst, L.D. und Smith, N.G.C. (1999) Molecular evolutionary evidence that H19 mRNA is functional. (1999) *Trends Genet.* **15**, 134-135.
- Hurst, L.D., McVean, G. und Moore, T. (1996) Imprinted genes have few and small introns. *Nat. Genet.* **12**, 234-237.
- Hurst, L.D., Pomiankowski, A., McVean, G.T., Smits, G., Parma, J., Vassart, G., Li, L.-L., Keverne, E.B., Aparicio, S.A., Barton, S.C., Ishino, F. und Surani, M.A. (2000) Peg3 and the conflict hypothesis. *Science* **287**, 1167a.
- Jaensich, R. (1997) DNA methylation and imprinting: why bother? *Trends Genet.* **13**, 323-329.
- Jinno, Y., Yun, K., Nishiwaki, K., Kubota, T., Ogawa, O., Reeve, A.E. und Niikawa, N. (1994) Mosaic and polymorphic imprinting of the WT1 gene in humans. *Nat. Genet.* **6**, 305-309.
- John, R.M. und Surani, M.A. (2000) Genomic imprinting , mammalian evolution and the mystery of egg-laying mammals. *Cell* **101**, 585-588.
- Jones, B.K., Levorse, J.M. und Tilghman, S.M. (1998) Igf2 imprinting does not require its own DNA methylation or H19 RNA. *Genes Dev.* **12**, 2200-2207.
- Joubel, A., Curgy, J.-J., Pelczar, H., Begue, A., Lagrou, C., Stehelin, D. und Coll, J. (1996) The 5'-part of the human H19 RNA contains cis-acting elements hampering its translatability. *Cell. Mol. Biol.* **42**, 1159-1172.
- Juan, V., Crain, C. und Wilson, C. (2000) Evidence for evolutionary conserved secondary structure in the H19 tumor suppressor RNA. *Nucleic Acid Res.* **28**, 1221-1227.
- Keverne E.B., Fundele, R., Narasimha, M., Barton, S.C. und Surani, M.A. (1996) Genomic imprinting and the differential roles of parental genomes in brain development. *Brain Res. Dev. Brain Res.* **92**, 91-100.
- Knudson, A.G. (1971) Mutation and cancer: statistical study on retinoblastoma. *Proc. Natl. Acad. Sci. USA* **68**, 820-823.
- Lalande, M. (1996) Parental imprinting and human disease. *Annu. Rev. Genet.* **30**, 173-195.

- Lee, M.P., DeBaun, M.R., Mitsuya, K., Galonek, H.L., Brandenburg, S., Oshimura, M. und Feinberg, A.P. (1998) Loss of imprinting of a paternally expressed transcript, with antisense orientation to KvLQT1, occurs frequently in Beckwith-Wiedemann syndrome and is independent of insulin-like growth factor II imprinting. *Proc. Natl. Acad. Sci. USA* **95**, 5203-5208.
- Lefebvre, L., Viville, S., Barton, S.C., Ishino, F., Keverne, E.B. und Surani, M.A. (1998) Abnormal maternal behaviour and growth retardation associated with loss of the imprinted gene Mest. *Nat. Genet.* **20**, 163-169.
- Leighton, P.A., Ingram, R.S., Eggenschwiler, J., Efstratiadis, A. und Tilghman, S.M. (1995a) Disruption of imprinting caused by deletion of the H19 gene region in mice. *Nature* **375**, 34-39.
- Leighton, P.A., Saam, J.R., Ingram, R.S. und Tilghman, S.M. (1996) Genomic imprinting in mice: its function and mechanism. *Biol. Reprod.*, **54**, 273-278.
- Leighton, P.A., Saam, R.J., Ingram, R.S., Stewart, C.L. und Tilghman, S.M. (1995) An enhancer deletion affects both H19 and Igf2 expression. *Genes. Dev.* **9**, 2079-2089.
- Li, E., Beard, C. und Jaenisch, R. (1993) Role for DNA methylation in genomic imprinting. *Nature*, **366**, 362-365.
- Li, L.-L., Keverne, E.B., Aparicio, S.A., Ishino, F., Barton, S.C. und Surani, M.A. (1999) Regulation of maternal behavior and offspring growth by paternally expressed Peg3. *Science* **284**, 330-333.
- Li, Y.-M., Franklin, G., Cui, H.-M., Svensson, K., He, X.-B., Adam, G., Ohlsson, R. und Pfeifer, S. (1998) The H19 transcript is associated with polysomes and may regulate IGF2 expression in *trans*. *J. Biol. Chem.* **43**, 28247-28252.
- Linder, D., McCaw, B.K. und Hecht, F. (1975) Parthenogenetic origin of benign ovarian teratomas. *N. Engl. J. Med.* **292**, 63-66.
- Lou, H., Helfman, D.M., Gagel, R.F. und Berget, S.M. (1999) Polypyrimidine tract-binding protein positively regulates inclusion of an alternative 3'-terminal exon. *Mol. Cell. Biol.* **19**, 78-85.
- Lustig-Yariv, O., Schulze, E., Komitowski, D., Erdmann, V.A., Schneider, T., de Groot, N. und Hochberg, A. (1997?) The expression of the imprinted genes H19 and IGF2 in choriocarcinoma cell lines. Is H19 a tumor suppressor gene? *Oncogene* **15**, 169-177.
- Lyko, F., Ramsahoye, B.H., Kashevsky, H., Tudor, M., Mastrangelo, M.-A., Orr-Weaver, T.L. und Jaenisch, R. (1999) Mammalian (cytosine-5) methyltransferase cause genomic DNA methylation and lethality in *Drosophila*. *Nat. Genet.* **23**, 363-366.
- McGrath, J. und Solter, D. (1984) Completion of mouse embryogenesis requires both the maternal and paternal genomes. *Cell* **37**, 179-183.
- Moore, T. und Haig, D. (1991) Genomic imprinting in mammalian development: a parental tug-of-war. *Trends Genet.* **7**, 45-49.
- Moore, T., Constancia, M., Zubair, M., Bailleul, B., Feil, R., Sasaki, H. und Reik, W. (1997). Multiple imprinted sense and antisense transcripts, differential methylation and tandem repeats in a putative imprinting control region upstream of mouse Igf2. *Proc. Natl. Acad. Sci. USA* **94**, 12509-12514.
- Nakao, M., Sasaki, H. (1996) Genomic Imprinting: Significance in development and diseases and the molecular mechanisms. *J. Biochem.* **120**, 467-473.
- Nakao, M., Sasaki, H. (1996) Genomic Imprinting: Significance in development and diseases and the molecular mechanisms. *J. Biochem.* **120**, 467-473.
- Neupert, B., Thompson, N.A., Meyer, C. und Kühn, L.C. (1990) A high yield affinity purification method for specific RNA-binding proteins: isolation of the iron regulatory factor from human placenta. *Nucleic Acids Res.* **18**, 51-55.
- Nielsen, J., Christiansen, J., Lykke-Andersen, J., Johnsen, A.H., Wewer, U.M. und Nielsen, F.C. (1999) A family of insulin-like growth factor II mRNA-binding proteins represses translation in late development. *Mol. Cell. Biol.* **19**, 1262-1270.
- Ober, K.G., Thomson, K. (1985) *Gynäkologie und Geburtshilfe: Spezielle Gynäkologie 1*. Band III/1, 2. Auflage, Georg Thieme Verlag Stuttgart, S. 10.33-10.38.
- Okano, M., Bell, D.W., Haber, D.A., und Li, E. (1999) DNA methyltransferases Dnmt3a and Dnmt3b are essential for de novo methylation and mammalian development. *Cell* **99**, 247-257.

- Okano, M., Xie, S. und Li, E. (1998) Cloning and characterization of a family of novel mammalian DNA (cytosine-5) methyltransferases. *Nat. Genet.* **19**, 219-220.
- Olek, A., Oswald, J. und Walter, J. (1996) A modified and improved method for bisulphite based cytosine methylation analysis. *Nucleic Acids Res.* **24**, 5064-5066.
- Pachnis, V., Belayew, A. und Tilghman, S.M. (1984) Locus unlinked to α -fetoprotein under the control of the murine raf and Rif genes. *Proc. Natl. Acad. Sci. USA* **81**, 5523-5527.
- Pachnis, V., Brannan, C.I. und Tilghman, S.M. (1988) The structure and expression of a novel gene activated in early mouse embryogenesis. *EMBO J.* **7**, 673-681.
- Peng, S.S.-Y., Chen, C.-Y.A., Xu, N. und Shyu, A.-B. (1998) RNA stabilization by the AU-rich element binding protein, HuR, an ELAV protein. *EMBO J.* **17**, 3461-3470.
- Pitulle, C., Kleineidam, R.G., Sproat, B. und Krupp, Guido (1992) Initiator oligonucleotides for the combination of chemical and enzymatic RNA synthesis. *Gene* **112**, 101-105.
- Rachmilewitz, J., Elkin, M., Rosensaft, J., Gelman-Kohan, Z., Ariel, I., Lustig, O., Schneider, T., Goshen, R., Biran, H., de Groot, N. und Hochberg, A. (1995) H19 expression and tumorigenicity of choriocarcinoma derived cell lines. *Oncogene* **11**, 863-870.
- Rachmilewitz, J. (1995) H19 gene and genomic imprinting in trophoblast cells. Doktorarbeit an der Hebräischen Universität Jerusalem, AG Prof. Hochberg.
- Rainier, S., Johnson, L.A., Dobry, C.J., Ping, A.J., Grundy, P.E. und Feinberg, A.P. (1993) Relaxation of imprinted genes in human cancers. *Nature* **362**, 747-749.
- Rastinejad, F., Conboy, M.J., Rando, T.A. und Blau, H.M. (1993) Tumor suppression by RNA from the 3'-untranslated region of α -Tropomyosin. *Cell* **75**, 1107-1117.
- Reik, W. und Constancia, M. (1997) Genomic imprinting: making sense or antisense? *Nature* **389**, 669-671.
- Reik, W. und Walter, J. (1998) Imprinting mechanisms in mammals. *Curr. Opin. Genet. Dev.* **8**, 154-164.
- Reik, W. und Maher, E.R. (1997) Imprinting in clusters: lessons from Beckwith-Wiedemann syndrome. *Trends Genet.* **13**, 330-334.
- Rosemeyer, V., Laubrock, A. und Seibl, R. (1995) Nonradioactive 3'-end-labelling of RNA molecules of different lengths by Terminal Deoxynucleotidyltransferase. *Anal. Biochem.* **224**, 446-449.
- Rougeulle, C., Cardoso, C., Fontes, M., Colleaux, L. und Lalande, M. (1998) An imprinted antisense RNA overlaps UBE3A and a second maternally expressed transcript. *Nat. Genet.* **19**, 15-16.
- Runge, S., Nielson, F.C., Nielson, J., Lykke-Andersen, J., Wewer, U.M. und Christiansen, J. (2000) H19 RNA binds four molecules of IGF2 mRNA-binding protein. *J. Biol. Chem.* **275**, 29562-29569.
- Sambrook, J., Fritsch, E.F. und Maniatis, T. (1989) Molecular cloning. A laboratory manual, second edition (Cold Spring Harbor Laboratory Press, NY).
- Schmidt, J.V., Levorse, J.M. und Tilghman, S.M. (1999) Enhancer competition between H19 and Igf2 does not mediate their imprinting. *Proc. Natl. Acad. Sci. USA* **96**, 9733-9738.
- Schmidt-Matthiesen, H. (1989) *Klinik der Frauenheilkunde und Geburtshilfe, Band 12: Spezielle gynäkologische Onkologie II*. 2. Auflage, Urban & Schwarzenberg, München, S. 4-10.
- Shnyreva, M., Schullery, D.S., Suzuki, H., Higaki, Y. und Bomsztyk, K. (2000) Interaction of two multifunctional proteins (hnRNP K and Y-box-binding protein). *J. Biol. Chem.* **275**, 15498-15503.
- Simon, I., Tenzen, T., Reubinoff, B.E., Hillman, D., McCarrey, J.R. und Cedar, H. (1999) Asynchronous replication of imprinted genes is established in the gametes and maintained during development. *Nature* **401**, 929-932.
- Smillich, N.J., Day, C.D., Fitzpatrick, G.V., Caldwell, G.M., Lossie, A.C., Cooper, P.R., Smallwood, A.C., Joyce, J.A., Schofield, P.N., Reik, W., Nicholls, R.D., Weksberg, R., Driscoll, D.J., Maher, E.R., Shows, T.B. und Higgins, M.J. (1999) A maternally methylated CpG island in KvLQT1 is associated with an antisense paternal transcript and loss of imprinting in Beckwith-Wiedemann syndrome. *Proc. Natl. Acad. Sci. USA* **96**, 8064-8069.
- Stöger, R., Kubicka, P., Liu, C.-G., Kafri, T., Razin, A., Cedar, H. und Barlow, D.P. (1993) Maternal-specific methylation of the imprinted mouse Igf2r locus identifies the expressed locus as carrying the imprint signal. *Cell* **73**, 61-71.

- Stuckenholz, C., Kageyama, Y und Kuroda, M. (1999) Guilt by association: non-coding RNAs, chromosome-specific proteins and dosage compensation in *Drosophila*. *Trends Genet.* **15**, 454-458.
- Surani, M.A., Barton, S.C. und Norris, M.L. (1984) Development of reconstituted mouse eggs suggests imprinting of the genome during gametogenesis. *Nature* **308**, 548-550.
- Tabara, H., Grishok, A. und Mello, C.C. (1998) RNAi in *C.elegans*: soaking in the genome sequence. *Science* **282**, 430-431.
- Tada, M., Tada, T., Lefebvre, L. Barton, S.C. uns Surani, M.A. (1997) Embryonic germ cells induce epigenetic reprogramming of somatic nucleus in hybrid cells. *EMBO J.* **16**, 6510-6520.
- Tagaki, N. und Sasaki, M.A. (1975) Preferential inactivation of the paternally derived X chromosome in the extraembryonic membranes of the mouse. *Nature* **256**, 640-642.
- Tajima, S. und Suetake, I. (1998) Regulation and function of DNA methylation in vertebrates. *J. Biochem.* **123**, 993-999.
- Thompson, E.B. (1998) The many roles of c-Myc in Apoptosis. *Annu. Rev. Physiol.* **60**, 575-600.
- Thorvaldsen, J.L., Duran, K.L. und Bartolomei, M.S. (1998) Deletion of the H19 differentially methylated domain results in loss of imprinted expression of H19 and Igf2. *Genes Dev.* **12**, 3693-3702.
- Tilghman, S.M. (1999) The sins of the mothers and fathers: genomic imprinting in mammalian development. *Cell* **96**, 185-193.
- Tilghman, S.M., Brunkow, M.E., Brannan, C.I., Dees, C., Bartolomei, M.S. und Phillips, K. (1992) The mouse H19 Gene: it's structure and function in mouse development. Nuclear Processes and Oncogenes, 187-199, Academic Press, New York.
- Tremblay, K.D., Saam, J.R., Ingram, R.S., Tilghman, S.M. und Bartolomei, M.S. (1995) A paternal-specific methylation imprint marks the alleles of the mouse H19 gene. *Nat. Genet.* **9**, 407-413.
- Tucker, K.L., Beard, C., Dausman, T., Jacksongrusby, L., Laird P.W., Lei, H., Li, E. und Jaenisch R. (1996) Germline passage is required for establishment of methylation and expression patterns of imprinted but not of nonimprinted genes. *Genes Dev.* **10**, 1008-1020.
- Varmuza, s. und Mann M. (1994) Genomic imprinting - defusing the ovarian time bomb. *Trends Genet.* **10**, 118-123.
- Vu, T.H. und Hoffmann, A.R. (1997) Imprinting of Angelman syndrome gene, UBE3A, is restricted to the brain. *Nat. Genet.* **17**, 12-13.
- Webber, A.L., Ingram, R.S., Levorse, J.M. und Tilghman, S.M. (1998) Location of enhancers is essential for the imprinting of H19 and Igf2 genes. *Nature* **391**, 711-715.
- Weiss, A., Kehet, I., Razin, A. und Cedar, H. (1996) DNA demethylation in vitro: involvement of RNA. *Cell* **86**, 709-718.
- Wilkin, F., Paquette, J., Ledru, E., Mamelin, C., Pollak, M. und Deal, C.L. (2000) H19 sense and antisense transgenes modify insulin-like growth factor-II mRNA levels. *Eur. J. Biochem.* **267**, 4020-4027.
- Wutz, A., Smrzka, O.W., Schweifer, N., Schellander, K., Wagner, E.F. und Barlow, D.P. (1997) Imprinted expression of the Igf2r gene depends on an intronic CpG island. *Nature* **389**, 745-749.
- Yang, T., Adamson, T.E., Resnick, J.L., Leff, S., Wevrick, R., Francke, U., Jenkins, N.A., Cpeland, N.G. und Brannan, C.I. (1998) A mouse modell for Prader-Willi syndrome imprinting-centre mutations. *Nat. Genet.* **19**, 25-31.
- Young, L.E. und Fairburn, H.R. (2000) Improving the safety of embryo technology: possible roles of genomic imprinting. *Theriogenology* **53**, 627-648.
- Zhang, Y. und Tycko, B. (1992) Monoallelic expression of the human H19 gene. *Nat. Genet.* **1**, 40-44.