

8 Eigene Veröffentlichungen

8.1 Originalarbeiten

Dreger M, Mika J, Bieller A, Jahnel R, Gillen C, Schaefer MKH, Weihe E, and Hucho F. Analysis of the dorsal spinal cord synaptic architecture by combined proteome analysis and *in situ* hybridization. *Journal of Proteome Research* (2004): eingereicht.

Goswami C, Dreger M, Jahnel R, Bogen O, Gillen C, and Hucho F. Identification and characterization of a Ca²⁺-sensitive interaction of the vanilloid receptor TRPV1 with tubulin. *J. Neurochem.* (2004): im Druck.

Jahnel R, Bender O, Münter LM, Dreger M, Gillen C, and Hucho F. Dual expression of mouse and rat VRL-1 in the dorsal root ganglion derived cell line F-11 and biochemical analysis of VRL-1 after heterologous expression. *Eur. J. Biochem.* (2003) **270** (21): 4264-71.

Grünweller A, Wyszko E, Bieber B, Jahnel R, Erdmann VA, and Kurreck J. Comparison of different antisense strategies in mammalian cells using locked nucleic acids, 2'-O-methyl RNA, phosphorothioates and small interfering RNA. *Nucleic Acids Res.* (2003) **31**(12): 3185-93.

Kurreck J, Bieber B, Jahnel R, and Erdmann VA. Comparative study of DNA enzymes and ribozymes against the same full length messenger RNA of the Vanilloid receptor subtype 1. *J. Biol. Chem.* (2002) **277** (9): 7099-107.

Jahnel R, Dreger M, Gillen C, Bender O, Kurreck J, and Hucho F. Biochemical Characterization of the Vanilloid Receptor 1 expressed in a dorsal root ganglia derived cell line. *Eur. J. Biochem.* (2001) **268** (21): 5489-96.

8.2 Tagungsbeiträge

Goswami C, Dreger M, Jahnel R, Bogen O, Gillen C, Hucho F.

Tubulin is a downstream effector of the pain receptor TRPV1. Program No. **599.4**. *2004 Abstract Viewer/Itinerary Planner*. Washington, DC: Society for Neuroscience, 2004. Online.

Jahnel R, Goswami C, Si H, Dreger M, Gillen C, Hucho F.

Expression of the N- and C-termini from the Vanilloid Receptor 1 (VR1) as MBP-fusion proteins for affinity purification and search for interaction partners. *J Neurochem.* (2003) Jun; **85** Suppl 2: 31.

Münter L, Jahnel R, Dreger M, Gillen C, Hucho F.

Mouse and rat VRL-1 are both expressed in the dorsal root ganglion derived cell line F-11. *J Neurochem.* (2003) Jun; **85** Suppl 2: 31.

Jostock R, Christoph T, Schiene K, Behrendt HJ, Kurreck J, Grunweller A, Erdmann VA, Jahnel R, Hucho F, Gillen C. Characterization of VR1 within the BMBF-Leitprojekt: 'Molecular Pain Research'. *J Neurochem.* (2003) Jun; **85** Suppl 2: 4.

Dreger M, Mika J, Bieller A, Jahnel R, Gillen C, Weihe E, Schaefer MKH, Hucho F. Subcellular proteome analysis of the spinal cord dorsal horn region. *51th ASMS Conference* (2003) Jun; Abstract Search and Schedule Generator; Poster Session: MPW, Slot: 448. Online.

Jahnel R, Dreger M, Gillen C, Hucho F.

High Molecular Weight Complexes of the Vanilloid Receptor 1. Program No. **48.21**. *2002 Abstract Viewer/Itinerary Planner*. Washington, DC: Society for Neuroscience, 2002. Online.

Dreger M, Jahnel R, Gillen C, Hucho F.

Subcellular Proteomics of the dorsal region of the spinal cord. Program No. **903.9**. *2002 Abstract Viewer/Itinerary Planner*. Washington, DC: Society for Neuroscience, 2002. Online.

Jahnel R, Dreger M, Gillen C, Hucho F.

High Molecular Weight Complexes of the Vanilloid Receptor 1. *Restorative Neurology and Neuroscience* (2002) **20** (1,2): 72.

Dreger M, Jahnel R, Gillen C, Hucho F.

Mass Spectrometric Mapping of Proteins of the dorsal region of the spinal cord. *Restorative Neurology and Neuroscience* (2002) **20** (1,2): 68-69.

Jahnel R, Dreger M, Gillen C, Hucho F.

Biochemical Characterization of the Vanilloid Receptor 1 expressed in a DRG-derived cell line. (Vortrag). *Berlin Neuroscience Forum 2002*, Liebenwalde, Germany, April 18th - 20th 2002: 35.