

7 LITERATURVERZEICHNIS

- AAFJES, J.H. (1967)
The disappearance of volatile fatty acids through the rumen wall.
Z Tierphysiol Tierernahr Futtermittelkd **22**(2): 69-75.
- ABDOUN, K., F. STUMPF, K. WOLF und H. MARTENS (2005)
Modulation of electroneutral Na transport in sheep rumen epithelium by luminal ammonia.
Am J Physiol Gastrointest Liver Physiol **289**(3): G508-20.
- AELVOET, I., D. ERLIJ und W. VAN DRIESSCHE (1988)
Activation and blockage of a calcium-sensitive cation-selective pathway in the apical membrane of toad urinary bladder.
J Physiol **398**: 555-74.
- ARMSTRONG, C.M. und D.R. MATTESON (1986)
The role of calcium ions in the closing of K channels.
J Gen Physiol **87**(5): 817-32.
- ASCHENBACH, J.R., S.K. BHATIA, H. PFANNKUCHE und G. GÄBEL (2000)
Glucose is absorbed in a sodium-dependent manner from forestomach contents of sheep.
J Nutr **130**(11): 2797-801.
- ASCHENBACH, J.R., T. BORAU, H. BUTTER und G. GÄBEL (2005)
Adrenoceptor heterogeneity in the ruminal epithelium of sheep.
J Comp Physiol [B] **175**(4): 249-55.
- ASH, R.W. und A. DOBSON (1963)
The Effect of Absorption on the Acidity of Rumen Contents.
J Physiol **169**: 39-61.
- AUDOLY, L.P., S.L. TILLEY, J. GOULET, M. KEY, M. NGUYEN, J.L. STOCK, J.D. MCNEISH, B.H. KOLLER und T.M. COFFMAN (1999)
Identification of specific EP receptors responsible for the hemodynamic effects of PGE₂.
Am J Physiol **277**(3 Pt 2): H924-30.
- AZARANI, A., D. GOLTZMAN und J. ORLOWSKI (1995)
Parathyroid hormone and parathyroid hormone-related peptide inhibit the apical Na⁺/H⁺ exchanger NHE-3 isoform in renal cells (OK) via a dual signaling cascade involving protein kinase A and C.
J Biol Chem **270**(34): 20004-10.
- BAILEY, C.B. (1961)
Saliva secretion and its relation to feeding in cattle. 3. The rate of secretion of mixed saliva in the cow during eating, with an estimate of the magnitude of the total daily secretion of mixed saliva.
Br J Nutr **15**: 443-51.

- BAILLIE, G.S., A. SOOD, I. MCPHEE, I. GALL, S.J. PERRY, R.J. LEFKOWITZ und M.D. HOUSLAY (2003)
beta-Arrestin-mediated PDE4 cAMP phosphodiesterase recruitment regulates beta-adrenoceptor switching from Gs to Gi.
Proc Natl Acad Sci U S A **100**(3): 940-5.
- BARNES, A.P., G. LIVERA, P. HUANG, C. SUN, W.K. O'NEAL, M. CONTI, M.J. STUTTS und S.L. MILGRAM (2005)
Phosphodiesterase 4D forms a cAMP diffusion barrier at the apical membrane of the airway epithelium.
J Biol Chem **280**(9): 7997-8003.
- BARRY, P.H. und J.W. LYNCH (1991)
Liquid junction potentials and small cell effects in patch-clamp analysis.
J Membr Biol **121**(2): 101-17.
- BASTL, C.P. und J.P. HAYSLETT (1992)
The cellular action of aldosterone in target epithelia.
Kidney Int **42**(2): 250-64.
- BENOS, D.J. (1982)
Amiloride: a molecular probe of sodium transport in tissues and cells.
Am J Physiol **242**(3): C131-45.
- BÖDEKER, D. und J. KEMKOWSKI (1996)
Participation of NH₄⁺ in total ammonia absorption across the rumen epithelium of sheep (*Ovis aries*).
Comp Biochem Physiol A Physiol **114**(4): 305-10.
- BÖTTCHER, A. (2000)
Funktionelle Charakterisierung des Na⁺/H⁺-Austauschers an kultivierten ruminalen Epithelzellen: Einfluss verschiedener extrazellulärer Faktoren und mögliche Regulationsmechanismen.
Dissertation, Freie Universität Berlin
- CABADO, A.G., F.H. YU, A. KAPUS, G. LUKACS, S. GRINSTEIN und J. ORLOWSKI (1996)
Distinct structural domains confer cAMP sensitivity and ATP dependence to the Na⁺/H⁺ exchanger NHE3 isoform.
J Biol Chem **271**(7): 3590-9.
- CARE, A.D., R.C. BROWN, A.R. FARRAR und D.W. PICKARD (1984)
Magnesium absorption from the digestive tract of sheep.
Q J Exp Physiol **69**(3): 577-87.
- CARTER, R.R. und W.L. GROVUM (1990)
A review of the physiological significance of hypertonic body fluids on feed intake and ruminal function: salivation, motility and microbes.
J Anim Sci **68**(9): 2811-32.

- CERIONE, R.A., D.R. SIBLEY, J. CODINA, J.L. BENOVIC, J. WINSLOW, E.J. NEER, L. BIRNBAUMER, M.G. CARON und R.J. LEFKOWITZ (1984)
Reconstitution of a hormone-sensitive adenylate cyclase system. The pure beta-adrenergic receptor and guanine nucleotide regulatory protein confer hormone responsiveness on the resolved catalytic unit.
J Biol Chem **259**(16): 9979-82.
- CHESLER, M. und K. KAILA (1992)
Modulation of pH by neuronal activity.
Trends Neurosci **15**(10): 396-402.
- CHIEN, W.J. und C.E. STEVENS (1972)
Coupled active transport of Na and Cl across forestomach epithelium.
Am J Physiol **223**(4): 997-1003.
- CHUBANOV, V., S. WALDEGGER, M. MEDEROS Y SCHNITZLER, H. VITZTHUM, M.C. SASSEN, H.W. SEYBERTH, M. KONRAD und T. GUDERMANN (2004)
Disruption of TRPM6/TRPM7 complex formation by a mutation in the TRPM6 gene causes hypomagnesemia with secondary hypocalcemia.
Proc Natl Acad Sci U S A **101**(9): 2894-9.
- CLAPHAM, D.E. (1994)
Signal transduction. Why testicles are cool.
Nature **371**(6493): 109-10.
- COOPER, D.M. (2003)
Regulation and organization of adenylyl cyclases and cAMP.
Biochem J **375**(Pt 3): 517-29.
- DAS, S. und L.G. PALMER (1989)
Extracellular Ca²⁺ controls outward rectification by apical cation channels in toad urinary bladder: patch-clamp and whole-bladder studies.
J Membr Biol **107**(2): 157-68.
- DEGERMAN, E., P. BELFRAGE und V.C. MANGANIELLO (1997)
Structure, localization, and regulation of cGMP-inhibited phosphodiesterase (PDE3).
J Biol Chem **272**(11): 6823-6.
- DIERNÆS, L., J. SEHESTED, P.D. MOLLER und E. SKADHAUGE (1994)
Sodium and chloride transport across the rumen epithelium of cattle in vitro: effect of short-chain fatty acids and amiloride.
Exp Physiol **79**(5): 755-62.
- DOBSON, A. (1959)
Active transport through the epithelium of the reticulo-rumen sac.
J Physiol **146**(2): 235-51.
- DOBSON, A. und A.T. PHILLIPSON (1958)
The absorption of chloride ions from the retie-ulo-rumen sac.
J Physiol **140**(1): 94-104.

- DODGE, K.L., S. KHOUANGSATHIENE, M.S. KAPILOFF, R. MOUTON, E.V. HILL, M.D. HOUSLAY, L.K. LANGE BERG und J.D. SCOTT (2001)
mAKAP assembles a protein kinase A/PDE4 phosphodiesterase cAMP signaling module.
Embo J **20**(8): 1921-30.
- EWART, H.S. und A. KLIP (1995)
Hormonal regulation of the Na(+)-K(+)-ATPase: mechanisms underlying rapid and sustained changes in pump activity.
Am J Physiol **269**(2 Pt 1): C295-311.
- FERREIRA, H.G., F.A. HARRISON und R.D. KEYNES (1966)
The potential and the short circuit current across isolated rumen epithelium of the sheep.
J. Physiol. (Lond.) **187**: 631-644.
- FERREIRA, H.G., F.A. HARRISON, R.D. KEYNES und L. ZURICH (1972)
Ion transport across an isolated preparation of sheep rumen epithelium.
J Physiol **222**(1): 77-93.
- FOSTER, E.S., G.I. SANDLE, J.P. HAYSLETT und H.J. BINDER (1983)
Cyclic adenosine monophosphate stimulates active potassium secretion in the rat colon.
Gastroenterology **84**(2): 324-30.
- FRANCIS, S.H. und J.D. CORBIN (1994)
Structure and function of cyclic nucleotide-dependent protein kinases.
Annu Rev Physiol **56**: 237-72.
- GÄBEL, G. (1988)
Natrium- und Chloridtransport im Pansen von Schafen: Mechanismen und ihre Beeinflussung durch intraruminale Fermentationsprodukte.
Habilitationsschrift, Tierärztliche Hochschule Hannover
- GÄBEL, G., J.R. ASCHENBACH und F. MÜLLER (2002)
Transfer of energy substrates across the ruminal epithelium: implications and limitations.
Anim Health Res Rev **3**(1): 15-30.
- GÄBEL, G., H. BUTTER und H. MARTENS (1999)
Regulatory role of cAMP in transport of Na⁺, Cl⁻ and short-chain fatty acids across sheep ruminal epithelium.
Exp Physiol **84**(2): 333-45.
- GÄBEL, G., H. MARTENS, M. SÜNDERMANN und P. GALFI (1987)
The effect of diet, intraruminal pH and osmolarity on sodium, chloride and magnesium absorption from the temporarily isolated and washed reticulo-rumen of sheep.
Q J Exp Physiol **72**(4): 501-11.

- GÄBEL, G., S. VOGLER und H. MARTENS (1991)
Short-chain fatty acids and CO₂ as regulators of Na⁺ and Cl⁻ absorption in isolated sheep rumen mucosa.
J Comp Physiol [B] **161**(4): 419-26.
- GALFI, P., S. NEOGRADY und F. KUTAS (1981)
Culture of epithelial cells from bovine ruminal mucosa.
Vet Res Commun **4**(4): 295-300.
- GALIETTA, L.J. und O. MORAN (2004)
Identification of CFTR activators and inhibitors: chance or design?
Curr Opin Pharmacol **4**(5): 497-503.
- GARTY, H. und L.G. PALMER (1997)
Epithelial sodium channels: function, structure, and regulation.
Physiol Rev **77**(2): 359-96.
- GONZALEZ-MARISCAL, L., R.G. CONTRERAS, J.J. BOLIVAR, A. PONCE, B. CHAVEZ DE RAMIREZ und M. CERREJIDO (1990)
Role of calcium in tight junction formation between epithelial cells.
Am J Physiol **259**(6 Pt 1): C978-86.
- HALL, J.W., W. MAJAK, A.L. VAN RYSWYK, R.E. HOWARTH und C.M. KALNIN (1988)
The relationship of rumen cations and soluble protein with predisposition of cattle to alfalfa bloat.
Can. J. Anim. Sci. **68**: 431-437.
- HALM, D.R., E.J. KRASNY, JR. und R.A. FRIZZELL (1985)
Electrophysiology of flounder intestinal mucosa. I. Conductance properties of the cellular and paracellular pathways.
J Gen Physiol **85**(6): 843-64.
- HAMILTON, K.L. und D.J. BENOS (1990)
A non-selective cation channel in the apical membrane of cultured A6 kidney cells.
Biochim Biophys Acta **1030**(1): 16-23.
- HARRISON, F.A., R.D. KEYNES, J.C. RANKIN und L. ZURICH (1975)
The effect of ouabain on ion transport across isolated sheep rumen epithelium.
J Physiol **249**(3): 669-77.
- HARTENECK, C. (2005)
Function and pharmacology of TRPM cation channels.
Naunyn Schmiedebergs Arch Pharmacol **371**(4): 307-14.
- HEINZ, M., R. KRATTENMACHER, B. HOFFMANN und W. CLAUSS (1991)
Different modes of electrogenic Na⁺ absorption in the coprodeum of the chicken embryo: role of extracellular Ca²⁺.
J Comp Physiol [B] **161**(4): 363-70.

- HENSELEIT, M. (1991)
In vitro Untersuchungen über einen elektrogenen Natriumtransport am isolierten Pansenepithel von Schafen.
Dissertation, Tierärztliche Hochschule Hannover
- HILLE, B. (2001)
Ion Channels of Excitable Membranes.
Sinauer Associates Inc: 482
- HOFFMANN, E.K. (1992)
Cell swelling and volume regulation.
Can J Physiol Pharmacol **70 Suppl**: S310-3.
- HOUSLAY, M.D. und D.R. ADAMS (2003)
PDE4 cAMP phosphodiesterases: modular enzymes that orchestrate signalling cross-talk, desensitization and compartmentalization.
Biochem J **370**(Pt 1): 1-18.
- JIANG, J., M. LI und L. YUE (2005)
Potentiation of TRPM7 inward currents by protons.
J Gen Physiol **126**(2): 137-50.
- JIN, S.L., F.J. RICHARD, W.P. KUO, A.J. D'ERCOLE und M. CONTI (1999)
Impaired growth and fertility of cAMP-specific phosphodiesterase PDE4D-deficient mice.
Proc Natl Acad Sci U S A **96**(21): 11998-2003.
- KANDASAMY, R.A., F.H. YU, R. HARRIS, A. BOUCHER, J.W. HANRAHAN und J. ORLOWSKI (1995)
Plasma membrane Na⁺/H⁺ exchanger isoforms (NHE-1, -2, and -3) are differentially responsive to second messenger agonists of the protein kinase A and C pathways.
J Biol Chem **270**(49): 29209-16.
- KOZAK, J.A. und M.D. CAHALAN (2003)
MIC channels are inhibited by internal divalent cations but not ATP.
Biophys J **84**(2 Pt 1): 922-7.
- KRATTENMACHER, R., R. VOIGT und W. CLAUSS (1990)
Ca-sensitive sodium absorption in the colon of *Xenopus laevis*.
J Comp Physiol [B] **160**(2): 161-5.
- LANG, I. (1997)
In-vitro-Untersuchungen zur Charakterisierung eines spannungsabhängigen Kationenkanals in der luminalen Membran des Pansenepithels beim Schaf.
Dissertation, Freie Universität Berlin
- LANG, I. und H. MARTENS (1997)
Depolarization of the apical membrane enhances electrogenic Na⁺ transport through a PD-dependent cation conductance in the rumen epithelium of sheep.
Pflügers Arch. **433**: R159.

- LANG, I. und H. MARTENS (1999)
Na⁺ transport in sheep rumen is modulated by voltage-dependent cation conductance in apical membrane.
Am J Physiol **277**(3 Pt 1): G609-18.
- LEONHARD, S. (1990)
In vitro Untersuchungen zum Magnesiumtransport durch das Panseneepithel von Schafen - Vorschlag eines Transportmodells.
Dissertation, Freie Universität Berlin
- LEONHARD-MAREK, S. (1999)
Do forestomach epithelia exhibit a Mg²⁺/2H⁺-exchanger?
Magnes Res **12**(2): 99-108.
- LEONHARD-MAREK, S. (2002)
Divalent cations reduce the electrogenic transport of monovalent cations across rumen epithelium.
J Comp Physiol [B] **172**(7): 635-41.
- LEONHARD-MAREK, S., G. GÄBEL und H. MARTENS (1998)
Effects of short chain fatty acids and carbon dioxide on magnesium transport across sheep rumen epithelium.
Exp Physiol **83**(2): 155-64.
- LEONHARD-MAREK, S. und H. MARTENS (1996)
Effects of potassium on magnesium transport across rumen epithelium.
Am J Physiol **271**(6 Pt 1): G1034-8.
- LEONHARD-MAREK, S., F. STUMPF, I. BRINKMANN, G. BREVES und H. MARTENS (2005)
Basolateral Mg²⁺/Na⁺ exchange regulates apical nonselective cation channel in sheep rumen epithelium via cytosolic Mg²⁺.
Am J Physiol Gastrointest Liver Physiol **288**(4): G630-45.
- LINDERHOLM, H. (1952)
Active transport of ions through frog skin with special reference to the action of certain diuretics; a study of the relation between electrical properties, the flux of labelled ions, and respiration.
Acta Physiol Scand Suppl **27**(97): 1-144.
- MARTENS, H. (1994)
Saturation kinetics of electrogenic and electroneutral Na⁺ transport of sheep rumen epithelium.
Proc Soc Nutr Physiol **3**: 87.
- MARTENS, H. und I. BLUME (1986)
Effect of intraruminal sodium and potassium concentrations and of the transmural potential difference on magnesium absorption from the temporarily isolated rumen of sheep.
Q J Exp Physiol **71**(3): 409-15.

- MARTENS, H. und I. BLUME (1987)
Studies on the absorption of sodium and chloride from the rumen of sheep.
Comp Biochem Physiol A **86**(4): 653-6.
- MARTENS, H. und G. GÄBEL (1988)
Transport of Na⁺ and Cl⁻ across the epithelium of ruminant forestomachs:
rumen and omasum. A review.
Comp Biochem Physiol A **90**(4): 569-75.
- MARTENS, H., G. GÄBEL und B. STROZYK (1991)
Mechanism of electrically silent Na⁺ and Cl⁻ transport across the rumen
epithelium of sheep.
Exp Physiol **76**(1): 103-14.
- MARTENS, H., G. GÄBEL und H. STROZYK (1987)
The effect of potassium and the transmural potential difference on magnesium
transport across an isolated preparation of sheep rumen epithelium.
Q J Exp Physiol **72**(2): 181-8.
- MARTENS, H. und J. HARMEYER (1978)
Magnesium transport by isolated rumen epithelium of sheep.
Res Vet Sci **24**(2): 161-8.
- MAY, D.C., E.M. ROSS, A.G. GILMAN und M.D. SMIGEL (1985)
Reconstitution of catecholamine-stimulated adenylate cyclase activity using
three purified proteins.
J Biol Chem **260**(29): 15829-33.
- MORRIS, J.G. und R.J. GARTNER (1971)
The sodium requirements of growing steers given an all-sorghum grain ration.
Br J Nutr **25**(2): 191-205.
- MÜLLER, F., J.R. ASCHENBACH und G. GÄBEL (2000)
Role of Na⁺/H⁺ exchange and HCO₃⁻ transport in pHi recovery from
intracellular acid load in cultured epithelial cells of sheep rumen.
J Comp Physiol [B] **170**(4): 337-43.
- NADLER, M.J., M.C. HERMOSURA, K. INABE, A.L. PERRAUD, Q. ZHU, A.J.
STOKES, T. KUROSAKI, J.P. KINET, R. PENNER, A.M. SCHARENBERG
und A. FLEIG (2001)
LTRPC7 is a Mg.ATP-regulated divalent cation channel required for cell
viability.
Nature **411**(6837): 590-5.
- NARUMIYA, S., Y. SUGIMOTO und F. USHIKUBI (1999)
Prostanoid receptors: structures, properties, and functions.
Physiol Rev **79**(4): 1193-226.
- NUMBERGER, M. und A. DRAGUHN (1996)
Patch-Clamp-Technik.
Spektrum, Akad. Verl.: 73-96

- OWENS, F.N., D.S. SECRIST, W.J. HILL und D.R. GILL (1998)
Acidosis in cattle: a review.
J Anim Sci **76**(1): 275-86.
- PARK, H.-S. (2003)
Charakterisierung von Mg²⁺-Effluxmechanismen bei kultivierten ruminale Epithelzellen.
Dissertation, Freie Universität Berlin
- PARTHASARATHY, D. (1952)
The absorption of certain elements from the alimentary tract of sheep.
Brit J Nutr **6**: v.
- PARTHASARATHY, D. und A.T. PHILLIPSON (1953)
The movement of potassium sodium, chloride and water across the rumen epithelium of sheep.
J Physiol **121**(3): 452-69.
- PETERSEN, K.U., J.R. WOOD, G. SCHULZE und K. HEINTZE (1981)
Stimulation of gallbladder fluid and electrolyte absorption by butyrate.
J Membr Biol **62**(3): 183-93.
- POWELL, D.W. (1981)
Barrier function of epithelia.
Am J Physiol **241**(4): G275-88.
- PUSCH, M. und E. NEHER (1988)
Rates of diffusional exchange between small cells and a measuring patch pipette.
Pflügers Arch **411**(2): 204-11.
- REUSS, L. und A.L. FINN (1975)
Electrical properties of the cellular transepithelial pathway in Necturus gallbladder. II. Ionic permeability of the apical cell membrane.
J Membr Biol **25**(1-2): 141-61.
- RICH, T.C., K.A. FAGAN, H. NAKATA, J. SCHAACK, D.M. COOPER und J.W. KARPEN (2000)
Cyclic nucleotide-gated channels colocalize with adenylyl cyclase in regions of restricted cAMP diffusion.
J Gen Physiol **116**(2): 147-61.
- RÜBBELKE, K. (1998)
In vitro Untersuchungen des Pansenepithels von Schafen zur Charakterisierung eines elektrogenen, calcium-sensitiven Natriumtransportes.
Dissertation, Freie Universität Berlin
- RUNNELS, L.W., L. YUE und D.E. CLAPHAM (2001)
TRP-PLIK, a bifunctional protein with kinase and ion channel activities.
Science **291**(5506): 1043-7.
- SAKMANN, B. und E. NEHER (1995)
Single Channel Recording.
Plenum: 25-27

- SARKADI, B. und J.C. PARKER (1991)
Activation of ion transport pathways by changes in cell volume.
Biochim Biophys Acta **1071**(4): 407-27.
- SCHLINGMANN, K.P.S. WEBER. PETERSL. NIEMANN NEJSUMH. VITZTHUMK.
KLINGELM. KRATZE. HADDADE. RISTOFFD. DINOURM. SYRROUS.
NIELSEN. SASSENS. WALDEGGERH.W. SEYBERTHM. KONRAD (2002)
Hypomagnesemia with secondary hypocalcemia is caused by mutations in
TRPM6, a new member of the TRPM gene family.
Nat Genet **31**(2): 166-70.
- SCHMITZ, C., A.-L. PERRAUD, C.O. JOHNSON, K. INABE, M.K. SMITH, R.
PENNER, T. KUROSAKI, A. FLEIG und A.M. SCHARENBERG (2003)
Regulation of vertebrate cellular Mg^{2+} homeostasis by TRPM.
Cell **114**: 191-200.
- SCHULTHEIß, G. und H. MARTENS (1999)
 Ca^{2+} -sensitive Na^+ transport in sheep omasum.
Am J Physiol **276**(6 Pt 1): G1331-44.
- SCHWEIGEL, M., M. FREYER, S. LECLERCQ, B. ETSCHMANN, U. LODEMANN,
A. BÖTTCHER und H. MARTENS (2005)
Luminal hyperosmolarity decreases Na^+ transport and impairs barrier function
of sheep rumen epithelium.
J Comp Physiol [B] **175**(8): 575-91.
- SCHWEIGEL, M., I. LANG und H. MARTENS (1999)
 Mg^{2+} transport in sheep rumen epithelium: evidence for an electrodiffusive
uptake mechanism.
Am J Physiol **277**(5 Pt 1): G976-82.
- SCHWEIGEL, M. und H. MARTENS (2003)
Anion-dependent Mg^{2+} influx and a role for a vacuolar H^+ -ATPase in sheep
ruminal epithelial cells.
Am J Physiol Gastrointest Liver Physiol **285**(1): G45-53.
- SCHWEIGEL, M., H.S. PARK, B. ETSCHMANN und H. MARTENS (2006)
Characterization of the Na^+ -dependent Mg^{2+} transport in sheep ruminal
epithelial cells.
Am J Physiol Gastrointest Liver Physiol **290**(1): G56-65.
- SCHWEIGEL, M., J. VORMANN und H. MARTENS (2000)
Mechanisms of Mg^{2+} transport in cultured ruminal epithelial cells.
Am J Physiol Gastrointest Liver Physiol **278**(3): G400-8.
- SCOTT, D. (1966)
The effects of sodium depletion and potassium supplements upon electrical
potentials in the rumen of the sheep.
Q J Exp Physiol Cogn Med Sci **51**(1): 60-9.
- SCOTT, D. (1967)
The effects of potassium supplements upon the absorption of potassium and
sodium from the sheep rumen.
Q J Exp Physiol Cogn Med Sci **52**(4): 382-91.

- SEHESTED, J., L. DIERNÆS, P.D. MOLLER und E. SKADHAUGE (1999)
Ruminal transport and metabolism of short-chain fatty acids (SCFA) in vitro: effect of SCFA chain length and pH.
Comp Biochem Physiol A Mol Integr Physiol **123**(4): 359-68.
- SEHESTED, J., L. DIERNÆS, P.D. MOLLER, E. SKADHAUGE (1996)
Transport of sodium across the isolated bovine rumen epithelium: interaction with short-chain fatty acids, chloride and bicarbonate.
Exp Physiol **81**(4): 79-94
- SELLERS, A.F. und A. DOBSON (1960)
Studies on reticulo-rumen sodium and potassium concentration and electrical potentials in sheep.
Res Vet Sci **1**: 95-102.
- SELLIN, J.H. und W.P. DUBINSKY (1994)
Apical nonspecific cation conductances in rabbit cecum.
Am J Physiol **266**(3 Pt 1): G475-84.
- SIEMEN, D. (1993)
Nonselective cation channels.
Exs **66**: 3-25.
- SILANIKOVE, N. und A. TADMOR (1989)
Rumen volume, saliva flow rate, and systemic fluid homeostasis in dehydrated cattle.
Am J Physiol **256**(4 Pt 2): R809-15.
- SOKABE, M. und F. SACHS (1990)
The structure and dynamics of patch-clamped membranes: a study using differential interference contrast light microscopy.
J Cell Biol **111**(2): 599-606.
- SPERBER, I. und S. HYDÉN (1952)
Transport of chloride through the ruminal mucosa.
Nature **169**(4301): 587.
- STEVENS, C.E. (1964)
Transport of Sodium and Chloride by the Isolated Rumen Epithelium.
Am J Physiol **206**: 1099-105.
- STROZYK, B. (1987)
Untersuchung über den Transport von Natrium durch das isolierte Pansenepithel von Schafen: Hinweis für einen Na^+/H^+ -Austausch in der luminalen Membran.
Dissertation, Tierärztliche Hochschule Hannover
- TAKEZAWA, R., C. SCHMITZ, P. DEMEUSE, A.M. SCHARENBERG, R. PENNER und A. FLEIG (2004)
Receptor-mediated regulation of the TRPM7 channel through its endogenous protein kinase domain.
Proc Natl Acad Sci U S A **101**(16): 6009-14.

- TASKEN, K.A., P. COLLAS, W.A. KEMMNER, O. WITCZAK, M. CONTI und K. TASKEN (2001)
Phosphodiesterase 4D and protein kinase a type II constitute a signaling unit in the centrosomal area.
J Biol Chem **276**(25): 21999-2002.
- VAN DRIESSCHE, W., L. DESMEDT und J. SIMAELS (1991)
Blockage of Na⁺ currents through poorly selective cation channels in the apical membrane of frog skin and toad urinary bladder.
Pflügers Arch **418**(3): 193-203.
- VAN DRIESSCHE, W., J. SIMAELS, I. AELVOET und D. ERLIJ (1988)
Cation-selective channels in amphibian epithelia: electrophysiological properties and activation.
Comp Biochem Physiol A **90**(4): 693-9.
- VAN DRIESSCHE, W. und W. ZEISKE (1985)
Ca²⁺-sensitive, spontaneously fluctuating, cation channels in the apical membrane of the adult frog skin epithelium.
Pflügers Arch **405**(3): 250-9.
- WAKABAYASHI, S., T. IKEDA, T. IWAMOTO, J. POUYSSEGUR und M. SHIGEKAWA (1997)
Calmodulin-binding autoinhibitory domain controls "pH-sensing" in the Na⁺/H⁺ exchanger NHE1 through sequence-specific interaction.
Biochemistry **36**(42): 12854-61.
- WALDER, R.Y., D. LANDAU, P. MEYER, H. SHALEV, M. TSOLIA, Z. BOROCHOWITZ, M.B. BOETTGER, G.E. BECK, R.K. ENGLEHARDT, R. CARMÍ und V.C. SHEFFIELD (2002)
Mutation of TRPM6 causes familial hypomagnesemia with secondary hypocalcemia.
Nat Genet **31**(2): 171-4.
- WARNER, A.C. und B.D. STACY (1972)
Intraruminal and systemic responses to variations in intake of sodium and potassium by sheep.
Q J Exp Physiol Cogn Med Sci **57**(2): 89-102.
- WOLFFRAM, S., R. FRISCHKNECHT und E. SCHARRER (1989)
Influence of theophylline on the electrical potential difference and ion fluxes (Na, Cl, K) across the isolated rumen epithelium of sheep.
Zentralbl Veterinarmed A **36**(10): 755-62.
- YUN, C.H., S. OH, M. ZIZAK, D. STEPLOCK, S. TSAO, C.M. TSE, E.J. WEINMAN und M. DONOWITZ (1997)
cAMP-mediated inhibition of the epithelial brush border Na⁺/H⁺ exchanger, NHE3, requires an associated regulatory protein.
Proc Natl Acad Sci U S A **94**(7): 3010-5.