

7 References

- Aasland, R., T. J. Gibson and A. F. Stewart (1995). "The PHD finger: implications for chromatin-mediated transcriptional regulation." Trends Biochem Sci **20**(2): 56-9.
- Allen, S. P., J. P. Bogardi, A. J. Barlow, S. A. Mir, S. R. Qayyum, F. J. Verbeek, R. H. Anderson, P. H. Francis-West, N. A. Brown and M. K. Richardson (2001). "Misexpression of noggin leads to septal defects in the outflow tract of the chick heart." Dev Biol **235**(1): 98-109.
- Alsan, B. H. and T. M. Schultheiss (2002). "Regulation of avian cardiogenesis by Fgf8 signaling." Development **129**(8): 1935-43.
- APECED (1997). "An autoimmune disease, APECED, caused by mutations in a novel gene featuring two PHD-type zinc-finger domains. The Finnish-German APECED Consortium. Autoimmune Polyendocrinopathy-Candidiasis-Ectodermal Dystrophy." Nat Genet **17**(4): 399-403.
- Barger, P. M. and D. P. Kelly (1997). "Identification of a retinoid/chicken ovalbumin upstream promoter transcription factor response element in the human retinoid X receptor gamma2 gene promoter." J Biol Chem **272**(5): 2722-8.
- Basson, C. T., D. R. Bachinsky, R. C. Lin, T. Levi, J. A. Elkins, J. Soultz, D. Grayzel, E. Kroumpouzou, T. A. Traill, J. Leblanc-Straceski, B. Renault, R. Kucherlapati, J. G. Seidman and C. E. Seidman (1997). "Mutations in human TBX5 [corrected] cause limb and cardiac malformation in Holt-Oram syndrome." Nat Genet **15**(1): 30-5.
- Basson, C. T., T. Huang, R. C. Lin, D. R. Bachinsky, S. Weremowicz, A. Vaglio, R. Bruzzone, R. Quadrelli, M. Lerone, G. Romeo, M. Silengo, A. Pereira, J. Krieger, S. F. Mesquita, M. Kamisago, C. C. Morton, M. E. Pierpont, C. W. Muller, J. G. Seidman and C. E. Seidman (1999). "Different TBX5 interactions in heart and limb defined by Holt-Oram syndrome mutations." Proc Natl Acad Sci U S A **96**(6): 2919-24.
- Battaglia, A., J. C. Carey, P. Cederholm, D. H. Viskochil, A. R. Brothman and C. Galasso (1999). "Natural history of Wolf-Hirschhorn syndrome: experience with 15 cases." Pediatrics **103**(4 Pt 1): 830-6.
- Bauer, E. P., S. Kuki, R. Zimmermann and W. Schaper (1998). "Upregulated and downregulated transcription of myocardial genes after pulmonary artery banding in pigs." Ann Thorac Surg **66**(2): 527-31.
- Baumgarten, G., P. Knuefermann, D. Kalra, F. Gao, G. E. Taffet, L. Michael, P. J. Blackshear, E. Carballo, N. Sivasubramanian and D. L. Mann (2002). "Load-dependent and -independent regulation of proinflammatory cytokine and cytokine receptor gene expression in the adult mammalian heart." Circulation **105**(18): 2192-7.
- Beissbarth, T., K. Fellenberg, B. Brors, R. Arribas-Prat, J. Boer, N. C. Hauser, M. Scheideler, J. D. Hoheisel, G. Schutz, A. Poustka and M. Vingron (2000). "Processing and quality control of DNA array hybridization data." Bioinformatics **16**(11): 1014-22.
- Bruneau, B. G. (2002). "Transcriptional regulation of vertebrate cardiac morphogenesis." Circ Res **90**(5): 509-19.
- Bruneau, B. G., M. Logan, N. Davis, T. Levi, C. J. Tabin, J. G. Seidman and C. E. Seidman (1999). "Chamber-specific cardiac expression of Tbx5 and heart defects in Holt-Oram syndrome." Dev Biol **211**(1): 100-8.

- Buchman, V. L., N. N. Ninkina, Y. D. Bogdanov, A. L. Bortvin, H. N. Akopian, S. L. Kiselev, O. Krylova, K. V. Anokhin and G. P. Georgiev (1992). "Differential splicing creates a diversity of transcripts from a neurospecific developmentally regulated gene encoding a protein with new zinc-finger motifs." Nucleic Acids Res **20**(21): 5579-85.
- Cai, C. L., X. Liang, Y. Shi, P. H. Chu, S. L. Pfaff, J. Chen and S. Evans (2003). "Isl1 identifies a cardiac progenitor population that proliferates prior to differentiation and contributes a majority of cells to the heart." Dev Cell **5**(6): 877-89.
- Capili, A. D., D. C. Schultz, I. F. Rauscher and K. L. Borden (2001). "Solution structure of the PHD domain from the KAP-1 corepressor: structural determinants for PHD, RING and LIM zinc-binding domains." Embo J **20**(1-2): 165-77.
- Chambers, D. M., J. Peters and C. M. Abbott (1998). "The lethal mutation of the mouse wasted (wst) is a deletion that abolishes expression of a tissue-specific isoform of translation elongation factor 1alpha, encoded by the Eef1a2 gene." Proc Natl Acad Sci U S A **95**(8): 4463-8.
- Chapman, S. C., J. Collignon, G. C. Schoenwolf and A. Lumsden (2001). "Improved method for chick whole-embryo culture using a filter paper carrier." Dev Dyn **220**(3): 284-9.
- Chen, T. H., T. C. Chang, J. O. Kang, B. Choudhary, T. Makita, C. M. Tran, J. B. Burch, H. Eid and H. M. Sucov (2002). "Epicardial induction of fetal cardiomyocyte proliferation via a retinoic acid-inducible trophic factor." Dev Biol **250**(1): 198-207.
- Chestkov, A. V., I. D. Baka, M. V. Kost, G. P. Georgiev and V. L. Buchman (1996). "The d4 gene family in the human genome." Genomics **36**(1): 174-7.
- Ching, Y. H., T. K. Ghosh, S. J. Cross, E. A. Packham, L. Honeyman, S. Loughna, T. E. Robinson, A. M. Dearlove, G. Ribas, A. J. Bonser, N. R. Thomas, A. J. Scotter, L. S. Caves, G. P. Tyrrell, R. A. Newbury-Ecob, A. Munnich, D. Bonnet and J. D. Brook (2005). "Mutation in myosin heavy chain 6 causes atrial septal defect." Nat Genet **37**(4): 423-8.
- Chomczynski, P. and N. Sacchi (1987). "Single-step method of RNA isolation by acid guanidinium thiocyanate-phenol-chloroform extraction." Anal Biochem **162**(1): 156-9.
- Christoffels, V. M., P. E. Habets, D. Franco, M. Campione, F. de Jong, W. H. Lamers, Z. Z. Bao, S. Palmer, C. Biben, R. P. Harvey and A. F. Moorman (2000). "Chamber formation and morphogenesis in the developing mammalian heart." Dev Biol **223**(2): 266-78.
- Cox, P. R. and H. Y. Zoghbi (2000). "Sequencing, expression analysis, and mapping of three unique human tropomodulin genes and their mouse orthologs." Genomics **63**(1): 97-107.
- DeRuiter, M. C., R. E. Poelmann, I. VanderPlas-de Vries, M. M. Mentink and A. C. Gittenberger-de Groot (1992). "The development of the myocardium and endocardium in mouse embryos. Fusion of two heart tubes?" Anat Embryol (Berl) **185**(5): 461-73.
- Durocher, D., F. Charron, R. Warren, R. J. Schwartz and M. Nemer (1997). "The cardiac transcription factors Nkx2-5 and GATA-4 are mutual cofactors." Embo J **16**(18): 5687-96.
- Eisenberg, L. M. and R. R. Markwald (1995). "Molecular regulation of atrioventricular valvuloseptal morphogenesis." Circ Res **77**(1): 1-6.

- Fellenberg, K., N. C. Hauser, B. Brors, A. Neutzner, J. D. Hoheisel and M. Vingron (2001). "Correspondence analysis applied to microarray data." Proc Natl Acad Sci U S A **98**(19): 10781-6.
- Forman, B. M., K. Umesono, J. Chen and R. M. Evans (1995). "Unique response pathways are established by allosteric interactions among nuclear hormone receptors." Cell **81**(4): 541-50.
- Gabig, T. G., C. D. Crean, A. Klenk, H. Long, N. G. Copeland, D. J. Gilbert, N. A. Jenkins, D. Quincey, F. Parente, F. Lespinasse, G. F. Carle, P. Gaudray, C. X. Zhang, A. Calender, J. Hoepfner, K. Kas, R. V. Thakker, F. Farnebo, B. T. Teh, C. Larsson, F. Piehl, J. Lagercrantz, S. Khodaei, E. Carson and G. Weber (1998). "Expression and chromosomal localization of the Requiem gene." Mamm Genome **9**(8): 660-5.
- Gabig, T. G., P. L. Mantel, R. Rosli and C. D. Crean (1994). "Requiem: a novel zinc finger gene essential for apoptosis in myeloid cells." J Biol Chem **269**(47): 29515-9.
- Garcia, J. M., R. Gonzalez, J. M. Silva, G. Dominguez, I. S. Vegazo, C. Gamallo, M. Provencio, P. Espana and F. Bonilla (2000). "Mutational status of K-ras and TP53 genes in primary sarcomas of the heart." Br J Cancer **82**(6): 1183-5.
- Garg, V., I. S. Kathiriyai, R. Barnes, M. K. Schluterman, I. N. King, C. A. Butler, C. R. Rothrock, R. S. Eapen, K. Hirayama-Yamada, K. Joo, R. Matsuoka, J. C. Cohen and D. Srivastava (2003). "GATA4 mutations cause human congenital heart defects and reveal an interaction with TBX5." Nature **424**(6947): 443-7.
- Gassmann, M., F. Casagrande, D. Orioli, H. Simon, C. Lai, R. Klein and G. Lemke (1995). "Aberrant neural and cardiac development in mice lacking the ErbB4 neuregulin receptor." Nature **378**(6555): 390-4.
- Gaussin, V., T. Van de Putte, Y. Mishina, M. C. Hanks, A. Zwijsen, D. Huylebroeck, R. R. Behringer and M. D. Schneider (2002). "Endocardial cushion and myocardial defects after cardiac myocyte-specific conditional deletion of the bone morphogenetic protein receptor ALK3." Proc Natl Acad Sci U S A **99**(5): 2878-83.
- Gibbons, R. J., S. Bachoo, D. J. Picketts, S. Aftimos, B. Asenbauer, J. Bergoffen, S. A. Berry, N. Dahl, A. Fryer, K. Keppler, K. Kurosawa, M. L. Levin, M. Masuno, G. Neri, M. E. Pierpont, S. F. Slaney and D. R. Higgs (1997). "Mutations in transcriptional regulator ATRX establish the functional significance of a PHD-like domain." Nat Genet **17**(2): 146-8.
- Gittenberger-de Groot, A. C., M. M. Bartelings, M. C. Deruiter and R. E. Poelmann (2005). "Basics of cardiac development for the understanding of congenital heart malformations." Pediatr Res **57**(2): 169-76.
- Guo, W., H. Li, F. Aimond, D. C. Johns, K. J. Rhodes, J. S. Trimmer and J. M. Nerbonne (2002). "Role of heteromultimers in the generation of myocardial transient outward K⁺ currents." Circ Res **90**(5): 586-93.
- Haft, C. R., M. de la Luz Sierra, R. Bafford, M. A. Lesniak, V. A. Barr and S. I. Taylor (2000). "Human orthologs of yeast vacuolar protein sorting proteins Vps26, 29, and 35: assembly into multimeric complexes." Mol Biol Cell **11**(12): 4105-16.
- Harvey, R. P. (1999). "Seeking a regulatory roadmap for heart morphogenesis." Semin Cell Dev Biol **10**(1): 99-107.
- Harvey, R. P. and N. Rosenthal (1999). Heart development. San Diego, Academic Press.

- Hochgreb, T., V. L. Linhares, D. C. Menezes, A. C. Sampaio, C. Y. Yan, W. V. Cardoso, N. Rosenthal and J. Xavier-Neto (2003). "A caudorostral wave of RALDH2 conveys anteroposterior information to the cardiac field." Development **130**(22): 5363-74.
- Huggins, G. S., C. J. Bacani, J. Boltax, R. Aikawa and J. M. Leiden (2001). "Friend of GATA 2 physically interacts with chicken ovalbumin upstream promoter-TF2 (COUP-TF2) and COUP-TF3 and represses COUP-TF2-dependent activation of the atrial natriuretic factor promoter." J Biol Chem **276**(30): 28029-36.
- Jung, D. H. and H. Kim do (2004). "Characterization of isoforms and genomic organization of mouse calumenin." Gene **327**(2): 185-94.
- Karibe, A., L. S. Tobacman, J. Strand, C. Butters, N. Back, L. L. Bachinski, A. E. Arai, A. Ortiz, R. Roberts, E. Homsher and L. Fananapazir (2001). "Hypertrophic cardiomyopathy caused by a novel alpha-tropomyosin mutation (V95A) is associated with mild cardiac phenotype, abnormal calcium binding to troponin, abnormal myosin cycling, and poor prognosis." Circulation **103**(1): 65-71.
- Kastner, P., M. Mark, N. Ghyselinck, W. Krezel, V. Dupe, J. M. Grondona and P. Chambon (1997). "Genetic evidence that the retinoid signal is transduced by heterodimeric RXR/RAR functional units during mouse development." Development **124**(2): 313-26.
- Kaynak, B., A. von Heydebreck, S. Mebus, D. Seelow, S. Hennig, J. Vogel, H. P. Sperling, R. Pregla, V. Alexi-Meskishvili, R. Hetzer, P. E. Lange, M. Vingron, H. Lehrach and S. Sperling (2003). "Genome-wide array analysis of normal and malformed human hearts." Circulation **107**(19): 2467-74.
- Kiehl, T. R., H. Shibata, T. Vo, D. P. Huynh and S. M. Pulst (2001). "Identification and expression of a mouse ortholog of A2BP1." Mamm Genome **12**(8): 595-601.
- Kirby, M. L., G. Cheng, H. Stadt and G. Hunter (1995). "Differential expression of the L10 ribosomal protein during heart development." Biochem Biophys Res Commun **212**(2): 461-5.
- Kirby, M. L. and K. L. Waldo (1995). "Neural crest and cardiovascular patterning." Circ Res **77**(2): 211-5.
- Kuo, H. C., C. F. Cheng, R. B. Clark, J. J. Lin, J. L. Lin, M. Hoshijima, V. T. Nguyen-Tran, Y. Gu, Y. Ikeda, P. H. Chu, J. Ross, W. R. Giles and K. R. Chien (2001). "A defect in the Kv channel-interacting protein 2 (KChIP2) gene leads to a complete loss of I(to) and confers susceptibility to ventricular tachycardia." Cell **107**(6): 801-13.
- Kurokawa, R., J. DiRenzo, M. Boehm, J. Sugarman, B. Gloss, M. G. Rosenfeld, R. A. Heyman and C. K. Glass (1994). "Regulation of retinoid signalling by receptor polarity and allosteric control of ligand binding." Nature **371**(6497): 528-31.
- Kwan, A. H., D. A. Gell, A. Verger, M. Crossley, J. M. Matthews and J. P. Mackay (2003). "Engineering a protein scaffold from a PHD finger." Structure (Camb) **11**(7): 803-13.
- Lee, K. F., H. Simon, H. Chen, B. Bates, M. C. Hung and C. Hauser (1995). "Requirement for neuregulin receptor erbB2 in neural and cardiac development." Nature **378**(6555): 394-8.
- Li, Q. Y., R. A. Newbury-Ecob, J. A. Terrett, D. I. Wilson, A. R. Curtis, C. H. Yi, T. Gebuhr, P. J. Bullen, S. C. Robson, T. Strachan, D. Bonnet, S. Lyonnet, I. D. Young, J. A. Raeburn, A. J. Buckler, D. J. Law and J. D. Brook (1997). "Holt-

- Oram syndrome is caused by mutations in TBX5, a member of the Brachyury (T) gene family." *Nat Genet* **15**(1): 21-9.
- Liberatore, C. M., R. D. Searcy-Schrick, E. B. Vincent and K. E. Yutzey (2002). "Nkx-2.5 gene induction in mice is mediated by a Smad consensus regulatory region." *Dev Biol* **244**(2): 243-56.
- Lickert, H., J. K. Takeuchi, I. Von Both, J. R. Walls, F. McAuliffe, S. L. Adamson, R. M. Henkelman, J. L. Wrana, J. Rossant and B. G. Bruneau (2004). "Baf60c is essential for function of BAF chromatin remodelling complexes in heart development." *Nature* **432**(7013): 107-12.
- Lien, C. L., J. McAnally, J. A. Richardson and E. N. Olson (2002). "Cardiac-specific activity of an Nkx2-5 enhancer requires an evolutionarily conserved Smad binding site." *Dev Biol* **244**(2): 257-66.
- Liew, C. K., K. Kowalski, A. H. Fox, A. Newton, B. K. Sharpe, M. Crossley and J. P. Mackay (2000). "Solution structures of two CCHC zinc fingers from the FOG family protein U-shaped that mediate protein-protein interactions." *Structure Fold Des* **8**(11): 1157-66.
- Linask, K. K. and J. W. Lash (1993). "Early heart development: dynamics of endocardial cell sorting suggests a common origin with cardiomyocytes." *Dev Dyn* **196**(1): 62-9.
- Livak, K. J. and T. D. Schmittgen (2001). "Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) Method." *Methods* **25**(4): 402-8.
- Lomnytska, M., V. Lukiyanchuk, U. Hellman and S. Souchelnytskyi (2004). "Transforming growth factor-beta1-regulated proteins in human endothelial cells identified by two-dimensional gel electrophoresis and mass spectrometry." *Proteomics* **4**(4): 995-1006.
- Lorain, S., J. P. Quivy, F. Monier-Gavelle, C. Scamps, Y. Lecluse, G. Almouzni and M. Lipinski (1998). "Core histones and HIRIP3, a novel histone-binding protein, directly interact with WD repeat protein HIRA." *Mol Cell Biol* **18**(9): 5546-56.
- Lutz, B., S. Kuratani, A. J. Cooney, S. Wawersik, S. Y. Tsai, G. Eichele and M. J. Tsai (1994). "Developmental regulation of the orphan receptor COUP-TF II gene in spinal motor neurons." *Development* **120**(1): 25-36.
- Malpel, S., C. Mendelsohn and W. V. Cardoso (2000). "Regulation of retinoic acid signaling during lung morphogenesis." *Development* **127**(14): 3057-67.
- Manner, J. (2000). "Cardiac looping in the chick embryo: a morphological review with special reference to terminological and biomechanical aspects of the looping process." *Anat Rec* **259**(3): 248-62.
- Manner, J., J. M. Perez-Pomares, D. Macias and R. Munoz-Chapuli (2001). "The origin, formation and developmental significance of the epicardium: a review." *Cells Tissues Organs* **169**(2): 89-103.
- Marvin, M. J., G. Di Rocco, A. Gardiner, S. M. Bush and A. B. Lassar (2001). "Inhibition of Wnt activity induces heart formation from posterior mesoderm." *Genes Dev* **15**(3): 316-27.
- Matthews, J. M. and M. Sunde (2002). "Zinc fingers--folds for many occasions." *IUBMB Life* **54**(6): 351-5.
- Mertsalov, I. B., D. A. Kulikova, M. V. Alimova-Kost, N. N. Ninkina, L. I. Korochkin and V. L. Buchman (2000). "Structure and expression of two members of the d4 gene family in mouse." *Mamm Genome* **11**(1): 72-4.

- Meyer, D. and C. Birchmeier (1995). "Multiple essential functions of neuregulin in development." *Nature* **378**(6555): 386-90.
- Mikawa, T. and R. G. Gourdie (1996). "Pericardial mesoderm generates a population of coronary smooth muscle cells migrating into the heart along with ingrowth of the epicardial organ." *Dev Biol* **174**(2): 221-32.
- Minoguchi, M., S. Minoguchi, D. Aki, A. Joo, T. Yamamoto, T. Yumioka, T. Matsuda and A. Yoshimura (2003). "STAP-2/BKS, an adaptor/docking protein, modulates STAT3 activation in acute-phase response through its YXXQ motif." *J Biol Chem* **278**(13): 11182-9.
- Mjaatvedt, C. H., T. Nakaoka, R. Moreno-Rodriguez, R. A. Norris, M. J. Kern, C. A. Eisenberg, D. Turner and R. R. Markwald (2001). "The outflow tract of the heart is recruited from a novel heart-forming field." *Dev Biol* **238**(1): 97-109.
- Mohri, K., H. Takano-Ohmuro, H. Nakashima, K. Hayakawa, T. Endo, K. Hanaoka and T. Obinata (2000). "Expression of cofilin isoforms during development of mouse striated muscles." *J Muscle Res Cell Motil* **21**(1): 49-57.
- Monaghan, A. P., P. Kioschis, W. Wu, A. Zuniga, D. Bock, A. Poustka, H. Delius and C. Niehrs (1999). "Dickkopf genes are co-ordinately expressed in mesodermal lineages." *Mech Dev* **87**(1-2): 45-56.
- Moorman, A. F. and V. M. Christoffels (2003). "Cardiac chamber formation: development, genes, and evolution." *Physiol Rev* **83**(4): 1223-67.
- Morrison, A. C., M. S. Bray, A. R. Folsom and E. Boerwinkle (2002). "ADD1 460W allele associated with cardiovascular disease in hypertensive individuals." *Hypertension* **39**(6): 1053-7.
- Mujica, A. O., T. Hankeln and E. R. Schmidt (2001). "A novel serine/threonine kinase gene, STK33, on human chromosome 11p15.3." *Gene* **280**(1-2): 175-81.
- Myung, K. (1997). *The Pediatric Cardiology Handbook*.
- Nabirochkina, E., O. B. Simonova, I. B. Mertsalov, D. A. Kulikova, N. G. Ladigina, L. I. Korochkin and V. L. Buchman (2002). "Expression pattern of dd4, a sole member of the d4 family of transcription factors in *Drosophila melanogaster*." *Mech Dev* **114**(1-2): 119-23.
- Nediani, C., L. Formigli, A. M. Perna, L. Ibba-Manneschi, S. Zecchi-Orlandini, C. Fiorillo, V. Ponziani, C. Cecchi, P. Liguori, G. Fratini and P. Nassi (2000). "Early changes induced in the left ventricle by pressure overload. An experimental study on swine heart." *J Mol Cell Cardiol* **32**(1): 131-42.
- Nemer, G. and M. Nemer (2001). "Regulation of heart development and function through combinatorial interactions of transcription factors." *Ann Med* **33**(9): 604-10.
- Ninkina, N. N., I. B. Mertsalov, D. A. Kulikova, M. V. Alimova-Kost, O. B. Simonova, L. I. Korochkin, S. L. Kiselev and V. L. Buchman (2001). "Cerd4, third member of the d4 gene family: expression and organization of genomic locus." *Mamm Genome* **12**(11): 862-6.
- Nishimura, K., F. Nakatsu, K. Kashiwagi, H. Ohno, T. Saito and K. Igarashi (2002). "Essential role of S-adenosylmethionine decarboxylase in mouse embryonic development." *Genes Cells* **7**(1): 41-7.
- Odom, D. T., N. Zizlsperger, D. B. Gordon, G. W. Bell, N. J. Rinaldi, H. L. Murray, T. L. Volkert, J. Schreiber, P. A. Rolfe, D. K. Gifford, E. Fraenkel, G. I. Bell and R. A. Young (2004). "Control of pancreas and liver gene expression by HNF transcription factors." *Science* **303**(5662): 1378-81.
- Olson, E. N. (2004). "A decade of discoveries in cardiac biology." *Nat Med* **10**(5): 467-74.

- Pallavicini, A., S. Kojic, C. Bean, M. Vainzof, M. Salamon, C. Ievolella, G. Bortoletto, B. Pacchioni, M. Zatz, G. Lanfranchi, G. Faulkner and G. Valle (2001). "Characterization of human skeletal muscle Ankrd2." Biochem Biophys Res Commun **285**(2): 378-86.
- Park, J. I., S. Y. Tsai and M. J. Tsai (2003). "Molecular mechanism of chicken ovalbumin upstream promoter-transcription factor (COUP-TF) actions." Keio J Med **52**(3): 174-81.
- Pascual, J., M. Martinez-Yamout, H. J. Dyson and P. E. Wright (2000). "Structure of the PHD zinc finger from human Williams-Beuren syndrome transcription factor." J Mol Biol **304**(5): 723-9.
- Pereira, F. A., Y. Qiu, G. Zhou, M. J. Tsai and S. Y. Tsai (1999). "The orphan nuclear receptor COUP-TFII is required for angiogenesis and heart development." Genes Dev **13**(8): 1037-49.
- Pourquie, O. (2002). "Vertebrate segmentation: lunatic transcriptional regulation." Curr Biol **12**(20): R699-701.
- Pu, W. T., T. Ishiwata, A. L. Juraszek, Q. Ma and S. Izumo (2004). "GATA4 is a dosage-sensitive regulator of cardiac morphogenesis." Dev Biol **275**(1): 235-44.
- Raffin, M., L. M. Leong, M. S. Ronces, D. Sparrow, T. Mohun and M. Mercola (2000). "Subdivision of the cardiac Nkx2.5 expression domain into myogenic and nonmyogenic compartments." Dev Biol **218**(2): 326-40.
- Redkar, A., J. K. deRiel, Y. S. Xu, M. Montgomery, V. Patwardhan and J. Litvin (2002). "Characterization of cardiac muscle factor 1 sequence motifs: retinoblastoma protein binding and nuclear localization." Gene **282**(1-2): 53-64.
- Romano-Zelekha, O., R. Hirsh, L. Blieden, M. Green and T. Shohat (2001). "The risk for congenital heart defects in offspring of individuals with congenital heart defects." Clin Genet **59**(5): 325-9.
- Saga, Y. and H. Takeda (2001). "The making of the somite: molecular events in vertebrate segmentation." Nat Rev Genet **2**(11): 835-45.
- Saha, V., T. Chaplin, A. Gregorini, P. Ayton and B. D. Young (1995). "The leukemia-associated-protein (LAP) domain, a cysteine-rich motif, is present in a wide range of proteins, including MLL, AF10, and MLLT6 proteins." Proc Natl Acad Sci U S A **92**(21): 9737-41.
- Sambrook, J. and D. W. Russell (2001). Molecular cloning: a laboratory manual. Cold Spring Harbor, N.Y., Cold Spring Harbor Laboratory Press.
- Sanchez-Garcia, I. and T. H. Rabbitts (1994). "The LIM domain: a new structural motif found in zinc-finger-like proteins." Trends Genet **10**(9): 315-20.
- Sanes, J. R. (1992). "On the republication of the Hamburger-Hamilton stage series." Dev Dyn **195**(4): 229-30.
- Saurin, A. J., K. L. Borden, M. N. Boddy and P. S. Freemont (1996). "Does this have a familiar RING?" Trends Biochem Sci **21**(6): 208-14.
- Schmeichel, K. L. and M. C. Beckerle (1994). "The LIM domain is a modular protein-binding interface." Cell **79**(2): 211-9.
- Schneider, V. A. and M. Mercola (2001). "Wnt antagonism initiates cardiogenesis in *Xenopus laevis*." Genes Dev **15**(3): 304-15.
- Schott, J. J., D. W. Benson, C. T. Basson, W. Pease, G. M. Silberbach, J. P. Moak, B. J. Maron, C. E. Seidman and J. G. Seidman (1998). "Congenital heart disease caused by mutations in the transcription factor NKX2-5." Science **281**(5373): 108-11.

- Schwarz, D. G., C. T. Griffin, E. A. Schneider, D. Yee and T. Magnuson (2002). "Genetic analysis of sorting nexins 1 and 2 reveals a redundant and essential function in mice." *Mol Biol Cell* **13**(10): 3588-600.
- Sedmera, D., T. Pexieder, M. Vuillemin, R. P. Thompson and R. H. Anderson (2000). "Developmental patterning of the myocardium." *Anat Rec* **258**(4): 319-37.
- Solloway, M. J. and R. P. Harvey (2003). "Molecular pathways in myocardial development: a stem cell perspective." *Cardiovasc Res* **58**(2): 264-77.
- Somi, S., A. A. Buffing, A. F. Moorman and M. J. Van Den Hoff (2004). "Dynamic patterns of expression of BMP isoforms 2, 4, 5, 6, and 7 during chicken heart development." *Anat Rec A Discov Mol Cell Evol Biol* **279**(1): 636-51.
- Sparrow, D. B., C. Cai, S. Kotecha, B. Latinkic, B. Cooper, N. Towers, S. M. Evans and T. J. Mohun (2000). "Regulation of the tinman homologues in *Xenopus* embryos." *Dev Biol* **227**(1): 65-79.
- Srivastava, D. (2001). "Genetic assembly of the heart: implications for congenital heart disease." *Annu Rev Physiol* **63**: 451-69.
- Stuckmann, I., S. Evans and A. B. Lassar (2003). "Erythropoietin and retinoic acid, secreted from the epicardium, are required for cardiac myocyte proliferation." *Dev Biol* **255**(2): 334-49.
- Tabibiazar, R., R. A. Wagner, A. Liao and T. Quertermous (2003). "Transcriptional profiling of the heart reveals chamber-specific gene expression patterns." *Circ Res* **93**(12): 1193-201.
- Thirion, C., R. Stucka, B. Mendel, A. Gruhler, M. Jaksch, K. J. Nowak, N. Binz, N. G. Laing and H. Lochmuller (2001). "Characterization of human muscle type cofilin (CFL2) in normal and regenerating muscle." *Eur J Biochem* **268**(12): 3473-82.
- Tsai, S. Y. and M. J. Tsai (1997). "Chick ovalbumin upstream promoter-transcription factors (COUP-TFs): coming of age." *Endocr Rev* **18**(2): 229-40.
- Tusher, V. G., R. Tibshirani and G. Chu (2001). "Significance analysis of microarrays applied to the ionizing radiation response." *Proc Natl Acad Sci U S A* **98**(9): 5116-21.
- Tzouanacou, E., S. Tweedie and V. Wilson (2003). "Identification of Jade1, a gene encoding a PHD zinc finger protein, in a gene trap mutagenesis screen for genes involved in anteroposterior axis development." *Mol Cell Biol* **23**(23): 8553-2.
- van den Hoff, M. J., B. P. Kruithof, A. F. Moorman, R. R. Markwald and A. Wessels (2001). "Formation of myocardium after the initial development of the linear heart tube." *Dev Biol* **240**(1): 61-76.
- van der Wees, J., P. J. Matharu, K. de Roos, O. H. Destree, S. F. Godsave, A. J. Durston and G. E. Sweeney (1996). "Developmental expression and differential regulation by retinoic acid of *Xenopus* COUP-TF-A and COUP-TF-B." *Mech Dev* **54**(2): 173-84.
- Vo, N. and R. H. Goodman (2001). "CREB-binding protein and p300 in transcriptional regulation." *J Biol Chem* **276**(17): 13505-8.
- von Heydebreck, A., W. Huber, A. Poustka and M. Vingron (2001). "Identifying splits with clear separation: a new class discovery method for gene expression data." *Bioinformatics* **17 Suppl 1**: S107-14.
- Waldo, K. L., D. H. Kumiski, K. T. Wallis, H. A. Stadt, M. R. Hutson, D. H. Platt and M. L. Kirby (2001). "Conotruncal myocardium arises from a secondary heart field." *Development* **128**(16): 3179-88.

- Wei, Y., C. A. Renard, C. Labalette, Y. Wu, L. Levy, C. Neuveut, X. Prieur, M. Flajolet, S. Prigent and M. A. Buendia (2003). "Identification of the LIM protein FHL2 as a coactivator of beta-catenin." *J Biol Chem* **278**(7): 5188-94.
- Westerfield, M. (1993). *The zebrafish book: a guide for the laboratory use of zebrafish (Brachydanio rerio)*. [Eugene, OR], M. Westerfield.
- Xavier-Neto, J., C. M. Neville, M. D. Shapiro, L. Houghton, G. F. Wang, W. Nikovits, Jr., F. E. Stockdale and N. Rosenthal (1999). "A retinoic acid-inducible transgenic marker of sino-atrial development in the mouse heart." *Development* **126**(12): 2677-87.
- Yang, J., C. S. Moravec, M. A. Sussman, N. R. DiPaola, D. Fu, L. Hawthorn, C. A. Mitchell, J. B. Young, G. S. Francis, P. M. McCarthy and M. Bond (2000). "Decreased SLIM1 expression and increased gelsolin expression in failing human hearts measured by high-density oligonucleotide arrays." *Circulation* **102**(25): 3046-52.
- Zakany, J., M. Kmita, P. Alarcon, J. L. de la Pompa and D. Duboule (2001). "Localized and transient transcription of Hox genes suggests a link between patterning and the segmentation clock." *Cell* **106**(2): 207-17.
- Zhao, X. S., T. D. Gallardo, L. Lin, J. J. Schageman and R. V. Shohet (2002). "Transcriptional mapping and genomic analysis of the cardiac atria and ventricles." *Physiol Genomics* **12**(1): 53-60.
- Zile, M. H. (2004). "Vitamin a requirement for early cardiovascular morphogenesis specification in the vertebrate embryo: insights from the avian embryo." *Exp Biol Med (Maywood)* **229**(7): 598-606.