

6. Anhang

6.1 Literaturverzeichnis

1. K. Gersonde, T. Tolxdorff, und L. Felsberg, *Identification and characterization of tissues by T2-selective whole-body proton NMR imaging*. Magn Reson Med, 1985. **2**(4): S. 390-401.
2. A. Simmons u. a., *Improvements to the quality of MRI cluster analysis*. Magn Reson Imaging, 1994. **12**(8): S. 1191-1204.
3. J. Reul, H. Handels, A. Thron, C. Lakenberg und R. Herpers, *Relaxometrische Differenzierung normaler und pathologischer Hirngewebe in der MRT unter Verwendung einer histogrammbasierten Clusteranalyse*. Klin Neuroradiol, 1992. **2**: S. 55-63.
4. T. Tolxdorff, L. Felsberg und K. Gersonde K: Proton NMR Imaging: Contrast-Enhanced Images and Combination with Parameter-Selective Images by Overlay Display Technique. In: Lemke HU, Rhodes ML, Jaffe CC, und Felix R (Hrsg), Computer Assisted Radiology, Computerunterstützte Radiologie. Springer, Berlin, 1987, S. 3-11.
5. L. P. Clarke u. a., *MRI segmentation: methods and applications*. Magn Reson Imaging, 1995. **13**(3): S. 343-368.
6. A.K. Jain und R.C. Dubes: Algorithms for Clustering Data. Prentice Hall, Engelwood Cliffs, 1988.
7. N.R. Pal und S.K. Pal, *A Review on Image Segmentation Techniques*. Patt Recogn, 1993. **26**: S. 1277-1294.
8. M. S. Atkins und B. T. Mackiewich, *Fully automatic segmentation of the brain in MRI*. IEEE Trans Med Imaging, 1998. **17**(1): S. 98-107.
9. J. C. Bezdek, L. O. Hall, und L. P. Clarke, *Review of MR image segmentation techniques using pattern recognition*. Med Phys, 1993. **20**(4): S. 1033-1048.
10. V. A. Cardenas u. a., *Reliability of tissue volumes and their spatial distribution for segmented magnetic resonance images*. Psychiatry Res, 2001. **106**(3): S. 193-205.

11. L. P. Clarke u. a., *MRI: stability of three supervised segmentation techniques*. Magn Reson Imaging, 1993. **11**(1): S. 95-106.
12. H. Handels, *Automatic 3D segmentation and characterization of brain tissues in multiparametric MR image sequences*. Medinfo, 1995. **8 Pt 1**: S. 696-700.
13. R. Kikinis u. a., *Routine quantitative analysis of brain and cerebrospinal fluid spaces with MR imaging*. J Magn Reson Imaging, 1992. **2**(6): S. 619-629.
14. L. Lemieux u. a., *Fast, accurate, and reproducible automatic segmentation of the brain in T1-weighted volume MRI data*. Magn Reson Med, 1999. **42**(1): S. 127-135.
15. D. L. Pham, C. Xu, und J. L. Prince, *Current methods in medical image segmentation*. Annu Rev Biomed Eng, 2000. **2**: S. 315-337.
16. N. Saeed, *Magnetic resonance image segmentation using pattern recognition, and applied to image registration and quantitation*. NMR Biomed, 1998. **11**(4-5): S. 157-167.
17. N. Saeed, J. V. Hajnal, und A. Oatridge, *Automated brain segmentation from single slice, multislice, or whole-volume MR scans using prior knowledge*. J Comput Assist Tomogr, 1997. **21**(2): S. 192-201.
18. A. Simmons u. a., *Simulation of MRI cluster plots and application to neurological segmentation*. Magn Reson Imaging, 1996. **14**(1): S. 73-92.
19. R. Stokking, K. L. Vincken, und M. A. Viergever, *Automatic morphology-based brain segmentation (MBRASE) from MRI-T1 data*. Neuroimage, 2000. **12**(6): S. 726-738.
20. G. Gerig, J. Martin, R. Kikinis, O. Kubler, M. Shenton und F.A. Jolesz, *Unsupervised tissue type segmentation of 3D dual-echo MR head data*. Image Vision Computing, 1992. **10**: S. 349-360.
21. A. C. Evans, D. L. Collins und C. J. Holmes, Automatic 3D regional MRI segmentation and statistical probability anatomy maps. In T. Jones (Hrsg): Quantification of Brain Function: Tracer kinetics and image analysis in brain PET, 1995. S. 123-130.
22. A.M. Dale, B. Fischl und M.I. Sereno, *Cortical surface-based analysis. I. Segmentation and surface reconstruction*. Neuroimage, 1999 Feb. **9**(2): S. 179-194
23. J. Bernarding u. a., *Histogram-based characterization of healthy and ischemic brain tissues using multiparametric MR imaging including apparent diffusion coefficient maps and relaxometry*. Magn Reson Med, 2000. **43**(1): S. 52-61.

24. L. D'Olhaberriague u. a., *Preliminary clinical-radiological assessment of a MR tissue signature model in human stroke*. J Neurol Sci, 1998. **156**(2): S. 158-166.
25. H. Handels und T. Tolxdorff, *A new segmentation algorithm for knowledge acquisition in tissue-characterizing magnetic resonance imaging*. J Digit Imaging, 1990. **3**(2): S. 89-94.
26. J. A. Detre u. a., *Tissue specific perfusion imaging using arterial spin labeling*. NMR Biomed, 1994. **7**(1-2): S. 75-82.
27. M. Fisher, J. W. Prichard, und S. Warach, *New magnetic resonance techniques for acute ischemic stroke*. Jama, 1995. **274**(11): S. 908-911.
28. K. A. Hossmann und M. Hoehn-Berlage, *Diffusion and perfusion MR imaging of cerebral ischemia*. Cerebrovasc Brain Metab Rev, 1995. **7**(3): S. 187-217.
29. K. K. Kwong u. a., *MR perfusion studies with T1-weighted echo planar imaging*. Magn Reson Med, 1995. **34**(6): S. 878-887.
30. D. Le Bihan, *[Diffusion, perfusion and functional magnetic resonance imaging]*. J Mal Vasc, 1995. **20**(3): S. 203-214.
31. D. Le Bihan u. a., *Diffusion MR imaging: clinical applications*. AJR Am J Roentgenol, 1992. **159**(3): S. 591-599.
32. R. Turner, D. Le Bihan, und A. S. Chesnick, *Echo-planar imaging of diffusion and perfusion*. Magn Reson Med, 1991. **19**(2): S. 247-253.
33. M. E. Moseley u. a., *Clinical aspects of DWI*. NMR Biomed, 1995. **8**(7-8): S. 387-396.
34. S. Warach u. a., *Acute human stroke studied by whole brain echo planar diffusion-weighted magnetic resonance imaging*. Ann Neurol, 1995. **37**(2): S. 231-241.
35. J. Braun u. a., *Feature-based, Automated Segmentation of Cerebral Infarct Patterns Using T2- and Diffusion-weighted Imaging*. Comput Methods Biomech Biomed Engin, 2002. **5**(6): S. 411-420.
36. M. E. Moseley u. a., *Early detection of regional cerebral ischemia using high-speed MRI*. Stroke, 1993. **24**(12 Suppl): S. I60-65.
37. R. W. Tarr, *Brain attack. Clinical monitoring of early pathophysiologic events*. Neurosurg Clin N Am, 1997. **8**(2): S. 179-194.

38. M. E. Moseley u. a., *Early detection of regional cerebral ischemia in cats: comparison of diffusion- and T2-weighted MRI and spectroscopy*. Magn Reson Med, 1990. **14**(2): S. 330-346.
39. M. E. Moseley u. a., *Diffusion-weighted MR imaging of acute stroke: correlation with T2-weighted and magnetic susceptibility-enhanced MR imaging in cats*. AJNR Am J Neuroradiol, 1990. **11**(3): S. 423-429.
40. R. J. Sevick u. a., *Diffusion-weighted MR imaging and T2-weighted MR imaging in acute cerebral ischemia: comparison and correlation with histopathology*. Acta Neurochir Suppl (Wien), 1990. **51**: S. 210-212.
41. H. C. Koennecke u. a., *Scattered brain infarct pattern on diffusion-weighted magnetic resonance imaging in patients with acute ischemic stroke*. Cerebrovasc Dis, 2001. **11**(3): S. 157-163.
42. M. Imme, *A noise peak elimination filter*. CVGIP: Graphic Models and Image Processing, 1991. **53**(2): S.204-211.
43. P. Perona and J. Malik, *Scale-space and edge detection using anisotropic diffusion*, IEEE Trans. PAMI, 1990. **12**(7): S. 629-639.
44. A. Simmons, S. R. Arridge, G. J. Barker und P.S. Tofts, *Segmentation of neuroanatomy in magnetic resonance images*. In Proceedings of the SPIE: Medical Imaging VI: Image Processing, Ausgabe **1652**, S. 2-13, Chapel Hill, N.J., 1992.
45. F. B. Mohamed u. a., *Optimization of tissue segmentation of brain MR images based on multispectral 3D feature maps*. Magn Reson Imaging, 1999. **17**(3): S. 403-409.
46. A. S. Frangakis, A. Stoscheck, und R. Hegerl, *Wavelet transform filtering and nonlinear anisotropic diffusion assessed for signal reconstruction performance on multidimensional biomedical data*. IEEE Trans Biomed Eng, 2001. **48**(2): S. 213-222.
47. G. Gerig, O. Kübler und F. Jolesz, *Nonlinear Anisotropic Filtering of MRI data*. IEEE Trans. Med. Imaging, 1992. **11**: S. 221-232.
48. P. C. Lauterbur, *Image formation by induced local interactions: Examples using nuclear magnetic resonance*. Nature, 1973. **242**: S. 190-191, 1973.
49. C. Westbrook und C. Kaut, *MRI in Practice*, Blackwell Scientific Publications, Oxford, 1993.
50. D. Le Bihan u. a., *Separation of diffusion and perfusion in intravoxel incoherent motion MR imaging*. Radiology, 1988. **168**(2): S. 497-505.

51. D. Le Bihan u. a., *MR imaging of intravoxel incoherent motions: application to diffusion and perfusion in neurologic disorders*. Radiology, 1986. **161**(2): S. 401-407.
52. J. Zhong, O.A. Petroff, J.W. Prichard und J.C. Gore, *Changes in water diffusion and relaxation properties of rat cerebrum during status epilepticus*. Magn Reson Med, 1992. **30**: S. 241-246.
53. C. C. Hanstock u. a., *Diffusion-weighted imaging differentiates ischemic tissue from traumatized tissue*. Stroke, 1994. **25**(4): S. 843-848.
54. K. Krabbe, P. Wagn, P. Gideon, C. Thomsen, F. Madsen und O. Henriksen, *MR-diffusion measurement of intracranial tumors*. Proc SMRM and ESMRMB, Nice, 1995. S. 1246.
55. S. Warach u. a., *Fast magnetic resonance diffusion-weighted imaging of acute human stroke*. Neurology, 1992. **42**(9): S. 1717-1723.
56. E.O. Stejskal, J.E. Tanner, *Spin diffusion measurements: spin echoes in the presence of a time-dependent field gradient*. J. Chem. Phys., 1965. **42**: S. 288-292.
57. K.F. Masuhr und M. Neumann: Neurologie. 3. überarbeitete Auflage. Hippokrates, Stuttgart, 1996.
58. M. Hoehn-Berlage, *Diffusion-weighted NMR imaging: application to experimental focal cerebral ischemia*. NMR Biomed, 1995. **8**(7-8): S. 345-358.
59. K. Kohno u. a., *Relationship between diffusion-weighted MR images, cerebral blood flow, and energy state in experimental brain infarction*. Magn Reson Imaging, 1995. **13**(1): S. 73-80.
60. T. Back u. a., *Diffusion nuclear magnetic resonance imaging in experimental stroke. Correlation with cerebral metabolites*. Stroke, 1994. **25**(2): S. 494-500.
61. M. Augustin u. a., *Diffusion-weighted imaging of patients with subacute cerebral ischemia: comparison with conventional and contrast-enhanced MR imaging*. AJNR Am J Neuroradiol, 2000. **21**(9): S. 1596-1602.
62. J. Weber, u. a. , Diffusion-weighted imaging in ischaemic stroke: a follow-up study. Neuroradiology, 2000. **42**(3): S. 184-191.
63. R. Bammer u. a., *Diffusion-weighted imaging with navigated interleaved echo-planar imaging and a conventional gradient system*. Radiology, 1999. **211**(3): S. 799-806.
64. M. P. Marks u. a., *Acute and chronic stroke: navigated spin-echo diffusion-weighted MR imaging*. Radiology, 1996. **199**(2): S. 403-408.

65. K. Minematsu u. a., *Reversible focal ischemic injury demonstrated by diffusion-weighted magnetic resonance imaging in rats*. Stroke, 1992. **23**(9): S. 1304-1310; discussion 1310-1301.
66. J. Mintorovitch u. a., *Comparison of diffusion- and T2-weighted MRI for the early detection of cerebral ischemia and reperfusion in rats*. Magn Reson Med, 1991. **18**(1): S. 39-50.
67. M. E. Moseley u. a., *Anisotropy in diffusion-weighted MRI*. Magn Reson Med, 1991. **19**(2): S. 321-326.
68. K. M. Welch u. a., *A model to predict the histopathology of human stroke using diffusion and T2-weighted magnetic resonance imaging*. Stroke, 1995. **26**(11): S. 1983-1989.
69. V. Nagesh u. a., *Time course of ADC_w changes in ischemic stroke: beyond the human eye!* Stroke, 1998. **29**(9): S. 1778-1782.
70. A. J. Hansen und C. E. Olsen, *Brain extracellular space during spreading depression and ischemia*. Acta Physiol Scand, 1980. **108**(4): S. 355-365.
71. K. A. Hossmann und F. J. Schuier, *Experimental brain infarcts in cats. I. Pathophysiological observations*. Stroke, 1980. **11**(6): S. 583-592.
72. Y. Matsuoka und K. A. Hossmann, *Cortical impedance and extracellular volume changes following middle cerebral artery occlusion in cats*. J Cereb Blood Flow Metab, 1982. **2**(4): S. 466-474.
73. J.E. Tanner, *Transient Diffusion in a System Partitioned by Permeable Barriers. Application to NMR Measurements with a Pulsed Field Gradient*. J Chem Phys, 1978. **69**: S. 1748-1754.
74. J.A. Helpern, R.J. Ordidge, R.A. Knight und Q. Jiang: Brain Ischemia. Mechanisms and Predictive Value of the Decrease in Water Diffusion in Cerebral Ischemia. In D. LeBihan (Hrsg): Diffusion and Perfusion Magnetic Resonance Imaging. Raven Press, New York, 1995, S.173-179.
75. R. J. Sevick u. a., *Cytotoxic brain edema: assessment with diffusion-weighted MR imaging*. Radiology, 1992. **185**(3): S. 687-690.
76. E. H. Lo u. a., *Pharmacologic reversal of acute changes in diffusion-weighted magnetic resonance imaging in focal cerebral ischemia*. J Cereb Blood Flow Metab, 1994. **14**(4): S. 597-603.

77. M. Goldberg and S. Shlien, *A Clustering Scheme for Multispectral Images*. IEEE Transactions on Systems Man and Cybernetics Part A – Systems and Humans, 1978. **8**: S. 86–92.
78. P. N. Narendra and M. Goldberg, *A Non-Parametric Clustering Scheme for Landsat*. Pattern Recognition, 1977. **9**: S. 207–215.
79. S. W. Wharton, *A Generalized Histogram Clustering Scheme for Multidimensional Image Data*. Pattern Recognition, 1983. **16**: S. 193–199.
80. M. W. Vannier u. a., *Multispectral analysis of magnetic resonance images*. Radiology, 1985. **154**(1): S. 221-224.
81. M. W. Vannier u. a., *Validation of magnetic resonance imaging (MRI) multispectral tissue classification*. Comput Med Imaging Graph, 1991. **15**(4): S. 217-223.
82. L.O. Hall, A. M. Bensaid, L. P. Clarke, R. P. Velthuizen, M. L. Silbiger und J. C. Bezdek, *A comparison of neural networks and fuzzy clustering techniques in segmenting magnetic resonance images of the brain*. IEEE Transactions on Neural Networks, 1992. **5**: 672–683.
83. M. Hoehn-Berlage u. a., *Imaging of brain tissue pH and metabolites. A new approach for the validation of volume-selective NMR spectroscopy*. NMR Biomed, 1989. **2**(5-6): S. 240-245.
84. T. Els, M Eis, M. Hoehn-Berlage und K. A. Hossmann, *Diffusion-Weighted Imaging in Experimental Brain Tumors of Rat*. Proc 11th Ann Sci Meet SMRM, Berlin, 1992, S. 3711.
85. M. Hoehn-Berlage, L. Wilmes, R. I. Ernestus, O. Kloiber, M. Eis, K. Bockhorst, H. Handels, T. Tolxdorff und K. A. Hossmann, *Tissue Characterization of Different Types of Experimental Rat BrainTumors by T1 and T2 Relaxation Measurements. Response to the Tumor-Specific Contrast Agent MnTPPS*. Annual Meeting of the Society of Magnetic Resonance in Medicine. SanFrancisco, USA, 1991. Book of Abstracts, S. 929.
86. A. J. de Crespigny u. a., *Navigated diffusion imaging of normal and ischemic human brain*. Magn Reson Med, 1995. **33**(5): S. 720-728.
87. R. J. Ordidge u. a., *Correction of motional artifacts in diffusion-weighted MR images using navigator echoes*. Magn Reson Imaging, 1994. **12**(3): S. 455-460.

88. J. Bernarding, Implementierung kernspintomographischer Messsequenzen zur rechnergestützten Diffusions- und Relaxationsbildgebung. Dissertation, Berlin, 1997
89. L. P. Clarke u. a., *Tree-structured non-linear filter and wavelet transform for microcalcification segmentation in digital mammography*. Cancer Lett, 1994. **77**(2-3): S. 173-181.
90. X. P. Hu u. a., *Bayesian image processing in magnetic resonance imaging*. Magn Reson Imaging, 1991. **9**(4): S. 611-620.
91. W. Qian u. a., *Digital mammography: M-channel quadrature mirror filters (QMFs) for microcalcification extraction*. Comput Med Imaging Graph, 1994. **18**(5): S. 301-314.
92. J. B. Weaver u. a., *Filtering noise from images with wavelet transforms*. Magn Reson Med, 1991. **21**(2): S. 288-295.
93. K. Takaya, G. Sarty und X. Li, *Multiresolution 2-Dimensional Edge Analysis Using Wavelets*. IEEE WESCANEX 93, Conference Proceedings, 1993. S. 376-380.
94. H. Yamamoto, K. Sugita, N. Kanzaki, I. Johja, Y. Hiraki und M. Kuwahara, *Magnetic resonance image enhancement using V-filter*. IEEE Aerospace and Electronic Systems Magazine, 1990. **5**(6): S. 31-35.
95. H. Itagaki, *Improvements of nuclear magnetic resonance image quality using iterations of adaptive nonlinear filtering*. IEEE Trans. Med. Imaging, 1993. **12**(2): S. 322-327.
96. K. Ying, B. Clymer und P. Schmalbrock, *Adaptive filtering processing of magnetic resonance images*. Proceedings of the Society of Magnetic Resonance, second meeting, 1994. S. 803.
97. P. Maqbool, X. Hu, *Wavelet based filtering of fMRI data*. Proceedings of the Society of Magnetic Resonance, second meeting, 1994. S. 802.
98. K. M. Johnson, H. W. M. Kayser, R. Gugliemi, L. Woog, R. R. Coifman und J. C. Gore, *Wavelet denoising of echoplanar MR images*. Proceedings of the Society of Magnetic Resonance, second meeting, 1994. S. 799.
99. D. Marr: Vision. W. H. Freeman, San Francisco, 1982.
100. A. S. Frangakis und R. Hegerl, *Noise reduction in electron tomographic reconstructions using nonlinear anisotropic diffusion*. J Struct Biol, 2001. **135**(3): S. 239-250.

101. K. Murase u. a., *An anisotropic diffusion method for denoising dynamic susceptibility contrast-enhanced magnetic resonance images*. Phys Med Biol, 2001. **46**(10): S. 2713-2723.
102. I. Daubechies. *Orthonormal Bases of Compactly Supported Wavelets II. Variations on a Theme*. SIAM Journal on Mathematical Analysis, 1993. **24**(2): S. 499-519.
103. S. Vinitski u. a., *In vivo validation of tissue segmentation based on a 3D feature map using both a hamster brain tumor model and stereotactically guided biopsy of brain tumors in man*. J Magn Reson Imaging, 1998. **8**(4): S. 814-819.
104. R. Zingale und A. Zingale, *Detection of MRI brain contour using isotropic and anisotropic diffusion filter. A comparative study*. J Neurosurg Sci, 1998. **42**(2): S. 111-114.
105. K. W. Leszczynski und S. G. Boyko, *Application of anisotropic diffusion to digital enhancement of portal images*. Phys Med Biol, 2001. **46**(1): S. 261-265.
106. S. D. Pathak u. a., *Edge-guided boundary delineation in prostate ultrasound images*. IEEE Trans Med Imaging, 2000. **19**(12): S. 1211-1219.
107. H. Malm u. a., *Nonlinear diffusion filtering of images obtained by planar laser-induced fluorescence spectroscopy*. J Opt Soc Am A Opt Image Sci Vis, 2000. **17**(12): S. 2148-2156.
108. P. K. Saha und J. K. Udupa, *Scale-based diffusive image filtering preserving boundary sharpness and fine structures*. IEEE Trans Med Imaging, 2001. **20**(11): S. 1140-1155.
109. J. R. Mitchell u. a., *Quantification of multiple sclerosis lesion volumes in 1.5 and 0.5 T anisotropically filtered and unfiltered MR exams*. Med Phys, 1996. **23**(1): S. 115-126.
110. N. Nordström, *Biased Anisotropic diffusion – A unified regularization and diffusion approach to edge detection*. Image Vision Computing, 1990. **8**(4) : S.318-327.
111. L. M. Fletcher, J. B. Barsotti, und J. P. Hornak, *A multispectral analysis of brain tissues*. Magn Reson Med, 1993. **29**(5): S. 623-630.
112. J. Bernarding, J. Reul, und T. Tolxdorff, *Differentiation of normal and pathologic brain structures in MRI using exact T1 and T2 values followed by a multidimensional cluster analysis*. Medinfo, 1995. **8 Pt 1**: S. 687-691.
113. A. O. Nusbaum u. a., *Whole-brain diffusion MR histograms differ between MS subtypes*. Neurology, 2000. **54**(7): S. 1421-1427.

114. M. Wilson u. a., *Quantitative diffusion weighted magnetic resonance imaging, cerebral atrophy, and disability in multiple sclerosis*. J Neurol Neurosurg Psychiatry, 2001. **70**(3): S. 318-322.
115. M. Mascalchi u. a., *Whole brain apparent diffusion coefficient histogram: a new tool for evaluation of leukoaraiosis*. J Magn Reson Imaging, 2002. **15**(2): S. 144-148.
116. M. Cercignani u. a., *Mean diffusivity and fractional anisotropy histograms of patients with multiple sclerosis*. AJNR Am J Neuroradiol, 2001. **22**(5): S. 952-958.
117. M. Filippi und R. I. Grossman, *MRI techniques to monitor MS evolution: the present and the future*. Neurology, 2002. **58**(8): S. 1147-1153.
118. G. Rordorf u. a., *Regional ischemia and ischemic injury in patients with acute middle cerebral artery stroke as defined by early diffusion-weighted and perfusion-weighted MRI*. Stroke, 1998. **29**(5): S. 939-943.
119. H. G. Schnack u. a., *Automated separation of gray and white matter from MR images of the human brain*. Neuroimage, 2001. **13**(1): S. 230-237.
120. Z. Y. Shan, G. H. Yue, und J. Z. Liu, *Automated histogram-based brain segmentation in T1-weighted three-dimensional magnetic resonance head images*. Neuroimage, 2002. **17**(3): S. 1587-1598.
121. M. Cercignani u. a., *Segmenting brain white matter, gray matter and cerebro-spinal fluid using diffusion tensor-MRI derived indices*. Magn Reson Imaging, 2001. **19**(9): S. 1167-1172.
122. S. Warach, M. Moseley, G.A. Sorensen und W. Koroshetz, *Time Course of Diffusion Imaging Abnormalities in Human Stroke. Note to the Editor*. Stroke, 1996. **27**(7): S.1254-1255.