

6 Literatur

1. Acarin,L., Vela,J.M., Gonzalez,B., and Castellano,B. (1994). Demonstration of poly-N-acetyl lactosamine residues in ameboid and ramified microglial cells in rat brain by tomato lectin binding. *J. Histochem. Cytochem.* 42, 1033-1041.
2. Anderson,C.M., Bergher,J.P., and Swanson,R.A. (2004). ATP-induced ATP release from astrocytes. *J. Neurochem.* 88, 246-256.
3. Aoki,C. (1997). Postnatal changes in the laminar and subcellular distribution of NMDA-R1 subunits in the cat visual cortex as revealed by immuno-electron microscopy. *Brain Res. Dev. Brain Res.* 98, 41-59.
4. Aoki,C., Rhee,J., Lubin,M., and Dawson,T.M. (1997). NMDA-R1 subunit of the cerebral cortex co-localizes with neuronal nitric oxide synthase at pre- and postsynaptic sites and in spines. *Brain Res.* 750, 25-40.
5. Araque,A., Carmignoto,G., and Haydon,P.G. (2001). Dynamic signaling between astrocytes and neurons. *Annu. Rev. Physiol.* 63, 795-813.
6. Araque,A., Martin,E.D., Perea,G., Arellano,J.I., and Buno,W. (2002). Synaptically released acetylcholine evokes Ca²⁺ elevations in astrocytes in hippocampal slices. *J. Neurosci.* 22, 2443-2450.
7. Araque,A., Parpura,V., Sanzgiri,R.P., and Haydon,P.G. (1999). Tripartite synapses: glia, the unacknowledged partner. *Trends Neurosci.* 22, 208-215.
8. Ben,A.Y., Cherubini,E., and Krnjevic,K. (1988). Changes in voltage dependence of NMDA currents during development. *Neurosci. Lett.* 94, 88-92.
9. Berger,T., Schnitzer,J., and Kettenmann,H. (1991). Developmental changes in the membrane current pattern, K⁺ buffer capacity, and morphology of glial cells in the corpus callosum slice. *J. Neurosci.* 11, 3008-3024.
10. Bergles,D.E., Dzubay,J.A., and Jahr,C.E. (1997). Glutamate transporter currents in bergmann glial cells follow the time course of extrasynaptic glutamate. *Proc. Natl. Acad. Sci. U. S. A* 94, 14821-14825.
11. Bergles,D.E. and Jahr,C.E. (1997). Synaptic activation of glutamate transporters in hippocampal astrocytes. *Neuron* 19, 1297-1308.
12. Bergles,D.E. and Jahr,C.E. (1998). Glial contribution to glutamate uptake at Schaffer collateral- commissural synapses in the hippocampus. *J. Neurosci.* 18, 7709-7716.

13. Bezzi,P., Carmignoto,G., Pasti,L., Vesce,S., Rossi,D., Rizzini,B.L., Pozzan,T., and Volterra,A. (1998). Prostaglandins stimulate calcium-dependent glutamate release in astrocytes. *Nature* 391, 281-285.
14. Bordey,A. and Sontheimer,H. (2000). Ion channel expression by astrocytes in situ: comparison of different CNS regions. *Glia* 30, 27-38.
15. Boucsein,C., Kettenmann,H., and Nolte,C. (2000). Electrophysiological properties of microglial cells in normal and pathologic rat brain slices. *Eur. J. Neurosci.* 12, 2049-2058.
16. Boucsein,C., Zacharias,R., Farber,K., Pavlovic,S., Hanisch,U.K., and Kettenmann,H. (2003). Purinergic receptors on microglial cells: functional expression in acute brain slices and modulation of microglial activation in vitro. *Eur. J. Neurosci.* 17, 2267-2276.
17. Bouzier-Sore,A.K., Merle,M., Magistretti,P.J., and Pellerin,L. (2002). Feeding active neurons: (re)emergence of a nursing role for astrocytes. *J. Physiol. Paris* 96, 273-282.
18. Brenner,M., Kisseberth,W.C., Su,Y., Besnard,F., and Messing,A. (1994). GFAP promoter directs astrocyte-specific expression in transgenic mice. *J. Neurosci.* 14, 1030-1037.
19. Brenner,M. and Messing,A. (1996). GFAP Transgenic Mice. *Methods* 10, 351-364.
20. Bushong,E.A., Martone,M.E., Jones,Y.Z., and Ellisman,M.H. (2002). Protoplasmic astrocytes in CA1 stratum radiatum occupy separate anatomical domains. *J. Neurosci.* 22, 183-192.
21. Capogna,M., Gahwiler,B.H., and Thompson,S.M. (1996). Presynaptic inhibition of calcium-dependent and -independent release elicited with ionomycin, gadolinium, and alpha-latrotoxin in the hippocampus. *J. Neurophysiol.* 75, 2017-2028.
22. Charles,A.C. (1994). Glia-neuron intercellular calcium signaling. *Dev. Neurosci.* 16, 196-206.
23. Charles,A.C., Merrill,J.E., Dirksen,E.R., and Sanderson,M.J. (1991). Intercellular signaling in glial cells: calcium waves and oscillations in response to mechanical stimulation and glutamate. *Neuron* 6, 983-992.
24. Chatterton,J.E., Awobuluyi,M., Premkumar,L.S., Takahashi,H., Talantova,M., Shin,Y., Cui,J., Tu,S., Sevarino,K.A., Nakanishi,N., Tong,G., Lipton,S.A., and Zhang,D. (2002). Excitatory glycine receptors containing the NR3 family of NMDA receptor subunits. *Nature* 415, 793-798.

25. Chvatal,A., Pastor,A., Mauch,M., Sykova,E., and Kettenmann,H. (1995). Distinct populations of identified glial cells in the developing rat spinal cord slice: ion channel properties and cell morphology. *Eur. J. Neurosci.* 7, 129-142.
26. Clark,B.A. and Barbour,B. (1997). Currents evoked in Bergmann glial cells by parallel fibre stimulation in rat cerebellar slices. *J. Physiol.* 502 (Pt 2), 335-350.
27. Coan,E.J., Saywood,W., and Collingridge,G.L. (1987). MK-801 blocks NMDA receptor-mediated synaptic transmission and long term potentiation in rat hippocampal slices. *Neurosci. Lett.* 80, 111-114.
28. Conti,F., DeBiasi,S., Minelli,A., and Melone,M. (1996). Expression of NR1 and NR2A/B subunits of the NMDA receptor in cortical astrocytes. *Glia* 17, 254-258.
29. Conti,F., Minelli,A., DeBiasi,S., and Melone,M. (1997). Neuronal and glial localization of NMDA receptors in the cerebral cortex. *Mol. Neurobiol.* 14, 1-18.
30. Conti,F., Minelli,A., Molnar,M., and Brecha,N.C. (1994). Cellular localization and laminar distribution of NMDAR1 mRNA in the rat cerebral cortex. *J. Comp. Neurol.* 343, 554-565.
31. Cornell-Bell,A.H., Finkbeiner,S.M., Cooper,M.S., and Smith,S.J. (1990). Glutamate induces calcium waves in cultured astrocytes: long-range glial signaling. *Science* 247, 470-473.
32. Cotrina,M.L., Lin,J.H., Lopez-Garcia,J.C., Naus,C.C., and Nedergaard,M. (2000). ATP-mediated glia signaling. *J. Neurosci.* 20, 2835-2844.
33. Cotrina,M.L., Lin,J.H., and Nedergaard,M. (1998). Cytoskeletal assembly and ATP release regulate astrocytic calcium signaling. *J. Neurosci.* 18, 8794-8804.
34. Dani,J.W., Chernjavsky,A., and Smith,S.J. (1992). Neuronal activity triggers calcium waves in hippocampal astrocyte networks. *Neuron* 8, 429-440.
35. Diamond,J.S., Bergles,D.E., and Jahr,C.E. (1998). Glutamate release monitored with astrocyte transporter currents during LTP. *Neuron* 21, 425-433.
36. Fam,S.R., Gallagher,C.J., and Salter,M.W. (2000). P2Y(1) purinoceptor-mediated Ca(2+) signaling and Ca(2+) wave propagation in dorsal spinal cord astrocytes. *J. Neurosci.* 20, 2800-2808.
37. Farb,C., Aoki,C., Milner,T., Kaneko,T., and LeDoux,J. (1992). Glutamate immunoreactive terminals in the lateral amygdaloid nucleus: a possible substrate for emotional memory. *Brain Res.* 593, 145-158.

38. Farb,C.R., Aoki,C., and Ledoux,J.E. (1995). Differential localization of NMDA and AMPA receptor subunits in the lateral and basal nuclei of the amygdala: a light and electron microscopic study. *J. Comp. Neurol.* 362, 86-108.
39. Ferrari,D., Chiozzi,P., Falzoni,S., Dal Susino,M., Collo,G., Buell,G., and Di Virgilio,F. (1997a). ATP-mediated cytotoxicity in microglial cells. *Neuropharmacology* 36, 1295-1301.
40. Ferrari,D., Chiozzi,P., Falzoni,S., Hanau,S., and Di Virgilio,F. (1997b). Purinergic modulation of interleukin-1 beta release from microglial cells stimulated with bacterial endotoxin. *J. Exp. Med.* 185, 579-582.
41. Galou,M., Pournin,S., Ensergueix,D., Ridet,J.L., Tchelingerian,J.L., Lossouarn,L., Privat,A., Babinet,C., and Dupouey,P. (1994). Normal and pathological expression of GFAP promoter elements in transgenic mice. *Glia* 12, 281-293.
42. Gehrman,J., Mies,G., Bonnekoh,P., Banati,R., Iijima,T., Kreutzberg,G.W., and Hossmann,K.A. (1993). Microglial reaction in the rat cerebral cortex induced by cortical spreading depression. *Brain Pathol.* 3, 11-17.
43. Giaume,C. and Venance,L. (1998). Intercellular calcium signaling and gap junctional communication in astrocytes. *Glia* 24, 50-64.
44. Gracy,K.N. and Pickel,V.M. (1996). Ultrastructural immunocytochemical localization of the N-methyl-D-aspartate receptor and tyrosine hydroxylase in the shell of the rat nucleus accumbens. *Brain Res.* 739, 169-181.
45. Guthrie,P.B., Knappenberger,J., Segal,M., Bennett,M.V.L., Charles,A.C., and Kater,S.B. (1999). ATP released from astrocytes mediates glial calcium waves. *J. Neurosci.* 19, 520-528.
46. Hassinger,T.D., Atkinson,P.B., Strecker,G.J., Whalen,L.R., Dudek,F.E., Kossel,A.H., and Kater,S.B. (1995). Evidence for glutamate-mediated activation of hippocampal neurons by glial calcium waves. *J. Neurobiol.* 28, 159-170.
47. Hide,I., Tanaka,M., Inoue,A., Nakajima,K., Kohsaka,S., Inoue,K., and Nakata,Y. (2000). Extracellular ATP triggers tumor necrosis factor-alpha release from rat microglia. *J. Neurochem.* 75, 965-972.
48. Ilshner,S., Nolte,C., and Kettenmann,H. (1996). Complement factor C5a and epidermal growth factor trigger the activation of outward potassium currents in cultured murine microglia. *Neuroscience* 73, 1109-1120.
49. Innocenti,B., Parpura,V., and Haydon,P.G. (2000). Imaging extracellular waves of glutamate during calcium signaling in cultured astrocytes. *J. Neurosci.* 20, 1800-1808.

50. Israel,J.M., Schipke,C.G., Ohlemeyer,C., Theodosis,D.T., and Kettenmann,H. (2003). GABA_A receptor-expressing astrocytes in the supraoptic nucleus lack glutamate uptake and receptor currents. *Glia* 44, 102-110.
51. Jessen,K.R. and Mirsky,R. (1985). Glial fibrillary acidic polypeptides in peripheral glia. Molecular weight, heterogeneity and distribution. *J. Neuroimmunol.* 8, 377-393.
52. John,G.R., Scemes,E., Suadicani,S.O., Liu,J.S., Charles,P.C., Lee,S.C., Spray,D.C., and Brosnan,C.F. (1999). IL-1 β differentially regulates calcium wave propagation between primary human fetal astrocytes via pathways involving P2 receptors and gap junction channels. *Proc. Natl. Acad. Sci. U. S. A* 96, 11613-11618.
53. Kandel,E.R. (1995). *Neurowissenschaften: eine Einführung*. Oxford: Spektrum, Akademischer Verlag).
54. Kang,J., Jiang,L., Goldman,S.A., and Nedergaard,M. (1998). Astrocyte-mediated potentiation of inhibitory synaptic transmission. *Nat. Neurosci.* 1, 683-692.
55. Kasischke,K.A., Vishwasrao,H.D., Fisher,P.J., Zipfel,W.R., and Webb,W.W. (2004). Neural activity triggers neuronal oxidative metabolism followed by astrocytic glycolysis. *Science* 305, 99-103.
56. Kettenmann,H. and Ransom,B.R. (1995). *Neuroglia*. Oxford University Press.
57. Kirischuk,S., Scherer,J., Kettenmann,H., and Verkhratsky,A. (1995). Activation of P2-purinoreceptors triggered Ca²⁺ release from InsP₃-sensitive internal stores in mammalian oligodendrocytes. *J. Physiol Lond* 483, 41-57.
58. Kreutzberg,G.W. (1996). Microglia: a sensor for pathological events in the CNS. *Trends Neurosci.* 19, 312-318.
59. Kutsuwada,T., Kashiwabuchi,N., Mori,H., Sakimura,K., Kushiya,E., Araki,K., Meguro,H., Masaki,H., Kumanishi,T., Arakawa,M., and et,a. (1992). Molecular diversity of the NMDA receptor channel [see comments]. *Nature* 358, 36-41.
60. Lehrmann,E., Christensen,T., Zimmer,J., Diemer,N.H., and Finsen,B. (1997). Microglial and macrophage reactions mark progressive changes and define the penumbra in the rat neocortex and striatum after transient middle cerebral artery occlusion. *J. Comp. Neurol.* 386, 461-476.
61. Luque,J.M. and Richards,J.G. (1995). Expression of NMDA 2B receptor subunit mRNA in Bergmann glia. *Glia* 13, 228-232.

62. Lytton,J., Westlin,M., and Hanley,M.R. (1991). Thapsigargin inhibits the sarcoplasmic or endoplasmic reticulum Ca- ATPase family of calcium pumps. *J. Biol. Chem.* 266, 17067-17071.
63. Matthias,K., Kirchhoff,F., Seifert,G., Huttmann,K., Matyash,M., Kettenmann,H., and Steinhauser,C. (2003) Segregated expression of AMPA-type glutamate receptors and glutamate transporters defines distinct astrocyte populations in the mouse hippocampus. *J. Neurosci.* 23, 1750-1758.
64. Müller,T., Grosche,J., Ohlemeyer,C., and Kettenmann,H. (1993). NMDA-activated currents in Bergmann glial cells. *Neuroreport.* 4, 671-674.
65. Nedergaard,M. (1994). Direct signaling from astrocytes to neurons in cultures of mammalian brain cells. *Science* 263, 1768-1771.
66. Newman,E.A. (2001). Propagation of intercellular calcium waves in retinal astrocytes and Muller cells. *J. Neurosci.* 21, 2215-2223.
67. Newman,E.A. and Zahs,K.R. (1997). Calcium waves in retinal glial cells. *Science* 275, 844-847.
68. Newman,E.A. and Zahs,K.R. (1998). Modulation of neuronal activity by glial cells in the retina. *J. Neurosci.* 18, 4022-4028.
69. Nolte,C., Matyash,M., Pivneva,T., Schipke,C.G., Ohlemeyer,C., Hanisch,U.K., Kirchhoff,F., and Kettenmann,H. (2001). GFAP promoter-controlled EGFP-expressing transgenic mice: a tool to visualize astrocytes and astrogliosis in living brain tissue. *Glia* 33, 72-86.
70. Norenberg,W., Cordes,A., Blohbaum,G., Frohlich,R., and Illes,P. (1997). Coexistence of purino- and pyrimidinoceptors on activated rat microglial cells. *Br. J. Pharmacol.* 121, 1087-1098.
71. Parpura,V., Basarsky,T.A., Liu,F., Jeftinija,K., Jeftinija,S., and Haydon,P.G. (1994). Glutamate-mediated astrocyte-neuron signalling [see comments]. *Nature* 369, 744-747.
72. Parpura,V. and Haydon,P.G. (2000). Physiological astrocytic calcium levels stimulate glutamate release to modulate adjacent neurons. *Proc. Natl. Acad. Sci. U. S. A* 97, 8629-8634.
73. Parri,H.R., Gould,T.M., and Crunelli,V. (2001). Spontaneous astrocytic Ca²⁺ oscillations in situ drive NMDAR-mediated neuronal excitation. *Nat. Neurosci.* 4, 803-812.
74. Pasti,L., Zonta,M., Pozzan,T., Vicini,S., and Carmignoto,G. (2001). Cytosolic calcium oscillations in astrocytes may regulate exocytotic release of glutamate. *J. Neurosci.* 21, 477-484.

75. Patterson,G.H., Knobel,S.M., Sharif,W.D., Kain,S.R., and Piston,D.W. (1997). Use of the green fluorescent protein and its mutants in quantitative fluorescence microscopy. *Biophys. J.* 73, 2782-2790.
76. Perkel,D.J., Petrozzino,J.J., Nicoll,R.A., and Connor,J.A. (1993). The role of Ca²⁺ entry via synaptically activated NMDA receptors in the induction of long-term potentiation. *Neuron* 11, 817-823.
77. Porter,J.T. and McCarthy,K.D. (1996). Hippocampal astrocytes *in situ* respond to glutamate released from synaptic terminals. *J. Neurosci.* 16, 5073-5081.
78. Prinz,M., Kann,O., Draheim,H.J., Schumann,R.R., Kettenmann,H., Weber,J.R., and Hanisch,U.K. (1999). Microglial activation by components of gram-positive and -negative bacteria: distinct and common routes to the induction of ion channels and cytokines. *J. Neuropathol. Exp. Neurol.* 58, 1078-1089.
79. Schipke,C.G., Ohlemeyer,C., Matyash,M., Nolte,C., Kettenmann,H., and Kirchhoff,F. (2001). Astrocytes of the mouse neocortex express functional N-methyl-D- aspartate receptors. *FASEB J.* 15, 1270-1272.
80. Seifert,G., Rehn,L., Weber,M., and Steinhauser,C. (1997). AMPA receptor subunits expressed by single astrocytes in the juvenile mouse hippocampus. *Brain Res. Mol. Brain Res.* 47, 286-294.
81. Seifert,G. and Steinhauser,C. (1995). Glial cells in the mouse hippocampus express AMPA receptors with an intermediate Ca²⁺ permeability. *Eur. J. Neurosci.* 7, 1872-1881.
82. Shao,Y. and McCarthy,K.D. (1997). Responses of Bergmann glia and granule neurons *in situ* to N-methyl-D-aspartate, norepinephrine, and high potassium. *J. Neurochem.* 68, 2405-2411.
83. Simard,M., Arcuino,G., Takano,T., Liu,Q.S., and Nedergaard,M. (2003). Signaling at the gliovascular interface. *J. Neurosci.* 23, 9254-9262.
84. Standaert,D.G., Friberg,I.K., Landwehrmeyer,G.B., Young,A.B., and Penney-JB,J. (1999). Expression of NMDA glutamate receptor subunit mRNAs in neurochemically identified projection and interneurons in the striatum of the rat. *Brain Res. Mol. Brain Res.* 64, 11-23.
85. Stephenson,F.A. (2001). Subunit characterization of NMDA receptors. *Curr. Drug Targets*. 2, 233-239.
86. Tsien,R.Y. (1998). The green fluorescent protein. *Annu. Rev. Biochem.* 67, 509-544.

87. Venance,L., Premont,J., Glowinski,J., and Giaume,C. (1998). Gap junctional communication and pharmacological heterogeneity in astrocytes cultured from the rat striatum. *J. Physiol.* 510 (Pt 2), 429-440.
88. Venance,L., Stella,N., Glowinski,J., and Giaume,C. (1997). Mechanism involved in initiation and propagation of receptor-induced intercellular calcium signaling in cultured rat astrocytes. *J. Neurosci.* 17, 1981-1992.
89. Verderio,C. and Matteoli,M. (2001). Atp mediates calcium signaling between astrocytes and microglial cells: modulation by ifn-gamma. *J. Immunol.* 166, 6383-6391.
90. Verkhratsky,A. and Kettenmann,H. (1996). Calcium signalling in glial cells. *Trends. Neurosci.* 19, 346-352.
91. Verkhratsky,A., Orkand,R.K., and Kettenmann,H. (1998). Glial calcium: homeostasis and signaling function. *Physiol. Rev.* 78, 99-141.
92. Walz,W. (2000). Role of astrocytes in the clearance of excess extracellular potassium. *Neurochem. Int.* 36, 291-300.
93. Walz,W., Gimpl,G., Ohlemeyer,C., and Kettenmann,H. (1994). Extracellular ATP-induced currents in astrocytes: involvement of a cation channel. *J. Neurosci. Res.* 38, 12-18.
94. Walz,W., Ilschner,S., Ohlemeyer,C., Banati,R., and Kettenmann,H. (1993). Extracellular ATP activates a cation conductance and a K⁺ conductance in cultured microglial cells from mouse brain. *J. Neurosci.* 13, 4403-4411.
95. Wang,Z., Haydon,P.G., and Yeung,E.S. (2000). Direct observation of calcium-independent intercellular ATP signaling in astrocytes. *Anal. Chem.* 72, 2001-2007.
96. Willmott,N.J., Wong,K., and Strong,A.J. (2000a). A fundamental role for the nitric oxide-G-kinase signaling pathway in mediating intercellular Ca(2+) waves in glia. *J. Neurosci.* 20, 1767-1779.
97. Willmott,N.J., Wong,K., and Strong,A.J. (2000b). Intercellular Ca(2+) waves in rat hippocampal slice and dissociated glial-neuron cultures mediated by nitric oxide. *FEBS Lett.* 487, 239-247.
98. Wong,E.H., Kemp,J.A., Priestley,T., Knight,A.R., Woodruff,G.N., and Iversen,L.L. (1986). The anticonvulsant MK-801 is a potent N-methyl-D-aspartate antagonist. *Proc. Natl. Acad. Sci. U. S. A* 83 , 7104-7108.
99. Zahs,K.R. and Newman,E.A. (1997). Asymmetric gap junctional coupling between glial cells in the rat retina. *Glia* 20, 10-22.

100. Zhuo,L., Sun,B., Zhang,C.L., Fine,A., Chiu,S.Y., and Messing,A. (1997). Live astrocytes visualized by green fluorescent protein in transgenic mice. *Dev. Biol.* 187, 36-42.
101. Ziak,D., Chvatal,A., and Sykova,E. (1998). Glutamate-, kainate- and NMDA-evoked membrane currents in identified glial cells in rat spinal cord slice. *Physiol. Res.* 47, 365-375.
102. Zonta,M., Angulo,M.C., Gobbo,S., Rosengarten,B., Hossmann,K.A., Pozzan,T., and Carmignoto,G. (2003). Neuron-to-astrocyte signaling is central to the dynamic control of brain microcirculation. *Nat. Neurosci.* 6, 43-50.