

VIII. Literaturverzeichnis

- ADEABAGO, A.S.O., I. BISHRA, J. LEES, P.M. OLLEY und F. COCEANI (1985):
Evidence for a role of prostaglandine I₂ and thromboxane A₂ in the ductus venosus of the lamb
Can J Physiol Pharmacol, 63, 1601-1605
- ARONSON, L.R., R.C. GACAD, K. KAMINSKY-RUSS, C.R. GREGORY und K.D. MULLEN (1997):
Endogenous benzodiaepine activity in the peripheral and portal blood of dogs with congenital portosystemic shunts
Vet Surg, 26, 189-194
- AUDELL, L., L. JÖNSSON und B. LANNER (1974):
Congenital porta-caval shunts in the dog
Zbl Vet Med A, 21, 797-805
- BAILEY, M.Q., M.D. WILLARD, M.A. McLOUGHLIN, C. GABER und J. HAUPTMANN (1988):
Ultrasonographic findings associated with congenital hepatic arteriovenous fistula in three dogs
J Am Vet Med Assoc, 192, 1099-1101
- BARALDI, M., G. PINELLI, P. RICCI und M.L. ZENEROLI (1984):
Toxins in hepatic encephalopathy: the role of the synergistic effect of ammonia, mercaptens and short chain fatty acids
Arch Toxicol, Suppl, 7, 103-105
- BARRETT, R.E., A. DELAHUNTA, W.J. RENICK, R.E. HOFFER und F.H. COONS (1976):
Four cases of congenital portocaval shunt in the dog
J Small Anim Pract, 17, 71-85

BAUER, J. E. (1986):

Nutrition and liver function: Nutrient metabolism in health and disease

Compend Contin Educ Pract Vet, 8, 923-932

BICHSEL, P. und J. LANG (1984):

Was diagnostizieren Sie? Welche Maßnahmen schlagen Sie vor?

Schweiz Arch Tierheilk, 126, 272-275

BIRCHARD, S.J. (1984):

Surgical management of portosystemic shunts in dogs and cats

Comp Cont Educ Pract Vet, 6, 795-802

BIRCHARD, S.J., D.S. BILLER und S.E. JOHNSON (1989):

Differentiation of intrahepatic versus extrahepatic portosystemic shunts in dogs using positive-contrast portography

J Am Anim Hosp Assoc, 25, 13-17

BRANAM, J.E. (1982):

Suspected methionine toxicosis associated with a portacaval shunt in a dog

J Am Vet Med Assoc, 181, 929-931

BREZNOCK, E.M. (1979):

Surgical manipulation of portosystemic shunts in dogs

J Am Vet Med Assoc, 174, 819-826

BREZNOCK, E.M., B. BERGER, D. PENDRAY, S. WAGNER, P. MANLEY, P.

WHITING, W. HORNOF und D. WEST (1983):

Surgical manipulation of intrahepatic portocaval shunts in dogs

J Am Vet Med Assoc, 182, 798-805

BREZNOCK, E.M. und P.G. WHITING (1985):

Portocaval shunts and anomalies

aus: SAUNDERS, D.H.(Hrsg.):

Textbook of Small Animal Surgery, vol 1, 1156-1173

Philadelphia, PA, Saunders

BUNCH, S. (1991):

Hepatic encephalopathy

Progress Vet Neurol, 2, 287-296

BURK, R.L. und N. ACKERMAN (1991)

Das Abdomen

aus: BURK,R.L., ACKERMAN, N.(Hrsg.):

Lehrbuch und Atlas der Kleintierradiologie

Gustav Fischer, 20-21, 131-132, 176

BUTLER, L.M., T.W. FOSSUM und H.W. BOOTHE (1990):

Surgical manegement of extrahepatic portosystemic shunts in the dog and cat

Semin Vet Med Surg (Small Anim), 5, 127- 133

BUTTERWORTH, R.F. (1998):

Pathogenesis of acute hepatic encephalopathy

Digestion, 59, 16-21

CAMPBELL, T.M., P.M. LORDING, R.H. WRIGLEY und R.B. LAVELLE (1980):

Portal vein anomaly and hepatic encephalopathy in three dogs

Austr Vet J, 56, 593-598

CAPE, L., D.L. PANCIERA, B. PARTINGTON und D.E. BJORLING (1992):

Glomerulonephritis and a congenital portacaval shunt in a seven year old dog

J Am Anim Hosp Assoc, 28, 419-424

CENTER, S.A. (1989):

Pathophysiology and laboratory diagnosis of liver disease

aus: ETTINGER, S.J. (Hrsg.):

Textbook of Veterinary Internal Medicine, vol 2 (ed 3), 1421-1478

Philadelphia, PA, Saunders

CENTER, S.A. (1990):

Liver function tests in the diagnosis of portosystemic vascular anomalies

Semin Vet Med Surg (Small Anim), 5, 94-99

CENTER, S.A. und M.L. MAGNE (1990):

Historical, physical examination, and clinicopathologic features of portosystemic vascular anomalies in the dog and cat

Semin Vet Med Surg (Small Anim), 5, 83-93

CENTER, S.A. (1995):

Pathophysiology and laboratory diagnosis of hepatobiliary disorders

aus: ETTINGER, S.J., FELDMANN, E.C. (Hrsg.):

Textbook of Veterinary Internal Medicine 4th ed, 1261-1312

Philadelphia, PA, Saunders

CENTER, S.A. (1996):

Hepatic vascular disease

aus: GUILFORD, CENTER, STROMBECK, WILLIAMS, MEYER (Hrsg.):

Strombeck's Small Animal Gastroenterology 3rd ed, 802-835

CERRA, F.B., N.K. CHEUNG und J.E. FISCHER (1982):

A multicenter trial of branched chain enriched amino acid infusion in hepatic encephalopathy

Hepatology, 5, 699

CONN, H.O. (1960):

Ammonia tolerance in liver disease

J Lab & Clin Med, 55, 855

CONN, H.O. (1973):

Ammonia tolerance in assessing the patency of portacaval anastomoses

Arch Intern Med, 131, 221-226

COOPER, A.J. (1982):

Hepatic lipoprotein and cholesterol metabolism

aus: ZAKIM, D., BOYER, T.D.(Hrsg.):

Hematology--- A Textbook of Liver Disease, 109

Philadelphia, PA, Saunders

CORNELIUS, L.M., D.E. THRALL, W.H. HALLIWELL, G.M. FRANK, A.J. KERN

und C.B. WOODS (1975):

Anomalous portosystemic anastomoses associated with chronic hepatic insufficiency in six young dogs

J Am Vet Med Assoc, 167, 220-228

CRANDALL, L.A. und G.M. ROBERTS (1936):

Increased water exchange following eck fistula in dogs

Am J Physiol, 117, 318-322

CROSSLEY, I.R., E.N. WARDLE und R. WILLIAMS (1983):

Biochemical mechanisms of hepatic encephalopathy

Clin Sci, 64, 247-252

DANIEL, G.B., R. BRIGHT, P. OLLIS und R. SHULL (1991):

Per rectal portal scintigraphy using ^{99m} technetium pertechnetate to diagnose portosystemic shunts in dogs and cats

J Vet Int Med, 5, 23-27

DRAZNER, F.H. (1983):

Hepatic encephalopathy in the dog

aus: KIRK, R.W. (Hrsg.):

Current Veterinary Therapy , VIII, 829-834

EDELSTONE, D.I. (1980):

Regulation of blood flow through the ductus venosus

J Dev Physiol, 2, 219-238

EIKMEIER, H. (1997):

Leber

aus: FREUDIGER, U., GRÜNBAUM, E.-G., SCHIMKE, E (Hrsg.)

Klinik der Hundekrankheiten, 554, 2. Auflage, 551-559

Enke Verlag

EWING, G.O., P.F. SUTER und C.S. BAILEY (1974):

Hepatic insufficiency associated with congenital anomalies of the portal vein in dogs

J Am Vet Med Assoc, 10, 463-476

FEHLIG, P. (1975):

Amino acid metabolism in man

Ann Rev Biochem, 44, 933-955

FERENCI, P., S.C. PAPPAS und P.J. MUNSON (1984):

Changes in the status of neurotransmitter receptors in a rabbit model of hepatic encephalopathy

Hepatology, 2, 186-191

FERRELL, E.A., J.P. GRAHAM, R. HANEL, S. RANDELL, J.P. FARESE und W.L. CASTLEMAN, (2003):

Simultaneous congenital and aquired extrahepatic portosystemic shunts in two dogs

University of Florida journal series number 613, vol 44, 38-42

FIEBIGER, I., L. BUCSIS, H.J. FLASSHOF, W. KRAFT und R. PARRISIUS (1985):

Zum Hepatoenzephalen Syndrom (HE) beim Hund und seiner Behandlung

Berl Münch Tierärztl Wschr, 98, 155-160

FISCHER, J.E. und R.J. BALDESSARINI (1976):

Pathogenesis and therapy of hepatic coma

aus: POPPER, H, SCHAFFNER, E. (Hrsg.):

Progress in Liver Disease, 363-397, vol 5

New York, Grune and Stratton

FREUND, F., J. DIENSTAG und J. LEHRICH (1982):

Infusion of branched-chain enriched amino acid solutions in patients with hepatic encephalopathy

Ann Surg, 196, 209-220

GONZALO-ORDEN, J.M., J.R ALTÒNAGA, S. COSTILLA, J.M. CORDERO, L.

MILLÀN und A.O. RECIO (2000):

Transvenous coil embolization of an intrahepatic portosystemic shunt in a dog

Vet Radiol & Ultras, 4, 516-518

GRAUER, G.F. und R.P. PITTS (1986):

Primary polydipsia in three dogs with portosystemic shunts

J Am Anim Hosp Assoc, 23, 197-200

GREVEL, V., S. SCHMIDT, E. LETTOW, P.F. SUTER und G.U. SCHMIDT (1987):

Der angeborene portosystemische Shunt bei Hund und Katze

Tierärztl Praxis, 15, 77-92, 185-194

GREVEL, V. (1995):

Der angeborene portosystemische Shunt bei Hund und Katze. Probleme bei Diagnostik und Therapie

Vortrag

GREVEL, V. und F.J. VAN SLUIJS (2001):

Surgical management of portosystemic shunts

7. FECAVA & 47. Annual Congress of the FK-DVG

HA, J.-H. und A.S. BASILE (1996):

Modulation of ligand binding to components of the GABA_A receptor complex by ammonia: implications for the pathogenesis of hyperammonemic syndromes

Brain Res, 720, 35-44

HARARI, J., J. LINCOLN, J. ALEXANDER und J. MILLER (1990):

Lateral thoracotomy and cellophane banding of a portoazygous shunt in a dog

J Small Anim Pract, 31, 571-573

HARDIE, E.M., J.N. KORNEGAY und J.M. CULLEN (1990):

Status epilepticus after ligation of portosystemic shunts

Vet Surg, 19 (6), 412-417

HARDWICK, D.F., D.A. APPLGARTH, D.M. COCKCRAFT, P.M. ROSS und R.J. CALDER (1970):

Pathogenesis of methionine-induced toxicity

Metabolism, 19, 381-391

HARDY, R.M. (1990):

Pathophysiology of hepatic encephalopathy

Semin Vet Med Surg (Small Anim), 5, 100-106

HARVEY, J. und H.N. ERB (1998):

Complete ligation of extrahepatic congenital portosystemic shunts in nonencephalic dogs

Vet Surg, 27, 413-416

HOLM, E. (1976):

Behandlung mit Aminosäuren bei hepatischer Enzephalopathie

G. Fischer Verlag Stuttgart

HOLT, D.E., C.G. SCHELLING, H.M. SAUNDERS und R.J. ORSHER (1995):

Correlation of ultrasonographic findings with surgical, portographic, and necropsy findings in dogs and cats with portosystemic shunts: 63 cases (1987-1993)

J Am Vet Med Assoc, 207, 1190-1193

HOTTINGER, H.A., R. WALSHAW und J.G. HAUPTMANN (1995):

Long-term results of complete and partial ligation of congenital portosystemic shunts in dogs

Vet Surg, 24, 331-336

HUNT, G.B., C.R. BELLENGER und M.R.B. PEARSON (1996):

Transportal approach for attenuating intrahepatic portosystemic shunts in dogs

Vet Surg, 25, 300-308

HUNT, G.B., C.R. BELLENGER, R. BORG, K.R. YOUMANS, P.L.C. TISDALL und R. MALIK (1998):

Congenital interruption of the portal vein and caudal vena cava in dogs: six case reports and a review of the literature

Vet Surg, 27, 203-215

HUNT, G.B., K.R. YOUMANS, S. SOMMERLAD, G. SWINNEY, A. NICHOLSON, L. MELVILLE, K.L. HOFFMANN und G.S. ALLAN (1998):

Surgical management of multiple congenital intrahepatic shunts in two dogs: Case report

Vet Surg, 27, 262-267

JEANG, D.D. (1987):

Nutritional therapy of hepatoencephalopathy: two case reports of canine portosystemic shunts

Mod Vet Pract, 68, 293-298

JOHNSON, C.A., P.J. ARMSTRONG und J.G. HAUPTMANN (1987):

Congenital portosystemic shunts in dogs: 46 cases (1979-1986)

J Am Vet Med Assoc, 191, 1478-1483

JOHNSON, S.E., S.M. CRISP, D.D. SMEAK und J.M. FIGERROTH (1989)

Hepatic encephalopathy in two aged dogs secondary to a presumed congenital portal-azygos shunt

J Am Anim Hosp Assoc, 25, 129-137

KANAZAWA, Y., T. KUZUYA, T. IDE und K. KOSAKA (1966):

Plasma insulin responses to glucose in femoral, hepatic and pancreatic veins in dogs

Am J Physiol, 211, 442-448

KOBLIK, P.D., C.K. YEN und W.J. HORNOF (1989):

Use of transcolonic ¹²³I-iodoamphetamine to diagnose spontaneous portosystemic shunts in 18 dogs

Vet Radiol, 30, 67-73

KOBLIK, P.D., J. KOMTEBEDDE, C.K. YEN und W.J. HORNOF (1990):

Use of transcolonic ^{99m}Tc-technetiumpertechnetate as a screening test for portosystemic shunts in dogs

J Am Vet Med Assoc, 196, 925-930

KOCH, T. (1985):

Pfortaderwurzeln

aus: KOCH, T., BERG, R. (Hrsg):

Lehrbuch der Veterinär-Anatomie, Band 3, 198, 4. Auflage

VEB Gustav Fischer Verlag, Jena

KRAFT, W. und U. DÜRR (1995):

Klinische Labordiagnostik in der Tiermedizin

Schattauer, 3. Auflage

LAFLAMME, D.P. (1988):

Dietary management of canine hepatic encephalopathy

Compen Contin Educ Pract Vet, 10, 1257-1262

LAFLAMME, D.P., S.W. ALLEN und T.L. HUBER (1993):

Apperent dietary protein requirement of dogs with portosystemic shunt

Am J Vet Res, 54, 719-723

LAMB, C.R. (1996):

Ultrasonographic diagnosis of congenital portosystemic shunts in dogs: results of a prospective study

Vet Radiol & Ultrasound, 37, 281-288

LAMB, C.R. und R.N. WHITE (1998):

Morphology of congenital intrahepatic portacavil shunts in dogs and cats

Vet Rec, 142, 55-60

LATSHAW, W.K. (1987):

The digestive system in veterinary developmental anatomy

New York, NY, Dekker

LAWRENCE, D., J. BELLAH und R. DIAZ (1992):

Results of surgical management of portosystemic shunts in dogs: 20 cases (1985-1990)

J Am Vet Med Assoc, 201, 1750-1753

LÈVEILLE, R., P. PIBAROT, G. SOULEZ und E.R. WISNER (2000):

Transvenous coil embolization of an extrahepatic portosystemic shunt in a dog: a naturally occuring model of portosystemic malformations in humans

Pediatr Radiol, 30, 607-609

LICKEY, H.L.A., D.J. CHISHOLM und A. RABINOVICH (1975):

Effects of portacaval anastomosis on glucose tolerance in the dog: Evidence of an interaction between the gut and the liver in oral glucose disposal

Metabolism, 24, 1157-1168

LOHSE, C.L., R.R. SELCER und P.F. SUTER (1976):

Hepatoencephalopathy associated with situs inversus of abdominal organs and vascular anomalies in a dog

J Am Vet Med Assoc, 168, 168-688

LOHSE, C.L. und P.F. SUTER (1977):

Functional closure of the ductus venosus during early postnatal life in the dog

Am J Vet Res, 38, 839-844

LUX, H.D. (1971):

Ammonium and chloride extrusion: hyperpolarizing synaptic inhibition in spinal motoneurons

Science, 173, 555-557

MAASS, ST. (2003)

Hepatopathien beim angeborenen portosystemischen Shunt des Hundes –

Histopathologische und immunhistologische Untersuchungen vor und nach partieller Ligatur des Shuntgefäßes

Inaugural Dissertation, Veterinärmedizinische Fakultät der Universität Leipzig, 2003

MADDISON, J.E. (1981):

Portosystemic encephalopathy in two young dogs: some additional diagnostic and therapeutic considerations

J small Anim Pract 22, 731-739

MADDISON, J.E. (1988):

Canine congenital portosystemic encephalopathy

Austr Vet J, 65, 245-249

MADDISON, J.E. (1992):

Hepatic encephalopathy

J Vet Int Med, 6, 341-353

MAGNE, M.L. und D.W. MACY (1986):

Intravenous glucagon challenge test in the diagnosis and assessment of therapeutic efficacy in dogs with congenital portosystemic shunts

ACVIM Scientific Proceedings 2:36

MARTIN, R.A., J.R. AUGUST, D.L. BARBER und F. LUTHER (1986):

Left hepatic vein attenuation for treatment of patent ductus venosus in a dog

J Am Vet Med Assoc, 189, 1465-1468, 1465-1468

MARTIN, R.A. und L.E. FREEMAN (1987):

Identification and surgical management of portosystemic shunts in the dog and cat

Semin Vet Med Surg (Small Anim), 2, 302-306

MARTIN, R.A. und J.T. PAYNE (1990):

Angiographic results of intrahepatic portocaval shunt attenuation in three dogs

Semin Vet Med Surg (Small Anim), 5, 134-141

MATHEWS, K. und N. GOFTON (1988):

Congenital extrahepatic portosystemic shunt occlusion in the dog: Gross observations during surgical correction

J Am Anim Hosp Ass, 24, 387-394

MATUSHEK, K.J., D. BJORLING und K. MATHEWS (1990):

Generalized motor seizures after portosystemic shunt ligation in dogs: Five cases (1981-1988)

J Am Vet Med Assoc, 196, 2014-2017

MEIJER, A.J., W.H. LAMERS und R.A. CHAMULEAU (1990):

Nitrogen metabolism and ornithine cycle function

Physiol Rev, 70, 701-748

MEYER, D.J. (1986):

Liver function tests in dogs with portosystemic shunts: measurement of serum bile acid concentration

J Am Vet Med Assoc, 188, 168-169

MEYER, D.J., D.R. STROMBECK, E.A. STONE, R.D. ZENOBLE und D.D. BUSS (1978):

Ammonia tolerance test in clinically normal dogs and dogs with portosystemic shunts

J Am Vet Med Assoc, 173, 377-379

MEYER, H.P. und J. ROTHUIZEN (1994):

Increased free cortisol in plasma of dogs with portosystemic encephalopathy (PSE)

Domestic Animal Endocrinology, 11, 317-322

MEYER, H.P., J. ROTHUIZEN, W.E. VAN DEN BROM, G. VOORHOUT, F.J. VAN SLUIJS, K.L. HOW und, Y.W.E.A. POLLACK (1994):

Quantitation of portosystemic shunting in dogs by ultrasound-guided injection of ^{99m}Tc-macroaggregation into a splenic vein

Res Vet Sci, 57, 58-62

MEYER, H.P., J. ROTHUIZEN, G.J. UBBINK und T.S.G.A.M. VAN DEN INGH (1995):

Increasing incidence of hereditary intrahepatic portosystemic shunts in irish wolfhounds in the Netherlands (1984 to 1992)

Vet Rec, 136, 13-16

MOON, M.L. (1990):

Diagnostic imaging of portosystemic shunts

Semin Vet Med Surg (Small Anim), 5, 120-126

MORGAN, M.H., A.E. READ und D.C.E. SPELLER (1982):

Treatment of hepatic encephalopathy with metronidazole

Gut, 23, 1-7

MOSER, E. (1988):

Dietary management of liver disease in dogs and cats

Vet Tech, 9, 110-112

MUNRO, H.N., J.D. FERNSTROM und R.J. WURTMAN (1975):

Insulin, plasma aminoacid imbalance, and hepatic coma

The Lancet, 722-724

NODEN, D.M. und DE A. LAHUNTA (1985a):

Cardiovascular system III; Venous system and lymphatics in the embryology of domestic animals

Baltimore, M.D., Williams & Wilkins

NODEN, D.M. und A. DE LAHUNTA (1985b):

Digestive system in the embryology of domestic animals

Baltimore, M.D., Williams & Wilkins

NORENBERG, M.D. (1998):

Astroglial dysfunction in hepatic encephalopathy

Met. Brain Disease, 13, 319-335

O'BRIEN, T.R. (1978):

Spleen and pancreas

Aus: O'BRIEN, T.R. (Hrsg.)

Radiographic diagnosis of abdominal disorders in the dog and cat, 403

PARTINGTON, B.P., C.R. PARTINGTON, D.S. BILLER und K. TOSHACH (1993):

Transvenous coil embolization for treatment of patent ductus venosus in a dog

J Am Vet Med Assoc, 202, 281-284

PAYNE, J.T., R.A. MARTIN und G.M. CONSTANTINESCU (1990):

The anatomy and embryology of portosystemic shunts in dogs and cats

Semin Vet Med Surg (Small Anim), 5, 76-82

PETERSON, S.T., P.D. KOBLIK, P.G. WHITING und E.M. BREZNOCK (1991):

Endotoxin concentrations measured by a chromogenic assay in portal and peripheral venous blood in ten dogs with portosystemic shunts

J Vet In Med, 5, 71-74

PROUTY, D.L. (1975)

Hepatoencephalopathy due to portocaval shunt in a dog

J Am Vet Med Assoc, 167, 756-757

QUARFOTH, G., D. FOSTER, K. AHMED und L. ZIEVE (1974):

Action of methanethiol on erythrocyte membranes and on the brain $\text{Na}^+\text{-K}^+\text{-ATPase}$.

Implications in hepatic coma

Pharmacologist, 16, 293

RALLIS, T., M. PATSIKAS, L. PAPZOGLOU, A. PAPASTERIADIS, E. PETRIDOU

und K. SALIARA (1991):

Congenital portosystemic shunts in the dog. A review of literature and case report

Bull Hellenic Vet Med Soc, 42, 181-186

ROSEN, H.M., N. YOSHIMURA, J.M. HODGMAN, B.A. FISCHER und E.J.

FISCHER (1977):

Plasma amino acid patterns in hepatic encephalopathy of differing etiology

Gastroenterology, 72, 483-487

ROTHUIZEN, J. und H.P. MEYER (2000):

History, physical examination, and signs of liver disease

Aus: ETTINGER, S.J., FELDMANN, E.C. (Hrsg):

Textbook of Veterinary Internal Medicine 5thed, 1275

Philadelphia, PA, Saunders

ROTHUIZEN, J. und T.S.G.A.M. VAN DEN INGH (1982):

Arterial and venous ammonia concentrations in the diagnosis of canine hepato-encephalopathy

Res Vet Sci, 33, 17-21

ROTHUIZEN, J. und T.S.G.A.M. VAN DEN INGH (1982):

Rectal ammonia tolerance test in the evaluation of portal circulation in dogs with liver diseases

Res Vet Sci, 33, 22-25

ROTHUIZEN, J., T.S.G.A.M. VAN DEN INGH, G. VOORHOUT, R.J.T. VAN DER LUER und W. WOUDA (1982):

Congenital porto-systemic shunts in sixteen dogs and three cats

J small Anim Pract, 23, 67-81

ROY, R.G., G.S. POST, D.J. WATERS und R.M. HARDY (1992):

Portal vein thrombosis as a complication of portosystemic shunt ligation in two dogs

J Am Anim Hosp Assoc, 28, 53-58

RÜSSE, I. (1991):

Venen

Fetaler Blutkreislauf

aus: RÜSSE, I., SINOWATZ, F (Hrsg):

Lehrbuch der Embryologie der Haustiere, 231-232, 241-244, 1. Auflage

Verlag Paul Parey, Berlin, Hamburg

RUFER, M. und E.-G. GRÜNBAUM (1997):

Der Gallensäuren-Stimulationstest mit Ceruletid

Tierärztl Prax, 25, 80-84

RUTGERS, C. (1993):

Diagnosis and management of portosystemic shunts

Companion Animal Practice, 175-181

RUTGERS, H.C., R.M. BATT, S. HAYWOOD und J.E. RILEY (1991):

Hepatic organelle pathology in dogs with congenital portosystemic shunts

J Vet Int Med, 5, 351-356

SADANAGA, K. und A. SCHULMAN (1987):

An unusual portosystemic shunt in a dog

J Am Vet Med Assoc, 190, 549-551

SCHAEFFER, M.C., Q.R. ROGERS, C.A. BUFFINGTON, B.M. WOLFE und D.R. STROMBECK (1986):

Long-term biochemical and physiologic effects of surgically placed portocaval shunts in dogs

Am J Vet Res, 47, 346-355

SCHMIDT, P.(2000):

Prä- und postoperative Untersuchungen bei Hunden mit angeborenem Portosystemischen Shunt unter besonderer Berücksichtigung der Serumgallensäurenkonzentrationen nach Stimulation mit Ceruletid

Inaugural Dissertation, Veterinärmedizinische Fakultät der Universität Leipzig, 2000

SCHULZ, K. S., R. A. MARTIN und R. A. HENDERSON (1993):

Transsplenic portal catheterization

Surgical Technique and Use in Two Dogs With Portosystemic Shunts

Vet Surg, 22, 363-369

SCHUMMER, A. und B. VOLLMERHAUS (1987):

Anhangsdrüsen des Darmes

Leber

aus: NICKEL, R., SCHUMMER, A., SEIFERLE, E. (Hrsg):

Lehrbuch der Anatomie der Haustiere, Band 2, 121-123, 146, 6. Auflage

Verlag Paul Parey, Berlin, Hamburg

SHATNEY, G.H., J.W. HARMON und N.M. RICH (1982):

Hepatic blood flow after canine portosystemic shunting

Ann Surg, 196, 153-156

SIMPSON, S.T. und T.N. HRIBERNIK (1976):

Porto-systemic shunt in the dog: Two case reports

J small Anim Pract, 17, 163-170

SINOWATZ, F. (1991):

Leber

Missbildungen einzelner Organsysteme

aus: RÜSSE, I., SINOWATZ, F. (Hrsg):

Lehrbuch der Embryologie der Haustiere, 362-363, 433, 1. Auflage

Verlag Paul Parey, Berlin, Hamburg

SMITH, K.R., M. BAUER und E. MONNET (1995):

Portosystemic communications: follow-up of 32 cases

J Small Anim Pract, 36, 435-440

STROMBECK, D.R. (1982):

Introduction to diseases of the liver

Small Animal Gastroenterology, 363-405

STROMBECK, D.R., M.G. WEISER und J.J. KANEKO (1975):

Hyperammonia and hepatic encephalopathy in the dog

J Am Vet Med Assoc, 166, 1105-1108

STROMBECK, D.R. und Q. ROGERS (1978):

Plasma amino acid concentrations in dogs with hepatic disease

J Am Vet Med Ass, 173, 93-96

SWALEC, K.M. und D.D. SMEAK (1990):

Partial versus complete attenuation of single portosystemic shunts

Vet Surg, 19, 406-411

TABOADA, J. (1990):

Medical management of animals with portosystemic shunts

Semin Vet Med Surg (Small Anim), 5, 107-119

TABOADA, J. und D. DIMSKI (1995):

Hepatic encephalopathy: clinical signs, pathogenesis, and treatment

Vet Clin North Am Small Anim Pract, 25, 337-355

TAMS, T.R. (1985):

Hepatic encephalopathy

Vet Clin North Am Small Anim Pract, 15, 177-195

TWEDT, D.C. (1981):

Jaundice, hepatic trauma, and hepatic encephalopathy

Vet Clin North Am, 11, 1

VAN VECHTEN, B.J., J. KOMTEBEDDE und P.D. KOBLIK (1994):

Use of transcolonic portal scintigraphy to monitor blood flow and progressive postoperative attenuation of partially ligated single extrahepatic portosystemic shunts in dogs

J Am Vet Med Ass, 204, 1770-1774

VERGARA, F., F. PLUM und T.E. DUFFY (1974):

α -Ketoglutarat: increased concentrations in the cerebrospinal fluid of patients with hepatic coma

Sci, 183, 81-83

VITUMS, A. (1959):

Portosystemic communications in the dog

Acta Anat, 39, 271-299

VOGT, J.C., D.J. KRAHWINKEL, R.M. BRIGHT, G.B. DANIEL, R.L. TOAL und B. ROHRBACH (1996):

Gradual occlusion of extrahepatic portosystemic shunts in dogs and cats using the ameroid constrictor

Vet Surg, 25, 495-502

VULGAMOTT, J.C. (1985):

Portosystemic shunts

Vet Clin North Am Small Anim Pract, 15, 229-242

WAHREN, J., J. DENIS und P. DESURMONT (1983):

Is intravenous administration of branched chain amino acids effective in the treatment of hepatic encephalopathy?

Hepatology, 3, 475-480

WAIBL, H., H. WILKENS und W. MÜNSTER (1996):

Eingeweidevene der Vena cava caudalis

aus: NICKEL, R., SCHUMMER, A., SEIFERLE, E (Hrsg):

Lehrbuch der Anatomie der Haustiere, Band 3, 268, 3. Auflage

Verlag Paul Parey, Berlin, Hamburg

WASHIZU, M., N. OGI, K. KOBAYASHI, H. ORIMA, S. KOYAMA, T. WASHIZU, T. ISHIDA und S. MOTOYOSHI (1988):

Successful surgical manipulation of portocaval shunt in a dog
Jpn J Vet Sci, 50, 939-941

WHITE, R.N., N.D. TROWER, F.J. McEVOY, O.A. GARDEN und A. BOSWOOD (1996):

A method for controlling portal pressure after attenuation of intrahepatic portacaval shunts
Vet Surg, 25, 407-413

WHITE, R.N., C.A. BURTON und F.J. McEVOY (1998):

Surgical treatment of intrahepatic portosystemic shunts in 45 dogs
Vet Rec, 142, 358-365

WHITING, P.G. und S.L. PETERSON (1993):

Textbook of small animal surgery
Ed. D.H. Slatter Philadelphia, W.B. Saunders, 660

WIESNER, E. und R. RIBBECK (1983)

Wörterbuch der Veterinärmedizin
Gustav Fischer Verlag, Stuttgart

WRIGLEY, R.H., L.J. KONDE, R.D. PARK und J.L. LEBEL (1987):

Ultrasonographic diagnosis of portocaval shunts in young dogs
J Am Vet Med Assoc, 191, 421- 423

YOUMANS, K.R. und G.B. HUNT (1999):

Experimental evaluation of four methods of progressive venous attenuation in dogs
Vet Surg, 28, 38-47

YURDAYDIN, C., Z. GU, G. NOWAK, C. FROMM, A.G. HOLT und A.S. BASILE
(1993):

Benzodiazepine receptor ligands are elevated in an animal model of hepatic encephalopathy: Relationship between brain concentration and severity of encephalopathy

J Pharm Exp Therap, 265, 565-571

ZIEVE, L., W.M. DOIZAKI und F.J. ZIEVE (1972):

A possible role for mercaptans in the pathogenesis of hepatic coma

Clin Res, 20, 783

ZIEVE, L., W.M. DOIZAKI und F.J. ZIEVE (1974):

Synergism between mercaptans and ammonia or fatty acids in the production of coma.

A possible role for mercaptans in the pathogenesis of hepatic coma

J Lab Clin Med, 83, 16-28