

6 Literaturverzeichnis

Herr A., Meunier D., Muller I., Rump A., Fundele R., Ropers H.H. und Nuber UA (2003) Expression of mouse Tbx22 supports its role in palatogenesis and glossogenesis. *Dev Dyn.* **226(4)**:579-86.

Alberts, B. et al (1989) *Molecular Biology of the Cell, 2nd edition, Garland Publishing Inc*

Albertson D.G., Ylstra B., Segraves R., Collins C., Dairkee S.H., Kowbel D., Kuo W.L., Gray J.W. und Pinkel D. (2000) Quantitative mapping of amplicon structure by array CGH identifies CYP24 as a candidate oncogene. *Nat Genet* **25(2)** :144-6

Altschul S.F., Gish W., Miller W., Myers E.W. und Lipman D.J. (1990) Basic local alignment search tool. *J Mol Biol* **215(3)** :403-10

Antequera F. und Bird A. (1993) Number of CpG islands and genes in human and mouse. *Proc Natl Acad Sci U S A* **90(24)** :1995-9

Batzer M.A., Alegria-Hartman M. und Deininger P.L. (1994) A consensus Alu repeat probe for physical mapping. *Genet Anal Tech Appl* **11(2)** :34-8

Batzer M.A., Deininger P.L., Hellmann-Blumberg U., Jurka J., Labuda D., Rubin C.M., Schmid C.W., Zietkiewicz E. und Zuckerkandl E. (1996) Standardized nomenclature for Alu repeats. *J Mol Evol* **42(1)** :3-6

Bentz M., Plesch A., Stilgenbauer S., Dohner H. und Lichter P. (1998) Minimal sizes of deletions detected by comparative genomic hybridization. *Genes Chromosomes Cancer* **21(2)** :172-5

Bertioli D.J., Schlichter U.H., Adams M.J., Burrows P.R., Steinbiss H.H. und Antoniw J.F. (1995) An analysis of differential display shows a strong bias towards high copy number mRNAs. *Nucleic Acids Res* **23(21)** :4520-3

Bobrow M.N., Shaughnessy K.J. und Litt G.J. (1991) Catalyzed reporter deposition, a novel method of signal amplification. II. Application to membrane immunoassays. *J Immunol Methods* **137(1)** :103-12

- Bollag R.J., Siegfried Z., Cebra-Thomas J.A., Garvey N., Davison E.M. und Silver L.M. (1994) An ancient family of embryonically expressed mouse genes sharing a conserved protein motif with the T locus. *Nat Genet.* **7(3)**:383-9.
- Brosius, J. (1991) Retroposons--seeds of evolution . *Science* **251(4995)** :753.
- Bruder C.E., Hirvela C., Tapia-Paez I., Fransson I., Segraves R., Hamilton G., Zhang X.X., Evans D.G., Wallace A.J., Baser M.E. et al. (2001) High resolution deletion analysis of constitutional DNA from neurofibromatosis type 2 (NF2) patients using microarray-CGH . *Hum Mol Genet* **10(3)** :271-82
- Charlieu J.P., Laurent A.M., Carter D.A., Bellis M. und Roizes G. (1992) 'Alu PCR': a simple and rapid method to isolate human polymorphic markers . *Nucleic Acids Res* **20(6)** :1333-73
- Cheung V.G., Nowak N., Jang W., Kirsch I.R., Zhao S., Chen X.N., Furey T.S., Kim U.J., Kuo W.L., Olivier M. et al. (2001) Integration of cytogenetic landmarks into the draft sequence of the human genome . *Nature* **409(6822)** :953-8
- Colleaux L., May M., Belougne J., Lepaslier D., Schwartz C. und Fontes M. (1996) Localisation of two candidate genes for mental retardation using a YAC physical map of the Xq21.1-21.2 subbands . *J Med Genet* **33(5)** :353-7
- Collins C., Rommens J.M., Kowbel D., Godfrey T., Tanner M., Hwang S.I., Polikoff D., Nonet G., Cochran J. et al (1998) Positional cloning of ZNF217 and NABC genes amplified at 20q13.2 and overexpressed in breast carcinoma . *Proc Natl Acad Sci U S A* **95(15)** :8703-8
- de Kok Y.J., van der Maarel S.M., Bitner-Glindzicz M., Huber I., Monaco A.P., Malcolm S., Pembrey M.E., Ropers H.H. und Cremers F.P. (1995) Association between X-linked mixed deafness and mutations in the POU domain gene POU3F4 . *Science* **267(5198)** :685-8
- Deininger P.L., Jolly D.J., Rubin C.M., Friedmann T. und Schmid C.W. (1981) Base sequence studies of 300 nucleotide renatured repeated human DNA clones . *J Mol Biol* **151(1)** :17-33
- Deininger P. und Batzer M. (1995) SINE master genes and population biology . In: *The Impact of Short Interspersed Elements (SINES) in the Host Genome* Georgetown, TX: Landes
- Deininger P.L. und Batzer M.A. (1999) Alu repeats and human disease . *Mol Genet Metab* **67(3)** :183-93

DeRisi J., Penland L., Brown P.O., Bittner M.L., Meltzer P.S., Ray M., Chen Y., Su Y.A. und Trent J.M. (1996) Use of a cDNA microarray to analyse gene expression patterns in human cancer. . *Nat Genet* **14(4)** 457-60

Dheen T., Sleptsova-Friedrich I., Xu Y., Clark M., Lehrach H., Gong Z. und Korzh V. (1999) Zebrafish tbx-c functions during formation of midline structures . *Development* **126(12)** :2703-13

Egeo, A., Mazzocco, M., Arrigo, P., Vidal-Taboada, J. M., Oliva, R., Pirola, B., Giglio, S., Rasore-Quartino, A. und Scartezzini, P. (1998) Identification and characterization of a new human gene encoding a small protein with high homology to the proline-rich region of the SH3BGR gene . *Biophys. Res. Commun* **247** :302-306

Englander, E.W., Wolffe, A.P. und Howard, B.H. (1993) Nucleosome interactions with a human Alu element. Transcriptional repression and effects of template methylation . *J Biol Chem* **268(26)** :19565-73

Erickson, L.M., Kim, H.S.und Maeda, N. (1992) Junctions between genes in the haptoglobin gene cluster of primates . *Genomics* **14(4)** :948-58

Ewing B.und Green P. (2000) Analysis of expressed sequence tags indicates 35,000 human genes . *Nat Genet* **25(2)** :232-4

Fields C., Adams M.D., White O. und Venter J.C. (1994) How many genes in the human genome? *Nat Genet* **7(3)** :345-6

Fodor S.P., Rava R.P., Huang X.C., Pease A.C., Holmes C.P. und Adams C.L. (1993) Multiplexed biochemical assays with biological chips . *Nature* **364(6437)**:555-6

Geschwind D.H., Gregg J., Boone K., Karrim J., Pawlikowska-Haddal A., Rao E., Ellison J., Ciccodicola A., D'Urso M., Woods R. *et al.* (1998) Klinefelter's syndrome as a model of anomalous cerebral laterality: testing gene dosage in the X chromosome pseudoautosomal region using a DNA microarray . *Dev Genet* **23(3)** :215-29

Hattori M., Fujiyama A., Taylor T.D., Watanabe H., Yada T., Park H.S., Toyoda A., Ishii K., Totoki Y., Choi D.K. *et al.* (2000) The DNA sequence of human chromosome 21. The chromosome 21 mapping and sequencing consortium . *Nature* **405(6784)** :311-9

- Heiskanen M.A., Bittner M.L., Chen Y., Khan J., Adler K.E., Trent J.M. und Meltzer P.S. (2000) Detection of gene amplification by genomic hybridization to cDNA microarrays . *Cancer Res* **60(4)** :799-802
- Hess J.F., Fox, M., Schmid, C. und Shen, C.K. (1983) Molecular evolution of the human adult alpha-globin-like gene region: insertion and deletion of Alu family repeats and non-Alu DNA sequences . *Proc Natl Acad Sci U S A* **80(19)** :5970-4
- Hill A.S., Foot N.J., Chaplin T.L. und Young B.D. (2000) The most frequent constitutional translocation in humans, the t(11;22)(q23;q11) is due to a highly specific alu-mediated recombination . *Hum Mol Genet* **9(10)** :1525-32
- Honore, B., Leffers, H., Madsen, P., Rasmussen, H. H., Vandekerckhove, J. und Celis, J. E (1992) Molecular cloning and expression of a transformation-sensitive human protein containing the TPR motif and sharing identity to the stress-inducible yeast protein STI1 . *J. Biol. Chem.* **267** :8485-8491
- Houck C.M., Rinehart F.P. und Schmid C.W. (1979) A ubiquitous family of repeated DNA sequences in the human genome . *J Mol Biol* **132(3)** :289-306
- Iyer V.R., Eisen M.B., Ross D.T., Schuler G., Moore T., Lee J.C.F., Trent J.M., Staudt L.M., Hudson J. Jr., Boguski M.S. et al. (1999) The transcriptional program in the response of human fibroblasts to serum . *Science* **283(5398)** :83-7
- Jendraschak E. und Kaminski W.E. (1998) Isolation of human promoter regions by Alu repeat consensus-based polymerase chain reaction . *Genomics* **50(1)** :53-60
- Joos S., Scherthan H., Speicher M.R., Schlegel J., Cremer T. und Lichter P. (1993) Detection of amplified DNA sequences by reverse chromosome painting using genomic tumor DNA as probe . *Hum Genet* **90(6)** :584-9
- Kafatos F.C., Jones C.W. und Efstratiadis A. (1979) Determination of nucleic acid sequence homologies and relative concentrations by a dot hybridization procedure . *Nucleic Acids Res* **7(6)** :1541-52
- Kallioniemi A., Kallioniemi O.P., Sudar D., Rutovitz D., Gray J.W., Waldman F. und Pinkel D. (1992) Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors . *Science* **258(5083)** :818-21

- Kallioniemi A., Visakorpi T., Karhu R., Pinkel D. und Kallioniemi O.P. (1996) Gene Copy Number Analysis by Fluorescence in Situ Hybridization and Comparative Genomic Hybridization . *Methods* **9(1)** :113-21
- Kan Y.W., Taylor J.M., Dozy A.M., Varmus H.E., Lie-Injo L.E., Ganesan J. und Todd D. (1976) Homozygous alpha thalassemia (hydrops fetalis): evidence for deletion of the alpha structural gene . *Monograph* :139-46
- Kass D.H. und Batzer M.A. (1995) Inter-Alu polymerase chain reaction: advancements and applications . *Anal Biochem* **228(2)** :185-93
- Korenberg J.R. und Engels W.R. (1978) Base ratio, DNA content, and quinacrine-brightness of human chromosomes . *Proc Natl Acad Sci U S A* **5(7)** :3382-6
- Korenberg J.R. und Rykowski M.C. (1988) Human genome organization: Alu, lines, and the molecular structure of metaphase chromosome bands . *Cell* **53(3)** :391-400
- Kudo, S. und Fukuda, M. (1989) Structural organization of glycophorin A and B genes: glycophorin B gene evolved by homologous recombination at Alu repeat sequences . *Proc Natl Acad Sci U S A* **86(12)** :4619-23
- Kuhn E.M. und Therman E. (1986) Cytogenetics of Bloom's syndrome . *Cancer Genet Cytogenet* **22(1)** :1-18
- Kumar A., Becker L.A., Depinet T.W., Haren J.M., Kurtz C.L., Robin N.H., Cassidy S.B., Wolff D.J. und Schwartz S. (1998) Molecular characterization and delineation of subtle deletions in de novo "balanced" chromosomal rearrangements . *Hum Genet* **103(2)** :173-8
- Laugier-Anfossi F. und Villard L. (2000) Molecular characterization of a new human T-box gene (TBX22) located in xq21.1 encoding a protein containing a truncated T-domain . *Gene* **255(2)** :289-96
- Ledbetter S.A., Garcia-Heras J. und Ledbetter D.H. (1990) PCR-karyotype of human chromosomes in somatic cell hybrids . *Genomics* **8(4)** :614-22
- Lengauer C., Green E.D. und Cremer T. (1992) Fluorescence in situ hybridization of YAC clones after Alu-PCR amplification . *Genomics* **13(3)** :826-8

Lobachev K.S., Stenger J.E., Kozyreva O.G., Jurka J., Gordenin D.A. und Resnick M.A. (2000) Inverted Alu repeats unstable in yeast are excluded from the human genome . *EMBO J* **19(14)** :3822-30

Lucito R., West J., Reiner A., Alexander J., Esposito D., Mishra B., Powers S., Norton L. und Wigler M. (2000) Detecting gene copy number fluctuations in tumor cells by microarray analysis of genomic representations . *Genome Res* **10(11)** :1726-36

Lyon M.F. (1999) X-chromosome inactivation. *Curr Biol* **9(7)** :235-7

Makalowski, W., Mitchell, G.A. und Labuda, D. (1994) Alu sequences in the coding regions of mRNA: a source of protein variability . *Trends Genet* **10(6)** :188-193

Makalowski, W., Zhang, J. und Boguski, M.S. (1996) Comparative Analysis of 1,196 Orthologous Mouse and Human Full-length mRNA and Protein Sequences . *Genome Res* **6** :846-857

McEvoy C.R., Morley A.A., Firgaira F.A. (2003) Evidence for whole chromosome 6 loss and duplication of the remaining chromosome in acute lymphoblastic leukemia. *Genes Chromosomes Cancer* **37(3)**:321-5

Merritt, C.M., Easteal, S. und Board, P.G. (1990) Evolution of human alpha 1-acid glycoprotein genes and surrounding Alu repeats . *Genomics* **6(4)** :659-65

Mohapatra G., Moore D.H., Kim D.H., Grewal L., Hyun W.C., Waldman F.M., Pinkel D. und Feuerstein B.G. (1997) Analyses of brain tumor cell lines confirm a simple model of relationships among fluorescence in situ hybridization, DNA index, and comparative genomic hybridization . *Genes Chromosomes Cancer* **20(4)** :311-9

Mujumdar R.B., Ernst L.A., Mujumdar S.R., Lewis C.J. und Waggoner A.S. (1993) Cyanine Dye Labeling Reagents: Sulfoindocyanine Succinimidyl Esters . *Bioconjug Chem* **4(2)** :105-111

Mumm S., Molini B., Terrell J., Srivastava A. und Schlessinger D. (1997) Evolutionary features of the 4-Mb Xq21.3 XY homology region revealed by a map at 60-kb resolution . *Genome Res* **7(4)** :307-14

Nelson D.L., Ballabio A., Victoria M.F., Pieretti M., Bies R.D., Gibbs R.A., Maley J.A., Chinault A.C., Webster T.D. und Caskey C.T. (1991) Alu-primed polymerase chain reaction for regional assignment of 110 yeast artificial chromosome clones from the human X chromosome: identification of clones associated with a disease locus . *Proc Natl Acad Sci U S A* **88(14)** :6157-61

Nelson D.L., Ledbetter S.A., Corbo L., Victoria M.F., Ramirez-Solis R., Webster T.D., Ledbetter D.H. und Caskey C.T. (1989) Alu polymerase chain reaction: a method for rapid isolation of human-specific sequences from complex DNA sources . *Proc Natl Acad Sci U S A* **86(17)** :6686-90

Pinkel D., Segraves R., Sudar D., Clark S., Poole I., Kowbel D., Collins C., Kuo W.L., Chen C., Zhai Y., Dairkee S.H. et al. (1998) High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays . *Nat Genet* **20(2)** :207-11

Pollack J.R., Perou C.M., Alizadeh A.A., Eisen M.B., Pergamenschikov A., Williams C.F., Jeffrey S.S., Botstein D. und Brown P.O. (1999) Genome-wide analysis of DNA copy-number changes using cDNA microarrays . *Nat Genet* **23(1)** :41-6

Roest Crollius H., Jaillon O., Bernot A., Dasilva C., Bouneau L., Fischer C., Fizames C., Wincker P., Brottier P., Quetier F. et al. (2000) Estimate of human gene number provided by genome-wide analysis using Tetraodon nigroviridis DNA sequence . *Nat Genet* **25(2)** :235-8

Rogers J. (1983) Retroposons defined . *Nature*. **301(5900)** :460

Rüdiger N.S., Gregersen N. und Kielland-Brandt M.C. (1995) One short well conserved region of Alu-sequences is involved in human gene rearrangements and has homology with prokaryotic chi . *Nucleic Acids Res* **23(2)** :256-60

Saiki R.K., Scharf S., Faloona F., Mullis K.B., Horn G.T., Erlich H.A. und Arnheim N. (1985) Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia . *Science* **230(4732)** :1350-4

Schena M., Shalon D., Davis R.W. und Brown P.O. (1995) Quantitative monitoring of gene expression patterns with a complementary DNA microarray . *Science* **270(5235)** :467-70

Schwartz A., Chan D.C., Brown L.G., Alagappan R., Pettay D., Disteche C., McGillivray B., de la Chapelle A. und Page D.C. (1998) Reconstructing hominid Y evolution: X-homologous block, created by X-Y transposition, was disrupted by Yp inversion through LINE-LINE recombination . *Hum Mol Genet* **7(1)** :1-11

Shalon D., Smith S.J. und Brown P.O. (1996) DNA microarray system for analyzing complex DNA samples using two-color fluorescent probe hybridization . *Genome Res* **6(7)** :639-45A

Shen M.R., Batzer M.A. und Deininger P.L. (1986) Evolution of the master Alu gene(s) . *J Mol Evol* **20(6057)** :81-4

Siegel V. und Walter P. (1996) Removal of the Alu structural domain from signal recognition particle leaves its protein translocation activity intact . *Nature* **6(6)** :743-8

Singer M.F. (1982) SINES and LINEs: highly repeated short and long interspersed sequences in mammalian genomes . *Cell* **28(3)** :433-4

Smit A.F. (1996) The origin of interspersed repeats in the human genome . *Curr Opin Genet Dev* **20(4)** :399-407

Solinas-Toldo S., Lampel S., Stilgenbauer S., Nickolenko J., Benner A., Dohner H., Cremer T. und Lichter P. (1997) Matrix-based comparative genomic hybridization: biochips to screen for genomic imbalances . *Genes Chromosomes Cancer* **98(3)** :503-17

Southern E.M. (1975) Detection of specific sequences among DNA fragments separated by gelelectrophoresis . *J Mol Biol* **4(12)** :2251-7

Strachan,T und Read, A.P. (1996) . *Molekulare Humangenetik, Spektrum Akademischer Verlag GmbH Heidelberg Berlin Oxford* :57

Tagle D.A. und Collins F.S. (1992) An optimized Alu-PCR primer pair for human-specific amplification of YACs and somatic cell hybrids . *Hum Mol Genet* **13(3)** :718-25

THE GENOME SEQUENCING CONSORTIUM (2001) Initial Sequencing and Analysis of the human Genome . *Nature* **409** :860-921

van Bokhoven H., Schwartz M., Andreasson S., van den Hurk J.A., Bogerd L., Jay M., Ruther K., Jay B., Pawlowitzki I.H., Sankila E.M., et al (1994) Mutation spectrum in the CHM gene of Danish and Swedish choroideremia patients . *Hum Mol Genet* **3(7)** :1047-51

van der Maarel S.M., Scholten I.H., Maat-Kievit J.A., Huber I., de Kok Y.J., de Wijs I., van de Pol T.J., van Bokhoven H., den Dunnen J.T., van Ommen G.J. et al (1995) Yeast artificial chromosome cloning of the Xq13.3-q21.31 region and fine mapping of a deletion associated with choroideremia and nonspecific mental retardation . *Eur J Hum Genet* **3(4)** :207-18

Venter J.C., Adams M.D., Myers E.W., Li P.W., Mural R.J., Sutton G.G., Smith H.O., Yandell M., Evans C.A., Holt R.A., *et al* (2001) The sequence of the human genome . *Science* **291(5507)** :1304-51

Vidaud D., Vidaud M., Bahnak B.R., Siguret V., Gispert Sanchez S., Laurian Y., Meyer D., Goossens M. *et al* Lavergne, J.M. (1991) Haemophilia B due to a de novo insertion of a human-specific Alu subfamily member within the coding region of the factor IX gene . *Eur J Hum Genet* **353(6347)** :864-6

Voet D. und Voet J.G. (1992) . *Biochemie*, VCH, Weinheim, New York, Basel, Cambridge

Wallace M.R., Andersen L.B., Saulino A.M., Gregory P.E., Glover T.W. und Collins F.S. (1990) A de novo Alu insertion results in neurofibromatosis type 1 . *Nature* **10(3)** :1209-16

Wu J., Grindlay G.J., Bushel P., Mendelsohn L. und Allan M. (1991) Negative regulation of the human epsilon-globin gene by transcriptional interference: role of an Alu repetitive element . *Mol Cell Biol* **33(4)** :311-20

Yntema, H. G., van den Helm, B., Kissing, J., van Duijnhoven, G., Poppelaars, F., Chelly, J., Moraine, C., Fryns, J.-P., Hamel, B. C. J., Heilbronner, H., Pander, H.-J. *et al.* (1999) A novel ribosomal S6-kinase (RSK4; RPS6KA6) is commonly deleted in patients with complex X-linked mental retardation . *Genomics* **62** :332-3