

8. Literaturverzeichnis

- Aberle H, Bauer A, Stappert J, Kispert A und Kemler R (1997). β -catenin is a target for the ubiquitin-proteasome pathway. *EMBO J* **16**: 3797-3804.
- Albertson D, Collins C, McCormick F und Gray J (2003). Chromosome aberrations in solid tumors. *Nature Genetics* **34**(4): 369-376.
- Albini A, Iwamoto Y, Kleinman H, Martin G, AAronson S, Kozlowski J und Ewan RM (1987). A rapid in vitro assay for quantitating the invasive potential of tumor cells. *Cancer Res* **47**(12): 3239-3245.
- Altschul S, Gish W, Miller W, Myers E und Lipmann D (1990). Basic local alignment search tool. *J Mol Biol* **215**: 403-410.
- Balmain A, Gray J und Ponder B (2003). The genetics and genomics of cancer. *Nat Genet Suppl.*: 238-244.
- Basik M, Caplen N, Kallioniemi O und Mousses S (2003). Amplified genes as therapeutic targets in cancer. *TARGETS* **2**(4): 147-153.
- Bateman A (2002). The Pfam protein families' database. *Nucleic Acids Res* **30**: 276-280.
- Bateman A, Birney E, Durbin R, Eddy S, Finn R und Sonnhammer E (1999). Pfam 3.1: 1313 multiple alignments and profile HMMs match the majority of proteins. *Nucleic Acids Res* **27**(1): 260-262.
- Baudis M und Cleary M (2001). Progenetix.net: an online repository for molecular cytogenetic aberration data. *Bioinformatics* **17**(12): 1228-1229.
- Bhanot P, Brink M, Hanyman CS, Hsieh J, Wang Y, Macke J, Andrew D, Nathans J und Nusse R (1996). A new member of the frizzled family from *Drosophila* functions as a Wingless receptor. *Nature* **382**: 225-230.
- Birchmeier W und Behrens J (1994). Cadherin expression in carcinomas: role in the formation of cell junctions and the prevention of invasiveness. *Biochim Biophys Acta* **1198**: 11-26.
- Birnboim H und Doly J (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res* **7**(6): 1513-1523.
- Bishop J (1987). The molecular genetics of cancer. *Science* **235**: 305-311.
- Blackwood M und Weber B (1998). BRCA1 and BRCA2: from molecular genetics to clinical medicine. *J Clin Oncol* **16**(5): 1969-1977.
- Bonfield J, Smith K und Staden R (1995). A new DNA sequence assembly program. *Nucleic*

- Acids Res **23**: 4992-4999.
- Buerger H, Mommers E, Littmann R, Diallo R, Brinkschmidt C, Poremba C, Dockhorn-Dworniczak B, Diest Pv und Bocker W (2000). Correlation of morphologic and cytogenetic parameters of genetic instability with chromosomal alterations in *in situ* carcinomas of the breast. Am J Clin Pathol **114**(6): 854-859.
- Calderwood D, Fujioka Y, Pereda Jd, Garcia-Alvarez B, Nakamoto T, Margolis B, McGlade C, Liddington R und Ginsberg M (2003). Integrin beta cytoplasmic domain interactions with phosphotyrosine-binding domains: A structural prototype for diversity in integrin signaling. Proc Natl Acad Sci U S A **100**: 2272-2277.
- Carthew R (2001). Gene silencing by double-stranded RNA. Curr Opin Cell Biol **13**: 244-248.
- Charafe-Jauffret E, Moulin J, Ginestier C, Bechian D, Conte N, Geneix J, Adelaide J, Noguchi T, Hassoun J, Jacquemier J und Birnbaum D (2002). Loss of heterozygosity at microsatellite markers from region p11-21 of chromosome 8 in microdissected breast tumor but not in peritumoral cells. Int J Oncol **21**(5): 989-996.
- Chen H, Duncan I, Bozorgchami H und Lo S (2002). Tensin1 and a previously undocumented family member, tensin2, positively regulate cell migration. Proc Natl Acad Sci USA **99**(2): 733-738.
- Chen H, Ishii A, Wong W, Chen L und Lo S (2000). Molecular characterization of human tensin. Biochem J **351**: 403-411.
- Chen H und Lo S (2003). Regulation of tensin-promoted cell migration by its focal adhesion binding and Src homology domain 2. Biochem J **370**(Pt3): 1039-1045.
- Chen T (1977). In situ detection of mycoplasma contamination in cell cultures by fluorescent Hoechst 33258 stain. Exp Cell Research **104**(2): 255-262.
- Cho H, Mason K, Ramyar K, Stanley A, Gabelli S, Jr DD und Leahy D (2003). Structure of the extracellular region of HER2 alone and in complex with the Herceptin Fab. Nature **421**(6924): 756-60.
- Christensen M, Sunde L, Bolund L und Orntoft T (1999). Comparison of three methods of microsatellite detection. Scand J Clin Lab Invest **59**(3): 167-177.
- Courjal F, Cuny M, Simony-Lafontaine J, Louason G, Speiser P, Zeillinger R, Rodriguez C und Theillet C (1997). Mapping of DNA amplifications at 15 chromosomal localizations in 1875 breast tumors: definition of phenotypic groups. Cancer Res **57**(19): 4360-4367.

- Dahl E, Schmitt A, Specht T, Pilarsky C, Kuner R, Schäfer S und Rosenthal A (1999). Identification and characterization of 600 candidate genes associated with sporadic forms of gynecological cancers. *Clin Canc Research* **5**: Suppl Abstract #0737.
- DeVita V, Hellman S und Rosenberg S (2001). *Cancer - Principles & Practice of Oncology*, Lippincott Williams & Wilkins Publishers.
- Diala E, Cheah M, Rowitch D und Hoffman R (1983). Extent of DNA methylation in human tumor cells. *J Natl Cancer Inst* **71**: 755-764.
- Donegan W (1997). Tumor related prognostic factors for breast cancer. *CA Cancer J Clin* **47**: 28-51.
- Dubendorff J und Studier F (1991). Controlling basal expression in an inducible T7 expression system by blocking the target T7 promoter with lac repressor. *J Mol Biol* **219**(1): 45-59.
- Dufourcq P, Couffinhal T, Ezan J, Barandon L, Moreau C, Daret D und Duplaa C (2002). FrzA, a secreted frizzled related protein, induced angiogenic response. *Circulation* **106**(24): 3097-3103.
- Dunn J und Studier F (1983). Complete nucleotide sequence of the bacteriophage T7 DNA and the locations of T7 genetic elements. *J Mol Biol* **166**(4): 477-535.
- Duplaa C, Jaspard C, Moreau C und D'Amore P (1999). Identification and cloning of a secreted protein related to the cysteine-rich domain of frizzled. Evidence for a role in endothelial cell growth control. *Circulation Research* **84**(12): 1433-1445.
- Eastman Q und Grosschedl R (1999). Regulation of LEF-1/TCF transcription factors by wnt and other signals. *Curr Opin Cell Biol* **11**: 233-240.
- Ellis I, Galea M, Broughton N, Locker A, Blamey R und Elston C (1992). Pathological prognostic factors in breast cancer. II. Histological type. Relationship with survival in a large study with long-term follow-up. *Histopathology* **20**: 479-489.
- El-Osta A (2003). DNMT cooperativity - the developing links between methylation, chromatin structure and cancer. *Bioessays* **25**(11): 1071-1084.
- Esteller M (2002). CpG island hypermethylation and tumor suppressor genes: a booming present, a brighter future. *Oncogene* **21**: 5427-5440.
- Finch PW und He X (1997). Purification and molecular cloning of a secreted, Frizzled-related antagonist of Wnt action. *Proc.Natl Acad. Sci. USA* **94**: 6770-6775.
- Fink L, Seeger W, Ermert L, Hanze J, Stahl U, Grimminger F, Kummer W und Bohle R

- (1998). Real-time quantitative RT-PCR after laser-assisted cell picking. *Nat Med* **4**(11): 1329-1333.
- Fisher R (1973). Statistical Methods and Scientific Inference. New York, Macmillan Hafner.
- Fonseca R, Hartmann L, Petersen I, Donohue J, Crotty T und Gisvold J (1997). Ductal carcinoma *in situ* of the breast. *Ann Intern Med* **127**(11): 1013-1022.
- Fukazawa H, Mizuno S und Uehara Y (1995). A microplate assay for quantitation of anchorage-independent growth of transformed cells. *Anal Biochem* **228**(1): 83-90.
- Gall J und Pardue M (1969). Formation and detection of RNA-DNA hybrid molecules in cytological preparations. *Proc Natl Acad Sci U S A* **63**(2): 378-383.
- Gama-Sosa M, Slagel V, Trewyn R, Oxenhander R, Kuo K, Gehrke C und Ehrlich M (1983). The 5-methylcytosine content of DNA from human tumors. *Nucleic Acids Res* **11**: 6883-6894.
- Giancotti F und Ruoslahti E (1999). Integrin signaling. *Science* **285**(5430): 1028-1032.
- Giarre M, Semenov M und Brown A (1998). Wnt signalling stabilizes the dual-function protein beta-catenin in diverse cell types. *Ann NY Acad Sci* **857**: 43-55.
- Gumbiner B (2000). Regulation of cadherin adhesive activity. *J Cell Biol* **148**(3): 399-404.
- Hamada F, Tomoyasu Y, Takatsu Y, Nakamura M, Nagai S, Suzuki A, Fujita F, Shibuya H, Tyoshima K, Ueno N und Akiyama T (1999). Negative regulation of Wingless signaling by D-axin, a Drosophila homolog of axin. *Science* **283**: 1739-1742.
- Han X und Amar S (2003). Secreted Frizzled-Related Protein 1 (sFRP1) Protects Fibroblast From Ceramide-Induced Apoptosis. *J Biol Chem* **81**: 399-405.
- Hanahan D und Weinberg RA (2000). The hallmarks of cancer. *Cell* **100**: 57-70.
- Hayashi K und Yandell D (1993). How sensitive is PCR-SSCP? *Human Mutation* **2**: 338-346.
- He T (1998). Identification of c-MYC as a target of the APC pathway. *Science* **281**(5382): 1509-1512.
- Hermsen M, Baak J, Meijer G, Weiss J, Walboomers J, Snijders P und Diest Pv (1998). Genetic analysis of 53 lymph node-negative breast carcinomas by CGH and relation to clinical, pathological, morphometric, and DNA cytometric prognostic factors. *J Pathol* **186**(4): 356-362.
- Higuchi R, Dollinger G, Walsh P und Griffith R (1992). Simultaneous amplification and detection of specific DNA sequences. *Biotechnology (N Y)* **10**(4): 413-417.
- Higuchi R, Fockler C, Dollinger G und Watson R (1993). Kinetic PCR analysis: real-time

- monitoring of DNA amplification reactions. *Biotechnology (N Y)* **11**(9): 1026-1030.
- Holland P, Abramson R, Watson R und Gelfand D (1991). Detection of Specific Polymerase Chain Reaction Product by Utilizing the 5' to 3' Exonuclease Activity of *Thermus aquaticus* DNA Polymerase. *Proc. Natl. Acad. Sci. USA* **88**(16): 7276-7280.
- Holmgren L, Glaser A, Pfeifer-Olhsson S und Ohlsson R (1991). Angiogenesis during human extraembryonic development involves the spatiotemporal control of PDGF ligand and receptor gene expression. *Development* **113**: 749-754.
- Holtke H und Kessler C (1990). Non-radioactive labeling of RNA transcripts in vitro with the hapten digoxigenin (DIG); hybridization and ELISA-based detection. *Nucleic Acids Res* **18**(19): 5843-5851.
- Hsieh J, Kodjabachian L, Rebbert M, Rattner A, Smallwood P, Samos C, Nusse R, Dawid I und Nathans J (1999). A new secreted protein that binds to Wnt proteins and inhibits their activities. *Nature* **398**: 431-436.
- Imamura H, Takao S und Aikou T (1994). A modified invasion-3-(4,5-dimethylthiazole-2-yl)-2,5-diphenyltetrazolium bromide assay for quantitating tumor cell invasion. *Cancer Res* **54**(13): 3620-3624.
- Ishii A und Lo S (2001). A role of tensin in skeletal-muscle regeneration. *Biochem J* **356**: 737-745.
- Jamora C und Fuchs E (2002). Intercellular adhesion, signalling and the cytoskeleton. *Nat Cell Biol* **4**(4): E101-108.
- Jin H und Varner J (2004). Integrins: roles in cancer development and as treatment targets. *British Journal of Cancer* **90**: 561-565.
- John H, Birnstiel M und Jones K (1969). RNA-DNA hybrids at the cytological level. *Nature* **223**(206): 582-587.
- Johnston R, Pickett S und Barker D (1990). Autoradiography using storage phosphor technology. *Electrophoresis* **11**(5): 355-360.
- Jones P und Baylin S (2002). The fundamental role of epigenetic events in cancer. *Nat Rev Genet* **3**: 415-428.
- Jones P, Veenstra G, Wade P, Vermaak D, Kass S, Landsberger N, Strouboulis J und Wolffe A (1998). Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription. *Nat Genet* **19**: 187-191.
- Kallioniemi O, Kallioniemi A, Kurisu W, Thor A, Chen L, Smith H, Waldman F, Pinkel D

- und Gray J (1992). ERBB2 amplification in breast cancer analyzed by fluorescence in situ hybridization. *Proc Natl Acad Sci USA* **89**: 5321-5325.
- Kassavetis G, Butler E, Roulland D und Chamberlin M (1982). Bacteriophage SP6-specific RNA-polymerase. II. Mapping of SP6 DNA and selective in vitro transcription. *J Biol Chem* **257**(10): 5779-5788.
- Katz B, Zohar M, Teramoto H, Matsumoto K, Gutkind J, Lin D, Lin S und Yamada K (2000). Tensin can induce JNK and p38 activation. *Biochem Biophys Res Commun* **272**(3): 717-720.
- Kawano Y und Kypta R (2003). Secreted antagonists of the Wnt signalling pathway. *J Cell Science* **116**: 2627-2634.
- Knudson A (1971). Mutation and cancer: statistical study of retinoblastoma. *Proc Natl Acad Sci U S A* **68**: 820-823.
- Ko J, Ryu K, Lee Y, Na D, Kim Y, Oh Y, Kim I und Kim J (2002). Human secreted frizzled-related protein is down-regulated and induces apoptosis in human cervical cancer. *Exp Cell Research* **280**: 280-287.
- Komminoth P (1992). Digoxigenin as an alternative probe labeling for in situ hybridization. *Diagn Mol Pathol* **1**(2): 142-150.
- Kozak M (1986). Point mutations define sequence flanking the AUG initiator codon that modulates translation by eukaryotic ribosomes. *Cell* **44**(2): 283-292.
- Krogh A, Mian I und Haussler D (1994). A hidden Markov model that finds genes in E.coli DNA. *Nucleic Acids Res* **22**(22): 4768-4778.
- Lagios M (1995). Heterogeneity of ductal carcinoma in situ (DCIS): relationship of grade and subtype analysis to local recurrence and risk of invasive transformation. *Cancer Letters* **90**(1): 97-102.
- Lennon G, Auffray C, Polymeropoulos M und Soares M (1996). The I.M.A.G.E. Consortium: an integrated molecular analysis of genomes and their expression. *Genomics* **33**(1): 151-152.
- Li L, Yuan H, Weaver C, Mao J, Ill GF, Sussman D, Jonkers J, Kimelman D und Wu D (1999a). Axin and Frat1 interact with Dvl and GSK, bridging Dvl to GSK in Wnt-mediated regulation of LEF-1. *EMBO J* **18**(5): 4233-4240.
- Li L, Yuan H, Xie W, Mao J, Caruso A, McMahon A, Sussman D und Wu D (1999b). Dishevelled proteins lead to two signaling pathways. Regulation of lef-1 and c-jun N-terminal kinase in mammalian cells. *J Biol Chem* **274**: 129-134.

- Lo S, Jammey P, Hartwig J und Chen L (1994). Interactions of tensin with actin and identification of its three distinct actin-binding domains. *J Cell Biol* **125**: 1067-1075.
- Lo S, Yu Q, Degenstein L, Chen L und Fuchs E (1997). Progressive kidney degeneration in mice lacking tensin. *J Cell Biol* **136**(6): 1349-1361.
- Longo M, Berninger M und Hartley J (1990). The use of uracil DNA glycosylase to control carry-over contamination in polymerase chain reactions. *Gene* **93**: 125-128.
- Lu Y, Lakhani S, Palma SD, Gusterson B und Shipley J (1998). Comparative genomic hybridization analysis of lobular carcinoma in situ and atypical lobular hyperplasia and potential roles for gains and losses of genetic material in breast neoplasia. *Cancer Res* **58**(20): 4721-4727.
- Lustig B und Behrens J (2003). The Wnt signaling pathway and its role in tumor development. *J Cancer Res Clin Oncol* **129**: 199-221.
- Malaney S und Daly R (2001). The ras signaling pathway in mammary tumorigenesis and metastasis. *J Mammary Gland Biol Neoplasia* **6**(1): 101-113.
- Martin K, Slack J, Boerner S, Martin C und Parsons J (2002). Integrin connections map: to infinity and beyond. *Science* **296**(5573): 1652-1653.
- Melkonyan H, Chang W, Shapiro J, Mahedevappa M, Fitzpatrick P, Kiefer M, Tomei L und Umansky S (1997). SARPs: a family of secreted apoptosis-related proteins. *Proc. Natl. Acad. Sci. USA* **94**(25): 13636-13641.
- Miki Y, Swensen J, Shattuck-Eidens D, Futreal P, Harshman K, Tavtigian S, Liu Q, Cochran C, Bennett L, Ding W und al. e (1994). A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science* **266**(5182): 66-71.
- Miller J, Hocking A, Brown J und Moon R (1999). Mechanism and function of signal transduction by the Wnt/β-Catenin and Wnt/Ca²⁺ pathways. *Oncogene* **18**: 7860-7872.
- Miyamoto S, Teramoto H, Coso O, Gutkind J, Burbelo P, Akiyama S und Yamada K (1995). *J Cell Biol* **131**: 791-805.
- Mizushima S und Nagata S (1990). pEF-BOS, a powerful mammalian expression vector. *Nucleic Acids Res* **18**(17): 5322-.
- Nan X, Ng H, Johnson C, Laherty C, Turner B, Eisenman R und Bird A (1998). Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature* **393**: 386-389.
- Narayan G, Pulido H, Koul S, Lu X-Y, Harris C, Yeh Y, Vargas H, Posso H, Terry M,

- Gissmann L, Schneider A, Mansukhani M, Rao P und Murty V (2003). Genetic analysis identifies putative tumorsuppressor sites at 2q35-q36.1 and 2q36-q37.1 involved in cervical cancer progression. *Oncogene* **22**: 3489-3499.
- Newman B, Austin M, Lee M und King M (1988). Inheritance of human breast cancer: evidence for autosomal dominant transmission in high-risk families. *Proc Natl Acad Sci U S A* **85**(9): 3044-3048.
- Niederacher D, Picard F, Roeyen Cv, An H, Bender H und Beckmann M (1997). Patterns of allelic loss on chromosome 17 in sporadic breast carcinomas detected by fluorescent-labeled microsatellite analysis. *Genes Chromosomes Cancer* **18**(3): 181-192.
- Olson D und Gibo D (1998). Antisense wnt-5a mimics wnt-1-mediated C57MG mammary epithelial cell transformation. *Exp Cell Research* **241**: 134-141.
- Page D, Dupont W, Rogers L und Rados M (1985). Atypical hyperplastic lesions of the female breast. A long-term follow-up study. *Cancer* **55**(11): 2698-2708.
- Pandis N, Jin Y, Gorunova L, Petterson C, Bardi G, Idvall I, Johansson B, Ingvar C, Mandahl N, Mitelman F und Heim S (1995). Chromosome analysis of 97 primary breast carcinomas: identification of eight karyotypic subgroups. *Genes Chromosomes Cancer* **12**(3): 173-185.
- Pelham H und Jackson R (1976). An efficient mRNA-dependent translation system from reticulocyte lysates. *Eur J Biochem* **67**(1): 247-256.
- Pierceall W, Woodard A, Morrow J, Rimm D und Fearon E (1995). Frequent alterations in E-cadherin and alpha- and beta-catenin expression in human breast cancer cell lines. *Oncogene* **11**(7): 1319-1326.
- Porath J (1992). Immobilized metal ion affinity chromatography. *Protein Expr Purif* **3**(4): 263-281.
- Ray J und Stetler S (1994). The role of matrix metalloproteases and their inhibitors in tumour invasion, metastasis and angiogenesis. *Eur Respir* **7**: 2062-2072.
- Remmele W und Stegner H (1987). Vorschlag zur einheitlichen Definition eines immunhistochemischen Östrogenrezeptornachweises (ER-ICA) im Mammakarzinomgewebe. *Pathologe* **8**: 138-140.
- Repesh L (1989). A new in vitro assay for quantitating tumor cell invasion. *Invas Metast* **9**: 192-208.
- Richard F, Pacyna-Gengelbach M, Schluns K, Fleige B, Winzer K, Szymas J, Dietel M, Petersen I und Schwendel A (2000). Patterns of chromosomal imbalances in invasive

- breast cancer. *Int J Cancer* **89**(3): 305-310.
- Roth W, Wild-Bode C, Platten M, Grimmel C, Melkonyan H, Dichgans J und Weller M (2000). Secreted Frizzled-related proteins inhibit motility and promote growth of human malignant glioma cells. *Oncogene* **19**: 4210-4220.
- Rozen S und Skaletzky H (2000). Primer3 on the WWW for general users and for biologist programmers. *Methods Mol Biol* **132**: 365-386.
- Sager R (1989). Tumor suppressor genes: the puzzle and the promise. *Science* **246**: 1407-1411.
- Sager R (1997). Expression genetics in cancer: shifting the focus from DNA to RNA. *Proc. Natl. Acad. Sci. USA* **94**: 952-955.
- Sanger F, Nicklen S und Coulson A (1977). DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci USA* **74**: 5463-5467.
- Sanseau P (2001). Impact of human genome sequencing for in silico target discovery. *Drug Discov Today* **6**(6): 316-323.
- Schmitt A, Specht T, Beckmann G, Dahl E, Pilarsky C, Hinzmann B und Rosenthal A (1999). Exhaustive mining of EST libraries for genes differentially expressed in normal and tumour tissues. *Nucleic Acids Res* **27**(21): 4251-60.
- Schröck E, Manoir Sd, Veldman T, Schoell B, Wienberg J, Ferguson-Smith M, Ning Y, Ledbetter D, Bar-Am I, Soenksen D, Garini Y und Ried T (1996). Multicolor spectral karyotyping of human chromosomes. *Science* **273**(5274): 494-497.
- Shawver L, Slamon D und Ullrich A (2002). Smart drugs: tyrosine kinase inhibitors in cancer therapy. *Cancer Cell* **1**(2): 117-23.
- Sheldahl L, Park M, Malbon C und Moon R (1999). Protein kinase C is differentially stimulated by Wnt and frizzled homologs in a G-protein-dependent manner. *Curr Biol* **9**: 695-698.
- Shtutman M, Zhurinsky J, Simcha I, Albanese C, D'Amico M, Pestell R und Ben-Ze'ev A (1999). The cyclin D1 gene is a target for the beta-catenin/LEF-1 pathway. *Proc. Natl. Acad. Sci. USA* **96**(10): 5522-5527.
- Shuman S (1994). Novel approach to molecular cloning and polynucleotide synthesis using vaccinia DNA topoisomerase. *J Biol Chem* **269**(51): 32678-32684.
- Sigbjornsdottir BI (2000). Chromosome 8p alterations in sporadic and BRCA2 999del5 linked breast cancer. *J Med Genet* **37**(5): 342-347.

- Smalley M und Dale T (2001). Wnt signaling and mammary tumorigenesis. *J Mammary Gland Biol Neoplasia* **6**(1): 37-52.
- Sabin L (2001). TNM: principles, history, and relation to other prognostic factors. *Cancer* **91**(8 Suppl.): 1589-1592.
- Sommers C (1996). the role of cadherin-mediated adhesion in breast cancer. *J Mammary Gland Biol Neoplasia* **1**(2): 219-229.
- Sommers C, Byers S, Thompson E, Torri J und Gelmann E (1994). Differentiation state and invasiveness of human breast cancer cell lines. *Breast Cancer Research and Treatment* **31**: 325-335.
- Strachan T und Read A (1996). *Molekulare Humangenetik*, Spektrum Verlag.
- Studier F, Rosenberg A, Dunn J und Dubendorff J (1990). Use of T7 RNA polymerase to direct expression of cloned genes. *Methods Enzymol* **185**: 60-89.
- Suzuki H, Gabrielson E, Chen W, Anbazhagan R, Engeland M, Weijenberg M, Herman J und Baylin S (2002). A genomic screen for genes upregulated by demethylation and histone deacetylase inhibition in human colorectal cancer. *nature Genetics* **31**: 141-149.
- Taketo M (2004). Shutting down Wnt signal-activated cancer. *Nature Genetics* **36**(4): 320-322.
- Tetsu O und McCormick F (1999). Beta-catenin regulates expression of Cyclin D1 in colon carcinoma cells. *Nature* **398**: 422-426.
- Torhorst J, Bucher C, Kononen J, Haas P, Zuber M, Köchli O, Mross F, Dieterich H, Moch H, Mihatsch M, Kallioniemi O-P und Sauter G (2001). Tissue microarrays for rapid linking of molecular changes to clinical endpoints. *Am J Pathology* **159**(6): 2249-2256.
- Ugolini F, Adelaide J, Charafe-Jauffret E, Nguyen C, Jacquemier J, Jordan B, Birnbaum D und Pebusque M-J (1999). Differential expression assay of chromosome arm 8p genes identifies Frizzled-related (FRP1/FRZB) and Fibroblast growth factor receptor 1 (FGFR1) as candidate breast cancer genes. *Oncogene* **18**: 1903-1910.
- Ugolini F, Charafe-Jauffret E, Bardou V, Geneix J, Adelaide J, Labat-Moleur F, Penault-Llorca F, Longy M, Jacquemier J, Birnbaum D und Pebusque M (2001). WNT pathway and mammary carcinogenesis: loss of expression of candidate tumor suppressor gene SFRP1 in most invasive carcinomas except of the medullary type. *Oncogene* **20**(41): 5810-5817.

- Üren A, Reichsman F, Anest V, Taylor WG, Muraiso K, Bottaro DP, Cumberledge S und Rubin JS (2000). Secreted Frizzled-related Protein-1 Binds Directly to Wingless and Is a biphasic Modulator of Wnt signaling. *J Biol Chem* **275**(6): 4374-4382.
- Valgardsdottir R, Tryggvadottir L, Steinarsdottir M, Olafsdottir K, Jonasdottir S, Jonasson J, Ogmundsdottir H und Eyfjord J (1997). Genomic instability and poor prognosis associated with abnormal TP53 in breast carcinoma. Molecular and immunohistochemical analysis. *Apmis* **105**(2): 121-130.
- Veeman M, Axelrod J und Moon R (2003). A second canon. Functions and mechanisms of beta-catenin-independent Wnt signaling. *Dev Cell* **5**(3): 367-377.
- Vogel C, Cobleigh M, Tripathy D, Gutheil J, Harris L, Fehrenbacher L, Slamon D, Murphy M, Novotny W, Burchmore M, Shak S und Stewart S (2001). First-line Herceptin monotherapy in metastatic breast cancer. *Oncology* **61**(suppl. 2): 37-42.
- Vuori K (1998). Integrin signaling: tyrosine phosphorylation events in focal adhesions. *J Membrane Biol* **165**: 191-199.
- Wang Y, Macke J, Abella B, Andreasson K, Worley P, Gilbert D, Copeland N, Jenkins N und Nathans J (1996). A large family of putative transmembrane receptors homologous to the product of the Drosophila tissue polarity gene frizzled. *J Biol Chem* **271**: 4468-4476.
- Weinberg R (1989). Oncogenes, antioncogenes, and the molecular bases of multistep carcinogenesis. *Cancer Res* **49**: 3713-3721.
- Wittekind C, Meyer H und Bootz F (2002). TNM-Klassifikation maligner Tumoren. Berlin Heidelberg New York, Springer Verlag.
- Wong S, Lo S, Lee K, Yam J, Chan J und Hsiao WW (2002). Expression of frizzled-related protein and Wnt-signalling molecules in invasive human breast tumours. *J Pathology* **196**(2): 145-153.
- Wooster R, Neuhausen S, Mangion J, Quirk Y, Ford D, Collins N, Nguyen K, Seal S, Tran T, Averill D und al. e (1994). Localization of a breast cancer susceptibility gene, BRCA2, to chromosome 13q12-13. *Science* **265**(5181): 2088-2090.
- Yang-Snyder J, Miller J, Brown J, Lai C und Moon R (1996). A frizzled homolog functions in vertebrate Wnt signaling pathway. *Curr Biol* **6**: 1302-1306.
- Yaremko M, Kutza C, Lyzak J, Mick R, Recant W und Westbrook C (1996). Loss of heterozygosity from the short arm of chromosome 8 is associated with invasive behavior in breast cancer. *Genes Chromosomes Cancer* **16**: 189-195.

- Yaremko M, Recant W und Westbrook C (1995). Loss of heterozygosity from the short arm of chromosome 8 is an early event in breast cancers. *Genes Chromosomes Cancer* **13**(3): 186-191.
- Zhang R, Fidler I und Price J (1991). Relative malignant potential of human breast carcinoma cell lines established from pleural effusions and a brain metastasis. *Invasion Metastasis* **11**: 204-215.
- Zhou Z, Wang J, Han X, Zhou J und Linder S (1998). Up-regulation of human secreted frizzled homolog in apoptosis and its down-regulation in breast tumors. *Int J Cancer* **78**(1): 95-99.