

LITERATURVERZEICHNIS

- ABE, Y., ISHISU, R., ONISHI, K., SEKIOKA, K., NARIMATSU, A., NAKANO, T. (1996).** Calcium sensitization in perfused beating guinea pig heart by a positive inotropic agent MCI-154.
J. Pharmacol. Exp. Ther. Feb,276(2), 433-439
- ALVAREZ, J.L., VASSORT, G. (1992).** Properties of the low threshold Ca current in single frog atrial cardiomyocytes.
J. Gen. Physiol. 100, 519-545
- ANDERSEN, G.O., ENGER, M., SKOMEDAL, T., OSNES, J.B. (1997).** Alpha 1-adrenoceptor mediated activation of Na/K/2Cl cotransport and K⁺ channels in the rat heart involves different receptor subtypes.
Res. Commun. Mol. Pathol. Pharmacol. 96(3) Jun, 329-340
- AOYAGI, T., MOMOMURA, S., SERIZAWA, T., IZUKA, M., OHYA, T., SUGIMOTO, T. (1991).** Alpha-adrenoceptor-mediated inotropism and beta-adrenoceptor-mediated inotropism in isolated rabbit ventricles: a comparison in mechanical effects and energetic efficiency.
J. Cardiovasc. Pharmacol. Apr, 17(4), 647-655
- ARREOLA, J., DIRKSEN, R.T., PEREZ-CORNEJO, P., HECH, K.M., SHEU, S.S. (1994).** Autonomic modulation of action potential and tension in guinea pig papillary muscles.
Eur. J. Pharmacol. Dec 27,271(2-3), 309-317
- BELZER, F.O., SOUTHARD, J.H. (1988).** Principles of solid-organ preservation by cold storage.
Transplantation 45, 673-676
- BENFEY, B.G. (1977).** Theophylline and phenylephrine effects on cardiac relaxation.
Br. J. Pharmacol. Jan, 59(1), 75-81
- BENNET, T., KEMP, P.A. (1978).** Lack of evidence for a temperature-mediated change of adrenoceptor type in the rat heart.
Naunyn-Schmiedeberg's-Arch.- Pharmacol. Jan-Feb 301(3), 217-222
- CAMILION-DE-HURTADO, MC., GENDE, OA. (1989).** Alpha-adrenoceptor-mediated chronotropic response: influence of temperature and basal spontaneous rate.
Naunyn-Schmiedeberg's-Arch.- Pharmacol. Mar 339(3), 315-319
- CAPOGROSSI MC, KAKU T, FILBURN CR, PELTO DJ, HANSFORD RG, SPURGEON HA, LAKATTA EG (1990).** Phorbol ester and dioctanoylglycerol stimulate membrane association of protein kinase C and have a negative inotropic effect mediated by changes in cytosolic Ca²⁺ in adult rat cardiac myocytes.
Circ Res. Apr, 66(4), 1143-55
- CAPOGROSSI, M.C., KACHADORIAN, W.A., GAMBASSI, G., SPURGEON, H.A., LAKATTA, E.G. (1991).** Ca²⁺ dependence of adrenergic effects on the contractile properties and Ca²⁺ homeostasis of cardiac myocytes.
Circ. Res. Aug, 69(2), 540-550
- CHESS-WILLIAMS, R.G., BROADLEY, K.J. (1985).** Temperature dependence of beta 1-adrenoceptor-mediated responses examined by use of partial agonists.
Eur. J. Pharmacol. Jan 15, 108(1), 25-32
- CHESS-WILLIAMS, R.G., BROADLEY, K.J. (1987).** Examination of cardiac alpha-adrenoceptors from pharmacological responses and radioligand binding. Comparison of rat and guinea pig tissues.
J. Pharmacol. Methods Sep, 18(2),111-122
- CHESS-WILLIAMS, R.G., WILLIAMSON, K.L., BROADLEY, K.J. (1990).** Whether phenylephrine exerts inotropic effects through alpha- or beta-adrenoceptors depends upon the relative receptor populations.
Fundam. Clin. Pharmacol., 4(1),25-37
- CLOZEL, J.P., VENIANT, M., OSTERRIEDER, W. (1990).** The structurally novel Ca²⁺ channel blocker Ro 40-5967, which binds to the [3H] desmethoxyverapamil receptor, is devoid of the negative inotropic effects of verapamil in normal and failing rat hearts.
Cardiovasc. Drugs Ther. 4, 731-736
- CORR, P., SHAYMNA, J.A., KRAMER, J.B., KIPNIS, R.J. (1981).** Increased a-adrenergic receptors in ischemic cat myocardium.
J.Clin. Invest. 67, 1232-1236
- ECKEL, J., GERLACH-ESKUCKEN, E., REINAUER, H. (1991).** Alpha-adrenoceptor-mediated increase in cytosolic free calcium in isolated cardiac myocytes.
J. Mol. Cell. Cardiol. May, 23(5), 617-625

- EDES, I., TALOSI, L., KRANIAS, EG. (1991).** The effect of alpha-adrenergic agents and protein kinase C activators on protein phosphorylation in isolated guinea pig hearts.
Eur. Heart J. Dec, 12 Suppl F, 143-144
- EDWARDS, S.J., RATTIGAN, S., COLQUHOUN, E.Q., LOCKWOOD, S.C., WOODCOCK, E.A., CLARK, M.G. (1989).** Alpha 1-adrenergic control of contractility and coronary flow in the perfused rat heart. *Am. J. Physiol.* 256 (2 Pt. 2) Feb, H334-340
- EL AMRANI, A.I., LECARPENTIER, Y., RIOU, B., POURNY, J.C.(1989).** Lusitropic effect and modifications of contraction-relaxation coupling induced by alpha-adrenergic stimulation in rat left ventricular papillary muscle. *J. Mol. Cell. Cardiol.* Jul, 21(7), 669-680
- EL AMRANI, A.I., RIOU, B., POURNY, J.C., LECARPENTIER, Y. (1990).** Effects of alpha adrenergic stimulation on the mechanical properties of the myocardium.
Arch. Mol. Coeur Vaiss. Oct, 83(11),1751-1755
- ENDO, M. (1998).** Changes in intracellular Ca^{2+} mobilization and Ca^{2+} sensitization as mechanisms of action of physiological interventions and inotropic agents in intact myocardial cells.
Jpn. Heart J. Jan 39(1), 1-44
- ENDO, M., SCHÜMANN, H.J. (1975).** Frequency-dependence of the positive inotropic effect of Methoxamine and Naphazoline mediated by α -adrenoceptors in the isolated rabbit papillary muscles.
Naunyn-Schmiedeberg's-Arch.-Pharmacol. 287, 377-389
- ENDO, M., HILLEN, B., SCHÜMANN, H.J. (1977).** Influence of temperature and frequency on the positive inotropic action of phenylephrine in the isolated rabbit papillary muscle.
Arch. Int. Pharmacodyn. Ther. Aug, 228(2), 213-221
- ENDO, M. (1996).** Cardiac α (1)-adrenoceptors that regulate contractile function: subtypes and subcellular signal transduction mechanisms.
Neurochem. Res. Feb, 21(2), 217-229
- FUKUNAMI, M., HEARSE, D.J. (1989).** The inotropic consequences of cooling: studies in the isolated rat heart.
Heart Vessels 5(1), 1-9
- GAMBASSI, G., CAPAGROSSI, M.C., KLOCKOW, M., LAKATTA, E.G. (1993).** Enantiomeric dissection of the effects of the inotropic agent, EMD 53998, in single myocytes.
Am. J. Physiol. 264, H728-H738
- HANEM, S., ENGER, M., SKOMEDAL, T., OSNES, J.B. (1996).** Inositol-1,4,5-trisphosphate mass content in isolated perfused rat heart during α -1-adrenoceptor stimulation.
Mol Cell Biochem 1996 Oct-Nov;163-164:167-72
- GAO, J., MATHIAS, R.T., COHEN, IS., WANG, Y., SUN, X., BALDO, G.J. (1999).** Activation of PKC increases Na^+K^+ pump current in ventricular myocytes from guinea pig hearts.
Pflugers Arch. Apr, 437(5), 643-651
- GIBBS, C.L., BARCLAY, C.J. (1995).** Cardiac efficiency.
Cardiovasc. Res. 30, 627-634
- GRANDIS, D.J., DELNIDO, P.J., KORETSKY, A.P. (1995).** Functional and energetic effects of the inotropic agents EMD-57033 and BAPTA on the isolated rat heart.
Am J Physiol. Aug, 269(2 Pt 1), C472-479
- GREENE PS, CAMERON DE, MOHLALA ML, DINATALE JM, GARDNER TJ. (1989).** Systolic and diastolic left ventricular dysfunction due to mild hypothermia.
Circulation Nov, 80(5 Pt 2), III44-8
- GUARINO, R.D., PEREZ, D.M., PIASCIK, M.T. (1996).** Recent advances in the molecular pharmacology of the α 1-adrenergic receptors.
Cell. Signal. Vol 8/5, 323-333
- HAGIWARA, N., IRISAWA, H., KAMEYAMA, M. (1988).** Contribution of two types of calcium currents to the pacemaker potentials of rabbit sinoatrial node cells.
J. Physiol. 395, 233-253
- HANFT, G., GROSS, G. (1989).** Subclassification of α 1-adrenoceptor recognition sites by urapidil derivatives and other selective antagonists.
Br. J. Pharmacol. 97, 691-700
- HARTMANN, M., SCHRADER, J. (1992).** Protein Kinase C phosphorylates a 15 kDa protein but not phospholamban in intact rat cardiac myocytes.
Eur. J. Pharm. 226, 225-231

- HATTORI, Y. (1982).** Underlying mechanisms of inotropic effects mediated by alpha-adrenoceptors in mammalian left atria- influence of stimulation frequencies and Ca^{2+} channel blocking agents. *Hokkaido-Igaku-Zasshi* Jul, 57(4), 437-455
- HESCHELER, J., NAWRATH, H., TANG, M., TRAUTWEIN, W. (1988).** Adrenoceptor-mediated changes of excitation and contraction in ventricular heart muscle from guinea-pigs and rabbits. *J. Physiol. (Lond.)* Mar, 397, 657-670
- HGASHIYAMA A., WATKINS M.W., CHEN Z., LEWINTER M.M. (1995).** Effects of EMD 57033 on contraction and relaxation in isolated rabbit hearts. *Circulation* Nov 15, 92(10), 3094-3104
- HIEBLE, JP, RUFFOLO, RR JR. (1996).** The use of alpha-adrenoceptor antagonists in the pharmacological management of benign prostatic hypertrophie: an overview. *Pharmacol. Res.* Mar, 33(3), 145-160
- HUANG, Y, HE, ZH, LI, YX (1997).** Effects of MCI-154 on calcium sensitivity of contractile system and calcium release from sarcoplasmic reticulum in saponin-skinned rat myocardium. *Chung Kuo Li Hsueh Pao* May, 18(3), 234-247
- ISHAC, E.J.N., BENEFATHER, J.N., HANDBERG, G.M. (1982).** Effect of changes in thyroid state on atrial α - and β - adrenoceptors, adenylate cyclase activity, and catecholamine levels in the rat. *J. Cardiovasc. Pharm.* 5, 396-405
- IWAKI, K., SUKHATME, V.P., SHUBEITA, H. E., CHIEN, K.R. (1990).** α - and β - adrenergic stimulation induces distinct patterns of immediate early gene expression in neonatal rat myocardial cells. *J. Biol. Chem.* 265, 13809-13817
- KINCAID-SMITH, PS (1987).** Alpha blockade. An overview of efficacy data. *Am. J. Med.* Jan, 82(1A), 21-25
- KISSLING G, BLICKLE B, ROSS C, PASCHT U, GULBINS E (1997).** alpha 1-adrenoceptor-mediated negative inotropy of adrenaline in rat myocardium. *J. Physiol.* Feb 15, 499(Pt 1), 195-205
- KOGA, T., SHIRAKI, Y., SAKAI, K.(1989).** Demonstration in *Tupaia* papillary muscle preparations of alpha-adrenoceptors mediating positive inotropic effects: comparison with guinea pigs. *Br. J. Pharmacol.* Oct, 98(2), 552-556
- KOGLER, H., RUEGG, JC. (1997).** Cardiac contractility: modulation of myofibrillar calcium sensitivity by beta-adrenergic stimulation. *Isr. J. Med. Sci.* Jan, 33(1), 1-7
- KOHL, C., SCHMITZ, W., SCHOLZ, H., SCHOLZ, J. (1990).** Evidence for the existence of inositol tetrakisphosphate in mammalian heart. Effect of alpha 1-adrenoceptor stimulation. *Circ Res* 1990 Feb, 66(2), 580-583
- KUSUOKA, H., KOMA, Y., FUTAKI, S., SUGA, H., KITABATAKE, A., KAMADA, T., INOUE, M. (1991).** Positive inotropism in hypothermia partially depends on an increase in maximal Ca^{2+} -activated force. *Am. J. Physiol.* 261, H1005-H1010
- LANGENDORFF, O. (1895).** Untersuchungen am lebenden Säugethierherzen. *Pflügers Arch.* 407, 264-274
- LANGENDORFF, O. (1897).** Über den Einfluss von Wärme und Kälte auf das Herz der warmblütigen Tiere. *Pflügers Arch.* 66, 355-400
- LANGER, G.A., BRADY A.J. (1968).** The effects of temperature upon contraction and ionic exchange in rabbit ventricular myocardium. Relation to control of active state. *J. Gen. Physiol.* 52, 682-713
- LANGER, S.F., SCHMIDT, H.D. (1998).** Different left ventricular relaxation parameters in isolated working rat and guinea pig hearts. Influence of preload, afterload, temperature, and isoprenaline. *Int. J. Card. Imaging* Aug, 14(4), 229-240
- LANGER, SZ. (1998).** Nomenclature and state of the art on α_1 -adrenoceptors. *Eur. Urol.* 33 Suppl 2, 2-6
- LEDDA, F., MARCHETTI, P., MUGELLI, A. (1975).** Studies on the positive inotropic effect of phenylephrine: a comparison with isoprenaline. *Br. J. Pharmacol.* May, 54(1), 83-90
- LI, Q., QIAN, J.Q. (1990).** Effects of alpha-adrenoceptor agonists on cardiac function and blood pressure in rats. (Abstract) *Chung Kuo Yao Li Hsueh Pao* Jan, 11(1), 21-25

- MATHEW, L., KATZ, S.D. (1998).** Calcium sensitizing agents in heart failure. *Drugs Aging* Mar, 12(3), 191-204
- MATTHEUSSEN, M., MUBAGWA, K., VAN AKEN, H., WUSTEN, R., BOUTROS, A., FLAMENG, W. (1996).** Interaction of heart rate and hypothermia on global myocardial contraction of the isolated rabbit heart. *Anesth. Analg.* May, 82(5), 975-981
- MODERSOHN, D., WALDE, T., BRUCH, L. (1993).** Die diastolische Herzfunktion. *Z. ärztl. Fortbild.* 87, 111-121
- MONROE, R.G., STRANG, R.H., LAFARGE, C.G., LEVY, J.(1964).** Ventricular performance, pressure-volume relationships, and O_2 consumption during hypothermia. *Am. J. Physiol.* 206(1), 67-73
- MORII, I., KHARA, Y., KONISHI, T., NUBUSHI, T., SASAYAMA, S. (1996).** Mechanism of the negative force-frequency relationship in physiologically intact rat ventricular myocardium-studies by intracellular Ca^{2+} monitor with indo-1 abd by ^{31}P -nuclear magnetic resonance spectroscopy. *Jpn. Circ. J.* Aug, 60(8), 593-603
- MORI, K., HASHIMOTO, H., HASEGAWA, H., NAKASHIMA, M. (1979).** Influence of temperature on the sensitivity of the adrenoceptors in the isolated atria of guinea pigs and rats. *Eur. J. Pharmacol.* Apr 15, 55(2), 189-197
- NAKANO, K. (1996).** Chronotropic effects of alpha-agonist on the rat isolated right atria. *Nippon Ika Daigaku Zasshi* Dec, 63(6), 473-80
- NAKASHIMA, M., HAGINO, Y. (1972).** Evidence for the existence of alpha adrenergic receptor in isolated rat atria. *Jpn. J. Pharmacol.* Apr 22(2), 227-233
- NEELEY, J.R., LIEBERMEISTER H., BATTERSBY, E.J., MORGAN, H.E.(1967).** Effect of pressure development on oxygen consumption by isolated rat heart. *Am.J.Physiol.* 212 (4), 808-814,1967.
- OPIE, L. (1991).** The Heart. Physiology and Metabolism: 2nd edition, Raven Press, New York
- OSNES, J.B., CHRISTIANSEN, H.B., HORGMO, G.J., SCHIANDER, I.G., SKOMEDAL, T. (1987).** Alpha-adrenergic stimulation contributes to the inotropic effect of noradrenaline. *Biomed. Biochem. Acta* 46 (8-9), 417-420
- OSNES, J.B., REFSUM, H., SKOMEDAL, T., OYE, I. (1978).** Qualitative differences between beta-adrenergic and alpha-adrenergic inotropic effects in rat heart muscle. *Acta Pharmacol. Toxicol. (Copenh)* Apr, 42(4), 235-247
- OTANI, HITOMI, OTANI, HAJIME, URIU, T., HARA, M., NOUE, M., OMORI, K., CRAGOE JR., E.J., NAGAKI, C. (1990).** Effects of inhibitors of protein kinase C and Na^+/H^+ exchange on α_1 -adrenoceptor mediated inotropic responses in the rat left ventricular papillary muscle. *Br. J. Pharmacol.* 100, 207-210
- PARKER, C., LI, Q., FEDIDA, D.(1999).** Non-specific action of methoxamine on Ito, and the cloned channels hKv 1.5 and Kv 4.2. *Br. J. Pharmacol.* Feb, 126(3), 595-606
- PARSONS, B., SZCZESNA, D., ZHAO J., VAN SLOOTEN, G., KERRICK, WG., PUTKEY, JA., POTIER, JD. (1997).** The effect of pH on the Ca^{2+} affinity of the Ca^{2+} -regulatory sites of skeletal and cardiac troponin C in skinned muscle fibres. *J. Muscle Res. Cell. Motil.* Oct, 18(5), 599-609
- PEDRONI, P, MATTIAZI, A., CINGOLANI, HE. (1987).** Effect of alpha 1 adrenergic stimulation on myocardial relaxation. *Acta Physiol. Pharmacol. Latinoam* 37(4),491-501
- PETERS, S.L., BATINK, H.D., MICHEL, M.C., PFAFFENDORF, M., VAN ZWIETEN, P.A. (1998).** Possible mechanism of the negative inotropic effect of α_1 -adrenoceptor agonists in rat isolated left atria after exposure to free radicals. *Br. J. Pharmacol.* Mar 123(5), 952-958
- PONCE-HORNOS, J.E. (1990).** Calcium and the heart, edited by G.A. Langer. S. 212 Raven Verlag New York.
- PUCEAT, M., CLEMENT, O., LECHENE, P., PELOSIN, J.M., VENTURA-CLAPIER, R., VASSORT, G. (1990).** Neurohormonal control of calcium sensitivity of myofilaments in single rat cardiac myocytes. *Circ. Res.* 67, 517-524
- RABINOWITZ, B., CHUCK, L., KLIGERMAN, M., PARMLEY, W.W. (1975).** Positive inotropic effect of methoxamine: evidence for alpha adrenergic receptors in ventricular myocardium. *Am. J. Physiol.* 229, 582-585

- RIISHEDE, L., NIELSEN-KUDSK, F. (1990).** Myocardial effects of adrenaline, isoprenaline and dobutamine at hypothermic conditions. *Pharmacol. Toxicol.* May 66(5),354-360
- RÜEGG, J.C. (1993).** Modulation der Kalzium-Sensitivität im Herzmuskel. *Arzneim. Forsch.* 43(1), Nr.2a, 233-235
- RÜEGG, J.C. (1998).** Cardiac contractility: How Calcium Activates the Myofilaments. *Naturwissenschaften* 85, 575-582
- SAITO, K., SUETSUGU, T., OKU, Y., KURODA, A., TANAKA, H. (1994).** Alpha 1-adrenoceptors in the conduction system of rat hearts. *Br. J. Pharmacol.* Feb, 111(2), 465-468
- SANCHEZ-CHAPULA, J. (1981).** Multiple effects of putative alpha-adrenoceptor agonists on the electrical and mechanical activity of guinea-pig papillary muscle. *Naunyn-Schmiedebergs-Arch. -Pharmacol.* Apr, 316(2), 108-111
- SATOH, S., KINUGAWA, S., TSUTSUI, H., TAKESHITA, A. (1999).** Adrenoceptor-mediated regulation of myofibrillar Ca^{2+} sensitivity through the GTP-binding protein-related mechanisms: tension recording in beta-escin-skinned single rat cardiac cells with preserved receptor functions. *Pflugers Arch* Apr, 437(5), 702-709
- SATOH, S., TALUKDER, M.A., SUGAWARA, H., SAWADA, H., ENDOH, M (1998).** Effects of levosimendan on myocardial contractility and Ca^{2+} transients in aequorin-loaded right-ventricular papillary muscles and indo-1-loaded single ventricular cardiomyocytes of the rabbit. *J. Mol. Cell. Cardiol.* Jun, 30(6), 1115-1128
- SCHMIDT, H.D. (2000).** Isolated working rat heart adaptation after abrupt changes in extracellular Ca^{2+} concentration. *Res. Exp. Med.* 200, 107-124
- SCHÜMANN, H.J., ENDOH, M., WAGNER, J. (1974).** Positive inotropic effects of phenylephrine in the isolated rabbit papillary muscle mediated both by alpha- and beta-adrenoceptors. *Naunyn-Schmiedebergs-Arch.-Pharmacol.*, 284(2), 133-48
- SEIFEN, E., KENNEDY, R.H. (1986).** The positive chronotropic effects of Bay K-8644 and calcium as influenced by temperature. *Eur. J. Pharmacol.* Aug 15, 127(3), 233-8
- SHAVIT, G., GITTER, S., BARAK, Y., VIDNE, BA., ORON, Y. (1986).** Positive inotropic response to alpha-adrenergic stimulation in an electrically driven rat left atrium: the role of extracellular calcium. *J. Cardiovasc. Pharmacol.* Mar-Apr, 8(2), 324-331
- SHI, Q., ZHANG, HD., XU, YQ. (1989).** Effect of myocardial alpha 1-adrenoceptor stimulation on the guinea-pig ventricular papillary muscle. *Sheng Li Hsueh Pao* Oct, 41(5), 459-469
- SIEGL, P.K.S. (1986).** Overview of cardiac inotropic mechanisms. *J. Cardiovasc. Pharm.* 8 (Suppl. 9), S1-S10
- SIMPSON, W.W., MCNEILL, J.H. (1980).** The effect of adrenergic agonists on the cyclic AMP-levels in atria from euthyroid and hypothyroid rats. *Res. Comm. Chem. Pathol. Pharm.* Sept, Vol 29 NO. 3, 487-497
- SKOMEDAL, T., AASS, H., OSNES, JB. (1990).** Both alpha 1- and beta- adrenoceptor stimulation determine the time course of the inotropic effect of noradrenaline in rabbit heart. *Pharmacol. Toxicol.* Aug, 67(2), 172-177
- SKOMEDAL, T., OSNES, JB., OYE, I. (1982).** Differences between alpha-adrenergic and beta-adrenergic inotropic effects in rat heart papillary muscles. *Acta Pharmacol. Toxicol. (Copenh)* Jan, 50(1),1-12
- SOLARO, R.J., GAMBASSI, G., WARSHAW, D.M., KELLER, M.R., SPURGEON, H.A., BEIER, N., LAKATTA, E.G. (1993).** Stereoselective actions of thiazidiazinones on canine cardiac myocytes and myofilaments. *Circ. Res.* 73, 981-990
- SPRUNG J, STOWE DF, KAMPINE JP, BOSNJAK ZJ. (1994).** Hypothermia modifies anesthetic effect on contractile force and Ca^{2+} transients in cardiac Purkinje fibers. *Am J Physiol* Aug, 267(2 Pt 2), H725-33
- STEINFATH, M., CHEN, YY., LAVICKY, J., MAGNUSSEN, O., NOSE, M., ROSSWAG, S., SCHMITZ, W., SCHOLZ, H.(1992).** Cardiac alpha 1-adrenoceptor densities in different mammalian species. *Br. J. Pharmacol.* Sep, 107 (1), 185-188

- STOWE, D.F., FUJITA, S., AN, J., PAULSEN, R.A., VARADARAJAN, S. G., SMART, S.G. (1999).** Modulation of myocardial function and $[Ca^{2+}]$ sensitivity by moderate hypothermia in guinea pig isolated hearts.
Am. J. Physiol. 277, H2321-H2332
- SUGA, H. (1990).** Ventricular energetics.
Physiol. Rev. 70, 247-277
- TAKEMURA, H., KIMURA, H., HATTA, S., AMEMIYA, N., KAWANA, S., IMOTO, K., OHSHIKA, H. (1996).** Alpha 1- and beta-adrenergic and muscarinic-cholinergic regulation in the spontaneous beating and Ca^{2+} oscillations in cultured neonatal rat cardiac myocytes.
Life Sci, 59(14), PL 221-226
- TERUHIKO, A., MOMOMURA, S., SERIZAWA, T., IZUKA, M., OHYA, T., SUGIMOTO, T. (1991).** α -adrenergic-mediated inotropism and β -adrenergic-mediated inotropism in isolated rabbit ventricles: a comparison in mechanical effects and energetic efficiency.
J. Cardiovasc. Pharm. 17, 647-655
- TERZIC, A., PUCEAT, M., CLEMENT, O., SCAMPS, F., VASSORT, G. (1992).** α_1 -adrenergic effects on intracellular pH and calcium and on myofilaments in single rat cardiac cells.
J. Physiol. 447, 275-292
- TERZIC, A., VOGEL, S.M. (1992).** On the mechanism of the positive inotropic action of the alpha adrenoceptor agonist, phenylephrine, in isolated rat left atria.
J. Pharmacol. Expt. Ther., 257, 520-529
- TOHSE, N., HATTORI, Y., NAKAYA, H., KANNO, M. (1987).** Effects of alpha-adrenoceptor stimulation on electrophysiological properties and mechanics in rat papillary muscle.
Gen Pharmacol 1987;18(5):539-46
- TRAUTWEIN, W., DUDEL, J. (1954).** Aktionspotential und Mechanogramm des Katzenpapillarmuskels als Funktion der Temperatur.
Pflugers Arch. 260, 104-115
- TUNG, L.H., RAND, M.J., LOUIS, W.J. (1985).** Cardiac alpha-adrenoceptors involving positive chronotropic responses.
J. Cardiovasc. Pharmacol. 7 Suppl 6, 121-126
- VAHL, CF, LANGE, R., BAUERNSCHMITT, R., HEROLD, U., TISCHMEYER, K., HAGL, S.(1991).** Analyzing contractile responses in demembranized pig papillary muscle fibres: the influence of calcium, resting force, and temperature.
Thorac. Cardiovasc. Surg. Dec, 39(6), 329-337
- VILA-PETROFF, M., PEREZ, GN., ALVAREZ, B., CINGOLANI, HE., MATTIAZI, A. (1996).** Mechanism of negative lusitropic effect of alpha 1-adrenoceptor stimulation in cat papillary muscles.
Am. J. Physiol. Feb, 270(2 Pt 2), H701-709
- WAGNER, J., BRODDE, O.E. (1978).** On the presence and distribution of alpha-adrenoceptors in the heart of various mammalian species.
Naunyn-Schmiedeberg's-Arch. Pharmacol. 302(3) May 5, 239-254
- WASPE, L.E., ORDAHL, C.P., SIMPSON, P.C. (1990).** The cardiac β -myosin heavy chain isogen is induced selectively in α_1 -adrenergic receptor-stimulated hypertrophy of cultured rat heart myocytes.
J. Clin. Invest. 85, 1206-1214
- WATANABE, A., TOMOIKE, H., ENDOH, M. (1996).** Ca^{2+} sensitizer Org-30029 reverses acidosis- and BDM-induced contractile depression in canine myocardium.
Am.J.Physiol. 271, H1829-H1839
- WEBSTER, K.A., BODI, I., MCNAMARA, J.P., TRACY, M., DISCHER, D.J., BISHOPRIC, N.H. (1993).** Negative lusitropy and abnormal calcium handling in hypoxic cardiac myocytes exposed to the calcium sensitizer EMD 53998.
J. Mol. Cell. Cardiol. Jul, 25(7), 747-751
- WESTON, A.H. (1971).** Effects of isoprenaline and phenylephrine on energy-rich compounds and glucose-6-phosphate in smooth and cardiac muscle.
Br. J. Pharmac. 43, 593—603.
- WILLIAMSON, AP., KENNEDY, RH., SEIFEN, E., LINDEMANN, JP., STIMERS, JR. (1993).** Alpha 1b-adrenoceptor-mediated stimulation of Na-K pump current in adult rat ventricular myocytes.
Am. J. Physiol. Apr, 264 (4 Pt 2), H1315-1318
- WOO, SH., LEE, CO. (1999).** Role of PKC in the effect of alpha 1-adrenergic stimulation on Ca^{2+} transients, contraction and Ca^{2+} current in guinea-pig ventricular myocytes.
Pflugers Arch. Feb, 437(3), 335-344

YAMADA, S., SHIMA, T., TOMITA, T., HAYASHI, M., OKADA, T., HAYASHI, E. (1984). Alterations in cardiac alpha and beta adrenoceptors during the development of spontaneous hypertension.

J. Pharmacol. Exp. Ther. 228, 454-460

YOKOYAMA, H., YASUTAKE, M., AVKIRAN, M. (1998). Alpha 1-adrenergic stimulation of sarcolemmal Na⁺-H⁺ exchanger activity in rat ventricular myocytes: evidence for selective mediation by the alpha 1a-subtype.

Circ. Res. Jun 1, 82(10), 1078-1085

YOUNGSON, B.J., TALESNIK, J. (1985). Modulation of positive inotropy and metabolic coronary dilatation by myocardial alpha-adrenoceptors.

Can. J. Physiol. Pharmacol. 1985 Dec, 63(12), 1513-21

ZHANG, S., HRAOKA, M., HRANO, Y. (1998). Effects of alpha 1-adrenergic stimulation on L type Ca²⁺ current in rat ventricular myocytes.

J. Mol. Cell. Cardiol. Oct, 30(10), 1955-1965

ZHONG, H., MINNEMAN, KP. (1999). Alpha 1 adrenoceptor subtypes.

Eur. J. Pharmacol. Jun 30, 375(1-3), 261-276

ZIMMERMANN, N., BOKNIK, P., GAMS, E., HERZIG, J.W., NEUMANN, J., SCHOLZ, H. (1998). Calcium sensitization as new principle of inotropic therapy in end-stage heart failure ?

Eur. J. Cardiothorac. Surg. Jul, 14(1), 70-75

