7. Literaturverzeichnis

Abela-Formanek, C., Amon, M., Schild, G., Schauersberger, J., Heinze, G., Kruger, A. (2002) Uveal and capsular biocompatibility of hydrophilic acrylic, hydrophobic acrylic, and silicone intraocular lenses. J Cataract Refract Surg 28: 50-61.

Abela-Formanek, C., Amon, M., Schauersberger, J., Schild, G., Kolodjaschna, J., Barisani-Asenbauer, T., Kruger A. (2002a) Uveal and capsular biocompatibility of 2 foldable acrylic intraocular lenses in patients with uveitis or pseudoexfoliation syndrome. Comparison to a control group. J Cataract Refract Surg 28: 1160-1172.

Akahoshi, T. (1999) 10000 AcrySof implantation. Proc. ASCRS Symposium on Cataract, IOL and Refractive Surgery, Seattle, USA, Abstr. p 176.

Ambler, J.S., Constable, I.J. (1988) Retinal detachment following Nd:YAG capsulotomy. Aust NZ J Ophthalmol 16: 337-341.

Apple, D.J., Lim, E.S., Morgan, R.C., Tsai, J.C., Gwin, T.D., Brown, S.J., Carlson, A.N. (1990) Preparation and study of human eyes obtained postmortem with the Miyake posterior photographic technique. Ophthalmology 97: 810-816.

Apple, D.J., Solomon, K.D., Tetz, M.R., Assia, E.I., Holland, E.Y., Legler, U.F.,Tsai, J.C., Castaneda, V.E., Hoggatt, J.P., Kostick, A.M. (1992) Posterior capsule opacification. Surv Ophthalmol 37: 73-116.

Apple, D.J., Rabb, M.F. (1998) Lens and pathology of intraocular lenses. In: Apple, D.J., Rabb, M.F. (eds) Ocular Pathology. Mosby, St. Louis, Missouri, S.175.

Apple, D.J., Peng, Q., Visessook, N., Werner, L., Pandey, S.K., Escobar-Gomez, M., Ram, J., Whiteside, S.B., Schoderbeck, R., Ready, E.L., Guindi, A. (2000) Surgical prevention of posterior capsule opacification. Part 1: Progress in eliminating this complication of cataract surgery. J Cataract Refract Surg 26: 180-187.

Apple, D.J., Peng, Q., Visessook, N., Werner, L. Pandey, S.K., Escobar-Gomez, M., Ram, J., Auffarth, G.U. (2001) Eradication of posterior capsule opacification: documentation of a marked decrease in Nd:YAG laser posterior capsulotomy rates noted in an analysis of 5416 pseudophakic human eyes obtained postmortem. Ophthalmology 108: 505-518.

Aron-Rosa, D., Griesmann, J.-C., Aron, J.-J. (1981) Use of pulse ND:YAG laser (picosecond) to open the posterior lens capsule in traumatic cataract: a preliminary report. Ophthalmic Surg 12: 496-499.

Aron-Rosa, D.S., Aron, J.J. (1992) Effect of preoperative YAG laser anterior capsulotomy on the incidence of posterior capsule opacification: ten year follow-up. J Cataract Refract Surg 18: 559-561.

Aslam, T.M., Dhillon, B., Werghi, N., Taguri, A., Wadood, A. (2002) Systems of analysis of posterior capsule opacification. Br J Ophthalmol 86: 1181-1186.

Aslam, T.M., Patton, N., Graham, J. (2005) A freely accessible, evidence based, objective system of analysis of posterior capsular opacification; Evidence for its validity and reliability. BMC Ophthalmology 5: 9 (online).

Auffarth, G.U., Nimsgern, C., Tetz, M.R., Krastel, H., Völcker, H.E. (1997a) Erhöhte Nachstarrate und Besonderheiten der Nd:YAG-Laserkapsulotomie bei Retinitis pigmentosa. Ophthalmologe 94: 791-795.

Auffarth, G.U., Tetz, M.R., Krastel, H., Völcker, H.E. (1997b) Erhöhte Nachstarrate nach Kataraktoperation bei Retinitis pigmentosa. In: Vörösmarthy, D., Duncker, G., Hartmann, C. (Hrsg.) 10. Kongreß der Deutschsprachigen Gesellschaft für Intraokularlinsen-Implantation und Refraktive Chirurgie (1996, Budapest). Springer, Berlin. S. 340-345.

Auffarth, G.U., Ries, M., Tetz, M., et al. (1997c) Langzeitergebnisse der Cataracta secundaria nach Implantation von Polyfluorocarbon-beschichteten Intraokularlinsen. In: Vörösmarthy, D., Duncker, G., Hartmann, C. (Hrsg.) 10. Kongreß der Deutschsprachigen Gesellschaft für Intraokularlinsen-Implantation und Refraktive Chirurgie (1996, Budapest). Springer, Berlin. S. 525-529.

Auffarth, G.U., Anatkov, S., Schmidt, B. (1999) Morphologische Analyse der Nachstarentwicklung nach Kataraktoperation und Einfluß des Fixationsverhaltens. In: Duncker, G., Ohrloff, C., Wilhelm, F. (Hrsg.) 12. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation und Refraktive Chirurgie (1998). Springer, Berlin. S. 298-302.

Auffarth, G.U., Neubert, R., Wang, L., Hunold, W. (2001) Morphologische Nachstarausprägung bei diffraktiven Multifokallinsen. Ophthalmologe 98:138-142.

Auffarth, G.U., Völcker, H.E. (2001) Zur Morphologie der Cataracta secundaria. In: Demeler, U., Völcker, H.E., Auffarth, G.U. (Hrsg.) 15. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen-Implantation und refraktive Chirurgie (2001, Bremen). Biermann, Köln. S. 381-384.

Auffarth, G.U., Becker, K.A. (2002) Cataracta secundaria – Histopathologische Grundlagen, Evaluierungsmethoden und Präventionsmöglichkeiten. Ophthalmo-Chirurgie 14: 108-119.

Auffarth, G.U., Rabsilber, T.M., Reuland, A.J. (2005) Neue Methoden der Nachstarprävention. Ophthalmologe 102: 579-586.

Avitabile, T., Marano, F., Canino, E.G., Biondi, S., Reibaldi, A. (1999) Long-term visual results of bifocal intraocular lens implantation. J Cataract Refract Surg 25:1263-1269.

Ayed, R., Rannen, R., Naili, K., Sokkah, M., Gabsi, S. (2002) [Risk factors for secondary cataract: a case-control study with multivariate analysis] (in französisch). J Fr Ophtalmol 25: 615-620.

Azuma, N., Hara, T., Hara, T. (1998) Extracellular matrix of opacified anterior capsule after endocapsular cataract surgery. Graefes Arch Clin Exp Ophthalmol 236:531-536.

Bakunowicz-Lazarczyk, A., Stankiewicz, A., Urban, B., Sredzinska-Kita, D. (1996) [Cataract surgery results with intraocular lens implantation in children and youth in the years 1990-1995]. [polnisch] Klin Oczna 98: 295-297.

Barman, S.A., Hollick, E.J., Boyce, J.F., Spalton, D.J., Uyyanonvara, B., Sanguinetti, G., Meacock, W. (2000) Quantification of Posterior Opacification in Digital Images after Cataract Surgery. Invest Ophthalmol Vis Sci 41: 3882-3892.

Barnes, P.A., Rieckhoff, K.E. (1968) Laser-induced underwater sparks. Appl Phys Letters 13: 282-284.

Bath, P.E., Hoffer, K.J., Aron-Rosa, D., Dang, Y. (1987) Glare disability secondary to intraocular lens damage. J Cataract Refract Surg 13: 309-313.

Belkacémi, Y., Ozsahin, M., Pène, F., Rio, B., Laporte, J.-P., Leblond, V., Touboul, E., Schlienger, M., Gorin, N.-C., Laugier, A. (1996) Cataractogenesis after total body irradiation. Int J Radiat Oncol Biol Phys 35: 53-60.

Bell, C.E., Landt, J.A. (1967) Laser-induced high-pressure shock waves in water. Appl Phys Letters 10: 46-48.

Bender, L.E., Nimsgern, C., Jose, R., Jayaram, H., Spalton, D.J., Tetz, M.R., Packard, R.B., Meacock, W., Boyce, J. (2004) Effect of 1-piece and 3-piece AcrySof intraocular lenses on the development of posterior capsule opacification after cataract surgery. J Cataract Refract Surg 30: 786-789.

Bertelmann, E., Kojetinsky, C. (2001) Posterior capsule opacification and anterior capsule opacification. Curr Opin Ophthalmol 12: 35-40.

Bhermi, G.S., Spalton, D.J., El-Osta, A.A.R., Marshall, J. (2002) Failure of a discontinous bend to prevent lens epithelial cell migration in vitro. J Cataract Refract Surg 28: 1256-1261.

Blacharski, P.A., Newsome, D.A. (1988) Bilateral macular holes after Nd:YAG laser posterior capsulotomy. Am J Ophthalmol 105: 417-418.

Born, C.P., Ryan, D.K. (1990) Effect of intraocular lens optic design on posterior capsular opacification. J Cataract Refract Surg 16: 188-92.

Boyce, J., Bhermi, G.S., El-Osta, A.R., Spalton D.J. (2000) Forces exerted on a lens capsule by the IOL optic edge: a comparison betweem IOLs with square or round edge optic geometry. ARVO abstract 2579. Invest Ophthalmol Vis Sci 41 (4): 485.

Brady, K.M., Atkinson, C.S., Kilty, L.A., Hiles, D.A. (1995) Cataract surgery and intraocular lens implantation in children. Am J Ophthalmol 120: 1-9.

Brazitikos, P.D., Balidis, M.O., Tranos, P. Androudi, S., Papadopoulos, N.T., Tsinopoulos, I.T., Karabatakis, V., Stangos, N.T. (2002) Sulcus implantation of a 3-piece, 6.0 mm optic, hydrophobic foldable acrylic intraocular lens in phacoemulsification complicated by posterior capsule rupture. J Cataract Refract Surg 28: 1618-1622.

Bretton, R.H., Kash, R.L., Schanzlin, D.J. (2002) Use of bipolar diathermy to prevent posterior capsule opacification. J Cataract Refract Surg 28: 866-873.

Budo, C., Goffinet, G., Bellotto, D., Petroll, W.M. (2003) Effect of ophthalmic viscosurgical devices on lens epithelial cells. A morphological sudy. J Cataract Refract Surg 29: 2411-2418.

Buehl, W., Findl, O., Menapace, R., Georgopoulos, M., Rainer, G., Wirtitsch, M., Siegl, H., Pinz, A. (2002a) Reproducibility of standardized retroillumination photography for quantification of posterior capsule opacification. J Cataract Refract Surg 28: 265-270.

Buehl, W., Findl, O., Menapace, R., Rainer, G., Sacu, S., Kiss, B., Petternal, V., Georgopoulos, M. (2002b) Effect of an acrylic intraocular lens with a sharp posterior optic edge on posterior capsule opacification. J Cataract Refract Surg 28: 1105-1111.

Buehl, W., Findl, O., Menapace, R., Sacu, S., Kriechbaum, K., Koeppl, C., Wirtitsch, M. (2005) Long-term effect of optic edge design in an acrylic intraocular lens on posterior capsule opacification. J Cataract Refract Surg 31: 954-961.

Buehl, W., Sacu, S., Findl, O. (2005a) Association Between Intensity of Posterior Capsule Opacification and Contrast Sensitivity. Am J Ophthalmology 140: 927-930.

Caporossi, A., Casprini, F., Tosi, G.M., Balestazzi, A., Stumpo, M., Toti, P. (1998) Histology of anterior capsule fibrosis following phacoemulsification. J Cataract Refract Surg 24: 1343-1346.

Caporossi, A., Casprini, F., Tosi, G.M., Baiocchi, S. (2002) Preliminary results of cataract extraction with implantation of a single-piece AcrySof intraocular lens. J Cataract Refract Surg 18: 652-655.

Ceschi, G.P., Artaria, L.G. (1998) Clear lens extraction (CLE) zur Korrektur der hochgradigen Myopie. Klin Monatsbl Augenheilkd 212: 280-282.

Chehade, M., Elder, M.J. (1997) Intraocular lens materials and styles: a review. Aust NZJ Ophthalmol 25: 255-263.

Chung, H.S., Lim, S.J., Kim, H.B. (2000) Effect of mitomycin-C on posterior capsule opacification in rabbit eyes. J Cataract Refract Surg 26: 1537-1542.

Claesson, M., Karen, L., Beckmann, C., Sjostrand, J. (1994) Glare and contrast sensitivity before and after Nd:YAG laser capsulotomy. Acta Ophthalmol 72: 27-32.

Clark, D.S., Emery, J.M., Munsell, M.F. (1998) Inhibition of posterior capsule opacification with an immunotoxin specific for lens epithelial cells: 24 month clinical results. J Cataract Refract Surg 24: 1614-1620.

Clayman, H.M., Jaffe, N.S., Light, D.S., Jaffe, M.S., Cassady, J.C. (1981) Intraocular lenses, axial length, and retinal detachment. Am J Ophthalmol 92: 778-780.

Colin, J., Robinet, A., (1997) Clear lensectomy and implantation of a low-power posterior chamber intraocular lens for correction of high myopia. A four-year follow-up. Ophthalmology 104: 73-78.

Coonan, P., Fung, W.E., Webster, R.G. Jr., Allen, A.W. Jr., Abbott, R.L. (1985) The incidence of retinal detachment following extracapsular cataract extraction; a ten-year study. Ophthalmology 92: 1096-1101.

Crosson, C.E., Kelleher, P.J., Man-Kit Lam, D. (1992) Ocular Pharmacokinetics of Lens Epithelial Cell-specific Immunotoxin 4197X-RA. Exp Eye Res 55: 87-91.

Crowston, J.G., Healey, P.R., Hopley, C., Neilson, G., Milverton, E.J., Maloof, A. (2004) Water-mediated lysis of lens epithelial cells attached to lens capsule. J Cataract Refract Surg 30: 1102-1106.

Dahlhauser, K.F., Wroblewski, Mader, T.H. (1998) Anterior capsule capsule contraction with foldable silicone intraocular lenses. J Cataract Refract Surg 24: 1216-1219.

Dana, M.R., Chatzistefanou, K., Schaumberg, D.A., Foster, C.S. (1997) Posterior capsule opacification after cataract surgery in patients with uveitis. Ophthalmology 104: 1387-1393.

Dardenne, M.-U., Gerten, G.-J., Kokkas, K., Kermani, O. (1989) Retrospective study of retinal detachment following neodymium:YAG laser posterior capsulotomy. J Cataract Refract Surg 15: 676-680.

Davis, P.L., Hill, P. (1989) Inhibition of capsule opacification by convex surface posterior three-piece all-PMMA C-loop lenses: a fellow eye and same lens study. Eur J Implant Refract Surg 1: 237-240.

Davison, J. A. (2002) Clinical performance of Alcon SA30AL and SA60AT single-piece acrylic intraocular lenses. J Cataract Refract Surg 28: 1112-1123.

Dick, B., Schwenn, O., Pfeiffer, N. (1997) Schadensausmaß bei verschiedenen Intraokularlinsen durch die Neodymium:YAG-Laser Behandlung – Eine experimentelle Studie. Klin Monatsbl Augenheilkd 211: 263-271.

Dick, B., Schwenn, O., Stoffelns, B., Pfeiffer, N. (1998) Späte Luxation einer schiffchenförmigen Silikonlinse in den Glaskörper nach Nd: YAG-Kapsulotomie. Ein Fallbericht. Ophthalmologe 95: 181-185.

Dick, H.B. (2005) Closed foldable capsular rings. J Cataract Refract Surg 31: 467-471.

Downing, J.E. (1986) Long term discission rate after placing posterior chamber lens with the convex surface posterior. J Cataract Refract Surg 12: 651-654.

Duncan, G., Wormstone, I.M., Liu, C.S.C., Marcantonio, J.M., Davies, P.D. (1997) Thapsigargin-coated intraocular lenses inhibit human lens cell growth. Nature Medicine 3: 1026-1028.

Dureau, P., Massin, P., Chaine, G., Molcard, C., Ergina, A. Gaudric, A. (1997) [Extracapsular extraction and posterior chamber implantations in diabetics. Prospective study of 198 eyes] (französisch). J Fr Ophtalmol 20: 117-123.

Eckstein, M., Vijayalakshmi, P., Killedar, M., Gilbert, C., Foster, A. (1998) Use of intraocular lenses in children with traumatic cataract in south India. Br J Opthalmol 82: 911-915.

El-Osta, A.A.R., Spalton, D.J., Marshall, J. (2003) In vitro model for the study of human posterior capsule opacification. J Cataract Refract Surg 29: 1593-1600.

Engvall, E., Earwicker, D., Haaparanta, T., Ruoslahti, E., Sanes, J.R. (1990) Distribution and isolation of four laminin variants: tissue restricted distribution of heterotrimers assembled from five different subunits. Cell Regulation 1: 731-740.

Ficker, L.A., Steele, A.D. (1985) Complications of Nd:YAG laser posterior capsulotomy. Trans Ophthalmolol Soc U.K. 104: 529-532.

Findl, O., Drexler, W., Menapace, R., Georgopoulos, M., Rainer, G., Hitzenberger, C.K., Fercher, A.F. (1999) Changes in intraocular lens position after neodymium:YAG capsulotomy. J Cataract Refract Surg 25: 659-662.

Findl, O., Buehl, W., Menapace, R., Georgopoulos, M., Rainer, G., Siegl, H., Kaider, A., Pinz, A. (2003) Comparison of 4 methods for quantifying posterior capsule opacification. J Cataract Refract Surg 29: 106-111.

Findl, O., Menapace, R., Sacu, S., Buehl, W., Rainer, G. (2005) Effect of optic material on posterior capsule opacification in intraocular lenses with sharp-edge optics. Ophthalmology 112: 67-72.

Findl, O., Buehl, W., Menapace, R., Sacu, S., Georgopoulos, M., Rainer, G. (2005) Long-term Effect of Sharp Optic Edges of a Polymethyl Methacrylate Intraocular Lens on Posterior Capsule Opacification. Ophthalmology 112: 2004-2008.

Fourman, S., Apisson, J. (1991) Late-onset elevation in intraocular pressure after Neodymium-YAG laser posterior capsulotomy. Arch Ophthalmol 109: 511-513.

Fradin, D.W., Bloembergen, N., Letellier, J.P. (1973) Dependence of laser-induced breakdown field strength on pulse duration. Appl Phys Letters 22: 635-637.

Friedman, D.S., Duncan, D.D., Munoz, B., West, S.K., Schein, O.D. (1999) Digital image capture and automated analysis of posterior capsular opacification. Invest Ophthalmol Vis Sci 40: 1715-1726.

Galand, A., Bonhomme, L., Collée, M. (1984) Direct measurement of the capsular bag. Am Intra-Ocular Implant Soc J 10: 475-476.

Geissler, F.T., Li, D.W.-C., James, E.R. (2001) Inhibition of Lens Epithelial Cell Growth by Induction of Apoptosis: Potential for Prevention of Posterior Capsule Opacification. J Ocul Pharm 17: 587-596.

Gordon-Thomson, C., de Iongh, R.U., Hales, A.M., Chamberlain, C.G., McAvoy, J.W. (1998) Differential cataractogenic potency of TGF-beta1, -beta2, and -beta3 and their expression in the postnatal rat eye. Invest Ophthalmol Vis Sci 39: 1399-1409.

Green, W.R., McDonnell, P.J. (1985) Opacification of the posterior capsule. Trans Ophthalmol Soc UK 104: 727-739.

Halpern, M.T., Covert, D., Battista, C., Weinstein, A.J., Levinson, R.D., Yan, L. (2002) Relationship of AcrySof acrylic and PhacoFlex silicone intraocular lenses to visual acuity and posterior capsule opacification. J Cataract Refract Surg 28: 662-669.

Hansen, S.O., Solomon, K.D., McKnight, G.T., Wilbrandt, T.H., Gwin T.D., O'Morchoe, D.J., Tetz, M.R., Apple, D.J. (1988) Posterior capsular opacification and intraocular lens decentration. Part 1. Comparison of various posterior chamber lens designs implanted in the rabbit model. J Cataract Refract Surg 14: 605-613.

Hansen, T.E., Otland, N., Corydon, L. (1988) Posterior capsule fibrosis and intraocular lens design. J Cataract Refract Surg 14: 383-386.

Hansen, T.J., Tyndall, R., Soll, D.B. (1987) Methotrexate-anticollagen conjugate inhibits in vitro lens cell outgrowth. Invest Ophthalmol Vis Sci 28: 1206-1209.

Hara, T., Azuma, N., Chiba, K., Ueda, Y., Hara, T. (1992) Anterior capsule opacification after endocapsular cataract surgery. Ophthalmic Surg 23: 94-98.

Hartmann, C., Wiedemann, P., Gothe, K., Weller, M., Heimann, K. (1990a) Prévention de la cataracte secondáire par application endocapsulaire del ántimétotique daunomycine. Ophtalmologie 4: 102-106.

Hartmann, C., Wiedemann, P., Gothe, K., Weller, M., Heimann, K. (1990b) Nachstarprävention durch endokapsuläre Daunomycinapplikation. In: Freyler, H., Skorpik, C., Grasl, M. (Hrsg.) 3. Kongreß der Deutschen Gesellschaft für Intraokularlinsen Implantation. Springer, Wien. S. 414-422.

Hass, C., Kohlmann, H., Lommatzsch, P.K. (1995) Morphologische Veränderungen des Linsenepithels bei Patienten mit altersbedingter Katarakt, Strahlen- und Steroidkatarakt und Katarakt nach Contusio bulbi. Opthalmologe 92: 741-744.

Haus, C.M., Galand, A.L. (1996) Mitomycin against posterior capsule opacification: an experimental study in rabbits. Br J Ophthalmol 80: 1087-1091.

Hayashi, H., Hayashi, K., Nakao, F., Hayashi, F. (1998a) Area reduction in the anterior capsule opening in eyes of diabetes mellitus patients. J Catatact Refract Surg 24: 1105-1110.

Hayashi, H., Hayashi, K., Nakao, F., Hayashi, F. (1998b) Quantitative comparison of posterior capsule opacification after polymethylmethacrylate, silicone and soft acrylic intraocular lens implantation. Arch Ophthalmol 116: 1579-1582.

Hayashi, H., Hayashi, K., Nakao, F., Hayashi, F. (1998c) Reproducibility of posterior capsule opacification measurement using Scheimpflug videophotography. J Cataract Refract Surg 24: 1632-1635.

Hayashi, K., Hayashi, H., Nakao, F., Hayashi, F. (1998) In vivo quantitative measurement of posterior capsule opacification after extracapsular cataract surgery. Am J Ophthalmol 125: 837-843.

Hayashi, K., Hayashi, H., Nakao, F., Hayashi, F. (2001) Changes in posterior capsule opacification after poly(methylmethacrylate), silicone, and acrylic intraocular lens implantation. J Cataract Refract Surg 27: 817-824.

Hayashi, K., Hayashi, H., Nakao, F., Hayashi, F. (2002) Posterior capsule opacification after cataract surgery in patients with diabetes mellitus. Am J Ophthalmol 134: 10-16.

Health Care Financing Administration (2000) The 1998 Medicare Frequency Data tables. Washington: U.S. department of health & human services.

Hepsen, I.F., Bayramlar, H., Gultek, A., Ozen, S., Tilgen, F., Evereklioglu, C. (1997) Caffeic acid phenethyl ester to inhibit posterior capsule opacification in rabbits. J Cataract Refract Surg 23: 1572-1576.

Hollick, E.J., Spalton, D.J., Ursell, P.G., Pande M.V. (1998a) Biocompatibility of poly(methylmethacrylate), silicone, and AcrySof intraocular lenses: Randomized comparison of the cellular reaction on the anterior lens surface. J Cataract Refract Surg 24: 361-366.

Hollick, E.J., Spalton, D.J., Ursell, P.G., Pande M.V. (1998b) Lens epithelial cell regression on the posterior capsule with different intraocular lens materials. Br J Ophthalmol 82: 1182-1188.

Hollick, E.J., Spalton, D.J., Meacock, W.R. (1999a) The effect of capsulorhexis size on posterior capsular opacification; one-year results of a randomized prospective trial. Am J Ophthalmol 128: 271-279.

Hollick, E.J., Spalton, D.J., Ursell, P.G., Pande M.V., Barman, S.A., Boyce, J.F., Tilling, K. (1999b) The effect of polymethylmethacrylate, silicone, and polyacrylic intraocular lenses on posterior capsule opacification 3 years after cataract surgery. Ophthalmology 106: 49-55.

Hütz, W., Kustermann, R., Hessemer, V. (1990) Prospektive Studie über die Häufigkeit des Nachstars bei verschiedenen Linsentypen mit und ohne Laserridge. Fortschr Ophthalmol 87: 583-587.

Hütz, W. (1993) Prospektive Studie über den Nachstar nach 5 Jahren bei Intraokularlinsen mit und ohne Laserridge. Klin Monatsbl Augenheikd 203(2): 104-107.

Ignjatovic, Z. (1998) [Secondary cataracts in extreme myopia] [serbo-kroatisch]. Srp Arh Celok Lek 126: 239-241.

Ionides, A., Dowler, J.G., Hykin, P.G., Rosen, P.H., Hamilton, A.M. (1994) Posterior capsule opacification following diabetic extracapsular cataract extraction. Eye 8: 535-537.

Ismail, M.M., Alió, J.L., Moreno, J.M.R. (1996) Prevention of secondary cataract by antimitotic drugs: experimental study. Ophthalmic Res 28: 64-69.

Izák, M., Oslanec, J., Gafrikova, J. (1996) [Extraction of a clear lens-cataract as refractive surgery in severe myopia] [tschechoslowakisch]. Cesk Slov Oftalmol 52: 82-87.

Jacob, T.J.C., Humphrey, R.C., Davies, E.G., Thompson, G.M. (1987) Cytological factors relating to posterior capsule opacification following cataract surgery. Br J Ophthalmol 71: 659-663.

Jahn, C.E., Emke, M. (1996) Long-term elevation of intraocular pressure after Neodymium:Yag laser posterior capsulotomy. Ophthalmologica 210: 85-89.

Javdani, S.M., Huygens, M.M., Callebaut, F. (2002) Neodymium:YAG capsulotomy rates after phacoemulsification with hydrophobic and hydrophilic acrylic intraocular lenses. Bull Soc Belge Ophthalmol 283: 13-17.

Javitt, J.C., Vitale, S., Canner, J.K., Krakauer, H., McBean, A.M., Sommer, A. (1991) National outcomes of cataract extraction I, Retinal detachment after inpatient surgery. Ophthalmology 98: 895-902.

Jimenez-Alfaro, I., Miguelez, S., Bueno, J.L., Puy, P. (1998) Clear lens extraction and implantation of negative-power posterior chamber intraocular lenses to correct extreme myopia. J Cataract Refract Surg 24: 1310-1316.

Jose, R.M.J., Bender, L.E., Boyce, J.F., Heatly, C. (2005) Correlation between the measurement of posterior capsule opacification severity and visual function testing. J Cataract Refract Surg 31: 534-542.

Joussen, A.M., Huppertz, B., Koch, H.R., Kernert, N., Camphausen, K., Schlosser, K., Foerster, A.M., Kruse, F.E., Lappas, A., Kirchhof, B. (2001) Low-dose-rate ionizing irradiation for inhibition of secondary cataract formation. Int J Radiat Oncol Biol Phys 49: 817-825.

Kannus, P., Jozsa, L., Järvinen, T.A.H., Järvinen, T.L.N., Kvist, M., Natri, A., Järvinen, M. (1998) Location and distribution of non-collagenous matrix proteins in musculoskeletal tissues of rat. Histochem J 39: 799-810.

Kato, S., Oshika, T., Numaga, J., Hayashi, Y., Oshiro, M., Yuguchi, T., Kaiya, T. (2001) Anterior capsular contraction after cataract surgery in eyes of diabetic patients. Br J Ophthalmol 85: 21-23.

Kelman, C.D. (1967) Phaco-emulsification and aspiration: a new technique of cataract removal. Am J Ophthalmol 64: 23-25.

Khalifa, M.A. (1992) Polishing the posterior capsule after extracapsular extraction of senile cataract. J Cataract Refract Surg 18: 170-173.

Khan, A.J., Percival, P.B. (1999) 12 years results of a prospective trial comparing poly (methyl methacrylate) and poly (hydroxyethyl methacrylate) intraocular lenses. J Cataract Refract Surg 25: 1404-1407.

Kim, J.-T., Lee, E.H., Chung, K.-H., Kang, I.-C., Lee, D.H., Joo, C.-K. (2004) Transdifferentiation of Cultured Bovine Lens Epithelial Cells into Myofibroblast-like Cells by Serum Modulation. Yonsei Medical Journal 45: 380-391.

Kim, K., Lee, B.-H., Kim, I.-S. (1992) The measurement of fibronectin concentration in human aqueous humor. Korean J Ophthalmol 6: 1-5.

Knight-Nanan, D., O'Keefe, M., Bowell, R. (1996) Outcome and complications of intraocular lenses in children with cataract. J Cataract Refract Surg 22: 730-736.

Knighton, R.W., Slomovic, A.R., Parrish, R.K. 2nd. (1985) Glare measurements before and after neodymium-YAG laser posterior capsulotomy. Am J Ophthalmol 100: 708-713.

Knorz, M.C., Soltau, J.B., Seiberth, V., Lorger, C. (1991) Incidence of posterior capsule opacification after extracapsular cataract extraction in diabetic patients. Metab Pediatr Syst Ophthalmol 14: 57-58.

Kohnen, S., Brauweiler, P. (1996) First results of cataract surgery and implantation of negative power intraocular lenses in highly myopic eyes. J Cataract Refract Surg 22: 416-420.

Kojetinsky, C., Baatz, H., Pleyer, U., Hartmann, C., Rieck, P. (2001) In-vitro-Untersuchungen an bovinen und humanen Linsenepithelzellkulturen zur Nachstarhemmung mittels eines zyklischen RGD-Peptids. Ophthalmologe 98: 731-735.

Krishna, R., Meisler, D.M., Lowder, C.Y., Estafanous, M., Foster, R.E. (1998) Long-term follow-up of extracapsular cataract extraction and posterior chamber intraocular lens implantation in patients with uveitis. Ophthalmology 105: 1765-1769.

Krishnamachary, M., Rathi, V., Gupta, S. (1997) Management of traumatic cataract in children. J Cataract Refract Surg 23: 681-687.

Kruger, A.J., Schauersberger, J., Abela, C., Schild, G., Amon, M. (2000) Two year results: Sharp versus rounded optic edges on silicone lenses. J Cataract Refract Surg 26: 566-570.

Küchle, M., Amberg, A., Martus, P., Nguyen, N.X., Naumann G.O.H. (1997) Pseudoexfoliation syndrome and secondary cataract. Br J Ophthalmol 81: 862-866.

Kücüksümer, Y., Bayraktar, S., Sahin, S., Yilmaz, F. (2000) Posterior capsule opacification 3 years after implantation of an AcrySof and a MemoryLens in fellow eyes. J Cataract Refract Surg 26: 1176-1182.

Kurosaka, D., Nagamoto, T. (1994) Inhibitory effect of TGF-β2 in human aqueous humor on bovine lens epithelial cell proliferation. Invest Ophthalmol Vis Sci 35: 3408-3412.

Kurosaka, D., Obasawa, M., Kurosaka, H., Nakamura, K. (2002) Inhibition of Lens Epithelial Cell Migration by an Acrylic Intraocular Lens in vitro. Ophthalmic Res 34: 29-37.

Kyu, N., Suzuki, J., Morimoto, A. (1991) Capsular bag size. J Jpn Soc Ophthalmic Surg 4: 457-460.

Lasa, M.S., Datiles, M.B. 3rd, Magno, B.V., Mahurkar, A. (1995) Scheimpflug photography and postcataract surgery posterior capsule opacification. Ophthalmic Surg 26: 110-113.

Latz, C., Migonney, V., Pavon-Djavid, G., Rieck, P., Hartmann, C., Renard, G., Legeais, J.M. (2000) Inhibition of lens epithelial cell proliferation by substituted PMMA intraocular lenses. Graefes Arch Clin Exp Ophthalmol 238: 696-700.

LeClaire, J., Nadler, M.P., Weiss, S. Miller, D. (1982) A new glare tester for clinical testing. Results comparing normal subjects and variously corrected aphakic patients. Arch Ophthalmol 100: 153-158.

Lee, K.H., Lee, J.H. (1996) Long-term results of clear lens extraction for severe myopia. J Cataract Refract Surg 22: 1411-1415.

Legler, U.F., Apple, D.J., Assia, E.I., Bluestein, E.C., Castaneda, V.E., Mowbray, S.L. (1993) Inhibition of posterior capsule opacification: the effect of colchicine in a sustained drug delivery system. J Cataract Refract Surg 19: 462-470.

Levy, J.H., Pisacano, A.M., Anello, R.D. (1990) Displacement of bag-placed hydrogel lenses into vitreous following neodymium:YAG laser capsulotomy. J Cataract Refract Surg 16: 563-566.

Liekfeld, A., Walkow, T., Anders, N., Pham, D.T., Wollensak, J. (1998) Prospektiver Vergleich zweier Multifokallinsenmodelle. Ophthalmologe 95: 253-256.

Liekfeld, A., Pahms, N., Torun, N., Porstmann, A.U., Jaroszewski, J., Hartmann, C. (2005) Evaluation of a human capsular bag model for secondary cataract determination after intraocular lens implantation. Graefes Arch Clin Exp Ophthlamol 243: 43-48.

Lindstrom, R.L., Lindquist, T.D., Huldin, J., Rubenstein, J.B. (1988) Retinal detachment in axial myopia following extracapsular cataract surgery. In: Caldwell, D.R. (Hrsg.) Cataracts: Transactions of the New Orleans Academy of Ophthalmology, S. 253-268.

Linnola, R.J., Salonen, J.I., Happonen, R.-P. (1999) Intraocular lens bioactivity tested using rabbit corneal tissue cultures. J Cataract Refract Surg 25: 1480-1485.

Linnola, R.J., Werner, L., Pandey, S.K., Escobar-Gomez, M., Znoiko, S.L., Apple, D.J. (2000a) Adhesion of fibronectin, vitronectin, laminin, and collagen type IV to intraocular lens materials in pseudophakic human autopsy eyes, Part 1: Histological sections. J Cataract Refract Surg 26: 1792-1806.

Linnola, R.J., Werner, L., Pandey, S.K., Escobar-Gomez, M., Znoiko, S.L., Apple, D.J. (2000b) Adhesion of fibronectin, vitronectin, laminin, and collagen type IV to intraocular lens materials in pseudophakic human autopsy eyes, Part 2: Explanted intraocular lenses. J Cataract Refract Surg 26: 1807-1818.

Liu, C.S.C., Wormstone, I.M., Duncan, G., Marcantonio, J.M., Webb, S.F., Davies, P.D. (1996) A Study of Human Lens Cell Growth In Vitro. A Model for Posterior Capsule Opacification.

Löw, M., Mester, U. (1997) Heparinoberflächenmodifizierte IOL – Einfluß auf die Kapselfibroseinzidenz? In: Vörösmarthy, D., Duncker, G., Hartmann, C. (Hrsg.) 10. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation und Refraktive Chirurgie (1996, Budapest). Springer, Berlin. S. 360-365.

Lowe, K.J., Easty, D.L. (1992) A comparison of 141 polymacon (Iogel) and 140 poly(methylmethacrylate) intraocular lens implants. Br J Ophthalmol 76: 88-90.

Lureau, M.A., Binaghi, M., Coscas, G. (1996) Chururgie de la cataracte après greffe de moelle osseuse. A propos de 36 cas. J Fr Ophthalmol 19: 164-169.

Lyle, W.A., Jin G.J. (1996) Phacoemulsification with intraocular lens implantation in high myopia. J Cataract Refract Surg 22: 238-242.

Magno, B.V., Datiles, M.B., Lasa, M.S.M., Fajardo, M.O.Q., Caruso, R.C., Kaiser-Kupfer, M.I. (1997) Evaluation of visual function following neodymium:YAG laser posterior capsulotomy. Ophthalmology 104: 1287-1293.

Majima, K. (1995) Cell biological analysis of the human cataractous lens: implication of lens epithelial cells in the development of aftercataract. Ophthalmic Res 27: 202-207.

Malecaze, F., Couderc, B., de Neuville, S., Serres, B., Mallet, J., Douin-Echinard, V., Manenti, S., Revah, F., Darbon, J.M. (1999) Adenovirus-mediated suicide gene transduction: feasibility in lens epithelium and in prevention of posterior capsule opacification in rabbits. Hum Gene Ther 10: 2365-2372.

Maloof, A., Neilson, Milverton, E.J., Pandey, S.K. (2003) Selective and specific targeting of lens epithelial cells during cataract surgery using sealed-capsule irrigation. J Cataract Refract Surg 29: 1566-1568.

Maltzman, B.A., Haupt, E., Cucci, P. (1989) Effect of the laser ridge on posterior capsule opacification. J Cataract Refract Surg 15: 644-646.

Malukiewicz-Wisniewska, G., Kaluzny, J., Lesiewska-Junk, H. (1996) Intraocular lens implantation in myopic eyes. Eur J Ophthalmol 6: 356-360.

Malukiewicz-Wisniewska, G., Kaluzny, J., Lesiewska-Junk, H., Eliks, I. (1999) Intraocular lens implantation in children and youth. J Pediatr Ophthalmol Strabismus 36: 129-133.

Mamalis, N., Crandall, A.S., Linebarger, E., Sheffield, W.K., Leidenix, M.J. (1995) Effect of intraocular lens size on posterior capsule opacification after phacoemulsification. J Cataract Refract Surg 21: 99-102.

Marcantonio, J.M., Rakic, J.-M., Vrensen, G.F.J.M., Duncan, G. (2000) Lens Cell Populations Studied in Human Donor Capsular Bags with Implanted Intraocular Lenses. Invest Ophthalmol Vis Sci 41: 1130-1141.

Mastropasqua, L., Lobefalo, L., Ciancaglini, M., et al. (1997) Heparin eyedrops to prevent posterior capsule opacification. J Cataract Refract Surg 23: 440-446.

McAvoy, J., Chamberlain, C. (1989) Fibroblast growth factor (FGF) induces different responses in lens epithelial cells depending on its concentration. Development 107: 221-228.

McDonell, P.J., Rowen, S.L., Glaser, B.M., Sato, M. (1985) Posterior Capsule Opacification. An In Vitro Model. Arch Ophthalmol 103: 1378-1381.

McDonell, P.J., Krause, W., Glaser, B.M. (1988) In vitro inhibition of lens epithelial cell proliferation and migration. Ophthalmic Surg 19: 25-30.

Meacock, W.R., Spalton, D.J., Boyce, J.F., Jose, R.M. (2001) Effect of optic size on posterior capsule opacification: 5,5 mm versus 6,0 mm AcrySof intraocular lenses. J Cataract Refract Surg 27: 1194-1198.

Meacock, W.R., Spalton, D.J., Khan, S. (2002) The Effect of Texturing the Intraocular Lens Edge on Postoperative Glare Symptoms. Arch Ophthalmol 120 : 1294-1298.

Menapace, R., Findl, O., Rainer, G., Georgopoulos, M., Vass, C., Nishi, O. (1999) Kapselknickringimplantation zur Nachstarverhütung – Prinzip, Technik, Studiendesign und Ergebnisse. In: Duncker, G., Ohrloff, C., Wilhelm, F. (Hrsg.) 12. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation und Refraktive Chirurgie. Springer, Berlin. S.181.

Mester, U., Strauß, M., Grewing, R. (1998) Biocompatibility and blood-aqueous barrier impairment in at-risk eyes with heparin-surface-modified or unmodified lenses. J Cataract Refract Surg 24: 380-384.

Mester, U., Fabian, E., Gerl, R., Hunold, W., Hütz, W., Strobel, J., Hoyer, H., Kohnen, T. (2004) Posterior capsule opacification after implantation of CeeOn Edge 911A, PhacoFlex SI-40NB, and AcrySof MA60BM lenses. One-year results of an intraindividual comparison multicenter study. J Cataract Refract Surg 30: 978-985.

Milazzo, S., Turut, P., Bassam, A., Charlin, J.-F. (1996) Long-term follow-up of three-piece, looped, silicone intraocular lenses. J Cataract Refract Surg 22 (Suppl 2): 1259-1262.

Miyake, K. (1996a) The significance of inflammatory reactions following cataract extraction and intraocular lens implantation. J Cataract Refract Surg 22 (Suppl 1): 759-763.

Moisseiev, J., Bartov, E., Schochat, A., Blumenthal, M. (1989) Long-term study of the prevalence of capsular opacification following extracapsular cataract extraction. J Cataract Refract Surg 15: 531-533.

Moreno-Montañés, J., Alvarez, A., Maldonado, M.J. (2005) Objective Quantification of Posterior Capsule Opacification after Cataract Surgery, with Optical Coherence Tomography. Invest Ophthalmol Vis Sci 46: 3999-4006.

Nagamoto, T., Hara, E. (1996) Lens epithelial cell migration onto the posterior capsule in vitro.

Nagamoto, T., Hara, E., Kurosaka, D. (1996) Lens cell proliferation onto the intraocular lens optic in vitro. J Cataract Refract Surg 22 (Suppl 1): 847-851.

Nagamoto, T., Eguchi, G. (1997) Effect of intraocular lens design on migration of lens epithelial cells onto the posterior capsule. J Cataract Refract Surg 23: 866-872.

Nagata, T., Watanabe, I. (1996) Optic sharp edge or convexity: comparison of effects on posterior capsular opacification. Jpn J Ophthalmol 40: 397-403.

Nasisse, M.P., Dykstra, M.J., Cobo, L.M. (1995) Lens capsule opacification in aphakic and pseudophakic eyes. Graefes Arch Clin Exp Ophthalmol 233: 63-70.

Naumann, G.O.H. (Hrsg.) (1997) Pathologie des Auges. Band II. Springer-Verlag, Berlin, Heidelberg; 845-894.

Nejima, R., Miyata, K., Honbou, M., Tokunaga, T., Tanabe, T., Sato, M., Oshika, T. (2004) A prospective, randomised comparison of single and three piece acrylic foldable intraocular lenses. Br J Ophthalmol 88: 746-749.

Neuhann, T. (1987) Theorie und Operationstechnik der Kapsulorhexis. Klin Monatsbl Augenheilkd 190: 542-545.

Newland, T.J., Auffarth, G.U., Wesendahl, T.A., Apple, D.J. (1994) Neodymium:YAG laser damage on silicone intraocular lenses. A comparison of lesions on explanted lenses and experimentally produced lesions. J Cataract Refract Surg 20: 527-533.

Newland, T.J., McDermott, M.L., Eliott, D., Hazlett, L.D., Apple, D.J., Lambert, R.J., Barret, P.R. (1999) Experimental neodymium:YAG laser damage to acrylic, poly(methylmethacrylate), and silicone intraocular lens materials. J Cataract Refract Surg 25: 72-76.

Nimsgern, C., Tetz, M.R., Auffarth, G.U., Völcker, H.E. (1999) Computergestützte Evaluation der Nachstardichte mittels EPCO: Eine Reliabilitätsprüfung. In: Duncker, G., Ohrloff, C., Wilhelm, F. (Hrsg.) 12. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation und Refraktive Chirurgie (1998). Springer, Berlin. S. 192-197.

Nishi, O., Nishi, K., Imanishi, M., Mano, C., Yamada, Y., Tada, Y., Shirasawa, E., Härfstrand, A. (1996a) Decreased prostaglandin E_2 synthesis by lens epithelial cells cultured on heparin-surface-modified poly (methyl methacrylate). J Cataract Refract Surg 22 (suppl 1): 859-862.

Nishi, O., Nishi, K., Ohmoto, Y. (1996b) Synthesis of interleukin-1, interleukin-6, and basic fibroblast growth factor by human cataract lens epithelial cells. J Cataract Refract Surg 22 (suppl 1): 852-853.

Nishi, O., Nishi, K., Takakazu, M., Tada, Y., Shirasawa, E., Sakanishi, K. (1996c) Effect of intraocular sustained release of indomethacin on postoperative inflammation and posterior capsule opacification. J Cataract Refract Surg 22 (suppl 1): 806-810.

Nishi, O., Nishi, K., Akaishi, T., Shirasawa, E. (1997) Detection of cell adhesion molecules in lens epithelial cells of human cataracts. Invest Ophthalmol Vis Sci 38: 579-585.

Nishi, O., Nishi, K., Sakanishi, K. (1998a) Inhibition of migrating lens epithelial cells at the capsular bend created by rectangular optic edge of a posterior chamber intraocular lens. Ophthalmic Surg Lasers 29: 587-594.

Nishi, O., Nishi, K., Menapace, R. (1998b) Capsule-bending ring for prevention of capsular opacification: a preliminary report. Ophthalmic Surg Lasers 29: 749-753.

Nishi, O., Nishi, K., Mano, C., Ichihara, M., Honda, T. (1998c) The inhibition of lens epithelial cell migration by a discontinuous capsular bend created by a band-shaped circular loop or a capsule-bending ring. Ophthalmic Surg Lasers 29: 119-125.

Nishi, O. (1999a) Posterior capsule opacification. Part I: Experimental investigations. J Cataract Refract Surg 25: 106-117).

Nishi, O., Nishi, K. (1999b) Preventing posterior capsule opacification by creating a discontinuous sharp bend in the capsule. J Cataract Refract Surg 25: 521-526.

Nishi, O., Nishi, K., Wickström, K. (2000) Preventing lens epithelial cell migration using intraocular lenses with sharp rectangular edges. J Cataract Refract Surg 26: 1543-1549.

Nishi, O., Nishi, K., Akura, J., Nagata, T. (2001) Effect of round-edged acrylic intraocular lenses on preventing posterior capsule opacification. J Cataract Refract Surg 27: 608-613.

Nishi, O., Nishi, K., Menapace, R., Akura, J. (2001a) Capsular bending ring to prevent posterior capsule opacification: 2-year follow-up. J Cataract Refract Surg 27: 1359-1365.

Nishi, O., Nishi, K. (2002) Preventive effect of a second-generation silicone intraocular lens on posterior capsule opacification. J Cataract Refract Surg 28: 1236-1240.

Nishi, O. (2005) Einfluss von Intraokularlinsenmaterial und –design auf die Nachstarentwicklung. Ophthalmologe 102: 572-578.

Nissen, K.R., Fuchs, J., Goldschmidt, E., Andersen, C.U., Bjerrum, K., Corydon, L., Degn, T., Eisgart, F., Henning, V., Jensen, J.E., Krogh, E., Lowes, M., Mortensen, K., Nielsen, C.H., Olsen, T., Storr-Paulsen, A., Sørensen, T.B., Winther-Nielsen, A. (1998) Retinal detachment after cataract extraction in myopic eyes. J Cataract Refract Surg 24: 772-776.

Ober, M.D., Lemon, L.C., Shin, D.H., Nootheti, P., Cha, S.C., Kim, P.H. (2000) Posterior capsular opacification in phacotrabeculectomy: a long-term comparative study of silicone versus acrylic intraocular lens. Ophthalmology 107: 1868-1873.

Odrich, M.G., Hall S.J., Worgul, B.V., Trokel, S.L., Rini, F.J. (1985) Posterior capsule opacification: experimental analyses. Ophthalmic Res 17: 75-84.

Ohadi, C., Moreira, H., McDonnell, P.J. (1991) Posterior capsule opacification. Curr Opin Ophthalmol 2: 46-52.

Ohara, K., Itakura, K., Ibaraki, N. (1992) Anterior capsule opacification: A cell culture model. Acta Ophthalmologica (Suppl.) 205: 29-35.

Olivero, D.K., Furcht, L.T. (1993) Type IV collagen, laminin, and fibronectin promote the adhesion and migration of rabbit lens epithelial cells in vitro. Invest Ophthalmol Vis Sci 34: 2825-2834.

Olsen, G., Olson, R.J. (2000) Update on a long-term, prospective study of capsulotomy and retinal detachment rates after cataract surgery. J Catarct Refract Surg 26: 1017-1021.

Olson, L. (1989) Anatomy and Embryology of the lens. In: Tasman, W., Jaeger, E.A. (eds) Duane's Clinical Ophthalmology. Lippincott Company, Philadelphia, Pennsylvania, S. 1-3.

Olson, R.J., Crandall, A.S. (1998) Silicone versus polymethylmethacrylate intraocular lenses with regard to capsular opacification. Ophthalmic Surg Lasers 29: 55-58.

Oner, F.H., Gunenc, Ü., Ferliel, S.T. (2000) Posterior capsule opacification after phacoemulsification: Foldable acrylic versus poly(methyl methacrylate) intraocular lenses. J Cataract Refract Surg 26: 722-726.

Oshika, T., Suzuki, Y., Kizaki, H., Yaguchi, S. (1996) Two year clinical study of a soft acrylic intraocular lens. J Cataract Refract Surg 22: 104-109.

Oshika, T., Nagata, T., Ishii, Y. (1998) Adhesion of lens capsule to intraocular lenses of polymethylmethacrylate, silicone, and acrylic foldable materials: an experimental study. Br J Ophthalmol 82: 549-553.

Pande, M.V., Spalton, D.J., Kerr-Muir, M., Marshall, J. (1996a) Postoperative inflammatory response to phacoemulsification and extracapsular cataract surgery: Aqueous flare and cells. J Cataract Refract Surg 22 (suppl 1): 770-774.

Pande, M.V., Spalton, D.J., Marshall, J. (1996b) Continuous curvilinear capsulorhexis and intraocular lens biocompatibility. J Cataract Refract Surg 22: 89-97.

Pandey, S.K., Cochener, B., Apple, D.J., Colin, J., Werner, L., Bougaran, R., Trivedi, R.H., Macky, T.A., Izak, A.M. (2002) Intracapsular ring sustained 5-fluorouracil delivery system for the prevention of posterior capsule opacification in rabbits: a histological study. J Cataract Refract Surg 28: 139-148.

Pearlstein, C.S., Lane, S.S., Lindstrom, R.L. (1988) The incidence of secondary posterior capsulotomy in convex posterior vs convex anterior posterior chamber intraocular lenses. J Cataract Refract Surg 14: 578-580.

Pearson, P.A., Solomon, K.D., Woodford, S., et al. (1991) Inhibition of posterior capsule opacification using sustained delivery 5-fluorouracil [ARVO Abstract No. 638]. Invest Ophthalmol Vis Sci 32: 797.

Peng, Q., Apple, D.J., Visessook, N., Werner, L., Pandey, S.K., Escobar-Gomez, M., Schoderbeck, R., Guindi, A. (2000a) Surgical prevention of posterior capsule opacification. Part 2: Enhancement of cortical cleanup by focusing on hydrodissection. J Cataract Refract Surg 26: 188-197.

Peng, Q., Visessook, N., Apple, D.J., Pandey, S.K., Werner, L., Escobar-Gomez, M., Schoderbeck, R., Solomon, K.D., Guindi, A. (2000b) Surgical prevention of posterior capsule opacification. Part 3: Intraocular lens optic barrier effect as a second line of defense. J Cataract Refract Surg 26: 198-213.

Percival, S.P.B., Anand, V., Das, S.K. (1983) Prevalence of aphakic retinal detachment. Br J Ophthalmol 67: 43-45.

Pham, D.T., Wollensak, J. (1992) “No-Stitch” – Kataraktchirurgie als Routineverfahren. Technik und Erfahrung. Klin Monatsbl Augenheilkd 200: 639-643.

Pihlajaniemi, T., Myllylä, R., Kivirikko, K.I., (1991) Prolyl 4-hydroxylase and its role in collagen synthesis. J Hepatol 13 (Suppl): S2-S7.

Pötzsch, D.F., Pötzsch, C.M. (1996) Four year follow-up of the MemoryLens. J Cataract Refract Surg 22 (Suppl 2): 1336-1341.

Powell, S.K., Olson, R.J. (1995) Incidence of retinal detachment after cataract surgery and neodymium Yag laser capsulotomy. J Cataract Refract Surg 21: 132-135.

Power, W.J., Neylan, D., Collum, L.M.T. (1994) Daunomycin as an inhibitor of human lens epithelial call proliferation in culture. J Cataract Refract Surg 20: 287-290.

Prajna N.V., Ellwein, L.B., Selvaraj, S., Manjula, K., Kupfer, C. (2000) The Madurai intraocular lens study IV: posterior capsule opacification. Am J Ophthalmol 130: 304-309.

Rabsilber, T.M., Reuland, A.J., Entz, B.B., Holzer, M.P., Limberger, I.J., Auffarth, G.U. (2005) Qunatitative Nachstarevaluierung von Acrylat- und Silikonintraokularlinsen mit scharfem Kantendesign. Ophthalmologe online.

Ram, J., Pandey, S.K., Apple, D.J., Werner, L, Brar, G.S., Singh, R., Chaudhary, K.P., Gupta, A. (2001a) Effect of in-the-bag intraocular lens fixation on the prevention of posterior capsule opacification. J Cataract Refract Surg 27: 1039-1046.

Ram, J., Kaushik, S., Brar, G.S., Gupta, A. (2001b) Neodymium:YAG capsulotomy rates following phacoemulsification with implantation of PMMA, silicone, and acrylic intraocular lenses. Ophthalmic Surg Lasers 32: 375-382.

Ravalico, G., Tognetto, D., Palomba, M., Busatto, P., Baccara, F. (1996) Capsulorhexis size and posterior capsule opacification. J Cataract Refract Surg 22: 98-103.

Reid, T.W. (1994) Growth control of cornea and lens epithelial cells. Prog Reg Eye Res 13: 507-554.

Rentsch, F.J., Bauer, W. (1996) Langzeitergebnisse nach Entfernung des Linsenepithels bei der extrakapsulären Kataraktextraktion mit Phakoemulsifikation. In: Rochels, R., Duncker, G., Hartmann, C. (Ed.) 9. Kongress der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation. Springer, Berlin. S. 399-403.

Ridley, H. (1951) Intraocular acrylic lenses. Trans Ophthalmol Soc UK 71: 617-621.

Rieck, P.W., Kriegsch, J., Jaeckel, C., Hartmann, C. (2004) Effekt von Suramin auf Proliferation und Migration von Linsenepithelzellen in vitro. Ophthalmologe 101: 73-79.

Rosen, E. (1997) History in the making. J Cataract Refract Surg 23: 4-5.

Ruiz, J.M., Medrano, M., Alió, J.L. (1990) Inhibition of posterior capsule opacification by 5-fluorouracil in rabbits. Ophthalmic Res 22: 201-208.

Sabasinski, K., Bakunowicz-Lazarczyk, A., Stankiewicz, A., Antosiuk, R., Mrugacz, M. (1996) [Evaluation of posterior capsule opacification after extracapsular cataract extraction with and without implantation of intraocular lens] [polnisch]. Klin Oczna 98: 437-439.

Sacu, S., Findl, O., Menapace, R., Buehl, W., Wirtitsch, M. (2004) Comparison of posterior capsule opacification between the 1-piece and 3-piece Acrysof intraocular lenses. Ophthalmology 111: 1840-1846.

Sacu, S., Menapace, R., Findl, O., Georgopoulos, M., Buehl, W., Kriechbaum, K., Rainer, G. (2004a) Influence of optic edge design and anterior capsule polishing on posterior capsule fibrosis. J Cataract Refract Surg 30: 658-662.

Sacu, S., Menapace, R., Buehl, W., Rainer, G., Findl, O. (2004b) Effect of intraocular lens optic edge design and material on fibrotic capsule opacification and capsulorhexis contraction.

Sacu, S., Menapace, R., Findl, O., Kiss, B., Buehl, W., Georgopoulos, M. (2005) Long-Term Efficacy of Adding a Sharp Posterior Optic Edge to a Three-Piece Silicone Intraocular Lens on Capsule Opacification: Five-Year Results of a Randomized Study. Am J Ophthalmol 139: 696-703.

Saika, S., Yamanaka, A., Tanaka, S., Ohmi, S., Ohnishi, Y., Ooshima, A. (1995) Extracellular matrix on intraocular lenses. Exp Eye Res 61: 713-721.

Saika, S., Miyamoto, T., Yamanaka, A., Kawashima, Y., Okada, Y., Tanaka, S.-I., Yamanaka, O., Ohmi, S., Ohnishi, Y., Ooshima, A. (1998a) Immunohistochemical evaluation of cellular deposits on posterior chamber intraocular lenses. Graefes Arch Clin Exp Ophthalmol 236: 758-765.

Saika, S., Kawashima, Y., Miyamoto, T., Okada, Y., Tanaka, S., Yamanaka, O., Ohnishi, Y., Ooshima, A., Yamanaka, A. (1998b) Immunolocalisation of hyaluronan and CD44 in quiescent and proliferating human lens epithelial cells. J Cataract Refract Surg 24: 1266-1270.

Saika, S., Kawashima, Y., Miyamoto, T., Okada, Y., Tanaka, S.I., Ohmi, S., Minamide, A., Yamanaka, O., Ohnishi, Y., Ooshima, A., Yamanaka, A. (1998c) Immunolocalisation of prolyl 4-hydroxylase subunits, alfa-smooth muscle actin, and extracellular matrix components in human lens capsules with lens implants. Exp Eye Res 66: 283-294.

Saika, S., Kawashima, Y., Miyamoto, T., Tanaka, S., Okada, Y., Yamanaka, O., Katoh, T., Ohnishi, Y., Ohmi, S., Ooshima, A., Yamanaka, A. (1998d) Immunolocalisation of prolyl 4-hydroxylase in rabbit lens epithelial cells. J Cataract Refract Surg 24: 1261-1265.

Saika, S., Miyamoto, T., Kawashima, Y., Okada, Y., Yamanaka, O., Ohnishi, Y., Ooshima, A. (2000) Immunolocalization of TGF-beta1, -beta2 and -beta3, and TGF-beta receptors in human lens capsules with lens implants. Graefes Arch Clin Exp Ophthalmol 238: 283-293.

Saika, S., Miyamoto, T., Tanaka, T., Ishida, I., Ohnishi, Y., Ooshima, A. (2001) Latent TGFβ binding protein-1 and fibrillin-1 in human capsular opacification and in cultured lens epithelial cells. Br J Ophthalmol 85: 1362-1366.

Saxby, L., Rosen, E., Boulton, M. (1998) Lens epithelial cell proliferation, migration, and metaplasia following capsulorhexis. Br J Ophthalmol 82: 945-952.

Scaramuzza, A., Fernando, G.T., Crayford, B.B. (2001) Posterior capsule opacification and lens epithelial cell layer formation: Hydroview hydrogel versus AcrySof acrylic intraocular lenses. J Cataract Refract Surg 27: 1047-1054.

Schauersberger, J., Amon, M., Kruger, A., Abela, C., Schild, G., Kolodjaschna, J. (2001) Lens epithelial cell outgrowth on 3 types of intraocular lenses. J Cataract Refract Surg 27: 850-854.

Schaumberg, D.A., Dana, M.R., Christen, W.G., Glynn, R.J. (1998) A systematic overview of the incidence of posterior capsule opacification. Ophthalmology 105: 1213-1221.

Schmidbauer, J.M., Vargas, L.G., Apple, D.J., Auffarth, G.U., Peng, Q., Arthur, S.N., Escobar-Gomez, M. (2001) Nachstarrate, Zentrierverhalten, Biokompatibilität und Fixation intraokularer Faltlinsen – eine Milleniums-Analyse 1221 pseudophaker Autopsieaugen. Klin Monatsbl Augenheilkd 218: 1-9.

Schmidbauer, J.M., Vargas, L.G., Apple, D.J., Escobar-Gomez, M., Izak, A., Arthur, S.N., Golescu, A., Peng, Q. (2002a) Evaluation of Neodymium:yttrium-aluminium-garnet Capsulotomies in Eyes Implanted with AcrySof Intraocular Lenses. Ophthalmology 109: 1421-1426.

Schmidbauer, J.M., Escobar-Gomez, M., Apple, D.J., Peng, Q., Arthur, S.N., Vargas, L.G. (2002b) Effect of haptic angulation on posterior capsule opacification in modern foldable lenses with a square, truncated optic edge. J Cataract Refract Surg 28: 1251-1255.

Schmitt-Graff, A., Pau, H., Spahr, R., Piper, H.M., Skalli, O., Gabbiani, G. (1990) Appearance of alpha-smooth muscle actin in human eye lens cells of anterior capsular cataract and in cultured bovine lensforming cells. Differentiation 43: 115-122.

Schneiderman, T.E., Johnson, M.W., Smiddy, W.E., Flynn, H.W., Bennett, S.R., Cantrill, H.L. (1997) Surgical management of posteriorly dislocated silicone plate haptic intraocular lenses. Am J Ophthalmol123: 629-635.

Seiffert, D., Smith, J.W. (1997) The cell adhesion domain in plasma vitronectin is cryptic. J Biol Chem 272: 13705-13710.

Sellman, T.R., Lindstrom, R.L. (1988) Effect of a plano-convex posterior chamber lens on capsular opacification from Elschnig pearl formation. J Cataract Refract Surg 14: 68-72.

Shah, G.R., Gills, J.P., Durham, D.G., Ausmus, W.H. (1986) Three thousand YAG lasers in posterior capsulotomies: An analysis of complications and comparison to polishing and surgical discission. Ophthalmic Surg 17: 473-477.

Shin, D.H., Kim, Y.Y., Ren, J., Weatherwax, A.L., Pearlman, R.B., Kim, C., Glover, K.B., Muenk, S.B. (1998) Decrease of capsular opacification with adjunctive mitomycin C in combined glaucoma and cataract surgery. Ophthalmology 105: 1222-1226.

Siganos, D.S., Pallikaris, I.G. (1998) Clear lensectomy and intraocular lens implantation for hyperopia from +7 to +14 diopters. J Cataract Refract Surg 14: 105-113.

Späth, U., Liekfeld, A., Hartmann, Chr., Pham, D.T. (2003) Nachstarentwicklung nach Implantation der Acryl-Intraokularlinsen Akreos Disc® und Akreos Fit® - Pilotstudien. Klin Monatsbl Augenheilkd 220: 695-698.

Stager, D.R. Jr, Weakley D.R. Jr, Hunter, J.S. (2002) Long-term rates of PCO following small incision foldable acrylic intraocular lens implantation in children. J Pediatr Ophthalmol Strabismus 39: 73-76.

Steinberg, E.P., Javitt, J.C., Sharkey, P.D., Zuckermann, A., Legro, M.W., Anderson, G.F., Bass, E.b., O'Day, D. (1993) The content and cost of cataract surgery. Arch Ophthalmol 111: 1041-1049.

Steinert, R.F., Puliafito, C.A., Kumar, S.R., Dudak, S.D., Patel, S. (1991) Cystoid macular edema, retinal detachment, and glaucoma after Nd:YAG laser posterior capsulotomy. Am J Ophthalmol 112: 373-380.

Sterling, S., Wood, T.O. (1986) Effect of intraocular lens convexity on posterior capsule opacification. J Cataract Refract Surg 12: 655-657.

Sundelin, K., Sjöstrand, J. (1999) Posterior capsule opacification 5 years after extracapsular cataract extraction. J Cataract Refract Surg 25: 246-250.

Sundelin, K., Fridberg-Riad, Y., Ostberg, A., Sjöstrand, J. (2001) Posterior capsule opacification with AcrySof and poly(methylmethacrylate) intraocular lenses: comparative study with a 3-year follow-up. J Cataract Refract Surg 27: 1586-1590.

Sunderraj, P., Villada, J.R., Joyce, P.W., Watson, A. (1992) Glare testing in pseudophakes with posterior capsule opacification. Eye 6: 411-413.

Tan, J.C., Spalton, D.J., Arden, G.B. (1998) Comparison of methods to assess visual impairment from glare and light scattering with posterior capsule opacification. J Cataract Refract Surg 24: 1626-1631.

Tarsio, J.F., Kelleher, P.J., Tarsio, M., Emery, J.M., Man-Kit Lam, D. (1997) Inhibition of cell proliferation on lens capsules by 4197X-ricin A immunoconjugate. J Cataract Refract Surg 23: 260-266.

Tassin, J., Malaise, E., Courtois, Y. (1979) Human lens cells have an *in vitro* proliferative capacitiy inversely proportional to donor age. Exp Cell Res 123: 388-392.

Tetz, M.R., Apple, D.J., Price, F.W., Piest, K.L., Kicaid, M.C., Bath, P.E. (1987) Case reports. A newly described complication of neodymium: YAG laser capsulotomy: Exacerbation of an intraocular infection. Arch Ophthalmol 105: 1324-1325.

Tetz, M.R., O'Morchoe, D.J., Gwin, T.D., Wilbrandt, T.H., Solomon, K.D., Hansen, S.O., Apple, D.J. (1988) Posterior capsule opacification and intraccular lens decentration. Part II: Experimental findings on a prototype circular intraocular lens design. J Catarct Refract Surg 14: 614-623.

Tetz, M.R., Lehrer, I., Klein, U., Völcker, H.E. (1994) Cataracta secundaria bei Diabetes mellitus. In: Pham, D.T., Wollensak, J., Rochels, R., Hartmann, C. (Ed.) 8. Kongreß der Deutschsprachigen Gesellschaft für Intraokularlinsen Implantation. Springer, Berlin. S.398-406.

Tetz, M.R., Sperker, M., Auffarth, G.U., et al. (1996a) Vergleich der Entwicklung der Cataracta secundaria nach Operation von traumatischen und nicht traumatischen Kataraktformen (Abstr.). Klin Monatsbl Augenheilkd (Suppl.) 208: 23.

Tetz, M.R., Sperker, M., Auffarth, G.U., Völcker, H.E. (1996b) Cataracta secundaria nach Operation der maturen Katarakt (Abstr.). Klin Monatsbl Augenheilkd (Suppl.) 208: 23.

Tetz, M.R., Sperker, M., Blum, M., Auffarth, G.U., Völcker, H.E. (1996c) Klinische Nachstarbewertung in pseudophaken Augen. Methode und Reproduzierbarkeit. Ophthalmologe 93: 33-37.

Tetz, M.R., Ries, M.W., Lucas, C., Stricker, H., Völcker, H.E. (1996d) Inhibition of posterior capsule opacification by an intraocular-lens-bound sustained drug delivery system: an experimental animal study and literature review. J Cataract Refract Surg 22: 1070-1078.

Tetz, M.R., Auffarth, G.U., Sperker, M., Blum, M., Völcker, H.E. (1997) Photographic image analysis system of posterior capsule opacification. J Cataract Refract Surg 23: 1515-1520.

Tetz, M.R., Nimsgern, C. (1999) Posterior capsule opacification. Part 2: Clinical findings. J Cat Refract Surg 25 (12): 1662-1674.

Tobari, I., Iwaki, Y., Miyake, K. (1999) Effect of tranilast eyedrops in preventing posterior capsule opacification: Preliminary report. J Cataract Refract Surg 25: 1394-1399.

Ursell, P.G., Spalton, D.J., Pande, M.V., Hollick, E.J., Barman, S., Boyce, J., Tilling, K. (1998) Relationship between intraocular lens biomaterials and posterior capsule opacification. J Cataract Refract Surg 24: 352-360.

Vargas, L.G., Peng, Q., Apple, D.J., Escobar-Gomez, M., Pandey, S.K., Arthur, S.N., Hoddinott, D.S.M., Schmidbauer, J.M. (2002) Evaluation of 3 modern single-piece foldable intraocular lenses. Clinicopathological study of posterior capsule opacification in a rabbit model. J Cataract Refract Surg 28: 1241-1250.

Vargas, L.G., Izak, A.M., Apple, D.J., Werner, L., Pandey, S.K., Trivedi, R.H. (2003) Implantation of a single-piece, hydrophilic, acrylic, minus-power foldable posterior chamber intraocular lens in a rabbit model. Clinicopathological study of posterior capsule opacification. J Cataract Refract Surg 29: 1613-1620.

Vasavada, A.R., Shastri, L.R., Raj, S.M., Ashutosh, S. (2002) Cell response to AcrySof intraocular lenses in an Indian population. J Cataract Refract Surg 28: 1173-1181.

Vesaluoma, M., Mertaniemi, P., Mannonen, S., Lehto, I., Uusitalo, R., Sarna, S., Tarkkanen, A., Tervo, T. (1998) cellular and plasma fibronectin in aqueous humor of primary open-angle glaucoma, exfoliative glaucoma and cataract patients. Eye 12: 886-890.

Walkow, T., Liekfeld, A., Anders, N., Pham, D.T., Hartmann, C., Wollensak, J. (1997) A Prospective Evaluation of a Diffractive versus a Refractive Designed Multifocal Intraocular Lens. Ophthalmology 104: 1380-1386.

Wallin, T.R., Hinckley, M., Nilson, C., Olson, R.J. (2003) A clinical comparison of single-piece and three-piece truncated hydrophobic acrylic intraocular lenses. Am J Ophthalmology 136: 614-619.

Wang, M.C., Woung, L.C. (2000) Digital retroilluminated photography to analyze posterior capsule opacification in eyes with intraocular lenses. J Cataract Refract Surg 26: 56-61.

Wejde, G., Kugelberg, M., Zetterström, C. (2003) Posterior capsule opacification: comparison of 3 intraocular lenses of different materials and design. J Cataract Refract Surg 29: 1556-1559.

Wesendahl, T.A., Hunold, W., Auffarth, G.U., Apple D.J. (1994) Kontaktbereich von Kunstlinse und Hinterkapsel; systematische Untersuchung unterschiedlicher Haptikparameter. Ophthalmologe 91: 680-684.

Westheimer, G., Liang, J. (1994) Evaluating diffusion of light in the eye by objective means. Invest Ophthalmol Vis Sci 35: 2652-2657.

Westling, A.K., Calissendorff, B.M. (1991) Factors influencing the formation of posterior capsular opacities after extracapsular cataract axtraction with posterior chamber lens implant. Acta Ophthalmol 69: 315-320.

Wilkins, M., McPherson, R., Fergusson, V. (1996) Visual recovery under glare conditions following laser capsulotomy. Eye 10: 117-120.

Winther-Nielsen, A., Johansen, J., Pedersen, G.K., Corydon, L. (1998) Posterior capsule opacification and neodymium:YAG capsulotomy with heparin-surface-modified intraocular lenses. J Cataract Refract Surg 24: 940-944.

Wormstone, I.M., Liu, C.S.C., Rakic, J.-M., Marcantonio, J.M., Vrensen, G.F.J.M., Duncan, G. (1997) Human Lens Epithelial Cell Proliferation in a Protein-free Medium. Invest Ophthalmol Vis Sci 38: 396-404.

Wormstone, I.M., Tamiya, S., Marcantonio, J.M., Reddan, J.R. (2000) Hepatocyte Growth Factor Function and c-Met Expression in Human Lens Epithelial Cells. Invest Ophthalmol Vis Sci 41: 4216-4222.

Wormstone, I.M., del Rio-Tsonis, K., McMahon, G., Tamiya, S., Davies, P.D., Marcantonio, J.M., Duncan G. (2001) FGF: an autocrine regulator of human lens cell growth independent of added stimuli. Invest Ophthalmol Vis Sci 42: 1305-1311.

Yammine, P., Pavon-Djavid, G., Helary, F. Migonney, V. (2005) Surface Modification of Silicone Intraocular Implants To Inhibit Cell Proliferation. Biomacromolecules 6: 2630-2637.

Yang, K.J., Moster, M.R., Azuara-Blanco, A., Wilson, R.P., Araujo, S.V., Schmidt, C.M. (1997) Mitomycin-C supplemented trabeculectomy, phacoemulsification, and foldable lens implantation. J Cataract Refract Surg 23: 565-569.

Zaczek, A., Zetterström, C. (1999) Posterior capsule opacification after phacoemulsification in patients with diabetes mellitus. J Cataract Refract Surg 25: 233-237.

Zetterström, C. (1993) Incidence of posterior capsule opacification in eyes with exfoliation syndrome and heparin-surface-modified intraocular lenses. J Cataract Refract Surg 19: 344-347.

Zwaan, J., Mullaney, P.B., Awad, A., Al-Mesfer, S., Wheeler, D.T. (1998) Pediatric intraocular lens implantation. Surgical results and complications in more than 300 patients. Ophthalmology 105: 112-119.