

6. Literaturverzeichnis

Anastasi G, Cutroneo G, Santoro G, Trimarchi F (1998)

The non-junctional sarcolemmal cytoskeleton: the costameres.

Ital J Anat Embryol 103: 1-11

Andersson U, Leighton B, Young ME, Blomstrand E, Newsholme EA (1998)

Inactivation of aconitase and oxoglutarate dehydrogenase in skeletal muscle in vitro by superoxide anions and/or nitric oxide.

Biochem Biophys Res Commun 249: 512-516

Andrade FH, Reid MB, Allen DG, Westerblad H (1998)

Effect of nitric oxide on single skeletal muscle fibres from the mouse.

J Physiol 509: 577-586

Arnold WP, Aldred R, Murad F (1977)

Cigarette smoke activates guanylate cyclase and increases guanosine 3',5'-monophosphate in tissues.

Science 198: 934-936

Balon TW, Nadler JL (1997)

Evidence that nitric oxide increases glucose transport in skeletal muscle.

J Appl Physiol 82: 359-363

Bartsch HJ (1961)

Mathematische Formeln.

Leipzig: VEB Fachbuchverlag

Baum O, Miethke A, Wöckel A, Willerding G, Planitzer G (2001)

The specificity of the NADPH diaphorase reaction for nitric oxide synthase-1 is increased in presence of urea performing catalytic histochemistry on skeletal muscles.

Acta Histochem: (in Druck)

Belkin AM, Zhidkova NI, Koteliansky VE (1986)

Localization of talin in skeletal and cardiac muscles.

FEBS Lett 200: 32-36

Berkels R, Suerhoff S, Roesen R, Klaus W (2000)

Nitric oxide causes a cGMP-independent intracellular calcium rise in porcine endothelial cells-a paradox?

Microvasc Res 59: 38-44

Berthier C, Blaineau S (1997)

Supramolecular organization of the subsarcolemmal cytoskeleton of adult skeletal muscle fibers. A review.

Biol Cell 89: 413-434

Blake DJ, Kroger S (2000)

The neurobiology of duchenne muscular dystrophy: learning lessons from muscle?

Trends Biochem Sci 23: 92-99

Blottner D, Grozdanovic Z, Gossrau R (1995)

Histochemistry of nitric oxide synthase in the nervous system.

Histochem J 27: 785-811

Bortz J, Lienert GA (1998)

Kurzgefaßte Statistik für die klinische Forschung.

Berlin, Heidelberg, New York: Springer

Borutaite V, Brown GC (1996)

Rapid reduction of nitric oxide by mitochondria, and reversible inhibition of mitochondrial respiration by nitric oxide.

Biochem J 315: 295-299

Bredt DS, Hwang PM, Glatt CE, Lowenstein C, Reed RR, Snyder SH (1991)

Cloned and expressed nitric oxide synthase structurally resembles cytochrome P-450 reductase.

Nature 351: 714-718

Bredt DS, Snyder SH (1994)

Nitric oxide: a physiologic messenger molecule.

Annu Rev Biochem 63: 175-195

Brenman JE, Chao DS, Gee SH, McGee AW, Craven SE, Santillano DR, Wu Z, Huang F, Xia H, Peters MF, Froehner SC, Bredt DS (1996)

Interaction of nitric oxide synthase with the postsynaptic density protein PSD-95 and alpha1-syntrophin mediated by PDZ domains.

Cell 84: 757-767

Brown GC (2000)

Nitric oxide as a competitive inhibitor of oxygen consumption in the mitochondrial respiratory chain.

Acta Physiol Scand 168: 667-674

Brunori M (2001)

Nitric oxide, cytochrome-c oxidase and myoglobin.

Trends Biochem Sci 26: 21-23

Butcher RG (1978)

The measurement in tissue sections of the two formazans derived from nitroblue tetrazolium in dehydrogenase reactions.

Histochem J 10: 739-744

Byron O, Mistry P, Suter D, Skelly J (1997)

DT diaphorase exists as a dimer-tetramer equilibrium in solution.

Eur Biophys J 25: 423-30

Carlberg M (1994)

Assay of neuronal nitric oxide synthase by HPLC determination of citrulline.

J Neurosci Methods 52: 165-167

Chang WJ, Iannaccone ST, Lau KS, Masters BS, McCabe TJ, McMillan K, Padre RC, Spencer MJ, Tidball JG, Stull JT (1996)

Neuronal nitric oxide synthase and dystrophin-deficient muscular dystrophy.

Proc Natl Acad Sci USA 93: 9142-9147

Chao DS, Silvagno F, Xia H, Cornwell TL, Lincoln TM, Bredt DS (1997)

Nitric oxide synthase and cyclic GMP-dependent protein kinase concentrated at the neuromuscular endplate.

Neuroscience 76: 665-672

Chieco P (2001)

Image Cytometry.

Microscopy Handbooks. Vol: 46, Oxford: BIOS Scientific Publishers

Chieco P, Jonker A, Melchiorri C, Vanni G, Van Noorden CJ (1994)

A user's guide for avoiding errors in absorbance image cytometry: a review with original experimental observations.

Histochem J 26: 1-19

Cleeter MW, Cooper JM, Darley-Usmar VM, Moncada S, Schapira AH (1994)

Reversible inhibition of cytochrome c oxidase, the terminal enzyme of the mitochondrial respiratory chain, by nitric oxide.

FEBS Lett 345: 50-54

Cooper MB, Craft JA, Estall MR, Rabin BR (1980)

Asymmetric distribution of cytochrome P-450 and NADPH-cytochrome P-450 (cytochrome c) reductase in vesicles from smooth endoplasmic reticulum of rat liver.

Biochem J 190: 737-746

Crosbie RH, Straub V, Yun HY, Lee JC, Rafael JA, Chamberlain JS, Dawson VL, Dawson TM, Campbell KP (1998)

mdx muscle pathology is independent of nNOS perturbation.

Hum Mol Genet 7: 823-829

Cullen MJ, Walsh J, Nicholson LV, Harris JB, Zubrzycka-Gaarn EE, Ray PN, Worton RG (1991)

Immunogold labelling of dystrophin in human muscle, using an antibody to the last 17 amino acids of the C-terminus.

Neuromuscul Disord 1: 113-119

Delp MD, Duan C (1996)

Composition and size of type I, IIA, IID/X, and IIB fibers and citrate synthase activity of rat muscle.

J Appl Physiol 80: 261-270

Depre C, Fierain L, Hue L (1997)

Activation of nitric oxide synthase by ischaemia in the perfused heart.

Cardiovasc Res 33: 82-87

Fahimi D, Amarasingham CR (1964)

Cytochemical localization of lactic dehydrogenase in white skeletal muscle.

J Cell Biol 22: 29-48

Fahimi HD, Karnovsky MJ (1966)

Cytochemical localization of two glycolytic dehydrogenases in white skeletal muscle.

J Cell Biol 29: 113-128

Feussner M, Richter H, Baum O, Gossrau R (2001)

Association of soluble guanylate cyclase with the sarcolemma of mammalian skeletal muscle fibers.

Acta Histochem 103: 265-278

Förstermann U, Gath I, Schwarz P, Closs EI, Kleinert H (1995)

Isoforms of nitric oxide synthase. Properties, cellular distribution and expressional control.

Biochem Pharmacol 50: 1321-1332

Förstermann U, Gorsky LD, Pollock JS, Schmidt HH, Heller M, Murad F (1990)

Regional distribution of EDRF/NO-synthesizing enzyme(s) in rat brain.

Biochem Biophys Res Commun 168: 727-732

Frandsen U, Lopez-Figueroa M, Hellsten Y (1996)

Localization of nitric oxide synthase in human skeletal muscle.

Biochem Biophys Res Commun 227: 88-93

Frandsen U, Hoffner L, Betak A, Saltin B, Bangsbo J, Hellsten Y (2000)

Endurance training does not alter the level of neuronal nitric oxide synthase in human skeletal muscle.

J Appl Physiol 89: 1033-1038

Franzini-Armstrong C (1994)

The sarcoplasmic reticulum and the transverse tubules.

Engel AG, Franzini-Armstrong C (eds), Myology. Vol: 1, New York: McGraw-Hill, 176-199

- Furchgott RF, Cherry PD, Zawadzki JV, Jothianandan D (1984)
Endothelial cells as mediators of vasodilation of arteries.
J Cardiovasc Pharmacol: S336-343
- Furchgott RF, Vanhoutte PM (1989)
Endothelium-derived relaxing and contracting factors.
FASEB J 3: 2007-2018
- Galler S, Hilber K, Gobesberger A (1997)
Effects of nitric oxide on force-generating proteins of skeletal muscle.
Pflugers Arch 434: 242-245
- Gath I, Closs EI, Godtel-Armbrust U, Schmitt S, Nakane M, Wessler I, Förstermann U (1996)
Inducible NO synthase II and neuronal NO synthase I are constitutively expressed in different structures of guinea pig skeletal muscle: implications for contractile function.
FASEB J 10: 1614-1620
- Gath I, Ebert J, Godtel-Armbrust U, Ross R, Reske-Kunz AB, Förstermann U (1999)
NO synthase II in mouse skeletal muscle is associated with caveolin 3.
Biochem J 340: 723-728
- Geerts WJ, Verburg M, Jonker A, Das AT, Boon L, Charles R, Lamers WH, Van Noorden CJ (1996)
Gender-dependent regulation of glutamate dehydrogenase expression in periportal and pericentral zones of rat liver lobules.
J Histochem Cytochem 44: 1153-1159
- Gossrau R (1998a)
Caveolin-3 and nitric oxide synthase I in healthy and diseased skeletal muscle.
Acta Histochem 100: 99-112
- Gossrau R (1998b)
Nitric oxide synthase I (NOS I) is a costameric enzyme in rat skeletal muscle.
Acta Histochem 100: 451-462
- Grozdanovic Z, Gossrau R (1995)
Alpha-NADPH appears to be primarily oxidized by the NADPH-diaphorase activity of nitric oxide synthase (NOS).
Acta Histochem 97: 313-320
- Grozdanovic Z, Gossrau R (1998)
Co-localization of nitric oxide synthase I (NOS I) and NMDA receptor subunit 1 (NMDAR-1) at the neuromuscular junction in rat and mouse skeletal muscle.
Cell Tissue Res 291: 57-63

- Grozdanic Z, Nakos G, Dahrmann G, Mayer B, Gossrau R (1995)
Species-independent expression of nitric oxide synthase in the sarcolemma region of visceral and somatic striated muscle fibers.
Cell Tissue Res 281: 493-499
- Haramaki N, Han D, Handelman GJ, Tritschler HJ, Packer L (1997)
Cytosolic and mitochondrial systems for NADH- and NADPH-dependent reduction of alpha-lipoic acid.
Free Radic Biol Med 22: 535-542
- Hirschfield W, Moody MR, O'Brien WE, Gregg AR, Bryan RM, Reid MB (2000)
Nitric oxide release and contractile properties of skeletal muscles from mice deficient in type III NOS.
Am J Physiol Regul Integr Comp Physiol 278: R95-R100
- Hope BT, Michael GJ, Knigge KM, Vincent SR (1991)
Neuronal NADPH diaphorase is a nitric oxide synthase.
Proc Natl Acad Sci USA 88: 2811-2814
- Hrabak A, Bajor T, Temesi A, Meszaros G (1996)
The inhibitory effect of nitrite, a stable product of nitric oxide (NO) formation, on arginase.
FEBS Lett 390: 203-206
- Hussain SN, El-Dwairi Q, Abdul-Hussain MN, Sakkal D (1997)
Expression of nitric oxide synthase isoforms in normal ventilatory and limb muscles.
J Appl Physiol 83: 348-353
- Ignarro LJ, Byrns RE, Buga GM, Wood KS, Chaudhuri G (1988)
Pharmacological evidence that endothelium-derived relaxing factor is nitric oxide: use of pyrogallol and superoxide dismutase to study endothelium-dependent and nitric oxide-elicited vascular smooth muscle relaxation.
J Pharmacol Exp Ther 244: 181-189
- Jaiswal AK (1994)
Human NAD(P)H:quinone oxidoreductase2. Gene structure, activity, and tissue-specific expression.
J Biol Chem 269: 14502-14508
- Jonker A, Geerts WJ, Charles R, Lamers WH, Van Noorden CJ (1995)
Image analysis and image processing as tools to measure initial rates of enzyme reactions in sections: distribution patterns of glutamate dehydrogenase activity in rat liver lobules.
J Histochem Cytochem 43: 1027-1034

- Kapur S, Bedard S, Marcotte B, Cote CH, Marette A (1997)
Expression of nitric oxide synthase in skeletal muscle: a novel role for nitric oxide as a modulator of insulin action.
Diabetes 46: 1691-1700
- King CE, Melinyshyn MJ, Mewburn JD, Curtis SE, Winn MJ, Cain SM, Chapler CK (1994)
Canine hindlimb blood flow and O₂ uptake after inhibition of EDRF/NO synthesis.
J Appl Physiol 76: 1166-1171
- Kobzik L, Reid MB, Brecht DS, Stamler JS (1994)
Nitric oxide in skeletal muscle.
Nature 372: 546-548
- Kobzik L, Stringer B, Balligand JL, Reid MB, Stamler JS (1995)
Endothelial type nitric oxide synthase in skeletal muscle fibers: mitochondrial relationships.
Biochem Biophys Res Commun 211: 375-381
- Koh TJ, Tidball JG (1999)
Nitric oxide synthase inhibitors reduce sarcomere addition in rat skeletal muscle.
J Physiol 519: 189-196
- Köhler W, Schachtel G, Voleske P (1996)
Biostatistik.
Berlin, Heidelberg, New York: Springer
- Kojima H, Nakatsubo N, Kikuchi K, Urano Y, Higuchi T, Tanaka J, Kudo Y, Nagano T (1998)
Direct evidence of NO production in rat hippocampus and cortex using a new fluorescent indicator: DAF-2 DA.
Neuroreport 9: 3345-3348
- Komuro A, Tobe T, Hashimoto K, Nakano Y, Yamaguchi T, Nakajima H, Tomita M (1996)
Molecular cloning and expression of human liver biliverdin-IX beta reductase.
Biol Pharm Bull 19: 796-804
- Kostin S, Scholz D, Shimada T, Maeno Y, Mollnau H, Hein S, Schaper J (1998)
The internal and external protein scaffold of the T-tubular system in cardiomyocytes.
Cell Tissue Res 294: 449-60
- Kulkoski JA, Weber JL, Ghazarian JG (1979)
NADPH-cytochrome c reductase in outer membrane of kidney mitochondria. Purification and properties.
Arch Biochem Biophys 192: 539-547
- Laemmli UK (1970)
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.
Nature 227: 680-685

- Lau KS, Grange RW, Chang WJ, Kamm KE, Sarelius I, Stull JT (1998)
Skeletal muscle contractions stimulate cGMP formation and attenuate vascular smooth muscle myosin phosphorylation via nitric oxide.
FEBS Lett 431: 71-74
- Lau KS, Grange RW, Isotani E, Sarelius IH, Kamm KE, Huang PL, Stull JT (2000)
nNOS and eNOS modulate cGMP formation and vascular response in contracting fast-twitch skeletal muscle.
Physiol Genomics 2: 21-27
- Lee KH, Baek MY, Moon KY, Song WK, Chung CH, Ha DB, Kang MS (1994)
Nitric oxide as a messenger molecule for myoblast fusion.
J Biol Chem 269: 14371-14374
- Lind C, Cadenas E, Hochstein P, Ernster L (1990)
DT-diaphorase: purification, properties, and function.
Methods Enzymol 186: 287-301
- Lojda Z, Gossrau R, Schiebler TH (1979)
Enzyme histochemistry. A laboratory manual.
Berlin, Heidelberg, New York: Springer
- Marletta MA, Yoon PS, Iyengar R, Leaf CD, Wishnok JS (1988)
Macrophage oxidation of L-arginine to nitrite and nitrate: nitric oxide is an intermediate.
Biochemistry 27: 8706-8711
- Massey V, Schopfer LM (1986)
Reactivity of old yellow enzyme with alpha-NADPH and other pyridine nucleotide derivatives.
J Biol Chem 261: 1215-1222
- Meszaros LG, Minarovic I, Zahradnikova A (1996)
Inhibition of the skeletal muscle ryanodine receptor calcium release channel by nitric oxide.
FEBS Lett 380: 49-52
- Miethke A (2001)
Untersuchungen zur Expression der Stickstoffmonoxidsynthase-1 (NOS-1) in MDX-Mäusen, dem Tiermodell für die Muskeldystrophie vom Typ Duchenne.
Dissertation, Freie Universität Berlin
- Minetti C, Cordone G, Beltrame F, Bado M, Bonilla E (1998)
Disorganization of dystrophin costameric lattice in Becker muscular dystrophy.
Muscle Nerve 21: 211-216

- Mohr S, Stamler JS, Brune B (1996)
Posttranslational modification of glyceraldehyde-3-phosphate dehydrogenase by S-nitrosylation and subsequent NADH attachment.
J Biol Chem 271: 4209-4214
- Moncada S, Higgs A (1993)
The L-arginine-nitric oxide pathway.
N Engl J Med 329: 2002-2012
- Nakane M, Schmidt HH, Pollock JS, Forstermann U, Murad F (1993)
Cloned human brain nitric oxide synthase is highly expressed in skeletal muscle.
FEBS Lett 316: 175-180
- Nakatsubo N, Kojima H, Kikuchi K, Nagoshi H, Hirata Y, Maeda D, Imai Y, Irimura T, Nagano T (1998)
Direct evidence of nitric oxide production from bovine aortic endothelial cells using new fluorescence indicators: diaminofluoresceins.
FEBS Lett 427: 263-266
- Narayanasami R, Nishimura JS, McMillan K, Roman LJ, Shea TM, Robida AM, Horowitz PM, Masters BS (1997)
The influence of chaotropic reagents on neuronal nitric oxide synthase and its flavoprotein module. Urea and guanidine hydrochloride stimulate NADPH-cytochrome c reductase activity of both proteins.
Nitric Oxide 1: 39-49
- Nishida CR, Ortiz de Montellano PR (1998)
Electron transfer and catalytic activity of nitric oxide synthases. Chimeric constructs of the neuronal, inducible, and endothelial isoforms.
J Biol Chem 273: 5566-5571
- Ogata T, Yamasaki Y (1997)
Ultra-high-resolution scanning electron microscopy of mitochondria and sarcoplasmic reticulum arrangement in human red, white, and intermediate muscle fibers.
Anat Rec 248: 214-223
- Olausson T, Fjellstrom O, Meuller J, Rydstrom J (1995)
Molecular biology of nicotinamide nucleotide transhydrogenase-a unique proton pump.
Biochim Biophys Acta 1231: 1-19
- Palmer RM, Ferrige AG, Moncada S (1987)
Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor.
Nature 327: 524-526

Palmer RM, Moncada S (1989)

A novel citrulline-forming enzyme implicated in the formation of nitric oxide by vascular endothelial cells.

Biochem Biophys Res Commun 158: 348-352

Pardo JV, Siliciano JD, Craig SW (1983a)

Vinculin is a component of an extensive network of myofibril-sarcolemma attachment regions in cardiac muscle fibers.

J Cell Biol 97: 1081-1088

Pardo JV, Siliciano JD, Craig SW (1983b)

A vinculin-containing cortical lattice in skeletal muscle: transverse lattice elements ("costameres") mark sites of attachment between myofibrils and sarcolemma.

Proc Natl Acad Sci USA 80: 1008-1012

Perkins WJ, Han YS, Sieck GC (1997)

Skeletal muscle force and actomyosin ATPase activity reduced by nitric oxide donor.

J Appl Physiol 83: 1326-1332

Petrof BJ, Shrager JB, Stedman HH, Kelly AM, Sweeney HL (1993)

Dystrophin protects the sarcolemma from stresses developed during muscle contraction.

Proc Natl Acad Sci USA 90: 3710-3714

Pette D (2001)

Historical Perspectives: Plasticity of mammalian skeletal muscle.

J Appl Physiol 90: 1119-1124

Pette D, Staron RS (1990)

Cellular and molecular diversities of mammalian skeletal muscle fibers.

Rev Physiol Biochem Pharmacol 116: 1-76

Porter GA, Dmytrenko GM, Winkelmann JC, Bloch RJ (1992)

Dystrophin colocalizes with beta-spectrin in distinct subsarcolemmal domains in mammalian skeletal muscle.

J Cell Biol 117: 997-1005

Price M (1991)

Striated muscle endosarcomeric and exosarcomeric lattices.

Adv Struct Biol 1: 175-207

Punkt K, Mehlhorn H, Hilbig H (1998)

Region- and age-dependent variations of muscle fibre properties.

Acta Histochem 100: 37-58

Reiser PJ, Kline WO, Vaghy PL (1997)

Induction of neuronal type nitric oxide synthase in skeletal muscle by chronic electrical stimulation in vivo.

J Appl Physiol 82: 1250-1255

Reutov VP, Sorokina EG (1998)

NO-synthase and nitrite-reductase components of nitric oxide cycle.

Biochemistry (Mosc) 63: 874-884

Rojas R (1996)

Neuronale Netze.

Berlin, Heidelberg, New York: Springer

Romeis B (1968)

Mikroskopische Technik.

München, Wien: Oldenbourg

Rozhin J, Gomez AP, Ziegler GH, Fong D, Onoda JM, Honn KV, Sloane BF (1990)

Cathepsin B to cysteine proteinase inhibitor balance in metastatic cell subpopulations isolated from murine tumors.

Cancer Res 50: 6278-6284

Ruhnke M (1989)

Quantitative Histochemie von Proteasen, Phosphatasen und Glycosidasen in Deciduazellen, Enterocyten und Tubulocyten.

Dissertation, Freie Universität Berlin

Salom JB, Barbera MD, Centeno JM, Orti M, Torregrosa G, Alborch E (1999a)

Comparative relaxant effects of the NO donors sodium nitroprusside, DEA/NO and SPER/NO in rabbit carotid arteries.

Gen Pharmacol 32: 75-79

Salom JB, Barbera MD, Centeno JM, Orti M, Torregrosa G, Alborch E (1999b)

Relaxant effects of sodium nitroprusside and NONOates in goat middle cerebral artery: delayed impairment by global ischemia-reperfusion.

Nitric Oxide 3: 85-93

Scherer-Singler U, Vincent SR, Kimura H, McGeer EG (1983)

Demonstration of a unique population of neurons with NADPH-diaphorase histochemistry.

J Neurosci Methods 9: 229-234

Schmalbruch H (1985)

Skeletal muscle.

Berlin, Heidelberg, New York, Tokyo: Springer

- Schoser BG, Behrends S (2001)
Soluble guanylyl cyclase is localized at the neuromuscular junction in human skeletal muscle.
Neuroreport 12: 979-981
- Schuelke M, Gossrau R, Huang R, Fishman M (1998)
Histochemical studies of skeletal muscles in NOS I knockout mice.
Kuehnel W (ed), Ann Anat, Suppl, 181: 311
- Seidler E (1991)
The tetrazolium-formazan system: Design and histochemistry.
Stuttgart, New York: Fischer
- Shalloe F, Elliott G, Ennis O, Mantle TJ (1996)
Evidence that biliverdin-IX beta reductase and flavin reductase are identical.
Biochem J 316: 385-387
- Silvagno F, Xia H, Bredt DS (1996)
Neuronal nitric-oxide synthase-mu, an alternatively spliced isoform expressed in differentiated skeletal muscle.
J Biol Chem 271: 11204-11208
- Sloane BF, Rozhin J, Moin K, Ziegler G, Fong D, Muschel RJ (1992)
Cysteine endopeptidases and their inhibitors in malignant progression of rat embryo fibroblasts.
Biol Chem Hoppe Seyler 373: 589-594
- Stamler JS, Meissner G (2001)
Physiology of nitric oxide in skeletal muscle.
Physiol Rev 81: 209-237
- Straub V, Bittner RE, Leger JJ, Voit T (1992)
Direct visualization of the dystrophin network on skeletal muscle fiber membrane.
J Cell Biol 119: 1183-1191
- Terracio L, Simpson DG, Hilenski L, Carver W, Decker RS, Vinson N, Borg TK (1990)
Distribution of vinculin in the Z-disk of striated muscle: analysis by laser scanning confocal microscopy.
J Cell Physiol 145: 78-87
- Tews DS, Goebel HH, Schneider I, Gunkel A, Stennert E, Neiss WF (1997)
Expression of different isoforms of nitric oxide synthase in experimentally denervated and reinnervated skeletal muscle.
J Neuropathol Exp Neurol 56: 1283-1289

Thomas GD, Hansen J, Victor RG (1994)

Inhibition of alpha 2-adrenergic vasoconstriction during contraction of glycolytic, not oxidative, rat hindlimb muscle.

Am J Physiol 266: H920-929

Tidball JG, Spencer MJ, Wehling M, Lavergne E (1999)

Nitric-oxide synthase is a mechanical signal transducer that modulates talin and vinculin expression.

J Biol Chem 274: 33155-33160

Tokuyasu KT, Dutton AH, Singer SJ (1983)

Immunoelectron microscopic studies of desmin (skeletal) localization and intermediate filament organization in chicken skeletal muscle.

J Cell Biol 96: 1727-1735

Van Noorden CJ, Jonges GN (1995)

Analysis of enzyme reactions in situ.

Histochem J 27: 101-118

Van Noorden CJF, Frederiks WM (1992)

Enzyme Histochemistry. A Laboratory Manual of Current Methods.

Royal Microscopical Society, Microscopy handbooks. Vol: 26, New York: Oxford University Press

Vybiral T, Winkelmann JC, Roberts R, Joe E, Casey DL, Williams JK, Epstein HF (1992)

Human cardiac and skeletal muscle spectrins: differential expression and localization.

Cell Motil Cytoskeleton 21: 293-304

Wang T, Xie Z, Lu B (1995)

Nitric oxide mediates activity-dependent synaptic suppression at developing neuromuscular synapses.

Nature 374: 262-266

Watkins SC, Swartz DR, Byers TJ (1997)

Localization of dystrophin in skeletal, cardiac and smooth muscle.

Brown SC, Lucy JA (eds), Dystrophin: Gene, protein and cell biology. Vol: 1, Cambridge, New York, Melbourne: Cambridge University Press, 79-104

Wehling M, Stull JT, McCabe TJ, Tidball JG (1998)

Sparing of mdx extraocular muscles from dystrophic pathology is not attributable to normalized concentration or distribution of neuronal nitric oxide synthase.

Neuromuscul Disord 8: 22-29

Williams MW, Bloch RJ (1999a)

Differential distribution of dystrophin and beta-spectrin at the sarcolemma of fast twitch skeletal muscle fibers.

J Muscle Res Cell Motil 20: 383-393

Williams MW, Bloch RJ (1999b)

Extensive but coordinated reorganization of the membrane skeleton in myofibers of dystrophic (mdx) mice.

J Cell Biol 144: 1259-1270

Wu JC, Chung TH, Tseng YZ, Wang SM (1999)

N-cadherin/catenin-based costameres in cultured chicken cardiomyocytes.

J Cell Biochem 75: 93-104

Yamada KM, Geiger B (1997)

Molecular interactions in cell adhesion complexes.

Curr Opin Cell Biol 9: 76-85

Young HM, O'Brien AJ, Furness JB, Ciampoli D, Hardwick JP, McCabe TJ, Narayanasami R, Masters BS, Tracey WR (1997)

Relationships between NADPH diaphorase staining and neuronal, endothelial, and inducible nitric oxide synthase and cytochrome P450 reductase immunoreactivities in guinea-pig tissues.

Histochem Cell Biol 107: 19-29

Zhuang JC, Wogan GN (1997)

Growth and viability of macrophages continuously stimulated to produce nitric oxide.

Proc Natl Acad Sci USA 94: 11875-11880

Zoche M, Beyermann M, Koch KW (1997)

Introduction of a phosphate at serine741 of the calmodulin-binding domain of the neuronal nitric oxide synthase (NOS-I) prevents binding of calmodulin.

Biol Chem 378: 851-857