## Complexes of Rhenium and Technetium with Chelating Thiourea Ligands

Department of Biology, Chemistry and Pharmacy Freie Universität Berlin PhD Dissertation

> Nguyen Hung Huy Berlin, September 2009

- 1. Supervisor: Prof. Dr. Ulrich Abram
- 2. Supervisor: Prof. Dr. Konrad Seppelt
- Date of the oral presentation: 04.09.2009

## Acknowledgment

I would like to thank first my supervisor Prof. Dr. Ulrich Abram for his guidance and encouragement during my research. Working with him, I have learned much of what it means to be a scientist, teacher and mentor. I will always cherish his advice and friendship.

I gratefully thank Prof. Dr. Konrad Seppelt for being the second reviewer of this thesis.

Thanks to the members of the Abram group, both past and present, especially Jacqueline Grewe, Detlef Wille, Adelheid Hagenbach, Alexander Jagst, Ali Barandov, Sonia Saucedo Anaya, Elisabeth Oehlke, Bernd Kuhn, Jennifer Schroer, Stephan Meyer and Pedro Ivo da Silva Maia for their friendly environment. My life is certainly richer for knowing all of you. I would like to say a special thank to Adelheid for her constructive crystallographic discussions and Xray measurements. I also want to say an extra thank to Jacqueline for her organization the laboratory, ordering chemicals and the synthesis of some precursors. An extra special thank to Ali for his sharing of working place, ideals about chemistry as well as for being my very close friend. Without him, my last four years should have been so boring. A special thank also goes to Pedro for his very productive cooperation during the recent ten months and moreover for his friendship. I also would like to thank Elisabeth for all the jokes she brought to me. Thank also to Stephan and Bernd for their kind help in handling computer problems as well as in EPR experiments. I would like to thank Jennifer for her helps, sharing in laboratory experiences, especially, for taking care to many of my practical students. I would like to thank my project students Farhad Tamadon, Michal Sascha Andrä, Juan Daniel Castillo Gomez, Kathera Hazin, Jesudas Jecob Jegathesh for their enthusiasm and hardworking.

I also would like to thank Axel Rodenstein for useful discussion about the ligand syntheses as well as the EPR spectroscopy.

I gratefully acknowledge the PhD scholarship of the Vietnamese Government and the German Academic Exchange Service (DAAD).

I would like to sincerely thank the Institute of Chemistry and Biochemistry of the Freie Universität Berlin, the analytical services and particularly Mrs. Doris Plewinsky for uncounted elemental analyses.

The biggest thank has to go to my wife. She brings the fun into my life and supports me so unquestionably. Whatever life brings, I know she will be by my side. Finally, this thesis should be a present for my little son. Although he can not yet understand what chemistry is, he brought me half of motivation to finish this research.

## **Table of Content**

Abbrevi	ations	xi
Abstract		xiii
1	Introduction	1
2	Aroylthioureas and their Rhenium and Technetium Complexes	3
2.1	Benzoylthioureas	3
2.1.1	Synthesis of N,N-Dialkyl-N'-benzoylthioureas and Aroylbis(N,N-dialkyl-	
	thioureas	3
2.1.1	Synthesis of N-Picolyl-N'-benzoylthiourea	4
2.2	Rhenium and Technetium Complexes with Dialkylbenzoylthioureas	5
2.2.1	Re <sup>V</sup> O and Tc <sup>V</sup> O Complexes with Dialkylbenzoylthioureas	6
2.2.2	$Re^{III}$ and $Tc^{III}$ Complexes with Dialkylbenzoylthioureas	16
2.2.3	Re <sup>V</sup> (NPh) Complexes with Dialkylbenzoylthioureas	19
2.3	A Rhenium Complex with N-Picolylbenzoylthiourea	22
2.4	Rhenium Complexes with Aroylbis(N,N-dialkylthioureas)	25
2.4.1	Rhenium Complexes with <i>m</i> -Phthaloylbis(N,N-dialkylthioureas)	25
2.4.2	A Rhenium Complex with 2,6-Dipicolinoylbis(N,N-diisobutylthioureas)	31
2.5	Summary and Conclusions	32
3	Benzamidines and their Rhenium and Technetium Complexes	33
3.1	Tridentate Benzamidines and their Rhenium and Technetium Complexes	34
3.1.1	Tridentate N-(N'',N''-Dialkylaminothiocarbonyl)-N'-substituted	
	Benzamidines	34
3.1.1.1	Reactions of Benzimidoyl Chlorides with Functionalized Primary Amines	34
3.1.1.2	Reactions of Benzimidoyl Chlorides with Hydrazine Derivatives	36
3.1.2	Re and Tc Complexes with N'-(2-Hydroxyphenyl)benzamidine $(H_2L^1)$	39
3.1.2.1	$Re^{V}O$ and $Tc^{V}O$ Complexes with $H_2L^1$	39
3.1.2.2	'3+2' Mixed-Ligand Complexes of Re and Tc Containing $H_2L^1$	45
3.1.2.3	$Re^{V}N$ and $Tc^{V}N$ Complexes with $H_2L^1$	56
3.1.3	A Rhenium Complex with N'-Picolylbenzamidine	57
3.1.4	A Rhenium Complex with N'-(2-Carboxyphenyl)benzamidine	59
3.1.5	Re and Tc Complexes with N'-(Benzamido)benzamidines $(H_2L^4)$	61
3.1.5.1	$Re^{V}O$ and $Tc^{V}O$ Complexes with $H_2L^4$	61
3.1.5.2	'3+2' Mixed-Ligand Complexes of Re Containing $H_2L^4$	63

3.1.6	Re and Tc Complexes with Benzamidines Derived from 4,4-Dialkylthiosemi-			
	carbazide (H <sub>2</sub> L <sup>5</sup> )	65		
3.1.6.1	$Re^{V}O$ and $Tc^{V}O$ Complexes with $H_2L^5$			
3.1.6.2	$Re^{V}N$ Complexes with $H_2L^5$			
3.1.6.3	Biological Activity of Re Complexes with H <sub>2</sub> L <sup>5</sup>			
3.1.7	Summary and Conclusions			
3.2	Tetradentate Benzamidines and their Rhenium and Technetium Complexes			
3.2.1	Benzamidines Derived from o-Phenylenediamine $(H_2L^6)$ and their Re and Tc			
	Complexes	76		
3.2.1.1	Synthesis of $H_2L^6$			
3.2.1.2	$Re^{V}O$ Complexes with $H_2L^6$			
3.2.1.3	$Re^{V}N$ and $Tc^{V}N$ Complexes with $H_2L^6$			
3.2.2	Benzamidines Derived from o-Aminoacetophenon-4-methylthiosemicarbazone			
	$(H_2L^7)$ and their Re and Tc Complexes	82		
3.2.2.1	Synthesis of H <sub>2</sub> L <sup>7</sup>	82		
3.2.2.2	A $\operatorname{Re}^{VO}$ Complex with $\operatorname{H}_{2}L^{7}$	83		
3.2.2.3	$Re^{V}N$ and $Tc^{V}N$ Complexes with $H_2L^7$	85		
3.2.3	Benzamidines Derived from o-Aminobenzylsalicylideneimine $(H_2L^8)$ and their			
	Re and Tc Complexes	90		
3.2.2.1	Synthesis of H <sub>2</sub> L <sup>8</sup>	90		
3.2.2.2	A $\operatorname{Re}^{VO}$ Complex with $\operatorname{H}_{2}L^{8}$	93		
3.2.2.3	A $\operatorname{Re}^{V}N$ Complex with $\operatorname{H}_{2}L^{8}$	94		
3.2.4	Benzamidines Derived from a Triglycine Ester $(H_3L^9)$ and its Re Complex	96		
3.2.4.1	Synthesis of H <sub>2</sub> L <sup>9</sup>	96		
3.2.4.2	A $\operatorname{Re}^{VO}$ Complex of $\operatorname{H}_{2}L^{9}$	97		
3.2.5	Summary and Conclusions	99		
3.3	Rhenium and Technetium Complexes with Pentadentate Benzamidines	101		
3.3.1	Pentadentate N'-substituted Benzamidine	101		
3.3.1.1	$N'-{2-Methylene(phenyliminodiacetic)} benzamidine (H_3L^{10})$	101		
3.3.1.2	N'-{Phenylene-(2-methyliminodiacetic)}benzamidine (H <sub>3</sub> L <sup>11</sup> )	102		
3.3.2	$Re^{V}O$ and $Tc^{V}O$ Complexes with $H_{3}L^{10}$	103		
3.3.3	Rhenium Complexes with H <sub>3</sub> L <sup>11</sup>	106		
3.3.3.1	Re <sup>V</sup> O Complexes with H <sub>3</sub> L <sup>11</sup>			
3.3.3.2	$\text{Re}^{V}(\text{NPh})$ Complexes with $\text{H}_{3}\text{L}^{11}$			

3.3.4	Steps Toward Bioconjugation	. 111
3.3.4.1	Modification of H <sub>3</sub> L <sup>10</sup>	. 112
3.3.4.2	$Re^{VO}$ and $Tc^{VO}$ Complexes with $H_{3}L^{10}$ -COOEt and $H_{3}L^{10}$ -COOH	. 113
3.3.4.3	Bioconjugation with a Small Peptide	. 117
3.3.5	Summary and Conclusions	. 118
4	Experimental Section	. 119
4.1	Starting Materials	. 119
4.2	Analytical Methods	. 119
4.3	Syntheses	. 120
4.4	Crystal Structure Determination	. 180
4.5	Biochemicals and Biological Studies	. 180
Summar	ry	. 183
Referen	ices	. 191

## Abbreviations

Bu	Butyl
Calcd.	Calculated
d	Doublet
Et	Ethyl
EtOH	Ethanol
IR	Infrared
m	Medium
Me	Methyl
Me <sub>2</sub> CO	Acetone
МеОН	Methanol
MS	Mass Spectrometry
NBu <sub>4</sub>	Tetrabutylammonium
NEt <sub>4</sub>	Tetraethylammonium
NMR	Nuclear Magnetic Resonance
Ph	Phenyl
S	Singlet (in Nuclear Magnetic Resonance)
S	Strong (in Infrared)
t	Triplet
temp.	Temperature
THF	Tetrahydrofurane
W	Weak