

8. Literaturverzeichnis

ALLGOEWER, I., A. RICHTER, G. GRÜNING, F.J. MEUTSTEGER und L. BRUNNBERG (2000):

Zwei intra-extraartikuläre Stabilisationsverfahren zur Therapie der Ruptur des Ligamentum cruciatum craniale im Vergleich: Methode (mod.) nach Flo und Methode nach Meutstege.

Kleintierpraxis 45, 95-103

ALT, F. (2000):

Vergleichende Untersuchung zur Therapie der Ruptur des Ligamentum cruciatum craniale beim Hund mit drei verschiedenen Operationsverfahren.

Vet. Diss., Hannover

ARNOCZKY, S.P. und J.L. MARSHALL (1977):

The cruciate ligaments of the canine stifle: an anatomical and functional analysis.

Am. J. Vet. Res. 38 (11), 1807-14

ARNOCZKY, S.P., P.A. TORZILLI und J.L. MARSHALL (1977):

Biomechanical Evaluation of anterior cruciate ligament repair in the dog: an analysis of the instant center of motion.

J. Am. Anim. Hosp. Assoc. 13, 533-558

ARNOCZKY, S.P., G.B. TARVIN, J.L. MARSHALL und B. SALTZMAN (1979):

The „over-the-top“procedure: a technique for anterior cruciate ligament substitution in the dog.

J. Am. Anim. Hosp. Assoc. 15, 283-290

ARNOCZKY, S.P. und R.F. WARREN (1983):

The microvasculature of the meniscus and its response to injury. An experimental study in dogs.

Am. J. Sports Med. 11, Nr. 3, 131-141

ARNOCZKY, S.P., (1993):

Pathomechanics of cruciate ligament and meniscal injuries.

in: M. J. Bojrab: Disease mechanics in small animal surgery.

2. Auflage, Verlag Lea & Febiger, S. 764-776

BARNETT, C.H. (1954):

The structure and functions of fibrocartilages within vertebrate joints.

J. Anat. 88, 363-368

BENNET, D., B. TENNANT, D.G. LEWIS, J. BAUGHAN, C. MAY und S. CARTER (1988):

A reappraisal of anterior cruciate ligament disease in the dog.

J. Small. Anim. Pract. 29, 275-97

BENNET, D und C. MAY (1991):

Meniscal damage associated with cruciate disease in the dog.

J. Small. Anim. Pract. 32, 111-117

BERJON, J, L. MUNUERA und M. CALVO (1991):

Degenerative Lesions in the articular cartilage after meniscectomy: preliminary experimental study in dogs.

J. Trauma. 31, 342-50

BRUNKHORST, N. (2003):

Vergleichende Untersuchungen zur chirurgischen Therapie von Hunden mit (Teil-) Ruptur des Ligamentum cruciatum craniale mit und ohne Meniskusrelease.

Vet. Diss., Hannover

BRUNNBERG, L. (1987):

Klinische und experimentelle Untersuchungen zur Ätiologie, Pathogenese und Therapie der Ruptur des Ligamentum cruciatum craniale im Kniegelenk des Hundes.

Vet. med. Habil.-Schr., München

BRUNNBERG, L. (1990):

Klinische Untersuchungen zur Ätiologie und Pathogenese der Ruptur des Ligamentum cruciatum craniale beim Hund.

Kleintierpraxis 35, 377-89

BRUNNBERG, L., I. RIEGER und E.M. HESSE (1992):

Sieben Jahre Erfahrung mit einer modifizierten „Over-the-Top“-Kreuzbandplastik beim Hund.

Kleintierpraxis 37: 735-746

CHILDERS, H.E. (1966):

Repair bei suture technique.

Mod. Vet. Prac. 47, 56-60

COETZEE, G.L. und A.M. LUBBE (1995):

A prospective study comparing two fascial reconstruction techniques to stabilise the cranial cruciate deficient stifle in the dog.

Vet. Comp. Orthop. Traumatol. 8, 82-90

COX, J.S., C.E. NYE, W.W. SCHAEFER und I.J. WOODSTEIN (1975):

The degenerative effects of partial and total resection of the medial meniscus in dogs' knees.

Clin. Orthop. 109, 178-183

COX, J.S. und L.D. CORDELL (1977):

The degenerative effects of medial meniscus tears in dog's knees.

Clin. Orthop. 125, 236-242

DAMUR, D.M., S. TEPIC, P.M. MONTAVON (2003):

Proximal tibial osteotomy for the repair of cranial cruciate-deficient stifle joints in dogs.

Vet. Comp. Orthop. Traumatol. 16, 211-216

DeANGELIS, M. und R.E. LAU (1970):

A lateral retinacular imbrication technique for the surgical correction of anterior cruciate ligament rupture in the dog.

J. Am. Vet. Med. Assoc. 157, Nr. 1, 79-84

DE ROOSTER, H. und H. VAN BREE (1999):

Use of compression stress radiography for the detection of partial tears of the canine cruciate ligament.

J. Sm. Anim. Pract. 40, 573-76

DeYOUNG, D., G.L. FLO und H. TVEDTEN (1980):

Experimental medial meniscectomy in dogs undergoing cranial cruciate ligament repair.

J. Am. Anim. Hosp. Assoc. 16, 639-645

DUVAL, J.M., S.C. BUDSBERG, G.L. FLO, J.L. SAMMARCO (1999):

Breed, sex, and body weight as risk factors for rupture of the cranial cruciate ligament in young dogs.

J. Am. Vet. Med. Assoc. 215, 811-814

EHRISMANN, G., H.G. SCHMÖKEL und R. VANNINI (1994):

Meniskusschaden beim Hund bei gleichzeitigem Riß des vorderen Kreuzbandes.

Wien. Tierärztl. Mschr. 81, 42-45

ELKINS, A.D., R. PECHMAN, M.T. KEARNEY und M. HERRON (1991):

A retrospective study evaluating the degree of degenerative joint disease in the stifle joint of dogs following surgical repair of anterior cruciate ligament rupture.

J. Am. Anim. Hosp. Assoc. 27, 533-39

ELMER, R.M., R.W. MOSKOWITZ und V.H. FRANKEL (1977):

Meniscal regeneration and postmeniscectomy degenerative joint disease.

Clin. Orthop. Rel. Res. 124, 305-310

ENGELKE, A., A. MEYER-LINDENBERG und I. NOLTE (1997):

Die Ultraschalluntersuchung des inneren Kniegelenkes bei Hunden mit Kreuzbandriß.

Dtsch. tierärztl. Wschr. 104, 114-117

FEHR, M., I. BEHRENDTS und A. MEYER-LINDENBERG (1996):

Die arthroskopische Untersuchung des Kniegelenkes des Hundes.

Tierärztl. Prax. 24, 137-143

FLO, G.L. (1975):

Modification of the lateral retinacular imbrication technique for stabilizing cruciate ligament injuries

J. Am. Vet. Med. Assoc. 11, 570-576

FLO, G.L. und D. DeYOUNG (1978):

Meniscal injuries and medial meniscectomy in the canine stifle.

J. Am. Anim. Hosp. Assoc. 14, 683-689

FLO, G.L. (1983):

Classification of meniscal lesions in twenty-six consecutive canine meniscectomies.

J. Am. Anim. Hosp. Assoc. 19, 335-340

FLO, G.L. (1993):

Meniscal injuries.

Vet. Clin. North Am. Small Anim. Pract. 23, 831-843

GAMBARDELLA, P.C., L.J. WALLACE, F. CASSIDY (1981):

Lateral suture technique for management of anterior cruciate ligament rupture in dogs: a retrospective study.

J. Am. Anim. Hosp. Assoc. 17, 33-38

GARRELS, S. (1996)

Die Fibulakopftransposition zur Therapie der Ruptur des Ligamentum cruciatum craniale beim Hund

Vet. Diss., Berlin

GEYER, H. (1966):

Die Behandlung der Kreuzbandrisse beim Hund. Vergleichende Untersuchungen.

Vet. Diss., Zürich

GORDON, W.J., M. CONZEMIUS, E. RIEDESEL, M.F. BESANCON, R. EVANS, V. WILKE,

M.J. RITTER (2003):

The relationship between limb function and radiographic osteoarthritis in dogs with stifle osteoarthritis.

Vet. Surg. 32, 451-454

HEFFRON, L.E. und J.R. CAMPBELL (1979):

Osteophyte formation in the canine stifle joint following treatment for rupture of the cranial cruciate ligament.

J. Small Anim. Pract. 20, 603-611

HENDERSON, R.A. und J.L. MILTON (1978):

The tibial compression mechanism: a diagnostic aid in stifle injuries.

J. Am. Anim. Hosp. Assoc. 14, 474-79

HINKO, P.J. (1981):

The use of a prosthetic ligament in repair of the torn anterior cruciate ligament in the dog.

J. Am. Anim. Hosp. Assoc. 17, 563-567

HOHN, R.B. und C.D. NEWTON (1975)

Surgical correction of rupture of the anterior cruciate ligament in the dog.

J. Am. Vet. Med. Assoc. 150, 1133

HULSE, D.A. und P.K. SHIRES (1981):

Observation of the posteromedial compartment of the stifle joint.

J. Am. Anim. Hosp. Assoc. 17, 575-578

HULSE, D.A. und P.K. SHIRES (1983):

The meniscus: anatomy, function and treatment.

Comp. Cont. Educ. Pract. Vet. 5, Nr. 9, 765-774

HULSE, D.A. und P.K. SHIRES (1985):

The stifle joint.

in: D. H. Slatter: Textbook of small animal surgery

Verlag W. B. Saunders, Philadelphia, London, Toronto, S. 2220-2231

HULSE, D.A., P.K. SHIRES, Y.Z. ABDELBAKI, M. HUGH-JONES und M.T. KEARNEY

(1986):

Vascular access channeling to increase meniscal regeneration in the dog.

Vet. Surg. 15 (6), 414-419

HULSE, D.A. (2002):

Is meniscal release necessary?

Proc. 1st World Orthopaedic Veterinary Congress, München

INNES, J.F. und A.R.S. BARR (1998):

Clinical natural history of the postsurgical cruciate deficient canine stifle joint: year 1.

J. Small Anim. Pract. 39, 325-332

INNES, J.F. und A.R.S. BARR (1998):

Can owners assess outcome following treatment of canine cruciate ligament deficiency?

J. Small Anim. Pract. 39, 373-378

INNES, J.F., D. BACON, C. LYNCH, A. POLLARD (2000):
Long-term outcome of surgery for dogs with cranial cruciate ligament deficiency.
Vet. Rec. 147, 325-328

IRELAND, W.P., J. ROGERS und R.K. MYERS (1986):
Location of the instantaneous center of rotation in the normal canine stifle.
Am. J. Vet. Res. 47 (4), 837-840

KING, D. (1936):
The healing of semilunar cartilages.
J. Bone Joint Surg. 18, 332-347

KING, D. (1936):
The function of semilunar cartilages.
J. Bone Joint Surg. 18, 1069-1076

KRAUSE, W.R. (1976):
Mechanical Changes in the Knee after Meniscectomy.
J. Bone Joint Surg. 58 A, 599-604

KRAUSER, K. (1981):
Pathologisch-anatomische und histologische Untersuchungen über Pathogenese und
Vorkommen von Meniskopathien bei Hunden großwüchsiger Rassen.
Vet. Diss., Berlin

LAMPMAN, T.J., E.M. LUND und A.J. LIPOWITZ (2003):
Cranial cruciate disease: current status of diagnosis, surgery and risk for disease.
Vet. Comp. Orthop. Traumatol. 16: 122-126

LEVY, I.M., P.A. TORZILLI und R.F. WARREN (1982):
The effect of medial meniscectomy on anterior-posterior motion of the knee.
J. Bone Joint Surg. 64 A (6), 883-887

LIEBICH, H.-G. (1993):

Funktionelle Histologie: Farbatlas und Kurzlehrbuch der mikroskopischen Anatomie der Haussäugetiere

2. Auflage Verlag Schattauer, Stuttgart, New York, S. 61-63

LOEFFLER, K. (1964):

Kreuzbandverletzungen im Kniegelenk des Hundes. Anatomie, Klinik und experimentelle Untersuchungen.

Vet. med. Habil.-Schr., Verlag M. & H. Schaper, Hannover

LOPEZ, M.J., M.D. MARKEL, V. KALSCHEUR, Y. LU und P.A. MANLEY (2003):

Hamstring graft technique for stabilization of canine cranial cruciate ligament deficient stifles.

Vet. Surg. 32, 390-401

MacCONAILL, M.A., (1950):

The movements of bones and joints: 3. the synovial fluid and its assistants.

J. Bone Joint Surg. 32 B, 244-252

MAGER, W.M. (2000):

Zur Kniegelenkarthrose des Hundes nach vorderer Kreuzbandruptur – ein retrospektiver Vergleich dreier Operationsmethoden

Vet. Diss., München

MATIS, U., T. BRAHM-JORDA, C. JORDA, R. KOESTLIN (2004):

Radiographic evaluation of the progression of osteoarthritis after tibial plateau leveling osteotomy in 93 dogs

Proc. 12th ESVOT Congress, München

MARSHALL, J.L. und S.E. Olsson (1971):

Instability of the knee - a long-term experimental study in dogs.

J. Bone Joint Surg. 53 A (8), 1561-1570

MENSCHIK, A. (1974):

Mechanik des Kniegelenkes

Z. Orthop. 112, 481-495

METELMANN, L.A., P.D. SCHWARZ, M. SALMAN und M.R. ALVIS (1995):

An Evaluation of three different cranial cruciate ligament surgical stabilization procedures as they relate to postoperative meniscal injuries.

Vet. Comp. Orthop. Traumatol. 8, 118-123

MESSMER M., H. Schmökel und P. Schawalder (2001):

Intraarticular measurement of forces acting on the canine medial meniscus during motion.

Vet. Comp. Orthop. Traumatol. 14, 133-138

MITTON, G.R., W.P. IRELAND, C.L. RUNYON (1991):

Evaluation of the instantaneous centers of rotation of the stifle before and after repair of torn cruciate ligament by use of the over-the-top technique in dogs.

Am. J. Vet. Res. 52, Nr. 10, 1731-1737

MONTAVON, P.M., D.M. DAMUR, S. TEPIC (2004):

Tibial tuberosity advancement (TTA) for the treatment of cranial cruciate disease in dogs: evidences, technique and initial clinical results.

Proc. 12th ESVOT Congress, München

MORGAN, J.P. (1969):

Radiological pathology and diagnosis of degenerative joint disease in the stifle joint of the dog.

J. Small Anim. Pract. 10, 541-544

MORRIS, E. und A.J. LIPOWITZ (2001):

Comparison of tibial plateau angles in dogs with and without cranial cruciate ligament injuries.

J. Am. Vet. Med. Assoc. 218, Nr. 3, 363-366

MOSES, P.A. (2002):

A technique for the surgical repair of caudal peripheral detachment and longitudinal peripheral tears of the medial meniscus in dogs.

Vet. Comp. Orthop. Traumatol. 15, 92-6

MULLEN, H.S. und D.T. MATTHIESEN (1989):

Complications of transposition of the fibular head for stabilization of the cranial cruciate-deficient stifle in dogs: 80 cases (1982-1986).

J. Am. Vet. Med. Assoc. 195, Nr. 9, 1267-1271

NECAS, A., R. SRNEC, H. KECOVA (2002):

Diagnostic reliability of stifle arthroscopy of pathological changes in cruciate deficient knee.

Acta Vet. Brno 71, 249-254

NICKEL, R., A. SCHUMMER u. E. SEIFERLE (1992):

Lehrbuch der Anatomie der Haussäugetiere, 6. Auflage

Bd. 1: Bewegungsapparat

Verlag Parey, Berlin und Hamburg

NIEBAUER, G.W. und G. LUBEC (1980):

Die Kollagenaseaktivität beim Kreuzbandriss des Hundes und ihre Hemmung in vitro.

Zbl. Vet. Med. A. 27, 628-634

NIEBAUER, G.W. und W.G. MENZEL (1982):

Immunological changes in canine cruciate ligament rupture.

Res. Vet. Sci. 32, 235-241

NILSSON, F. (1949):

Meniscal injuries in dogs.

North. Am. Vet. 30, 509-516

O'CONNOR, B.L. (1977):

The histological structure of dog knee menisci with comments on its possible significance.

Am. J. Anat. 147, 407-418

O'CONNOR, B.L. (1984):

The mechanoreceptor innervation of the posterior attachments of the lateral meniscus of the dog knee joint.

J. Anat. 138, 15-26

OLMSTEAD, M.L. (1993):

The use of orthopedic wire as a lateral suture for stifle stabilization.

Vet. Clin. North. Am. Sm. Anim. Pract. 23, Nr. 4, 735-753

PACCHIANA, P.D., E. MORRIS, S.L. GILLINGS, C.R. JESSEN, A.J. LIPOWITZ (2003):

Surgical and postoperative complications associated with tibial plateau leveling osteotomy in dogs with cranial cruciate ligament rupture: 397 cases (1998-2001)

J. Am. Vet. Med. Assoc. 222, 184-193

PAATSAMA, S. (1952):

Ligament injuries in the canine stifle joint. A clinical and experimental study.

Vet. Diss., Helsinki

PAATSAMA, S., K. SITTKOW (1972):

Early changes in the knee joint due to instability induced by cutting of the anterior cruciate ligament. An experimental study in young dogs.

Acta Radiol. Supp. 319, 169-173

PEARSON, P.T. (1971):

Ligamentous and meniscal injuries of the stifle joint

Vet. Clin. North Am. 1, Nr. 3, 489-501

POND, M.J. und J.R. CAMPBELL (1972):

The canine stifle joint, 1. Rupture of the anterior cruciate ligament. An assessment of conservative and surgical treatment.

J. Small Anim. Pract. 13, 1-10

POZZI, A., A. LITSKY, J.R. FIELD, D. APELT, M.P. KOWALESKI, K.A. JOHNSON (2004):

Meniscal release impairs load transmission and joint stability in the canine stifle

Proc. 12th ESVOT Congress, München

PRIDDY, N.H., J.L. TOMLINSON, J.R. DODAM, J.E. HORNBOSTEL (2003):

Complications with and owner assessment of the outcome of tibial plateau leveling osteotomy for treatment of cranial cruciate ligament rupture in dogs: 193 cases (1997-2001):

J. Am. Vet. Med. Assoc. 222, Nr. 12, 1727-1732

PUNZET, G. und I. WALDE (1974):

Spätergebnisse der chirurgischen Behandlung der Ruptur des vorderen Kreuzbandes beim Hund.

Kleintierpraxis 19, 153-63

RALPHS, C. und W.O. WITHNEY (2002):

Arthroscopic evaluation of menisci in dogs with cranial cruciate ligament injuries: 100 cases (1999-2000).

J. Am. Vet. Med. Assoc. 221, Nr. 11, 1601-1604

RAYWARD, R.M., D.G. THOMSON, J.V. DAVIES, J.F. INNES und R.G. WHITELOCK (2004):

Progression of osteoarthritis following TPLO surgery: a prospective radiographic study of 40 dogs.

J. Small Anim. Pract. 45, 92-97

RICHTER, A. (1997):

Magnetresonanztomographische Untersuchung des Kniegelenkes beim Hund und retrospektive Untersuchung von modifizierten Kreuzbandplastiken nach Flo (1975).

Vet. Diss., Berlin

SCAVELLI, T.D. (1990):

Partial rupture of the cranial cruciate ligament of the stifle in dogs: 25 cases (1982-1988).

J. Am. Vet. Med. Assoc. 196, Nr. 7, 1135-1138

SCHAEFER, H.-J. (1991):

Vergleichende Untersuchung zur chirurgischen Behandlung des vorderen Kreuzbandrisses beim Hund mit der „modifizierten Over-the-Top-“ und der „Fibulakopfversetzungstechnik“.

Vet. Diss., Hannover

SCHAEFER, S.L. und G.L. FLO (1998):

Knee: Meniscectomy.

in: M. J. Bojrab: Current techniques in small animal surgery.

4. Auflage, Williams & Wilkens, S. 1193-1196

SCHNELL, E. M. (1986):

Drei Jahre Erfahrung mit einer modifizierten Kreuzbandplastik beim Hund. Ersatz mit Fascia late und lateralem Drittel des Ligamentum patellae.

Vet. Diss., München.

SCHREIBER, J. (1947):

Beiträge zur vergleichenden Anatomie und zur Mechanik des Kniegelenkes.

Wien. tierärztl. Monatsschr. 54, 725-744

SHIRES, P.K., D.A. HULSE und W. LIU (1984):

The under-and-over fascial replacement technique for anterior cruciate ligament rupture in dogs: a retrospective study.

J. Am. Anim. Hosp. Assoc. 20, 69-77

SHOEMAKER, S.C. und K.L. MARKOLF (1986):

The role of the meniscus in the anterior-posterior stability of the loaded anterior cruciate-deficient knee.

J. Bone Joint Surg. 68 A, 71-79

SHRIVE, N.G., J.J. O`CONNOR und J.W. GOODFELLOW (1978):

Load-bearing in the knee joint.

Clin. Orhop. Rel. Res. 131, 279-287

SIEMERING, G.H. (1978):

Arthroscopy of dogs.

J. Am. Vet. Med. Assoc. 172, Nr. 5, 575-575

SIMON W.H., S. FRIEDENBERG und S. RICHARDSON (1973):

Joint congruence: a correlation of joint congruence and thickness of articular cartilage in dogs.

J. Bone Joint Surg. 55A, 1614-1620

SINGLETON, W.B. (1969):

Observation based upon the surgical repair of 106 cases of anterior cruciate ligament rupture.

J. Small Anim. Pract. 10, 269-278

SLOCUM, B. und T. DEVINE (1983):

Cranial tibial thrust: a primary force in the canine stifle.

J. Am. Vet. Med. Assoc. 183, Nr. 4, 456-59

SLOCUM, B. und T. DEVINE (1984):

Cranial tibial wedge osteotomy: A technique for eliminating cranial tibial thrust in cranial cruciate ligament repair.

J. Am.Vet. Med. Assoc. 184, Nr. 5, 564-569

SLOCUM, B. und T. DEVINE SLOCUM (1993)

Tibial Plateau Leveling Osteotomy for repair of cranial cruciate ligament rupture in the canine.

Vet. Clin. North Am. Small Anim. Pract. 23, Nr.4, 777-795

SLOCUM, B. und T. DEVINE SLOCUM (1998):

Knee: Diagnostic tests.

in: M. J. Bojrab: Current techniques in small animal surgery

4. Auflage, Williams & Wilkins, S. 1187-1193

SMITH, G.K. und J.S. TORG (1985):

Fibular head transposition for repair of cruciate-deficient stifle in the dog:

J. Am. Vet. Med. Assoc. 187, Nr. 4, 375-383

TIMMERMANN, C.B. (1995):

Vergleichende Untersuchungen zur Versorgung des vorderen Kreuzbandrisses des Hundes mit einer intraartikulären („Over-the-top“-) und einer extraartikulären („Fasciendopplungs“-) Methode

Vet. Diss., Hannover

TIMMERMANN, C., A. MEYER-LINDENBERG und I. NOLTE (1998):

Zur Meniskusverletzung bei Hunden mit KBR.

Dtsch. tierärztl. Wschr. 105, 365-396

UEZAKI, N., A. KOBAYASHI und K. MATSUSHIGE (1979):

The viscoelastic properties of the human semilunar cartilage.

J. Biomech. 12, 65-73

VAN GESTEL, M.A. (1985):

Diagnostic accuracy of stifle arthroscopy in the dog.

J. Am. Anim. Hosp. Assoc. 21, 757-763

VASSEUR, P.B. und S.P. ARNOCZKY (1981):

Collateral ligaments of the canine stifle joint: anatomic und functional analysis.

Am. J. Vet. Res. 42, Nr. 7, 1033-1037

VASSEUR, P.B. (1984):

Clinical result following nonoperative management for rupture of the cranial cruciate ligament in dogs.

Vet. Surg.13, 243-246

VASSEUR, P.B., R.R. POOL, S.P. ARNOCZKY, R.E. LAU (1985):

Correlative biomechanical and histologic study of the cranial cruciate ligament in dogs.

Am. J. Vet. Res. 46, Nr. 9, 1842-54

VASSEUR, P.B. und C.R. BERRY (1992):

Progression of stifle osteoarthritis following reconstruction of the cranial cruciate ligament in 21 dogs.

J. Am. Anim. Hosp. Assoc. 28, 129-136

VAUGHAN, L.C. und Bowden, (1964):

The use of skin for the replacement oft the anterior cruciate ligament in the dog: a review of thirty cases.

J. Small Anim. Pract. 5, 167-171

VEZZONI, A., M. DEMARIA, A. CORBARI, A. CIRLA (2002):

Non-traumatic cranial cruciate ligament injuries.

Proc. 1st World Orthopaedic Veterinary Congress, München

WEISS, R.A. (1990):

Klinische und funktionelle Beurteilung verschiedener Operationstechniken beim vorderen Kreuzbandriss des Hundes

Vet. Diss., Zürich

WHITEHAIR, J.G., P.B. VASSEUR, N.H. WILLITS (1993):

Epidemiology of cranial cruciate ligament rupture in dogs.

J. Am. Vet. Med. Assoc. 203, 1016-19

WILLIAMS, J., J. TOMLINSON und G.M. CONSTANTINESCU (1994):

Diagnosing and treating meniscal injuries in the dog.

Vet. Med. Jan. 1994, 42-47

YÜCEL, R. (1971):

Spätergebnisse der Kreuzbandplastik mit Faszie beim Hund.

Vet. Diss., München