

Bibliography

- [1] H. Hertz.
Über einen Einfluss des ultravioletten Lichtes auf die elektrische Entladung.
Ann. Phys., 31:983 – 1000, 1887.
- [2] W. Hallwachs.
Über den Einfluss des Lichtes auf elektrostatisch geladene Körper.
Ann. Phys., 33:301 – 312, 1888.
- [3] A. Einstein.
Über einen die Erzeugung und Verwandlung des Lichtes betre enden heuristischen Gesichtspunkt.
Ann. Phys., 17:132 – 149, 1905.
- [4] H. Haberland, editor.
Clusters of atoms and molecules, volume I and II.
Springer, Berlin, 1994,1995.
- [5] E. Rühl.
Core level excitation, ionization, relaxation, and fragmentation of free clusters.
Int. J. Mass Spectrom., 229:117 – 142, 2003.
- [6] E. Rühl, C. Schmale, H. W. Jochims, E. Biller, M. Simon, and H. Baumgärtel.
Charge separation in core excited argon clusters.
J. Chem. Phys., 95:6544 – 6550, 1991.
- [7] E. Rühl, C. Heinzl, H. Baumgärtel, M. Lavollée, and P. Morin.
Fragmentation of doubly charged argon clusters.
Z. Phys. D, 31:245 – 251, 1994.
- [8] W. Tappe, R. Flesch, E. Rühl, R. Hoekstra, and T. Schlathölder.
Charge localization in collision-induced multiple ionization of van der Waals clusters with highly charged ions.
Phys. Rev. Lett., 88:143401, 2002.
- [9] K. Nagaya, M. Yao, T. Hayakawa, Y. Ohmasa, Y. Kajihara, M. Ishii, and Y. Katayama.
Size-selective Extended X-ray Absorption Fine Structure Spectroscopy of free selenium clusters.
Phys. Rev. Lett., 89:243401, 2002.
- [10] K. Nagaya, A. Oohata, I. Yamamoto, and M. Yao.
Photoelectron spectroscopy of small tellurium clusters.
J. Non-Cryst. Solids, 312 - 314:337 – 340, 2002.
- [11] C. M. Teodorescu, D. Gravel, and E. Rühl.
S 2p excitation and fragmentation of sulfur aggregates.
J. Chem. Phys., 109:9280 – 9287, 1998.
- [12] C. M. Teodorescu, D. Gravel, J. Choi, D. Pugmire, P. A. Dowben, N. Fominykh, A. A. Pavlychev, and E. Rühl.
Inner-shell excitation and fragmentation of sulfur aggregates.
J. El. Spectroscopy Rel. Phenomena, 101 - 103:193 – 198, 1999.

- [13] E. Rühl, R. Flesch, W. Tappe, D. Novikov, and N. Kosugi.
Sulfur 1s excitation of S_2 and S_8 : core-valence- and valence-valence-exchange interaction and geometry-specific transitions.
J. Chem. Phys., 116:3316 – 3322, 2002.
- [14] G. Scoles, D. Bassi, U. Buck, and D.C. Laine, editors.
Atomic and molecular beam methods, volume I.
Oxford University Press, New York, 1988.
- [15] L. Holland and W. Steckelmacher.
The distribution of thin films condensed on surfaces by the vacuum evaporation method.
Vacuum, 2:346 – 364, 1952.
- [16] M. Knudsen.
Die Gesetze der Molekularströmung und der inneren Reibungsströmung der Gase durch Röhren.
Ann. Phys., 333:75 – 130, 1909.
- [17] B. Rosen.
Spectroscopic data relative to diatomic molecules, volume 17: International Tables of Selected Constants.
Pergamon Press, Oxford, 1970.
- [18] M. Schmidt.
Schwefel - was ist das eigentlich?
Chem. u. Z., 7:11 – 17, 1973.
- [19] J. Berkowitz and J. R. Marquart.
Equilibrium composition of sulfur vapor.
J. Chem. Phys., 39:275 – 283, 1963.
- [20] C. E. Moore.
Atomic energy levels as derived from the analyses of optical spectra.
U. S. Government Printing Office, Washington, 1949 - 1958.
- [21] B. Meyer.
Elemental sulfur.
Chem. Rev., 76:367 – 388, 1976.
- [22] B. Meyer.
Solid allotropes of sulfur.
Chem. Rev., 64:429 – 451, 1964.
- [23] J. Donohue.
Structures of the elements.
John Wiley and Sons Inc., New York, 1974.
- [24] A. F. Holleman and E. Wiberg.
Lehrbuch der Anorganischen Chemie.
Walter de Gruyter & Co., Berlin, 101 edition, 1995.
- [25] H. R. Christen.
Grundlagen der Allgemeinen und Anorganischen Chemie.
Salle und Sauerländer, Frankfurt/M, 1997.
- [26] B. Meyer.
Elemental Sulfur.
John Wiley and Sons Inc., New York, 1965.
- [27] R. Steudel.
Sulfur - its significance for chemistry, for the Geo-, Bio- and Cosmosphere and Technology, volume Studies in inorganic chemistry.
Elsevier, Amsterdam, 1984.

- [28] R. Steudel, K. Bergemann, J. Buschmann, and P. Luger.
Application of Dicyanohexasulfane for the synthesis of *cyclo*-Nonasulfur. Crystal and molecular structures of $S_6(CN)_2$ and of $-S_9^1$.
Inorg. Chem., 35:2184 – 2188, 1996.
- [29] J. R. White and A. E. Cameron.
The natural abundance of isotopes of stable elements.
Phys. Rev., 74:991 – 1000, 1948.
- [30] N. N. Greenwood and Earnshaw.
Chemistry of the elements.
Pergamon Press Ltd., London, 1985.
- [31] D. R. Lide and H. V. Kehiaian.
CRC handbook of thermophysical and thermochemical data.
CRC Press Inc., Boca Raton, Florida, 1994.
- [32] J. Berkowitz and W. A. Chupka.
Comment on the composition of selenium vapor.
J. Chem. Phys., 48:5743 – 5744, 1968.
- [33] J. Berkowitz and W. A. Chupka.
Equilibrium composition of selenium vapor; the thermodynamics of the vaporization of HgSe, CdSe and SrSe.
J. Chem. Phys., 45:4289 – 4302, 1966.
- [34] J. G. Chen.
NEXAFS investigations of transition metal oxides, nitrides, carbides, sulfides and other interstitial compounds.
Surf. Sci. Rep., 30:1 – 152, 1997.
- [35] J. Stöhr.
NEXAFS Spectroscopy.
Springer, Berlin, 1992.
- [36] A. Zangwill.
Physics at Surfaces.
Cambridge University Press, New York, 1988.
- [37] F. Sette, J. Stöhr, and A. P. Hitchcock.
Determination of intramolecular bond lengths in gas phase molecules from K shell shape resonances.
J. Chem. Phys., 81:4906 – 4914, 1984.
- [38] Frank Jensen.
Introduction to computational chemistry.
John Wiley and Sons Inc., New York, 1999.
- [39] W. Kohn and L. J. Sham.
Self-consistent equations including exchange and correlation effects.
Phys. Rev., 140:1133 – 1138, 1965.
- [40] M. J. Frisch, G. W. Trucks, H. B. Schlegel, G. E. Scuseria, M. A. Robb, J. R. Cheeseman, V. G. Zakrzewski, J. A. Montgomery, R. E. Stratmann, J. C. Burant, S. Dapprich, J. M. Millam, A. D. Daniels, K. N. Kudin, M. C. Strain, O. Farkas, J. Tomasi, V. Barone, M. Cossi, R. Cammi, B. Mennucci, C. Pomelli, C. Adamo, S. Clifford, J. Ochterski, G. A. Petersson, P. Y. Ayala, Q. Cui, K. Morokuma, D. K. Malick, A. D. Rabuck, K. Raghavachari, J. B. Foresman, J. Cioslowski, J. V. Ortiz, A. G. Baboul, B. B. Stefanov, G. Liu, A. Liashenko, P. Piskorz, I. Komaromi, R. Gomperts, R. L. Martin, D. J. Fox, T. Keith, M. A. Al-Laham, A. Peng, C. Y. and Nanayakkara, C. Gonzalez, M. Challacombe, P. M. W. Gill, B. Johnson, W. Chen, M. W. Wong, J. L. Andres, C. Gonzalez, M. Head-Gordon, E. S. Replogle, and J. A. Pople.
Gaussian 98, revision a.7.
Gaussian, Pittsburgh, PA, 1998.

- [41] N. Kosugi and H. Kuroda.
Efficient methods for solving the open-shell SCF problem and for obtaining an initial guess. The "one-hamiltonian" and the "partial SCF" methods.
Chem. Phys. Lett., 74:490 – 493, 1980.
- [42] N. Kosugi.
Strategies to vectorize conventional *SCF* – *CI* algorithms.
Theor. Chim. Acta, 72:149 – 173, 1987.
- [43] V. Fock.
Näherungsmethode zur Lösung des quantenmechanischen Mehrkörperproblems.
Zeitschrift für Physik, 61:126–148, 1930.
- [44] A. D. Becke.
A new mixing of Hartree-Fock and local density-functional theories.
J. Chem. Phys., 98:1372–1377, 1993.
- [45] C. Lee, W. Yang, and R. G. Parr.
Development of the Colle-Salvetti correlation-energy formula into a functional of the electron density.
Phys. Rev. B, 37:785 – 789, 1988.
- [46] B. Miehlich, A. Savin, H. Stoll, and H. Preuss.
Results obtained with the correlation energy density functionals of Becke and Lee, Yang and Parr.
Chem. Phys. Lett., 157:200 – 206, 1989.
- [47] J. P. Perdew, J. A. Chevary, S. H. Vosko, K. A. Jackson, M. R. Pederson, D. J. Singh, and C. Fiolhais.
Atoms, molecule, solids, and surfaces: applications of the generalized gradient approximation for exchange and correlation.
Phys. Rev. B, 46:6671 – 6687, 1992.
- [48] J. P. Perdew, K. Burke, and Y. Wang.
Generalized gradient approximation for the exchange-correlation hole of a many-electron system.
Phys. Rev. B, 54:16533 – 16539, 1996.
- [49] C. Møller and M. S. Plesset.
Note on an approximation treatment for many-electron systems.
Phys. Rev., 46:618–622, 1934.
- [50] J. C. Slater.
Atomic shielding constants.
Phys. Rev., 36:57 – 64, 1930.
- [51] J. B. Collins, P. v. R. Schleyer, J. S. Binkley, and J. A. Pople.
Self-consistent molecular orbital methods. XVII. Geometries and binding energies of second-row molecules. A comparison of three basis sets.
J. Chem. Phys., 64:5142–5151, 1976.
- [52] W. J. Hehre, R. F. Stewart, and J. A. Pople.
Self-consistent molecular-orbital methods. I. Use of Gaussian expansions of Slater-type atomic orbitals.
J. Chem. Phys., 51:2657–2664, 1969.
- [53] W. J. Hehre, R. Ditchfield, and J. A. Pople.
Self-consistent molecular-orbital methods. XII. Further extensions of Gaussian-type basis sets for use in molecular orbital studies of organic molecules.
J. Chem. Phys., 56:2257 – 2261, 1972.
- [54] R. Krishnan, J. S. Binkley, R. Seeger, and J. A. Pople.
Self-consistent molecular orbital methods. XX. A basis set for correlated wave functions.
J. Chem. Phys., 72:650–654, 1980.

- [55] J. S. Binkley, J. A. Pople, and W. J. Hehre.
Self-consistent molecular orbital methods. 21. Small split-valence basis sets for first-row elements.
J. Am. Chem. Soc., 102:939 – 947, 1980.
- [56] P. J. Hay and W. R. Wadt.
Ab initio effective core potentials for molecular calculations. Potentials for the transition metal atoms Sc to Hg.
J. Chem. Phys., 82:270–283, 1985.
- [57] P. J. Hay and W. R. Wadt.
Ab initio effective core potentials for molecular calculations. Potentials for K to Au including the outermost core orbitals.
J. Chem. Phys., 82:299 – 310, 1985.
- [58] W. R. Wadt and P. J. Hay.
Ab initio effective core potentials for molecular calculations. Potentials for main group elements Na to Bi.
J. Chem. Phys., 82:284 – 298, 1985.
- [59] W.C. Wiley and I.H. McLaren.
Time-of-flight mass spectrometer with improved resolution.
Rev. Sci. Instrum., 26:1150–1157, 1955.
- [60] J. H. D. Eland.
The dynamics of three-body dissociations of dications studied by the triple coincidence technique PEPIPICO.
Mol. Phys., 61:725 –745, 1987.
- [61] M. Lavollée and H. Bergeron.
Data treatment in multiparticle coincidence experiments: two-step dissociation processes.
J. Phys. B: At. Mol. Opt. Phys., 25:3101 – 3115, 1992.
- [62] L. J. Frasinski, M. Stankiewicz, K. J. Randall, P. A. Hatherly, and K. Codling.
Dissociative photoionisation of molecules probed by triple coincidence; double time-of-flight techniques.
J. Phys. B: At. Mol. Opt. Phys., 19:L819 – L824, 1986.
- [63] P. A. Hatherly, M. Stankiewicz, L. J. Frasinski, K. Codling, and M. A. MacDonald.
Double photoionisation of methane studied by the triple coincidence (PEPIPICO) technique.
Chem Phys. Lett., 159:355 – 360, 1989.
- [64] M. Stankiewicz, P. A. Hatherly, L. J. Frasinski, K. Codling, and D. M. P. Holland.
The double photoionisation of NH_3 using the triple coincidence (PEPIPICO) technique.
J. Phys. B: At. Mol. Opt. Phys., 22:21 – 31, 1989.
- [65] K. Codling, L. J. Frasinski, P. A. Hatherly, M. Stankiewicz, and F. P. Larkins.
The double photoionization /fragmentation of CF_4 in the threshold region (35 - 80 eV).
J. Phys. B: At. Mol. Opt. Phys., 24:951 – 961, 1991.
- [66] M. Simon, T. Lebrun, R. Martins, G. G. B. de Souza, I. Nenner, M. Lavollée, and P. Morin.
Multicoincidence mass spectrometry applied to hexamethyldisilane excited around the Si 2p edge.
J. Phys. Chem., 97:5228 – 5237, 1993.
- [67] J. H. D. Eland.
Dynamics of fragmentation reactions from peak shapes in multiparticle coincidence experiments.
Laser Chem., 11:259 – 263, 1991.
- [68] F. C. Fehsenfeld, K. M. Evenson, and H. P. Broida.
Microwave discharge cavities operating at 2450 MHz.
Rev. Sci. Instr., 36:294 – 298, 1965.
- [69] S. Katsumata, K. Nomoto, K. Ohmori, Y. Kirihata, T. Yamazaki, Y. Achiba, and K. Kimura.
A simple He II resonance lamp for use in UV photoelectron spectroscopy.
J. El. Spectroscopy Rel. Phenomena, 16:485 – 488, 1979.

- [70] G. O. Brink, R. A. Fluegge, and R. J. Hull.
Microwave discharge source for atomic and molecular beam production.
Rev. Sci. Instrum., 39:1171 – 1172, 1968.
- [71] J. Dyke, J. Neville, and A. Morris.
Photoelectron spectroscopy studies of transient species.
J. El. Spectroscopy Rel. Phenomena, 15:45 – 49, 1979.
- [72] R. Geller and B. Jacquot.
MINIMAFIOS, source d'ions pulsee fournissant des faisceaux d'ions completement epluches.
Nucl. Instr. and Methods, 202:399 – 401, 1982.
- [73] A. G. Drentje.
The ECR ion source and associated equipment at the KVI.
Nucl. Instr. and Methods B, 9:526 – 528, 1985.
- [74] F. Alvarado Chacon.
Ion induced radiation damage on the molecular level.
PhD thesis, Rijksuniversiteit Groningen, Groningen, The Netherlands, November 2007.
- [75] R. Geller and B. Jacquot.
The multiply charged ion source MinimaFios.
Physica Scripta, T3:19 – 26, 1983.
- [76] A. C. Thompson, D. T. Attwood, E. M. Gullikson, M. R. Howells, J. B. Kortright, A. L. Robinson, J. H. Underwood, K. J. Kim, J. Kirz, I. Lindau, P. Pianetta, H. Winick, G. P. Williams, and J. H. Scofield.
X-ray data booklet.
Lawrence Berkeley National Laboratory, University of California, Berkeley, California 94720 USA, 2nd edition, January 2001.
- [77] J. D. Jackson.
Klassische Elektrodynamik.
Walter de Gruyter & Co., New York, 2nd edition, 1983.
- [78] M. Sands.
The physics of electron storage rings - an introduction.
Stanford Report SLAC, 121:1 – 172, 1970.
- [79] Ioana Lavinia Bradeanu.
Photoionization and excitation of free variable size van der Waals clusters in the inner shell regime.
PhD thesis, Universität Würzburg, Würzburg, 2005.
- [80] Holger Schnieder.
Photoionisation und Photofragmentation von Dischwefelmonoxid.
Master's thesis, Universität Osnabrück, Osnabrück, 2004.
- [81] R. Follath and F. Senf.
New plane-grating monochromators for third generation synchrotron radiation light sources.
Nucl. Instr. and Methods A, 390:388 – 394, 1997.
- [82] K. J. S. Sawhney, F. Senf, and W. Gudat.
PGM beamline with constant energy resolution mode for U49-2 undulator at BESSY-II.
Nucl. Instr. and Methods A, 467-468:466 – 469, 2001.
- [83] F. Lama, A. Derossi, M. Piacentini, and N. Zema.
Optical design of an extended range plane grating monochromator for a bending magnet beamline.
Nucl. Instr. and Methods A, 339:610 – 616, 1994.
- [84] R. Follath, J. S. Schmidt, F. Siewert, K. Hollmack, T. Zeschke, W. Frentrup, D. Schmitz, and K. J. S. Sawhney.
Commisioning of the U49/2-PGM1 beamline.
Sync. Rad. Instr., CP 705:348 – 351, 2004.

- [85] J. L. Wiza.
Microchannel plate detectors.
Nucl. Instr. and Methods, 162:587 – 601, 1979.
- [86] Burle Industries, Inc.
<http://www.burle.com/>.
- [87] C. L. Cocke and R. E. Olson.
Recoil ions.
Phys. Rep., 205:153 – 219, 1991.
- [88] R. Dörner, V. Mergel, O. Jagutzki, L. Spielberger, J. Ullrich, R. Moshhammer, and H Schmidt-Böcking.
Cold target recoil momentum spectroscopy: a "momentum microscope" to view atomic collision dynamics.
Phys. Rep., 330:95 – 192, 2000.
- [89] J. Ullrich, R. Moshhammer, A. Dorn, R. Dörner, L. Ph. H. Schmidt, and H. Schmidt-Böcking.
Recoil-ion and electron momentum spectroscopy: reaction microscopes.
Rep. Prog. Phys., 66:1463 – 1545, 2003.
- [90] J. Ullrich and H. Schmidt-Böcking.
Time-of-flight spectrometer for the determination of microradian projectile scattering angles in atomic collisions.
Phys. Lett. A, 125:193 – 196, 1987.
- [91] J. Ullrich, H. Schmidt-Böcking, S. Kelbch, H. Berg, C. L. Cocke, S. Hagmann, P. Richard, A. S. Schlachter, and R. Mann.
Multiple ionization of recoil ions by fast very heavy ion impact.
Nucl. Instr. and Methods B, 23:131 – 136, 1987.
- [92] J. Ullrich, H. Schmidt-Böcking, and C. Kelbch.
Determination of very small projectile scattering angles by measuring recoil-ion transverse velocities.
Nucl. Instr. and Methods A, 268:216 – 224, 1988.
- [93] S. D. Kravis, M. Abdallah, C. L. Cocke, C. D. Lin, M. Stockli, B. Walch, Y. D. Wang, R. E. Olson, V. D. Rodríguez, W. Wu, M. Pieksma, and N. Watanabe.
Single ionization of He by low-velocity protons and C^{6+} : ejected electron momentum distributions.
Phys. Rev. A, 54:1394 – 1403, 1996.
- [94] R. Dörner, H. Khemliche, M. H. Prior, C. L. Cocke, J. A. Gary, R. E. Olson, V. Mergel, J. Ullrich, and H. Schmidt-Böcking.
Imaging of saddle point electron emission in slow $p - He$ collisions.
Phys. Rev. Lett., 77:4520–4523, 1996.
- [95] R. Dörner, J. M. Feagin, C. L. Cocke, H. Bräuning, O. Jagutzki, M. Jung, E. P. Kanter, H. Khemliche, S. Kravis, V. Mergel, M. H. Prior, H. Schmidt-Böcking, L. Spielberger, J. Ullrich, M. Unversagt, and T. Vogt.
Fully differential cross sections for double photoionization of He measured by recoil ion momentum spectroscopy.
Phys. Rev. Lett., 77:1024–1027, 1996.
- [96] M. A. Abdallah, C. L. Cocke, W. Wol , H. Wolf, S. D. Kravis, M. Stöckli, and E. Kamber.
Momentum images of continuum electrons from He^+ and He^{2+} on He: ubiquity of structure in the continuum.
Phys. Rev. Lett., 81:3627 – 3630, 1998.
- [97] O. Jagutzki, A. Cerezo, A. Czasch, R. Dörner, M. Hattaß, M. Huang, V. Mergel, U. Spillmann, K. Ullmann-Pfleger, T. Weber, H. Schmidt-Böcking, and G. D. W. Smith.
Multiple hit readout of a microchannel plate detector with a three-layer delay-line anode.
IEEE Trans. Nucl. Sci., 49:2477 – 2483, 2002.
- [98] O. Jagutzki, V. Mergel, K. Ullmann-Pfleger, L. Spielberger, U. Spillmann, R. Dörner, and H. Schmidt-Böcking.
A broad-application microchannel-plate detector system for advanced particle or photon detection tasks: large area imaging, precise multi-hit timing information and high detection rate.
Nucl. Instr. and Methods A, 477:244 – 249, 2002.

- [99] T. Jahnke, T. Weber, T. Osipov, A. L. Landers, O. Jagutzki, L. Ph. H. Schmidt, C. L. Cocke, M. H. Prior, H. Schmidt-Böcking, and R. Dörner.
Multicoincidence studies of photo and Auger electrons from fixed-in-space molecules using the COLTRIMS technique.
J. El. Spectroscopy Rel. Phenomena, 141:229 – 238, 2004.
- [100] T. Jahnke, A. Czasch, M. Schö er, S. Schössler, M. Kász, J. Titze, K. Kreidi, R. E. Grisenti, A. Staudte, O. Jagutzki, L. Ph. H. Schmidt, S. K. Semenov, N. A. Cherepkov, H. Schmidt-Böcking, and R. Dörner.
Photoelectron and ICD electron angular distributions from fixed-in-space neon dimers.
J. Phys. B: At. Mol. Opt. Phys., 40:2597 – 2606, 2007.
- [101] T. Jahnke, A. Czasch, M. Schö er, S. Schössler, M. Kász, J. Titze, K. Kreidi, R. E. Grisenti, A. Staudte, O. Jagutzki, L. Ph. H. Schmidt, T. Weber, H. Schmidt-Böcking, K. Ueda, and R. Dörner.
Experimental separation of virtual photon exchange and electron transfer in Interatomic Coulombic Decay of neon dimers.
Phys. Rev. Lett., 99:153401, 2007.
- [102] RoentDek Handels GmbH.
<http://www.roentdek.com/>.
- [103] Till Jahnke.
"Interatomic Coulombic Decay" Experimentelle Untersuchung eines neuartigen, interatomaren Abregungsmechanismus.
PhD thesis, Johann-Wolfgang-Goethe-Universität in Frankfurt am Main, 2005.
- [104] O. Jagutzki, V. Mergel, K. Ullmann-Pfeger, L. Spielberger, U. Meyer, R. Dörner, and H. Schmidt-Böcking.
Fast position and time-resolved read-out of micro-channelplates with the delay-line technique for single particle and photon-detection.
In Michael R. Descour and Sylvia S. Shen, editors, *Imaging Spectrometry IV*, volume 3438, pages 322 – 333, San Diego, CA, USA, 1998. SPIE.
- [105] Roentdek Handels GmbH.
MCP Delay line detector manual.
v. 6.2.90.11.
- [106] M. Hattass, T. Jalowy, A. Czasch, T. Weber, T. Jahnke, S. Schössler, L. Ph. Schmidt, O. Jagutzki, R. Dörner, and H. Schmidt-Böcking.
A 2 spectrometer for electron-electron coincidence studies on surfaces.
Rev. Sci. Instr., 75:2373 – 2378, 2004.
- [107] Mirko Hattass.
Koinzidenz-Spektroskopie an Oberflächen: Zwei-Elektronen-Photoemission von Cu(111).
PhD thesis, Johann-Wolfgang-Goethe-Universität in Frankfurt am Main, May 2004.
- [108] F. Afaneh, L. Ph. H. Schmidt, M. Schö er, K. E. Stiebing, J. Al-Jundi, H. Schmidt-Böcking, and R. Dörner.
Dynamics of electron-capture-to-continuum (ECC) formation in slow ion-atom collisions.
J. Phys. B: At. Mol. Opt. Phys., 40:1745 – 1753, 2007.
- [109] J. Berkowitz and C. Lifshitz.
Photoionization of high-temperature vapors. II. Sulfur molecular species.
J. Chem. Phys., 48:4346 – 4350, 1968.
- [110] J. Berkowitz.
Elemental Sulfur.
Interscience, New York, 1965.
- [111] K. Watanabe.
Photoionization and total absorption cross section of gases. I. Ionization potentials of several molecules. Cross sections of NH_3 and NO .
J. Chem. Phys., 22:1564 – 1570, 1954.
- [112] M.G. Liverman, S.M. Beck, D.L. Monts, and R.E. Smalley.
Fluorescence excitation spectrum of the $1A_u(n \rightarrow 1)A_g(0-0)$ band of oxalyl fluoride in a pulsed supersonic free jet.
J. Chem. Phys., 70:192 – 198, 1979.

- [113] J. Berkowitz and W. A. Chupka.
Vaporization processes involving sulfur.
J. Chem. Phys., 40:287 – 295, 1964.
- [114] D. Gravel.
Untersuchung der Geometrie und der Fragmentationsdynamik freier Schwefelcluster nach photoinduzierter Anregung von Rumpfniveaus.
PhD thesis, Universität Osnabrück, Osnabrück, 2003.
- [115] B. Siegmann, U. Werner, H. O. Lutz, and R. Mann.
Multiple ionization and fragmentation of H_2O in collisions with fast highly charged Xe ions.
J. Phys. B: At. Mol. Opt. Phys., 34:L587 – L593, 2001.
- [116] F. Alvarado, R. Hoekstra, and T. Schlathöler.
Dissociation of water molecules upon keV H^+ - and He^{q+} -induced ionization.
J. Phys. B: At. Mol. Opt. Phys., 38:4085 – 4094, 2005.
- [117] H. Wabnitz, L. Bittner, A. R. B. de Castro, R. Döhrmann, P. Gürtler, T. Laarmann, W. Laasch, J. Schulz, A. Swiderski, K. von Haefen, T. Möller, B. Faatz, A. Fateev, J. Feldhaus, C. Gerth, U. Hahn, E. Saldin, E. Schneidmiller, K. Sytchev, K. Tiedtke, R. Treusch, and M. Yurkov.
Multiple ionization of atom clusters by intense soft X-rays from a free-electron laser.
Nature, 420:482– 485, 2002.
- [118] K. Raghavachari, C. McMichael, and J. S. Binkley.
Structures and stabilities of sulfur clusters.
J. Chem. Phys., 93:5862 – 5874, 1990.
- [119] S. J. Rettig and J. Trotter.
Refinement of the structure of orthorhombic sulfur, S_8 .
Acta Cryst., C43:2260 – 2262, 1987.
- [120] P. Bicaï, D. Changkui, X. Shangda, and X. Chuanyun.
Electronic structures of small sulfur clusters.
Phys. Rev. B, 50:17556–17559, 1994.
- [121] M. Kuhlmann.
Charakterisierung von Schwefel-Clustern mit Synchrotronstrahlung.
Master's thesis, Universität Osnabrück, Osnabrück, 1999.
- [122] M. Lundqvist, D. Edvardsson, P. Baltzer, and B. Wannberg.
Doppler-free kinetic energy release spectrum of N_2^{2+} .
J. Phys. B: At. Mol. Opt. Phys., 29:1489 – 1499, 1996.
- [123] S. Hsieh and J. H. D. Eland.
Direct and indirect dissociative double photoionization of diatomic molecules.
J. Phys. B: At. Mol. Opt. Phys., 29:5795 – 5809, 1996.
- [124] T. Weber, O. Jagutzki, M. Hattass, A. Staudte, A. Nauert, L. Schmidt, M. H. Prior, A. L. Landers, A. Bräuning-Demian, H. Bräuning, C. L. Cocke, T. Osipov, I. Ali, R. Diez Muino, D. Rolles, F. J. Garcia de Abajo, C. S. Fadley, M. A. Van Hove, A. Cassimi, H. Schmidt-Böcking, and R. Dörner.
K-shell photoionization of CO and N_2 : is there a link between the photoelectron angular distribution and the molecular decay dynamics?
J. Phys. B: At. Mol. Opt. Phys., 34:3669 – 3678, 2001.
- [125] D. Rolles, M. Braune, S. Cvejanovic, O. Geßner, R. Hentges, S. Korica, B. Langer, T. Lischke, G. Prümper, A. Reinköster, J. Viehhaus, B. Zimmermann, V. McKoy, and U. Becker.
Isotope-induced partial localization of core electrons in the homonuclear molecule N_2 .
Nature, 437:711 – 715, 2005.
- [126] T. Jahnke.
private communication.
Johann-Wolfgang-Goethe-Universität in Frankfurt am Main, 2007.

- [127] E. Shigemasa, J. Adachi, M. Oura, and A. Yagishita.
Angular distributions of $1s$ photoelectrons from fixed-in-space N_2 molecules.
Phys. Rev. Lett., 74:359 – 362, 1995.
- [128] N. A. Cherepkov, S. K. Semenov, Y. Hikosaka, K. Ito, S. Motoki, and A. Yagishita.
Manifestation of many-electron correlations in photoionization of the K shell of N_2 .
Phys. Rev. Lett., 84:250 – 253, 2000.
- [129] A. Landers, T. Weber, I. Ali, A. Cassimi, M. Hattass, O. Jagutzki, A. Nauert, T. Osipov, A. Staudte, M. H. Prior, H. Schmidt-Böcking, C. L. Cocke, and R. Dörner.
Photoelectron di raction mapping: Molecules illuminated from within.
Phys. Rev. Lett., 87:013002, 2001.
- [130] T. Jahnke, T. Weber, A. L. Landers, A. Knapp, S. Schössler, J. Nickles, S. Kammer, O. Jagutzki, L. Schmidt, A. Czasch, T. Osipov, E. Arenholz, A. T. Young, R. Díez Muiño, D. Rolles, F. J. García de Abajo, C. S. Fadley, M. A. Van Hove, S. K. Semenov, N. A. Cherepkov, J. Rösch, M. H. Prior, H. Schmidt-Böcking, C. L. Cocke, and R. Dörner.
Circular dichroism in K -shell ionization from fixed-in-space CO and N_2 molecules.
Phys. Rev. Lett., 88:073002, 2002.
- [131] M. Schö er.
private communication.
Johann-Wolfgang-Goethe-Universität in Frankfurt am Main, 2007.
- [132] D. Hohl, R.O. Jones, R. Car, and M. Parrinello.
The structure of selenium clusters - Se_3 to Se_8 .
Chem. Phys. Lett., 139:540 – 545, 1987.
- [133] Y. Ma.
X-ray absorption, emission, and resonant inelastic scattering in solids.
Phys. Rev. B, 49:5799–5805, 1994.
- [134] L.-C. Duda, J. Stöhr, D. C. Mancini, A. Nilsson, N. Wassdahl, J. Nordgren, and M. G. Samant.
Magnetic dichroism in $L_{2,3}$ emission of Fe, Co, and Ni following energy-dependent excitation with circularly polarized X-rays.
Phys. Rev. B, 50:16758–16761, 1994.
- [135] A. Erbil, G. S. Cargill III, R. Frahm, and R. F. Boehme.
Total-electron-yield current measurements for near-surface extended x-ray-absorption fine structure.
Phys. Rev. B, 37:2450–2464, 1988.
- [136] F. M. F. de Groot, M. A. Arrio, P. Sainctavit, C. Cartier, and C. T. Chen.
Fluorescence yield detection: why it does not measure the x-ray absorption cross section.
Solid State Commun., 92:991 – 995, 1994.
- [137] C. F. Hague, J.-M. Mariot, G. Y. Guo, K. Hricovini, and G. Krill.
Coster-Kronig contributions to magnetic circular dichroism in the $L_{2,3}$ x-ray fluorescence of iron.
Phys. Rev. B, 51:1370–1373, 1995.
- [138] P. D. Johnson and Y. Ma.
Band structure and x-ray resonant inelastic scattering.
Phys. Rev. B, 49:5024–5027, 1994.
- [139] G. Martens, P. Rabe, N. Schwentner, and A. Werner.
Improved extended-x-ray-absorption fine-structure (EXAFS) studies applied to the investigation of Cu-O, Cu-N, and Cu-Br bond lengths.
Phys. Rev. B, 17:1481–1488, 1978.
- [140] W. L. O'Brien, J. Jia, Q-Y. Dong, T. A. Callcott, K. E. Miyano, D. L. Ederer, D. R. Mueller, and C-C. Kao.
Soft-x-ray emission insulators: Spectator versus normal emission.
Phys. Rev. Lett., 70:238–241, 1993.

- [141] M. Pompa, A. M. Flank, P. Lagarde, J. C. Rife, I. Stekhin, M. Nakazawa, H. Ogasawara, and A. Kotani.
Experimental and theoretical comparison between absorption, total electron yield, and fluorescence spectra of rare-earth M_5 edges.
Phys. Rev. B, 56:2267–2272, 1997.
- [142] J. Stöhr, D. Denley, and P. Perfetti.
Surface extended x-ray absorption fine structure in the soft-x-ray region: Study of an oxidized Al surface.
Phys. Rev. B, 18:4132–4135, 1978.
- [143] M. van Veenendaal, J. B. Goedkoop, and B. T. Thole.
Polarized x-ray fluorescence as a probe of ground state properties.
Phys. Rev. Lett., 77:1508–1511, 1996.
- [144] M. Cardona and L. Ley.
Photoemission in Solids I: General Principles.
Springer Verlag, Berlin, 1978.
- [145] B. L. Henke, E. M. Gullikson, and J. C. Davis.
X-ray interactions: photoabsorption, scattering, transmission and reflection at $E = 50 - 30,000$ eV, $Z = 1 - 92$.
At. Data Nucl. Data Tabl., 54:181 – 342, 1993.
- [146] I. L. Bradeanu, R. Flesch, N. Kosugi, A. A. Pavlychev, and E. Rühl.
C 1s excitation in variable size benzene clusters.
Phys. Chem. Chem. Phys., 8:1906 – 1913, 2006.
- [147] S. Huzinaga, J. Andzelm, M. Klobukowski, E. Radzio-Andzelm, Y. Sakai, and H. Tatewaki.
Gaussian basis sets for molecular calculations.
Physical Sciences Data, 16. Elsevier, Amsterdam, 1984.
- [148] Y. Miyamoto.
Structure and phase transformation of rhombohedral selenium composed of Se_6 molecules.
Jpn. J. Appl. Phys., 19:1813 – 1819, 1980.

