

## 7 Literaturverzeichnis

1. Adams, K.F. Jr.; Zannad, F.: Clinical definition and epidemiology of the advanced heart failure. *Am Heart J* 1998; 135: S204.
2. Andersson, B.; Caidahl, K.; Waagstein, F.: Idiopathic dilated cardiomyopathy among Swedish patients with congestive heart failure. *Eur Heart J* 1995; 16: 53-60.
3. Bagger, J.P.; Baandrup, U.; Rasmussen, K.; Moller, M.; Vesterlund, T.: Cardiomyopathy in western Denmark. *Br Heart J* 1984; 52: 327-331.
4. Battersby, E.J.; Glenner, G.G.: Familial cardiomyopathy. *Am J Med* 1961; 30: 382-391.
5. Bing, W.; Redwood, C.; Purcell, I.; Esposito, G.; Watkins, H.; Marston, S.: Effects of two hypertrophic cardiomyopathy mutations in alpha-tropomyosin, Asp175Asn and Glu180Gly, on Ca<sup>2+</sup> regulation of thin filament motility. *Biochem Biophys Res Commun* 1997; 236: 760-764.
6. Bonne, G.; Barletta, M.R.; Varnous, S.; Becane, H.M.; Hammouda, E.H.; Merlini, L.; Muntoni, F.; Greenberg, C.R.; Gary, F.; Urtizbera, J.A.; Duboc, D.; Fardeau, M.; Toniolo, D.; Schwartz, K.: Mutations in the gene encoding lamin A/C cause autosomal dominant Emery-Dreifuss muscular dystrophy. *Nat Genet* 1999; 21: 285-288.
7. Bonne, G.; Carrier, L.; Bercovici, J.; Cruaud, C.; Richard, P.; Hainque, B.; Gautel, M.; Labeit, S.; James, M.; Beckmann, J.; Weissenbach, J.; Vosberg, H.P.; Fisman, M.; Komajda, M.; Schwartz, K.: Cardiac myosin binding protein-C gene splice acceptor site mutation is associated with familial hypertrophic cardiomyopathy. *Nat Genet* 1995; 11: 438-440.
8. Bulmer, M.: Codon usage and intragenic position. *J Theor Biol* 1988; 133: 67-71.
9. Carrier, L.; Bonne, G.; Bährend, E.; et al.: Organisation and sequenz of human cardiac myosin binding protein C gene (MYBPC 3) and identification of mutations predicted to produce truncated proteins in familial hypertrophic cardiomyopathy. *Circ Res* 1997; 80: 427-434.
10. Charron, P.; Dubourg, O.; Desnos, M.; Isnard, R.; Hagege, A.; Bonne, G.; Carrier, L.; Tesson, F.; Bonhour, J.B.; Buzzi, J.C.; Feingold, J.; Schwartz, K.; Komajda,

- M.: Genotype-phenotyp correlations in familial hypertrophic cardiomyopathy: a comparison between mutations in cardiac myosin binding protein-C and beta myosin heavy chain genes. *Eur Heart J* 1998; 19: 139-145.
11. Clements, L.; Manilal, S.; Love, D.R.; Morris, G.E.: Direct interaction between emerin and lamin A. *Biochem Biophys Res Commun* 2000; 267: 709-714.
  12. Codd, M.B.; Sugrue, D.D.; Gersh, B.J.; Melton, L.J. III: Epidemiology of idiopathic dilated and hypertrophic cardiomyopathy: a population-based study in Olmsted County, Minnesota, 1975-1984. *Circulation* 1989; 80: 564-572.
  13. Cohn, J.N.; Bristow, M.R.; Chien, K.R.; Colucci, W.S.; Frazier, O.H.; Leinwand, L.A.; Lorell, B.H.; Moss, A.J.; Sonnenblick, E.H.; Walsh, R.A.; et al: Report of the National Heart, Lung and Blood Institute special emphasis panel on heart failure research. *Circulation* 1997; 95: 766-770.
  14. Condie, A.; Eeles, R.; Borresen, A.L.; Coles, C.; Cooper, C.; Prosser, J.: Detection of point mutations in the p53 gene: comparison of single-strand conformation polymorphism, constant denaturant gel electrophoresis, and hydroxylamine and osmium tetroxid techniques. *Human Mutation* 1993; 2: 58-66.
  15. Coughlin, S.S.; Comstock, G.W.; Baughman, K.L.: Descriptive epidemiology of idiopathic dilated cardiomyopathy in Washington County, Maryland, 1975-1991. *J Clin Epidemiol* 1993; 46: 1003.
  16. Coughlin, S.S.; Neaton, J.D.; Sengupta, A.; et al.: Predictors of mortality from idiopathic dilated cardiomyopathy in 356, 222 men screened for the Multiple Risk Factor Intervention Trial. *Am J Epidemiol* 1994; 139: 166.
  17. Cowie, M.R.; Mosterd, A.; Wood, D.A.; Deckers, J.W.; Poole-Wilson, P.A.; Sutton, G.C.; Grobbee, D.E.: The epidemiology of heart failure. *Eur Heart J* 1997; 18: 208-225.
  18. D'Adamo, P.; Fassone, L.; Gedeon, A.; Janssen, E.A.M.; Bione, S.; Bolhuis, P.A.; Barth, P.G.; Wilson, M.; Haan, E.; Orstavik, K.H.; Patton, M.A.; Green, A.J.; Zammarchi, E.; Donati, M.A.; Toniolo, D.: The x-linked gene G4.5 is responsible for different infantile dilated cardiomyopathies. *Am J Hum Genet* 1997; 61: 862-867.
  19. Daehmlow, S.; Erdmann, J.; Knueppel, T.; Gille, C.; Froemmel, C.; Hummel, M.; Hetzer, R.; Regitz-Zagrosek, V.: Novel mutations in sarcomeric protein genes in

- dilated cardiomyopathy. *Biochemical and Biophysical Research Communications* 2002; 298: 116-120.
20. Davies, M.J.: The cardiomyopathies: an overview. *Heart* 2000; 83: 469-474.
  21. Dec, G.W.; Fuster, V.: Idiopathic Dilated Cardiomyopathy. *N Engl J Med* 1994; 331: 1564-1575.
  22. Dries, D.L.; Exner, D.V.; Gersh, B.J.; et al: Racial differences in the outcome of left ventricular dysfunction. *N Engl J Med* 1999; 340: 609.
  23. Familial Hypertrophic Cardiomyopathy Mutation Database: <http://www.angis.org.au/Databases/Heart/>.
  24. Fatkin, D.; Christe, M.E.; Aristizabal, O.; McConnell, B.K.; Srinivasan, S.; Schoen, F.J.; Seidman, C.E.; Turnball, D.H.; Seidman, J.G.: Neonatal cardiomyopathy in mice homozygous for the Arg403Gln mutation in the  $\alpha$ -cardiac myosin heavy chain gene. *J Clin Invest* 1999; 103: 147-153.
  25. Fatkin, D.; Graham, R.M.: Molecular mechanisms of inherited cardiomyopathies. *Physiol Rev* 2002; 82(4): 945-980.
  26. Fatkin, D.; MacRae, C.; Sasaki, T.; Wolff, M.R.; Porcu, M.; Frenneaux, M.; Atherton, J.; Vidaillet, H.J. Jr.; Spudich, S.; De Girolami, U.; Seidman, J.G.; Seidman, C.E.; Muntoni, F.; Muehle, G.; Johnson, W.; McDonough, B.: Missense Mutations in the Rod Domain of the Lamin A/C Gene as Causes of Dilated Cardiomyopathy and Conduction-System Disease. *N Engl J Med* 1999; 341: 1715-1724.
  27. Felker, G.M.; Thompson, R.E.; Hare, J.M.; Hruban, R.H.; Clemetson, D.E.; Howard, D.L.; Baughman, K.L.; Kasper, E.K.: Underlying causes and long-term survival in patients with initially unexplained cardiomyopathy. *N Engl J Med* 2000; 342 (15): 1077-1084.
  28. Filatov, V.L.; Katrukha, A.G.; Bulargina, T.V.; Gusev, N.B.: Troponin: Structure, properties, and mechanism of functioning. *Biochem* 1999; 64: 969-985.
  29. Franz, W.M.; Müller, M.; Müller, O.J.; Herrmann, R.; Rothmann, Th.; Katus, H.A.: Association of nonsense mutation of dystrophin gene with disruption of sarcoglycan complex in x-linked dilated cardiomyopathy. *Lancet* 2000; 355: 1781-1785.
  30. Ganten, D.; Ruckpaul, K.: Handbuch der molekularen Medizin. *Springer, Berlin Heidelberg New York Tokyo*.

31. Gautel, M.; Zuffardi, O.; Freiburg, A.; Labeit, S.: Phosphorylation switches specific for the cardiac isoform of myosin binding protein-C: a modulator of cardiac contraction? *EMBO J* 1995; 14: 1952-1960.
32. Geisterfer-Lowrance, A.A.T.; Christe, M.; Connor, D.A.; Ingwall, J.S.; Schoen, R.J.; Seidman, C.E.; Seidman, J.G.: A mouse model of familial hypertrophic cardiomyopathy. *Science* 1996; 272: 731-734.
33. Gerull, B.; Gramlich, M.; Atherton, J.; McNabb, M.; Trombitas, K.; Sasse-Klaassen, S.; Seidman, J.G.; Seidman, C.E.; Granzier, H.; Labeit, S.; Frenneaux, M.; Thierfelder, L: Mutations of TTN, encoding the giant muscle filament titin, cause familial dilated cardiomyopathy. *Nat Genet* 2002; 30: 201-204.
34. Gillum, R.F.: Idiopathic cardiomyopathy in the United States, 1979-1982. *Am Heart J* 1986; 111: 752-755.
35. Glavac, D.; Dean, M.: Optimization of the single-strand conformation polymorphism (SSCP) technique for detection of point mutations. *Human Mutation* 1993; 2: 404-414.
36. Gouy, M.; Gautier, C.: Codon usage in bacteria: correlation with gene expressivity. *Nucleic Acids Res* 1982; 10: 7055-7074.
37. Grantham, R.; Gautier, C.; Gouy, M.; Jacobzone, M.; Mercier, R.: Codon catalog usage is a genome strategy modulated for gene expressivity. *Nucleic Acids Res* 1981; 9: r43-74.
38. Grantham, R.; Gautier, C.; Gouy, M.; Mercier, R.; Pave, A.: Codon usage and the genome hypothesis. *Nucleic Acids Res* 1980; 8: r49-r62.
39. Grompe, M.: The rapid detection of unknown mutations in nucleic acids. *Nature Genet* 1993; 5: 111-117.
40. Gruen, M.; Gautel, M.: Mutations in the  $\beta$ -myosin S2 that cause familial hypertrophic cardiomyopathy abolish the interaction with the regulatory domain of myosin binding protein-C. *J Mol Biol* 1999; 286: 933-949.
41. Grünig, E.; Tasman, J.A.; Kücherer, H.; Franz, W.; Kübler, W.; Katus, H.A.: Frequency and phenotyps of familial dilated cardiomyopathy. *J Am Coll Cardiol* 1998; 31: 186-194.
42. Hu, X.; Worton, R. G.: Partial gene duplication as a cause of human disease. *Hum Mutat* 1992; 1: 3-12

43. Hutchison, C.J.; Alvarez-Reyes, M.; Vaughan, O.A.: Lamins in disease: why do ubiquitously expressed nuclear envelope proteins give rise to tissue-specific disease phenotypes? *J Cell Sci* 2000; 114: 9-19.
44. Huxley, A.F.: Muscle structure and theories of contraction. *Prog Biophys Biophys Chem* 1957; 7: 255-318.
45. Ikemura, T.: Codon usage and tRNA content in unicellular and multicellular organisms. *Mol Biol Evol* 1985; 2: 13-34.
46. Kamisago, M.; Sharma, S.D.; DePalma, S.R.; Solomon, S.; Sharma, P.; McDonough, B.; Smoot, L.; Mullen, M.P.; Woolf, P.K.; Wigle, E.D.; Seidman, J.G.; Seidman, C.E.; Jarcho, J.; Shapiro, L.R.: Mutations in Sarcomere Protein Genes as a Cause of Dilated Cardiomyopathy. *N Engl J Med* 2000; 343: 1688-1696.
47. Kasper, E.K.; Agema, W.R.; Hutchins, G.M.; Deckers, J.W.; Hare, J.M. Baughman, K.L.: The causes of dilated cardiomyopathy: a clinicopathologic review of 673 consecutive patients. *J Am Coll Cardiol* 1994; 23:586-590.
48. Keeling, P.J.; Gang, Y.; Smith, G.; Seo, H.; Bent, S.E.; Caforio, A.L.P.; McKenna, W.J.: Familial dilated cardiomyopathy in the United Kingdom. *Br Heart J* 1995; 73: 417-421.
49. Kelly, D.P.; Stauss, A.W.: Inherited Cardiomyopathies. *N Engl J Med* 1994; 330: 913-919.
50. Kunst, G.; Kress, K.R.; Gruen, M.; Uttenweiler, D.; Gautel, M.; Fink, R.H.A.: Myosin binding protein C, a phosphorylation-dependent force regulator in muscle that controls the attachment of myosin heads by its interaction with myosin S2. *Circ Res* 2000; 86: 51-58.
51. Maisch, B.; Funcker, R.; Alter, P.; Portig, I.; Pankuweit, S.: Dilatative Kardiomyopathie und Myokarditis. *Internist* 2002; 43: S45-S65.
52. McConnell, B.K.; Jones, K.A.; Fatkin, D.; Arroyo, L.H.; Lee, R.T.; Aristizabal, O.; Turnbull, D.H.; Georgakopoulos, D.; Kass, D.; Bond, M. et al.: Dilated cardiomyopathy in homozygous myosin-binding protein-C mutant mice. *J Clin Invest* 1999; 104: 1235-1244.
53. Mestroni, L.; Rocco, Ch.; Gregori, D.; Sinagra, G.; Di Lenarda, A.; Micić, S.; Vatta, M.; Pinamonti, B.; Muntoni, F.; Caforio, A.L.P.; McKenna, W.J.; Falaschi, A.; Giacca, M.; Camerini, F.: Familial Dilated Cardiomyopathy: Evidence for

- Genetic and Phenotypic Heterogeneity. *Journal of American College of Cardiology* 1999; 34: 181-190.
54. Michele, D.; Albayya, F.; Metzger, J.: Direct, convergent hypersensitivity of calcium-activated force generation produced by hypertrophic cardiomyopathy mutant alpha-tropomyosins in adult cardiac myocytes. *Nat Med* 1999; 5: 1413-1417.
55. Michels, V.V.; Moll, P.P.; Miller, F.A.; Tajik, J.; Chu, J.S.; Driscoll, D.J.; Burnett, J.C.; Rodeheffer, R.J.; Chesebro, J.H.; Tazelaar, H.: The frequency of familial dilated cardiomyopathy in a series of patients with idiopathic dilated cardiomyopathy. *N Engl J Med* 1992; 326: 77-82.
56. Milasin, J.; Muntoni, F.; Severin, G.M.; Bartoloni, L.; Vatta, M.; Krajinovic, M.; Mateddu, A.; Angelini, C.; Camerini, F.; Falaschi, A.; Mestroni, L.; Giacca, M.; Heart Muscle Study Group: A point mutation in the 5' splice site of the dystrophin gene first intron responsible for x-linked dilated cardiomyopathy. *Human Molecular Genetics* 1996; 573-79.
57. Miller, S.A.; Dykes, D.D.; Polesky, H.F.: A simple salting out procedure for extracting DNA from human nucleated cells. *Nucleic Acids Res* 1988; 16: 1215.
58. Moolman, J.A.; Reith, S.; Uhl, K.; Bailey, S.; Gautel, M.; Jeschke, B.; Fischer, C.; Ochs, J.; McKenna, W.J.; Klues, H.; Vosberg, H.P.: A newly created splice donor site in exon 25 of the MyBP-C gene is responsible for inherited hypertrophic cardiomyopathy with incomplete disease penetrance. *Circulation* 2000; 101: 1396-1402.
59. Moreira, E.S.; Vainzof, M.; Marie, S.K.; Nigro, V.; Zatz, M.; Passos-Bueno, M.R.: A first missense mutation in the delta sarcoglycan gene associated with a severe phenotyp and frequency of limb-girdle muscular dystrophy type 2F (LGMD2F) in Brazilian sarcoglycanopathies. *J Mol Genet* 1998; 35: 951-953.
60. Morgan, H.D.; Sutherland, H.E.; Martin, D.I.K.; Whitelaw, E.: Epigenetic inheritance at the agouti locus in the mouse. *Nat Genet* 1999; 23: 314-318.
61. Müller-Myhsok, B.: Molekulargenetische Grundlagen. In: Ganten, D.; Ruckpaul, K.: Handbuch der Molekularen Medizin. *Springer, Berlin Heidelberg New York Tokyo*; S.: 92-108.
62. Mullis, S.A.; Faloona, F.A.: Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol* 1987; 155: 335-350.

63. Muntoni, F.; Cau, M.; Ganau, A.; Congiu, R.; Arvedi, G.; Mateduu, A.; Marrosu, M.G.; Cianchetti, C.; Melis, M.A.: Brief report: deletion of the dystrophin muscle-promotor region associated with x-linked dilated cardiomyopathy. *N Engl J Med* 1993; 329: 921-925.
64. Nanni, L.; Pieroni, M.; Chimenti, C.; Simionati, B.; Zimbello, R.; Maseri, A.; Frustaci, A.; Lanfranchi, G.: Hypertrophic cardiomyopathy: two homozygous cases with "typical" hypertrophic cardiomyopathy and three new mutations in cases with progression to dilated cardiomyopathy. *Biochem Biophys Res Commun* 2003; 309(2): 391-398.
65. Nigro, G.; Comi, L.I.; Limongelli, F.M.; Giugliano, M.A.; Politano, L.; Petretta, V.; Passamano, L.; Stefanelli, S.: Prospective study of x-linked progressive muscular dystrophy in Campania. *Muscle Nerve* 1983; 6: 253-262.
66. Niimura, H.; Bachinski, L.L. ; Sangwatanaroj, S. ; Watkins, H.; Chudley, A.E. ; McKenna, W. ; Kristinsson, A. ; Roberts, R. ; Sole, M. ; Maron, B.J. ; Seidman, J.G. ; Seidman, C.E. : Mutations in the gene for cardiac myosin-binding protein C and late-onset familial hypertrophic cardiomyopathy. *N Engl J Med* 1998; 338: 1248-1257.
67. Olbrich, H.-G.: Epidemiologie- Ätiologie der dilatativen Kardiomyopathie. *Z Kardiol* 2001; 90: Suppl 1, I/2-I/9.
68. Olsen, T. M.; Keating, M. T.: Mapping a cardiomyopathie locus to chromosome 3p22-p25. *J Clin Invest* 1996; 97: 528-532.
69. Olsen, T.M.; Illenberger, S.; Kishimoto, N.Y.; Huttelmaier, S.; Keating, M.T.; Jockusch, B.M.: Metavinculin mutations alter actin interaction in dilated cardiomyopathy. *Circulation* 2002; 105: 431-437.
70. Olsen, T.M.; Kishimoto, N.Y.; Whitby, F.G.; Michels, V.V.: Mutations that Alter the Surface Charge of Alpha-tropomyosin are Associated with Dilated Cardiomyopathy. *J Mol Cell Cardiol* 2001; 33: 723-732.
71. Olsen, T.M.; Michels, V.V.; Thibodeau, S.N.; Tai, Y.S.; Keating, M.T.: Actin mutations in dilated cardiomyopathy, a heritable form of heart failure. *Science* 1998; 280: 750-752.
72. Olson, T.M.; Kishimoto, N.Y.; Whitby, F.G.; Michels, V.V.: Mutations that alter the surface charge of alpha-tropomyosin are associated with dilated cardiomyopathy. *J Mol Cell Cardiol* 2001; 33: 723-732.

73. Olson, T.M.; Michels, V.V.; Thibodeau, S.N.; Tai, Y.S.; Keating, M.T.: Actin mutations in dilated cardiomyopathy, a heritable form of heart failure. *Science* 1998; 280: 750-752.
74. Orita, M.; Iwanhana, H.; Kanazawa, H.; Hayashi, K.; Sekiya, T.: Detection of polymorphisms of human DNA by gel electrophoresis as single-strand conformation polymorphisms. *Proc Natl Acad Sci USA* 1989; 86: 2766-2770.
75. Passos-Bueno, M.R.; Bakker, E.; Kneppers, A.L.; Takata, R.I.; Rapaport, D.; den Dunnen, J.T.; Zatz, M.; van Ommen, G.J.: Different mosaicism frequencies for proximal and distal Duchenne muscular dystrophy (DMD) mutations indicate difference in etiology and recurrence risk. *Am J Hum Genet* 1992; 51: 1150-1155.
76. Philips, A.V.; Cooper, T.A.: RNA processing and human disease. *Cell Mol Life Sci* 2000; 57: 235-249.
77. Raffaele Di Barletta, M.; Ricci, E.; Galuzzi, G.; Tonali, P.; Mora, M.; Morandi, L.; Romorini, A.; Voit, T.; Orstavik, K.H.; Merlini, L.; Trevisan, C.; Biancalana, V.; Housmanowa-Petrusewicz, I.; Bione, S.; Ricotti, R.; Schwartz, K.; Bonne, G.; Toniolo, D.: Different mutations in the LMNA gene cause autosomal dominant and autosomal recessive emery-dreifuss muscular dystrophy. *Am J Hum Genet* 2000; 66: 1407-1412.
78. Regitz-Zagrosek, V.; Erdmann, J.; Wellnhofer, E.; Raible, J.; Fleck, E.: Novel Mutation in the  $\alpha$ -Tropomyosin Gene and Transition from Hypertrophic to Hypercontractile Dilated Cardiomyopathy. *Circulation* 2000; 102: e112-e116.
79. Report of the 1995 World Health Organisation/International Society and Federation of Cardiology Task Force on the Definition and Classification of Cardiomyopathies. *Circulation* 1996; 93: 841-842.
80. Robinson, M.; Lilley, R.; Little, S.; Emtage, J.S.; Yarranton, G.; Stephens, P.; Millican, A.; Eaton, M.; Humphreys, G: Codon usage can affect efficiency of translation of genes in *Escherichia coli*. *Nucleic Acids Res* 1984; 12: 6663-6671.
81. Saiki, R.K.; Walsh, P.S.; Levenson, C.H.; Erlich, H.A.: Genetic analysis of amplified DNA with immobilized sequence specific oligonucleotide probes. *Proc Natl Acad Sci USA* 1989; 86(16): 6230-6234.
82. Sanger, F.; Nicklen, S.; Coulson, A.R.: DNA sequencing with chain terminating inhibitors. *Proc Natl Acad Sci USA* 1977; 74: 5463-5467.



83. Satoh, M.; Takahashi, M.; Sakamoto, T.; Hiroe, M.; Marumo, F.; Kimura, A.: Structural analysis of the titin gene in hypertrophic cardiomyopathy: identification of a novel disease gene. *Biochem Biophys Res Commun* 1999; 262: 411-417.
84. Schonberger, J.; Levy, H.; Grunig, E.; Sangwatanaroj, S.; Fatkin, D.; MacRae, C.; Stacker, H.; Halpin, C.; Eavey, R.; Philbin, E.F.; Katus, H.; Seidman, J.D.; Seidman, C.E.: Dilated cardiomyopathy and sensorineural hearing loss. A heritable syndrome maps to chromosome 6q23-q24. *Circulation* 2000; 101: 1812-1818.
85. Schönberger, J.; Seidman, C.E.: Many roads lead to a broken heart: The genetics of dilated cardiomyopathy. *Am J Hum Genet* 2001; 69: 249-260.
86. Schrader, W.H.; Pankey, G.A.; Davis, R.B.; Theologides, A.: Familial idiopathic cardiomegaly. *Circulation* 1961; 24: 599-606.
87. Seidman, J.G.; Seidman, C.: The Genetic Basis of Cardiomyopathy: from Mutation Identifikation to Mechanistic Paradigms. *Cell* 2001; 104: 557-567.
88. Sharp, P.M.; Li, W.H.: An evolutionary perspective on synonymous codon usage in unicellular organisms. *J Mol Evol* 1986; 24: 28-38.
89. Solaro, R.J.; Von Eyk, J.: Altered interactions among thin filament proteins modulate cardiac function. *J Mol Cell Cardiol* 1996; 28: 217-230.
90. Sorensen, M.A.; Kurland, C.G.; Pedersen, S.: Codon usage determines translation rate in Escherichia coli. *J Mol Biol* 1989; 207: 365-377.
91. Suomalainen, A.; Paetau, A.; Leinonen, H.; Majander, A.; Peltonen, L.; Somer, H.: Inherited idiopathic dilated cardiomyopathy with multiple deletions of mitochondrial DNA. *Lancet* 1992; 340: 1319-1320
92. Surgrue, D.D.; Rodeheffer, R.J.; Codd, M.B.; Ballard, D.J.; Fuster, V.; Gersh, B.J.: The clinical course of idiopathic dilated cardiomyopathy - A population based study. *Ann Intern Med* 1992; 117: 117-123.
93. Taniike, M.; Fukushima, H.; Yanagihara, I.; Tsukamoto, H.; Tanaka, J.; Fujimura, H.; Nagai, T.; Sano, T.; Yamaoka, K.; Inui, K. et al: Mitochondrial tRNA (Ile) mutation in fatal cardiomyopathy. *Biochem Biophys Res Commun* 1992; 186: 47-53.
94. Taubert, G.; Kottmann, T.; Gitt, A.K.; Winkler, R.; Bergmeier, C.; Kleemann, T.; Seidl, K.; Senges, J.: Prognose der linksventrikulären Dysfunktion 1998 in einem

- nichtuniversitären Krankenhaus der Maximalversorgung. *Z Kardiol* 1999; 88: 14-22.
95. Tesson, G.; Sylvius, N.; Pilotto, A.; Dubosq-Bidot, L.; Peuchmaurd, M.; Bouchier, C.; Benaiche, A.; Mangin, L.; Charron, P.; Gavazzi, A.; Tavazzi, L.; Arbustini, E.; Komajda, M.: Epidemiology of desmin and cardiac actin gene mutations in a european population of dilated cardiomyopathy. *Eur Heart J* 2000; 21: 1872-1876.
96. Towbin, J.A.; Bowles, K.R.; Bowles, N.E.: Etiologies of cardiomyopathy and heart failure. *Nature Medicine* 1999; 5: 266-267.
97. Towbin, J.A.; Hejtmancik, J.F.; Brink, P.; Gelb, B.; Zhu, X.M.; Chamberlain, J.S.; McCabe, E.R.B.; Swift, M.: X-linked dilated cardiomyopathy: molecular genetic evidence of linkage to Duchenne muscular dystrophy (dystrophin) gene at the Xp21 locus. *Circulation* 1993; 87: 154-1865.
98. Tsubata, S.; Bowles, K.R.; Vatta, M.; Zintz, C.; Titus, J.; Muhonen, L.; Bowles, N.E.; Towbin, J.A.: Mutations in human delta-sarcoglycan gene in familial and sporadic dilated cardiomyopathy. *J Clin Invest* 2000; 106: 655-662.
99. Watkins, H.; Conner, D.; Thierfelder, L.; Jarcho, J.A.; MacRae, C.; McKenna, W.; Maron, B.J.; Seidman, J.G.; Seidman, C.E.: Mutations in the cardiac myosin binding protein-C gene on chromosome 11 cause familial hypertrophic cardiomyopathy. *Nat Genet* 1995; 11: 434-437.
100. Weisberg, A.; Winegrad, S.: Relation between crossbridge structure and actomyosin ATPase activity in rat heart. *Circ Res* 1998; 83: 60-72.
101. Whitfield, A.G.: Familial cardiomyopathy. *Quart J Med* 1961; 3: 119-134.
102. Williams, D.G.; Olsen, E.G.J.: Prevalenz of overt dilated cardiomyopathy in two regions of England. *Br Heart J* 1985; 54: 153-155.
103. Xia, X.: Body temperature, rate of biosynthesis, and evolution of genome size. *Mol Biol Evol* 1995; 12: 834-842.
104. Xia, X.: Maximizing transcription efficiency causes codon usage bias. *Genetics* 1996; 144: 1309-1320.