

Kristallographische Studie zum
Sexualhormon-bindenden Globulin (SHBG)

Inaugural-Dissertation
zur Erlangung des akademischen Grades
“Doktor der Naturwissenschaften”
-Dr. rer. nat.-
am Fachbereich Chemie, Biologie und Pharmazie
der Freien Universität Berlin

vorgelegt von Diplom-Biologin
Irina Grishkovskaya
aus Lwow

Berlin 2002

Diese Arbeit wurde im Zeitraum von Juni 1998 bis Dezember 2001 in der Forschungsgruppe Kristallographie (Leiter: Univ.-Prof. Dr. Udo Heinemann) am Max-Delbrück-Centrum für Molekulare Medizin in Berlin angefertigt.

1. Gutachter: Dr. habil. Yves Muller

2. Gutachter: Prof. Dr. Ralf Erdmann

Eingereicht am: 12.02.2002

Tag der mündlichen Prüfung: 3.05.2002

List of abbreviations

SHBG: Sex Hormone Binding Globulin

ABP: Androgen Binding Protein

CBG: Corticosteroid-Binding Globulin

DHT: 5 α -Dihydrotestosterone (5 α -Androstane-17 β -ol-3-one)

Estradiol: 17 β -estradiol (1, 3, 5(10)-estratrien-3, 17 β -diol)

17 β -DHA: 5 α -Androstane, 3 β , 17 β -diol

17 α -DHA: 5 α -Androstane, 3 β , 17 α -diol

Norgestrel: D(-) Levonorgestrel (4-estren-17 α - ethynyl-18-homo-17 β - ol-3-one)

Methoxyestradiol: 2-Methoxyestradiol (1, 3, 5 (10)-estratrien-2,3, 17 β -triol 2-methylether)

GAS6: Growth arrest specific protein 6

LG-domain: Laminin G-like domain

LBD: ligand-binding domain

AMP: adenosine monophosphate

cAMP: cyclic adenosine monophosphate

EDTA: ethylenediamine tetraacetic acid

DNA: deoxyribonucleic acid

cDNA: complementary DNA

IPTG: isopropyl-1-thio- β -D galactopyranoside

PBS: phosphate-buffered saline

PIPES: piperazine-1,2-bis[2-ethanesulfonic acid]

HEPES: N-[2-hydroxyethyl]piperazine-N`-[4-butanesulfonic acid]

DMSO: dimethylsulfoxide

PAGE: polyacrylamide gel electrophoresis

SDS: sodium dodecyl sulfate

APS: ammonium persulfate

TEMED: N, N, N', N`-tetramethylethylenediamine

PEG: polyethylene glycol

MIR: Multiple Isomorphous Replacement method

EMBL: European Molecular Biology Laboratory

ESRF: European Synchrotron Radiation Facility

DESY: Deutsches Elektronensynchrotron

rms: root mean square

PDB: Protein Data Bank

Table of contents

List of abbreviations	2
Table of contents.....	4
1. Scientific background.....	6
1.1. Introduction	6
1.2. Sex hormone-binding globulin	7
1.2.1. Gene organization.....	7
1.2.2. Primary structure and characteristics of SHBG	7
1.2.3. Steroid binding	8
1.2.4. Functions of ABP and SHBG.....	10
1.2.5. Laminin G-like domains	11
1.3. The aim of my thesis	13
1.4. Short theory of the isomorphous replacement and molecular replacement methods....	14
1.4.1. Phase problem	14
1.4.2. Principles of the multiple isomorphous replacement method	15
1.4.3. The molecular replacement method	17
1.4.3.1. The rotation function.....	17
1.4.3.2. The translation function.....	18
2. Materials and methods.....	20
2.1. Preparation of competent <i>E.coli</i> cells.....	20
2.2. Transformation	20
2.3. Protein production	21
2.4. Protein purification.....	21
2.5. Polyacrylamide gel electrophoresis.....	23
2.6. Crystallization	23
2.6.1. SHBG in complex with DHT	23
2.6.2. Crystallization of different SHBG-ligand complexes	24
2.7. Ultracentrifugation experiments	25
2.8. X-ray diffraction experiments	25
2.9. Structure determination	30
2.9.1. Solving the “original” structure of SHBG.....	30
2.9.2. Solving the crystal structure of SHBG in the tetragonal crystal form.....	30
2.9.3. Solving the crystal structure of SHBG in the EDTA-soaked crystals.....	31
2.9.4. Solving the crystal structures of various SHBG-ligand complexes	31
3. Results.....	33
3.1. Crystal structure of the N-terminal domain of human SHBG in complex with DHT... 33	
3.1.1. Crystallization	33
3.1.2. Structure refinement.....	34
3.1.3. Overall structure of the N-terminal LG-domain of SHBG.....	37
3.1.4. The laminin G-like domain fold.....	37
3.1.5. Dimerization of SHBG	39
3.1.6. The steroid binding site	43
3.2. The crystal structure of SHBG including the disordered loop region.....	46
3.2.1. The crystal structure of SHBG after soaking the crystals with EDTA.....	46

3.2.2. The crystal structure of SHBG in a tetragonal crystal form.....	46
3.2.3 The structure of the loop segment covering the steroid-binding pocket	49
3.3. Structural determinants of the steroid-binding specificity of SHBG	52
3.3.1. Crystallization of different SHBG-ligand complexes	52
3.3.2. SHBG in complex with estradiol.....	53
3.3.3. SHBG in complex with 17 β -DHA	56
3.3.4. SHBG in complex with 17 α -DHA	58
3.3.5. SHBG in complex with methoxyestradiol.....	60
3.3.6. SHBG in complex with norgestrel	62
4. Discussion.....	65
4.1. LG domain fold	65
4.2. Dimerization and steroid binding	67
4.3. Zinc effect.....	69
5. Summary.....	72
6. Zusammenfassung.....	74
7. References.....	76
Acknowledgements.....	86
Lebenslauf.....	87
List of Publications	88

7. References

- Anderson, D.C. (1974) Sex-hormone-binding globulin. *Clin Endocrinol (Oxf)*, **3**, 69-96.
- Avvakumov, G.V., Grishkovskaya, I., Muller, Y.A. and Hammond, G.L. (2001) Resolution of the human sex hormone-binding globulin dimer interface and evidence for two steroid-binding sites per homodimer. *J Biol Chem*, **276**, 34453-34457.
- Avvakumov, G.V., Matveentseva, I.V., Akhrem, L.V., Strel'chyonok, O.A. and Akhrem, A.A. (1983) Study of the carbohydrate moiety of human serum sex hormone-binding globulin. *Biochim Biophys Acta*, **760**, 104-110.
- Avvakumov, G.V., Muller, Y.A. and Hammond, G.L. (2000) Steroid-binding specificity of human sex hormone-binding globulin is influenced by occupancy of a zinc-binding site. *J Biol Chem*, **275**, 25920-25925.
- Beck, K., Hunter, I. and Engel, J. (1990) Structure and function of laminin: anatomy of a multidomain glycoprotein. *Faseb J*, **4**, 148-160.
- Beckmann, G., Hanke, J., Bork, P. and Reich, J.G. (1998) Merging extracellular domains: fold prediction for laminin G-like and amino-terminal thrombospondin-like modules based on homology to pentraxins. *J Mol Biol*, **275**, 725-730.
- Behlke, J., Ristau, O. and Schonfeld, H.J. (1997) Nucleotide-dependent complex formation between the Escherichia coli chaperonins GroEL and GroES studied under equilibrium conditions. *Biochemistry*, **36**, 5149-5156.
- Berube, D., Seralini, G.E., Gagne, R. and Hammond, G.L. (1990) Localization of the human sex hormone-binding globulin gene (SHBG) to the short arm of chromosome 17 (17p12----p13). *Cytogenet Cell Genet*, **54**, 65-67.
- Blundell, T.L. and Johnson, L.N. (1976) *Protein crystallography*. Academic Press, New York.
- Bocchinfuso, W.P. and Hammond, G.L. (1994) Steroid-binding and dimerization domains of human sex hormone-binding globulin partially overlap: steroids and Ca²⁺ stabilize dimer formation. *Biochemistry*, **33**, 10622-10629.

- Bowe, M.A., Deyst, K.A., Leszyk, J.D. and Fallon, J.R. (1994) Identification and purification of an agrin receptor from Torpedo postsynaptic membranes: a heteromeric complex related to the dystroglycans. *Neuron*, **12**, 1173-1180.
- Brändén, C.-I. and Tooze, J. (1999) *Introduction to protein structure*. Garland Pub., New York.
- Brunger, A.T., Adams, P.D., Clore, G.M., DeLano, W.L., Gros, P., Grosse-Kunstleve, R.W., Jiang, J.S., Kuszewski, J., Nilges, M., Pannu, N.S., Read, R.J., Rice, L.M., Simonson, T. and Warren, G.L. (1998) Crystallography & NMR system: A new software suite for macromolecular structure determination. *Acta Crystallogr. D*, **54**, 905-921.
- Brzozowski, A.M., Pike, A.C., Dauter, Z., Hubbard, R.E., Bonn, T., Engstrom, O., Ohman, L., Greene, G.L., Gustafsson, J.A. and Carlquist, M. (1997) Molecular basis of agonism and antagonism in the oestrogen receptor. *Nature*, **389**, 753-758.
- Callard, G.V. and Pasmanik, M. (1987) The role of estrogen as a parahormone in brain and pituitary. *Steroids*, **50**, 475-493.
- Campanelli, J.T., Gayer, G.G. and Scheller, R.H. (1996) Alternative RNA splicing that determines agrin activity regulates binding to heparin and alpha-dystroglycan. *Development*, **122**, 1663-1672.
- Cates, J.M. and Damassa, D.A. (1997) Characterization and developmental expression patterns of testicular androgen-binding protein in the Djungarian hamster (*Phodopus sungorus*). *J Reprod Fertil*, **111**, 291-298.
- CCP4. (1994) The CCP4 suite: Programs for protein crystallography. *Acta Crystallogr. D*, **50**, 760-763.
- Cheng, C.Y., Musto, N.A., Gunsalus, G.L., Frick, J. and Bardin, C.W. (1985) There are two forms of androgen binding protein in human testes. Comparison of their protomeric variants with serum testosterone- estradiol binding globulin. *J Biol Chem*, **260**, 5631-5640.
- Cowan, R.A., Cowan, S.K., Giles, C.A. and Grant, J.K. (1976) Prostatic distribution of sex hormone-binding globulin and cortisol-binding globulin in benign hyperplasia. *J Endocrinol*, **71**, 121-131.
- Crowther, R.A., Blow, D.M. (1967) A method of positioning a known molecule in an unknown crystal structure. *Acta Cryst.*, **27**, 544-548.

- Damassa, D.A. and Cates, J.M. (1995) Sex hormone-binding globulin and male sexual development. *Neurosci Biobehav Rev*, **19**, 165-175.
- Danzo, B.J., Bell, B.W. and Black, J.H. (1989) Human testosterone-binding globulin is a dimer composed of two identical protomers that are differentially glycosylated. *Endocrinology*, **124**, 2809-2817.
- Danzo, B.J. and Black, J.H. (1990) Analysis of the oligosaccharides on rat androgen-binding protein using serial lectin chromatography. *Biol Reprod*, **43**, 219-228.
- Danzo, B.J. and Joseph, D.R. (1994) Structure-function relationships of rat androgen-binding protein/human sex-hormone binding globulin: the effect of mutagenesis on steroid-binding parameters. *Endocrinology*, **135**, 157-167.
- Danzo, B.J., Parrott, J.A. and Skinner, M.K. (1991) Analysis of the steroid binding domain of rat androgen-binding protein. *Endocrinology*, **129**, 690-696.
- Drenth, J. (1999) *Principles of protein x-ray crystallography*. Springer, New York.
- Emsley, J., White, H.E., O'Hara, B.P., Oliva, G., Srinivasan, N., Tickle, I.J., Blundell, T.L., Pepys, M.B. and Wood, S.P. (1994) Structure of pentameric human serum amyloid P component. *Nature*, **367**, 338-345.
- Esnouf, R.M. (1997) An extensively modified version of MolScript that includes greatly enhanced coloring capabilities. *J Mol Graph Model*, **15**, 132-134, 112-133.
- Felden, F., Leheup, B., Fremont, S., Bouguerne, R., Egloff, M., Nicolas, J.P., Grignon, G. and Gueant, J.L. (1992) The plasma membrane of epididymal epithelial cells has a specific receptor which binds to androgen-binding protein and sex steroid-binding protein. *J Steroid Biochem Mol Biol*, **42**, 279-285.
- Ferns, M.J., Campanelli, J.T., Hoch, W., Scheller, R.H. and Hall, Z. (1993) The ability of agrin to cluster AChRs depends on alternative splicing and on cell surface proteoglycans. *Neuron*, **11**, 491-502.
- Fortunati, N., Fissore, F., Fazzari, A., Becchis, M., Comba, A., Catalano, M.G., Berta, L. and Frairia, R. (1996) Sex steroid binding protein exerts a negative control on estradiol action in MCF-7 cells (human breast cancer) through cyclic adenosine 3',5'-monophosphate and protein kinase A. *Endocrinology*, **137**, 686-692.
- Fortunati, N., Fissore, F., Fazzari, A., Berta, L., Benedusi-Pagliano, E. and Frairia, R. (1993) Biological relevance of the interaction between sex steroid binding protein and its

- specific receptor of MCF-7 cells: effect on the estradiol-induced cell proliferation. *J Steroid Biochem Mol Biol*, **45**, 435-444.
- French, F.S. and Ritzen, E.M. (1973) A high-affinity androgen-binding protein (ABP) in rat testis: evidence for secretion into efferent duct fluid and absorption by epididymis. *Endocrinology*, **93**, 88-95.
- Gayrard, V., Alvinerie, M. and Toutain, P.L. (1996) Interspecies variations of corticosteroid-binding globulin parameters. *Domest Anim Endocrinol*, **13**, 35-45.
- Gee, S.H., Montanaro, F., Lindenbaum, M.H. and Carbonetto, S. (1994) Dystroglycan-alpha, a dystrophin-associated glycoprotein, is a functional agrin receptor. *Cell*, **77**, 675-686.
- Grenot, C., de Montard, A., Blachere, T., de Ravel, M.R., Mappus, E. and Cuilleron, C.Y. (1992) Characterization of Met-139 as the photolabeled amino acid residue in the steroid binding site of sex hormone binding globulin using delta 6 derivatives of either testosterone or estradiol as unsubstituted photoaffinity labeling reagents. *Biochemistry*, **31**, 7609-7621.
- Grishkovskaya, I., Avvakumov, G.V., Sklenar, G., Dales, D., Hammond, G.L. and Muller, Y.A. (2000) Crystal structure of human sex hormone-binding globulin: steroid transport by a laminin G-like domain. *EMBO J*, **19**, 504-512.
- Grishkovskaya, I., Sklenar, G., Avvakumov, G.V., Dales, D., Behlke, J., Hammond, G.L. and Muller, Y.A. (1999) Crystallization of the N-terminal domain of human sex hormone-binding globulin, the major sex steroid carrier in blood. *Acta Crystallogr D Biol Crystallogr*, **55**, 2053-2055.
- Hammond, G.L. (1993) Extracellular steroid-binding proteins. In Parker, M. (ed.). *Steroid Hormone Action*, 1-25.
- Hammond, G.L. (1995) Potential functions of plasma steroid-binding proteins. *Trends-in-Endocrinology-and-Metabolism*, **6**, 298-304.
- Hammond, G.L. and Bocchinfuso, W.P. (1995) Sex hormone-binding globulin/androgen-binding protein: steroid-binding and dimerization domains. *J Steroid Biochem Mol Biol*, **53**, 543-552.
- Hammond, G.L. and Bocchinfuso, W.P. (1996) Sex hormone-binding globulin: gene organization and structure/function analyses. *Horm Res*, **45**, 197-201.

- Hammond, G.L., Underhill, D.A., Rykse, H.M. and Smith, C.L. (1989) The human sex hormone-binding globulin gene contains exons for androgen-binding protein and two other testicular messenger RNAs. *Mol Endocrinol*, **3**, 1869-1876.
- Hammond, G.L., Underhill, D.A., Smith, C.L., Goping, I.S., Harley, M.J., Musto, N.A., Cheng, C.Y. and Bardin, C.W. (1987) The cDNA-deduced primary structure of human sex hormone-binding globulin and location of its steroid-binding domain. *FEBS Lett*, **215**, 100-104.
- Hardman, K.D., Wood, M.K., Schiffer, M., Edmundson, A.B. and Ainsworth, C.F. (1972) X-ray crystallographic studies of concanavalin A. *Cold Spring Harb Symp Quant Biol*, **36**, 271-276.
- He, X., Shen, L., Malmborg, A.C., Smith, K.J., Dahlback, B. and Linse, S. (1997) Binding site for C4b-binding protein in vitamin K-dependent protein S fully contained in carboxy-terminal laminin-G-type repeats. A study using recombinant factor IX-protein S chimeras and surface plasmon resonance. *Biochemistry*, **36**, 3745-3754.
- Hemler, M.E. (1999) Dystroglycan versatility. *Cell*, **97**, 543-546.
- Hildebrand, C., Bocchinfuso, W.P., Dales, D. and Hammond, G.L. (1995) Resolution of the steroid-binding and dimerization domains of human sex hormone-binding globulin by expression in *Escherichia coli*. *Biochemistry*, **34**, 3231-3238.
- Hohenester, E., Tisi, D., Talts, J.F. and Timpl, R. (1999) The crystal structure of a laminin G-like module reveals the molecular basis of alpha-dystroglycan binding to laminins, perlecan, and agrin. *Mol Cell*, **4**, 783-792.
- Hryb, D.J., Khan, M.S., Romas, N.A. and Rosner, W. (1989) Solubilization and partial characterization of the sex hormone-binding globulin receptor from human prostate. *J Biol Chem*, **264**, 5378-5383.
- Ichtchenko, K., Hata, Y., Nguyen, T., Ullrich, B., Missler, M., Moomaw, C. and Sudhof, T.C. (1995) Neuroligin 1: a splice site-specific ligand for beta-neurexins. *Cell*, **81**, 435-443.
- Inoue, H., Nojima, H. and Okayama, H. (1990) High efficiency transformation of *Escherichia coli* with plasmids. *Gene*, **96**, 23-28.
- Jancarik, J., Scott, W.G., Milligan, D.L., Koshland, D.E., Jr. and Kim, S.H. (1991) Crystallization and preliminary X-ray diffraction study of the ligand-binding domain

- of the bacterial chemotaxis-mediating aspartate receptor of *Salmonella typhimurium*. *J Mol Biol*, **221**, 31-34.
- Jones, S. and Thornton, J.M. (1996) Principles of protein-protein interactions. *Proc Natl Acad Sci U S A*, **93**, 13-20.
- Jones, T.A., Zou, J.-Y., Cowan, S.W. and Kjeldgaard, M. (1991) Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Crystallogr. A*, **47**, 110-119.
- Joseph, D.R. (1994) Structure, function, and regulation of androgen-binding protein/sex hormone-binding globulin. *Vitam Horm*, **49**, 197-280.
- Joseph, D.R., Power, S.G. and Petrusz, P. (1997) Expression and distribution of androgen-binding protein/sex hormone-binding globulin in the female rodent reproductive system. *Biol Reprod*, **56**, 14-20.
- Kabsch, W. (1988) Evaluation of single crystal X-ray diffraction data from a position sensitive detector. *J. Appl. Crystallogr.*, **21**, 916-924.
- Kassab, D., Pichat, S., Chambon, C., Blachere, T., Rolland de Ravel, M., Mappus, E., Grenot, C. and Cuilleron, C.Y. (1998) Photoaffinity labeling of homologous Met-133 and Met-139 amino acids of rabbit and sheep sex hormone-binding globulins with the unsubstituted Delta 6-testosterone photoreagent. *Biochemistry*, **37**, 14088-14097.
- Kim, S.W., Cha, S.S., Cho, H.S., Kim, J.S., Ha, H.C., Cho, M.J., Joo, S., Kim, K.K., Choi, K.Y. and Oh, B.H. (1997) High-resolution crystal structures of Delta(5)-3-ketosteroid isomerase with and without a reaction intermediate analogue. *Biochemistry*, **36**, 14030-14036.
- Kleywegt, G.J. and Jones, T.A. (1998) Databases in protein crystallography. *Acta Crystallogr D Biol Crystallogr*, **54**, 1119-1131.
- Kraulis, P.J. (1991) MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Crystallogr.*, **24**, 946-950.
- Laemmli, U.K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.
- Lahtonen, R. (1985) Zinc and cadmium concentrations in whole tissue and in separated epithelium and stroma from human benign prostatic hypertrophic glands. *Prostate*, **6**, 177-183.

- Laskowski, R.A., MacArthur, M.W., Moss, D.S. and Thornton, J.M. (1993) Procheck: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.*, **26**, 283-291.
- Laskowski, R.A., Rullmann, J.A., MacArthur, M.W., Kaptein, R. and Thornton, J.M. (1996) AQUA and PROCHECK-NMR: programs for checking the quality of protein structures solved by NMR. *J Biomol NMR*, **8**, 477-486.
- Lu, Q., Gore, M., Zhang, Q., Camenisch, T., Boast, S., Casagrande, F., Lai, C., Skinner, M.K., Klein, R., Matsushima, G.K., Earp, H.S., Goff, S.P. and Lemke, G. (1999) Tyro-3 family receptors are essential regulators of mammalian spermatogenesis. *Nature*, **398**, 723-728.
- Mahoney, P.A., Weber, U., Onofrechuk, P., Biessmann, H., Bryant, P.J. and Goodman, C.S. (1991) The fat tumor suppressor gene in Drosophila encodes a novel member of the cadherin gene superfamily. *Cell*, **67**, 853-868.
- Mangelsdorf, D.J., Thummel, C., Beato, M., Herrlich, P., Schutz, G., Umesono, K., Blumberg, B., Kastner, P., Mark, M., Chambon, P. and et al. (1995) The nuclear receptor superfamily: the second decade. *Cell*, **83**, 835-839.
- Means, A.R., Dedman, J.R., Tash, J.S., Tindall, D.J., van Sickle, M. and Welsh, M.J. (1980) Regulation of the testis sertoli cell by follicle stimulating hormone. *Annu Rev Physiol*, **42**, 59-70.
- Mendel, C.M. (1992) The free hormone hypothesis. Distinction from the free hormone transport hypothesis. *J Androl*, **13**, 107-116.
- Merritt, E.A. (1994) RASTER3D version 2.0, a program for photorealistic molecular graphics. *Acta Cryst. D*, **50**, 869-873.
- Nakhla, A.M., Khan, M.S., Romas, N.P. and Rosner, W. (1994) Estradiol causes the rapid accumulation of cAMP in human prostate. *Proc Natl Acad Sci U S A*, **91**, 5402-5405.
- Nakhla, A.M., Khan, M.S. and Rosner, W. (1990) Biologically active steroids activate receptor-bound human sex hormone-binding globulin to cause LNCaP cells to accumulate adenosine 3',5'-monophosphate. *J Clin Endocrinol Metab*, **71**, 398-404.
- Namkung, P.C., Kumar, S., Walsh, K.A. and Petra, P.H. (1990) Identification of lysine 134 in the steroid-binding site of the sex steroid-binding protein of human plasma. *J Biol Chem*, **265**, 18345-18350.

- Navaza, J. (1994) AMoRe: an Automated Package for Molecular Replacement. *Acta Cryst.*, **A50**, 157-163.
- Noonan, D.M., Fulle, A., Valente, P., Cai, S., Horigan, E., Sasaki, M., Yamada, Y. and Hassell, J.R. (1991) The complete sequence of perlecan, a basement membrane heparan sulfate proteoglycan, reveals extensive similarity with laminin A chain, low density lipoprotein-receptor, and the neural cell adhesion molecule. *J Biol Chem*, **266**, 22939-22947.
- Orchinik, M., Matthews, L. and Gasser, P.J. (2000) Distinct specificity for corticosteroid binding sites in amphibian cytosol, neuronal membranes, and plasma. *Gen Comp Endocrinol*, **118**, 284-301.
- Otwinowski, Z. and Minor, W. (1997) Processing of X-ray diffraction data collected in oscillation mode. *Macromolecular-Crystallography-Pt-a*, pp. 307-326.
- Patthy, L. and Nikolics, K. (1993) Functions of agrin and agrin-related proteins. *Trends Neurosci*, **16**, 76-81.
- Perrakis, A., Sixma, T.K., Wilson, K.S. and Lamzin, V.S. (1997) wARP: Improvement and extension of crystallographic phases by weighted averaging of multiple-refined dummy atomic models. .
- Petra, P.H. (1991) The plasma sex steroid binding protein (SBP or SHBG). A critical review of recent developments on the structure, molecular biology and function. *J Steroid Biochem Mol Biol*, **40**, 735-753.
- Rambukkana, A., Salzer, J.L., Yurchenco, P.D. and Tuomanen, E.I. (1997) Neural targeting of *Mycobacterium leprae* mediated by the G domain of the laminin-alpha2 chain. *Cell*, **88**, 811-821.
- Read, R.J. (1986) Improved Fourier coefficients for maps using partial structures with errors. *Acta Crystallogr. A*, **42**, 140-149.
- Revelli, A., Massobrio, M. and Tesarik, J. (1998) Nongenomic actions of steroid hormones in reproductive tissues. *Endocr Rev*, **19**, 3-17.
- Rosner, W. (1990) The functions of corticosteroid-binding globulin and sex hormone-binding globulin: recent advances. *Endocr Rev*, **11**, 80-91.

- Rosner, W., Aden, D.P. and Khan, M.S. (1984) Hormonal influences on the secretion of steroid-binding proteins by a human hepatoma-derived cell line. *J Clin Endocrinol Metab*, **59**, 806-808.
- Rosner, W., Hryb, D.J., Khan, M.S., Nakhla, A.M. and Romas, N.A. (1991) Sex hormone-binding globulin: anatomy and physiology of a new regulatory system. *J Steroid Biochem Mol Biol*, **40**, 813-820.
- Rosner, W., Hryb, D.J., Khan, M.S., Nakhla, A.M. and Romas, N.A. (1999) Androgen and estrogen signaling at the cell membrane via G-proteins and cyclic adenosine monophosphate. *Steroids*, **64**, 100-106.
- Rossmann, M.G., Blow, D.M. (1962) The detection of sub-units within the crystallographic asymmetric unit. *Acta Cryst.*, **15**, 24-31.
- Rossmann, M.G. (1972) The locked rotation function. *J Mol Biol*, **64**, 246-249.
- Rudenko, G., Hohenester, E. and Muller, Y.A. (2001) LG/LNS domains: multiple functions - one business end? *Trends Biochem Sci*, **26**, 363-368.
- Rudenko, G., Nguyen, T., Chelliah, Y., Sudhof, T.C. and Deisenhofer, J. (1999) The structure of the ligand-binding domain of neurexin Ibeta: regulation of LNS domain function by alternative splicing. *Cell*, **99**, 93-101.
- Siiteri, P.K., Murai, J.T., Hammond, G.L., Nisker, J.A., Raymoure, W.J. and Kuhn, R.W. (1982) The serum transport of steroid hormones. *Recent Prog Horm Res*, **38**, 457-510.
- Stirk, H.J., Woolfson, D.N., Hutchinson, E.G. and Thornton, J.M. (1992) Depicting topology and handedness in jellyroll structures. *FEBS Lett*, **308**, 1-3.
- Strel'chyonok, O.A., Avvakumov, G.V. and Survilo, L.I. (1984) A recognition system for sex-hormone-binding protein-estradiol complex in human decidual endometrium plasma membranes. *Biochim Biophys Acta*, **802**, 459-466.
- Sugita, S., Khvochtev, M. and Sudhof, T.C. (1999) Neurexins are functional alpha-latrotoxin receptors. *Neuron*, **22**, 489-496.
- Sui, L.M., Cheung, A.W., Namkung, P.C. and Petra, P.H. (1992) Localization of the steroid-binding site of the human sex steroid-binding protein of plasma (SBP or SHBG) by site-directed mutagenesis. *FEBS Lett*, **310**, 115-118.

- Talts, J.F., Andac, Z., Gohring, W., Brancaccio, A. and Timpl, R. (1999) Binding of the G domains of laminin alpha1 and alpha2 chains and perlecan to heparin, sulfatides, alpha-dystroglycan and several extracellular matrix proteins. *EMBO J*, **18**, 863-870.
- Tanenbaum, D.M., Wang, Y., Williams, S.P. and Sigler, P.B. (1998) Crystallographic comparison of the estrogen and progesterone receptor's ligand binding domains. *Proceedings-of-the-National-Academy-of-Sciences-of-the-United-States-of-America*, **95**, 5998-6003.
- Terwilliger, T., Kim, S-H., Eisenberg, D. (1987) Generalized method of determining heavy-atom positions using the difference Patterson function. *Acta Crystallographica*, **A43**, 1-5.
- Tisi, D., Talts, J.F., Timpl, R. and Hohenester, E. (2000) Structure of the C-terminal laminin G-like domain pair of the laminin alpha2 chain harbouring binding sites for alpha-dystroglycan and heparin. *EMBO J*, **19**, 1432-1440.
- Ushkaryov, Y.A., Petrenko, A.G., Geppert, M. and Sudhof, T.C. (1992) Neurexins: synaptic cell surface proteins related to the alpha-latrotoxin receptor and laminin. *Science*, **257**, 50-56.
- Villoutreix, B.O., Garcia de Frutos, P., Lovenklev, M., Linse, S., Fernlund, P. and Dahlback, B. (1997) SHBG region of the anticoagulant cofactor protein S: secondary structure prediction, circular dichroism spectroscopy, and analysis of naturally occurring mutations. *Proteins*, **29**, 478-491.
- Walsh, K.A., Titani, K., Takio, K., Kumar, S., Hayes, R. and Petra, P.H. (1986) Amino acid sequence of the sex steroid binding protein of human blood plasma. *Biochemistry*, **25**, 7584-7590.
- Westphal, U. (1986) Steroid-protein interactions II. *Monogr Endocrinol*, **27**, 1-603.
- Wingfield, J.C., Smith, J.P. and Farner, D.S. (1980) Changes in plasma levels of luteinizing hormone, steroid, and thyroid hormones during the postfledging development of white-crowned sparrows, *Zonotrichia leucophrys*. *Gen Comp Endocrinol*, **41**, 372-377.

Acknowledgements

I am very grateful to many people who assisted me in doing this work. Especially I would like to thank my supervisor Dr. Yves Muller (at present at the University of Sussex, England) for allround help and great contribution to the work in its theoretical and practical aspects and for the teaching me as a crystallographer. I am very thankful to the Head of the Crystallography Group at the MDC (Berlin) Prof. Udo Heinemann for his support and permanent attention to my work. I thank very much Gisela Sklenar for the help and excellent technical assistance. I thank Anette Feske, Katja Faelber and other my colleagues in group and in MDC as well.

I thank Prof. Geoff Hammond and Dr. George Avvakumov (both at the University of Western Ontario, London, Canada) for initial plasmid constructs and powerful cooperation.

I thank Prof. J. Behlke for carrying the ultracentrifugation experiments. I also thank Dr. Rolf Misselwitz and Dr. Albrecht Otto (both at MDC, Berlin) for help with the initial characterisation of the protein, and Dr. Alexander Popov and other colleagues from the EMBL outstation at DESY, Hamburg, for help with data collection.

I express my special cordial thanks to the members of my family for their enormous support of me and for the patience.

This work is supported in part by the Deutsche Forschungsgemeinschaft and the Medical Research Council of Canada.

Lebenslauf

Name Irina Grishkovskaya
E-mail: igrishko@mdc-berlin.de

Geb. Am 25. 03. 1973
in Lwow
Eltern Galina Grishkovskaya und Boris Grishkovskii

Staatsangeh. Russland

Ausbildung 1990- 1995 Staatsuniversität Woronesh, Russland, Fach Biologie
Diplom in Biologie
Thema der Diplomarbeit: „Reinigung und Kristallisation der ribosomalen Proteine S7 und L1 von *Thermus thermophilus*“.

1995-1997 Staatsuniversität Pustschino, Russland, Fach Biologie
Magistergrad der Biologie
Thema der Magisterarbeit:” Strukturuntersuchung eines RNP-Fragments, bestehend aus der 5`- und der zentralen Domäne der 30S ribosomalen Untereinheit mittels Sedimentations- und Neutronenstreuexperimenten”.

Doktorarbeit: von Juni 1998 bis heute
FG Kristallographie, Max-Delbrueck-Centrum für Molecular Medizin, Berlin-Buch
Thema der Doktorarbeit: „Kristallographische Studie zum Sexualhormon-bindenden Globulin (SHBG)“.

List of Publications

- 1) Grishkovskaya, I., Avvakumov, G. V., Hammond, G. L., Catalano, M. and Muller, Y. A. Androgens and Estrogens Occupy the Steroid-binding Site of Human Sex Hormone Binding Globulin in Opposite Orientations. *J. Biol. Chem. J.* (article in preparation)
- 2) Grishkovskaya, I., Avvakumov, G.V., Hammond, G. L. and Muller, Y. A. (2001) Resolution of a disordered region at the entrance of the human sex hormone-binding globulin steroid-binding site. *J. of Mol. Biol.* (submitted)
- 3) Hilpert, J., Vorum, H., Burmeister, R., Spoelgen, R., Misselwitz, R., Grishkovskaya, I., Avvakumov, G. V., Hammond, G. L., Nykjaer, A., Willnow, T.E. (2001) Efficient eukaryotic expression system for authentic human sex hormone binding globulin. *Biochemical Journal*, **360**, 609-615
- 4) Avvakumov, G. V., Grishkovskaya, I., Muller, Y. A., Hammond, G. L. (2001) Resolution of the human sex hormone-binding globulin dimer interface and evidence for two steroid-binding sites per homodimer. *J. Biol. Chem. J.*, **276**, 34453-34457
- 5) Grishkovskaya, I., Avvakumov, G. V., Sklenar, G., Dales, D., Hammond, G. L. & Muller, Y. A. (2000). Crystal structure of human sex hormone-binding globulin: steroid transport by a laminin G-like domain. *EMBO J.*, **19**, 504-512.
- 6) Grishkovskaya, I., Sklenar, G., Avvakumov, G. V., Dales, D., Behlke, J., Hammond, G. L. & Muller, Y. A. (1999). Crystallisation of the N-terminal domain of human sex hormone-binding globulin, the major sex steroid carrier in blood. *Acta cryst. D*, **55**, 2053-2055.