

6. Literaturverzeichnis

1. Alberts B, Bray D, Hopkin K *et al.* Epithelgewebe und Zell-Zell-Verbindungen. In: Lehrbuch der Molekularen Zellbiologie. 3. Auflage. Weinheim: Wiley-VCH, 2004:754-62.
2. Balda MS, Whitney JA, Flores C, *et al.* Functional dissociation of paracellular permeability and transepithelial electrical resistance and disruption of the apical-basolateral intramembrane diffusion barrier by expression of a mutant tight junction membrane protein. *J Cell Biol* 1996;134:1031-49.
3. Blakely CM, Sintasath L, D'Cruz CM, *et al.* Developmental stage determines the effects of MYC in the mammary epithelium. *Development* 2005;132:1147-60.
4. Braga VM, Del Maschio A, Machesky L, Dejana E. Regulation of cadherin function by Rho and Rac: modulation by junction maturation and cellular context. *Mol Biol Cell* 1999;10:9-22.
5. Bruewer M, Hopkins AM, Hobert ME, Nusrat A, Madara JL. RhoA, Rac1, and Cdc42 exert distinct effects on epithelial barrier via selective structural and biochemical modulation of junctional proteins and F-actin. *Am J Physiol Cell Physiol* 2004;287:C327-C335.
6. Buse P, Woo PL, Alexander DB, Reza A, Firestone GL. Glucocorticoid-induced functional polarity of growth factor responsiveness regulates tight junction dynamics in transformed mammary epithelial tumor cells. *J Biol Chem* 1995;270:28223-7.
7. Calautti E, Grossi M, Mammucari C, *et al.* Fyn tyrosine kinase is a downstream mediator of Rho/PRK2 function in keratinocyte cell-cell adhesion. *J Cell Biol* 2002;156:137-48.
8. Chakravarty G, Hadsell D, Buitrago W, Settleman J, Rosen JM. p190-B RhoGAP regulates mammary ductal morphogenesis. *Mol Endocrinol* 2003;17:1054-65.
9. Davies SP, Reddy H, Caivano M, Cohen P. Specificity and mechanism of action of some commonly used protein kinase inhibitors. *Biochem J* 2000;351:95-105.
10. Demierre MF, Higgins PD, Gruber SB, Hawk E, Lippman SM. Statins and cancer prevention. *Nat Rev Cancer* 2005;5:930-42.
11. Dobie K, Mehtali M, McClenaghan M, Lathe R. Variegated gene expression in mice. *Trends Genet* 1997;13:127-30.
12. Drees F, Pokutta S, Yamada S, Nelson WJ, Weis WI. Alpha-catenin is a molecular switch that binds E-cadherin-beta-catenin and regulates actin-filament assembly. *Cell* 2005;123:903-15.
13. Etienne-Manneville S und Hall A. Rho GTPases in cell biology. *Nature* 2002;420:629-35.

14. Faraldo MM, Deugnier MA, Lukashev M, Thiery JP, Glukhova MA. Perturbation of beta1-integrin function alters the development of murine mammary gland. *EMBO J* 1998;17:2139-47.
15. Farquhar M und Palade GE. Junctional complexes in various epithelia. *J Cell Biol* 1963;17:375-412.
16. Feldman GJ, Mullin JM, Ryan MP. Occludin: structure, function and regulation. *Adv Drug Deliv Rev* 2005;57:883-917.
17. Forster C, Silwedel C, Golenhofen N, *et al.* Occludin as direct target for glucocorticoid-induced improvement of blood-brain barrier properties in a murine in vitro system. *J Physiol* 2005;565:475-86.
18. Fujibe M, Chiba H, Kojima T, *et al.* Thr203 of claudin-1, a putative phosphorylation site for MAP kinase, is required to promote the barrier function of tight junctions. *Exp Cell Res* 2004;295:36-47.
19. Fujita H, Katoh H, Hasegawa H, *et al.* Molecular decipherment of Rho effector pathways regulating tight-junction permeability. *Biochem J* 2000;346 Pt 3:617-22.
20. Furth PA, Bar-Peled U, Li M. Apoptosis and mammary gland involution: reviewing the process. *Apoptosis* 1997;2:19-24.
21. Furuse M, Hirase T, Itoh M, *et al.* Occludin: a novel integral membrane protein localizing at tight junctions. *J Cell Biol* 1993;123:1777-88.
22. Gabrielli B, Wettenhall RE, Kemp BE, Quinn M, Bizonova L. Phosphorylation of ribosomal protein S6 and a peptide analogue of S6 by a protease-activated kinase isolated from rat liver. *FEBS Lett* 1984;175:219-26.
23. Gampel A, Parker PJ, Mellor H. Regulation of epidermal growth factor receptor traffic by the small GTPase rhoB. *Curr Biol* 1999;9:955-8.
24. Gerhard R, Schmidt G, Hofmann F, Aktories K. Activation of Rho GTPases by Escherichia coli cytotoxic necrotizing factor 1 increases intestinal permeability in Caco-2 cells. *Infect Immun* 1998;66:5125-31.
25. Green KJ und Jones JC. Desmosomes and hemidesmosomes: structure and function of molecular components. *FASEB J* 1996;10:871-81.
26. Grosveld F, Antoniou M, van Assendelft GB, *et al.* The regulation of expression of human beta-globin genes. *Prog Clin Biol Res* 1987;251:133-44.
27. Günzburg WH und Salmons B. Factors controlling the expression of mouse mammary tumour virus. *Biochem J* 1992;283 (Pt 3):625-32.
28. Hadsell DL. Genetic manipulation of mammary gland development and lactation. *Adv Exp Med Biol* 2004;554:229-51.
29. Haeusler LC, Blumenstein L, Stege P, Dvorsky R, Ahmadian MR. Comparative functional analysis of the Rac GTPases. *FEBS Lett* 2003;555:556-60.

30. Harhaj NS und Antonetti DA. Regulation of tight junctions and loss of barrier function in pathophysiology. *Int J Biochem Cell Biol* 2004;36:1206-37.
31. Hasegawa H, Fujita H, Katoh H, *et al.* Opposite regulation of transepithelial electrical resistance and paracellular permeability by Rho in Madin-Darby canine kidney cells. *J Biol Chem* 1999;274:20982-8.
32. Hennighausen L und Robinson GW. Information networks in the mammary gland. *Nat Rev Mol Cell Biol* 2005;6:715-25.
33. Hennighausen L und Robinson GW. Signaling pathways in mammary gland development. *Dev Cell* 2001;1:467-75.
34. Hirase T, Kawashima S, Wong EY, *et al.* Regulation of tight junction permeability and occludin phosphorylation by Rho-p160ROCK-dependent and -independent mechanisms. *J Biol Chem* 2001;276:10423-31.
35. Hopkins AM, Walsh SV, Verkade P, Boquet P, Nusrat A. Constitutive activation of Rho proteins by CNF-1 influences tight junction structure and epithelial barrier function. *J Cell Sci* 2003;116:725-42.
36. Ishikura K, Yamada N, Ito M, *et al.* Beneficial acute effects of rho-kinase inhibitor in patients with pulmonary arterial hypertension. *Circ J* 2006;70:174-8.
37. Itoh M und Bissell MJ. The organization of tight junctions in epithelia: implications for mammary gland biology and breast tumorigenesis. *J Mammary Gland Biol Neoplasia* 2003;8:449-62.
38. Jaffe AB und Hall A. Rho GTPases: biochemistry and biology. *Annu Rev Cell Dev Biol* 2005;21:247-69.
39. Jager R, Werling U, Rimpf S, Jacob A, Schorle H. Transcription factor AP-2gamma stimulates proliferation and apoptosis and impairs differentiation in a transgenic model. *Mol Cancer Res* 2003;1:921-9.
40. Jou TS, Schneeberger EE, Nelson WJ. Structural and functional regulation of tight junctions by RhoA and Rac1 small GTPases. *J Cell Biol* 1998;142:101-15.
41. Junqueira LC und Carneiro J. Interzelluläre Verbindungen. In: Junqueira LC und Carneiro J, eds. *Histologie*. Berlin, Heidelberg: Springer Verlag, 1996:100-5.
42. Kaibuchi K, Kuroda S, Amano M. Regulation of the cytoskeleton and cell adhesion by the Rho family GTPases in mammalian cells. *Annu Rev Biochem* 1999;68:459-86.
43. Karnoub AE, Symons M, Campbell SL, Der CJ. Molecular basis for Rho GTPase signaling specificity. *Breast Cancer Res Treat* 2004;84:61-71.
44. Kawamata T, Taniguchi T, Mukai H, *et al.* A protein kinase, PKN, accumulates in Alzheimer neurofibrillary tangles and associated endoplasmic reticulum-derived vesicles and phosphorylates tau protein. *J Neurosci* 1998;18:7402-10.

45. Kawkitinarong K, Linz-McGillem L, Birukov KG, Garcia JG. Differential regulation of human lung epithelial and endothelial barrier function by thrombin. *Am J Respir Cell Mol Biol* 2004;31:517-27.
46. Kingsley-Kallesen M, Mukhopadhyay SS, Wyszomierski SL, *et al.* The mineralocorticoid receptor may compensate for the loss of the glucocorticoid receptor at specific stages of mammary gland development. *Mol Endocrinol* 2002;16:2008-18.
47. Kitagawa M, Mukai H, Takahashi M, Ono Y. The role of PKN in the regulation of alphaB-crystallin expression via heat shock transcription factor 1. *Biochem Biophys Res Commun* 1998;252:561-5.
48. Le Moellic C, Boulkroun S, Gonzalez-Nunez D, *et al.* Aldosterone and tight junctions: Modulation of claudin 4 phosphorylation in renal collecting duct cells. *Am J Physiol Cell Physiol* 2005;
49. Leung K, Nagy A, Gonzalez-Gomez I, *et al.* Targeted expression of activated Rac3 in mammary epithelium leads to defective postlactational involution and benign mammary gland lesions. *Cells Tissues Organs* 2003;175:72-83.
50. Li M, Liu X, Robinson G, *et al.* Mammary-derived signals activate programmed cell death during the first stage of mammary gland involution. *Proc Natl Acad Sci U S A* 1997;94:3425-30.
51. Lopez-Barahona M, Fialka I, Gonzalez-Sancho JM, *et al.* Thyroid hormone regulates stromelysin expression, protease secretion and the morphogenetic potential of normal polarized mammary epithelial cells. *EMBO J* 1995;14:1145-55.
52. Lund LR, Romer J, Thomasset N, *et al.* Two distinct phases of apoptosis in mammary gland involution: proteinase-independent and -dependent pathways. *Development* 1996;122:181-93.
53. Madaule P und Axel R. A novel ras-related gene family. *Cell* 1985;41:31-40.
54. Madaule P, Furuyashiki T, Eda M, *et al.* Citron, a Rho target that affects contractility during cytokinesis. *Microsc Res Tech* 2000;49:123-6.
55. Maesaki R, Ihara K, Shimizu T, *et al.* The structural basis of Rho effector recognition revealed by the crystal structure of human RhoA complexed with the effector domain of PKN/PRK1. *Mol Cell* 1999;4:793-803.
56. Mandell KJ und Parkos CA. The JAM family of proteins. *Adv Drug Deliv Rev* 2005;57:857-67.
57. Marinissen MJ, Chiariello M, Gutkind JS. Regulation of gene expression by the small GTPase Rho through the ERK6 (p38 gamma) MAP kinase pathway. *Genes Dev* 2001;15:535-53.
58. Mather IH und Keenan TW. Origin and secretion of milk lipids. *J Mammary Gland Biol Neoplasia* 1998;3:259-73.

59. Matter K und Balda MS. Signalling to and from tight junctions. *Nat Rev Mol Cell Biol* 2003;4:225-36.
60. Medina D. The mammary gland: a unique organ for the study of development and tumorigenesis. *J Mammary Gland Biol Neoplasia* 1996;1:5-19.
61. Mellor H, Flynn P, Nobes CD, Hall A, Parker PJ. PRK1 is targeted to endosomes by the small GTPase, RhoB. *J Biol Chem* 1998;273:4811-4.
62. Metzger E, Muller JM, Ferrari S, Buettner R, Schule R. A novel inducible transactivation domain in the androgen receptor: implications for PRK in prostate cancer. *EMBO J* 2003;22:270-80.
63. Mitic LL und Anderson JM. Molecular architecture of tight junctions. *Annu Rev Physiol* 1998;60:121-42.
64. Morissette MR, Sah VP, Glembotski CC, Brown JH. The Rho effector, PKN, regulates ANF gene transcription in cardiomyocytes through a serum response element. *Am J Physiol Heart Circ Physiol* 2000;278:H1769-H1774.
65. Mukai H. The structure and function of PKN, a protein kinase having a catalytic domain homologous to that of PKC. *J Biochem (Tokyo)* 2003;133:17-27.
66. Mukai H, Kitagawa M, Shibata H, *et al.* Activation of PKN, a novel 120-kDa protein kinase with leucine zipper-like sequences, by unsaturated fatty acids and by limited proteolysis. *Biochem Biophys Res Commun* 1994;204:348-56.
67. Mukai H, Miyahara M, Sunakawa H, *et al.* Translocation of PKN from the cytosol to the nucleus induced by stresses. *Proc Natl Acad Sci U S A* 1996;93:10195-9.
68. Mukai H und Ono Y. A novel protein kinase with leucine zipper-like sequences: its catalytic domain is highly homologous to that of protein kinase C. *Biochem Biophys Res Commun* 1994;199:897-904.
69. Mullin JM, Agostino N, Rendon-Huerta E, Thornton JJ. Keynote review: epithelial and endothelial barriers in human disease. *Drug Discov Today* 2005;10:395-408.
70. Neville MC, Morton J, Umemura S. Lactogenesis. The transition from pregnancy to lactation. *Pediatr Clin North Am* 2001;48:35-52.
71. Nguyen AV und Pollard JW. Transforming growth factor beta3 induces cell death during the first stage of mammary gland involution. *Development* 2000;127:3107-18.
72. Nguyen DA und Neville MC. Tight junction regulation in the mammary gland. *J Mammary Gland Biol Neoplasia* 1998;3:233-46.
73. Nguyen DA, Parlow AF, Neville MC. Hormonal regulation of tight junction closure in the mouse mammary epithelium during the transition from pregnancy to lactation. *J Endocrinol* 2001;170:347-56.

74. Nishikimi T und Matsuoka H. Molecular mechanisms and therapeutic strategies of chronic renal injury: renoprotective effect of rho-kinase inhibitor in hypertensive glomerulosclerosis. *J Pharmacol Sci* 2006;100:22-8.
75. Nusrat A, Eichel-Streiber C, Turner JR, *et al.* Clostridium difficile toxins disrupt epithelial barrier function by altering membrane microdomain localization of tight junction proteins. *Infect Immun* 2001;69:1329-36.
76. Oishi K, Mukai H, Shibata H, Takahashi M, Ona Y. Identification and characterization of PKNbeta, a novel isoform of protein kinase PKN: expression and arachidonic acid dependency are different from those of PKNalpha. *Biochem Biophys Res Commun* 1999;261:808-14.
77. Palmiter RD und Brinster RL. Germ-line transformation of mice. *Annu Rev Genet* 1986;20:465-99.
78. Peng B, Morrice NA, Groenen LC, Wettenhall RE. Phosphorylation events associated with different states of activation of a hepatic cardiolipin/protease-activated protein kinase. Structural identity to the protein kinase N-type protein kinases. *J Biol Chem* 1996;271:32233-40.
79. Pitelka DR, Hamamoto ST, Duafala JG, Nemanic MK. Cell contacts in the mouse mammary gland. I. Normal gland in postnatal development and the secretory cycle. *J Cell Biol* 1973;56:797-818.
80. Porvaznik M, Johnson RG, Sheridan JD. Tight junction development between cultured hepatoma cells: possible stages in assembly and enhancement with dexamethasone. *J Supramol Struct* 1979;10:13-30.
81. Quaroni A, Tian JQ, Goke M, Podolsky DK. Glucocorticoids have pleiotropic effects on small intestinal crypt cells. *Am J Physiol* 1999;277:G1027-G1040.
82. Rang HP, Dale MM, Ritter JM, Moore PK. The pituitary and adrenal cortex. In: *Pharmacology*. fifth edition. Auflage. Edinburgh: Churchill Livingstone, 2003:412.
83. Reichmann E, Schwarz H, Deiner EM, *et al.* Activation of an inducible c-FosER fusion protein causes loss of epithelial polarity and triggers epithelial-fibroblastoid cell conversion. *Cell* 1992;71:1103-16.
84. Richert MM, Schwertfeger KL, Ryder JW, Anderson SM. An atlas of mouse mammary gland development. *J Mammary Gland Biol Neoplasia* 2000;5:227-41.
85. Riento K und Ridley AJ. Rocks: multifunctional kinases in cell behaviour. *Nat Rev Mol Cell Biol* 2003;4:446-56.
86. Rikitake Y und Liao JK. Rho GTPases, statins, and nitric oxide. *Circ Res* 2005;97:1232-5.
87. Rubenstein NM, Guan Y, Woo PL, Firestone GL. Glucocorticoid down-regulation of RhoA is required for the steroid-induced organization of the junctional complex and tight junction formation in rat mammary epithelial tumor cells. *J Biol Chem* 2003;278:10353-60.

88. Sachs L. Der Vergleich unabhängiger Stichproben gemessener Werte. In: Angewandte Statistik. Anwendung statistischer Methoden. 11. Auflage. Berlin, Heidelberg: Springer Verlag, 2004:355-6.
89. Sahai E, Alberts AS, Treisman R. RhoA effector mutants reveal distinct effector pathways for cytoskeletal reorganization, SRF activation and transformation. *EMBO J* 1998;17:1350-61.
90. Sahai E und Marshall CJ. RHO-GTPases and cancer. *Nat Rev Cancer* 2002;2:133-42.
91. Saitou M, Fujimoto K, Doi Y, *et al.* Occludin-deficient embryonic stem cells can differentiate into polarized epithelial cells bearing tight junctions. *J Cell Biol* 1998;141:397-408.
92. Saitou M, Furuse M, Sasaki H, *et al.* Complex phenotype of mice lacking occludin, a component of tight junction strands. *Mol Biol Cell* 2000;11:4131-42.
93. Sambrook J, Fritsch EF, Maniatis T. Molecular cloning. A laboratory manual. 1989.
94. Schäfer K und Braun T. Monoclonal anti-FLAG antibodies react with a new isoform of rat Mg²⁺ dependent protein phosphatase beta. *Biochem Biophys Res Commun* 1995;207:708-14.
95. Schneeberger EE und Lynch RD. Structure, function, and regulation of cellular tight junctions. *Am J Physiol* 1992;262:L647-L661.
96. Schneeberger EE und Lynch RD. The tight junction: a multifunctional complex. *Am J Physiol Cell Physiol* 2004;286:C1213-C1228.
97. Settleman J. Rho GTPases in development. *Prog Mol Subcell Biol* 1999;22:201-29.
98. Shibata H, Oda H, Mukai H, *et al.* Interaction of PKN with a neuron-specific basic helix-loop-helix transcription factor, NDRF/NeuroD2. *Brain Res Mol Brain Res* 1999;74:126-34.
99. Sordella R, Classon M, Hu KQ, *et al.* Modulation of CREB activity by the Rho GTPase regulates cell and organism size during mouse embryonic development. *Dev Cell* 2002;2:553-65.
100. Stamatovic SM, Keep RF, Kunkel SL, Andjelkovic AV. Potential role of MCP-1 in endothelial cell tight junction 'opening': signaling via Rho and Rho kinase. *J Cell Sci* 2003;116:4615-28.
101. Stelwagen K, van Espen DC, Verkerk GA, McFadden HA, Farr VC. Elevated plasma cortisol reduces permeability of mammary tight junctions in the lactating bovine mammary epithelium. *J Endocrinol* 1998;159:173-8.
102. Stöcklin E, Botteri F, Groner B. An activated allele of the c-erbB-2 oncogene impairs kidney and lung function and causes early death of transgenic mice. *J Cell Biol* 1993;122:199-208.

103. Stuckas H. Erzeugung und Charakterisierung von transgenen Mäusen zur Untersuchung der Funktion des RhoA-Signaltransduktionsweges im Epithelgewebe der Brustdrüse. Dissertation zur Erlangung des akademischen Grades doctor rerum naturalium im Fach Biologie. Eingereicht an der Mathematisch-Naturwissenschaftlichen Fakultät I der Humboldt-Universität zu Berlin. 2003.
104. Takahashi M, Mukai H, Toshimori M, Miyamoto M, Ono Y. Proteolytic activation of PKN by caspase-3 or related protease during apoptosis. *Proc Natl Acad Sci U S A* 1998;95:11566-71.
105. Takahashi M, Shibata H, Shimakawa M, *et al.* Characterization of a novel giant scaffolding protein, CG-NAP, that anchors multiple signaling enzymes to centrosome and the golgi apparatus. *J Biol Chem* 1999;274:17267-74.
106. Takanaga H, Mukai H, Shibata H, Toshimori M, Ono Y. PKN interacts with a paraneoplastic cerebellar degeneration-associated antigen, which is a potential transcription factor. *Exp Cell Res* 1998;241:363-72.
107. Tonner E, Barber MC, Travers MT, Logan A, Flint DJ. Hormonal control of insulin-like growth factor-binding protein-5 production in the involuting mammary gland of the rat. *Endocrinology* 1997;138:5101-7.
108. Tsukita S, Furuse M, Itoh M. Multifunctional strands in tight junctions. *Nat Rev Mol Cell Biol* 2001;2:285-93.
109. Turksen K und Troy TC. Barriers built on claudins. *J Cell Sci* 2004;117:2435-47.
110. Ueyama T, Ren Y, Sakai N, *et al.* Generation of a constitutively active fragment of PKN in microglia/macrophages after middle cerebral artery occlusion in rats. *J Neurochem* 2001;79:903-13.
111. Van Aelst L und Symons M. Role of Rho family GTPases in epithelial morphogenesis. *Genes Dev* 2002;16:1032-54.
112. Vicari RM, Chaitman B, Keefe D, *et al.* Efficacy and safety of fasudil in patients with stable angina: a double-blind, placebo-controlled, phase 2 trial. *J Am Coll Cardiol* 2005;46:1803-11.
113. Vincent S, Marty L, Fort P. S26 ribosomal protein RNA: an invariant control for gene regulation experiments in eucaryotic cells and tissues. *Nucleic Acids Res* 1993;21:1498.
114. Wagner KU, McAllister K, Ward T, *et al.* Spatial and temporal expression of the Cre gene under the control of the MMTV-LTR in different lines of transgenic mice. *Transgenic Res* 2001;10:545-53.
115. Wettschureck N und Offermanns S. Rho/Rho-kinase mediated signaling in physiology and pathophysiology. *J Mol Med* 2002;80:629-38.
116. Wherlock M und Mellor H. The Rho GTPase family: a Racs to Wrchs story. *J Cell Sci* 2002;115:239-40.

117. Wilde CJ, Knight CH, Flint DJ. Control of milk secretion and apoptosis during mammary involution. *J Mammary Gland Biol Neoplasia* 1999;4:129-36.
118. Wintermantel TM, Bock D, Fleig V, Greiner EF, Schutz G. The epithelial glucocorticoid receptor is required for the normal timing of cell proliferation during mammary lobuloalveolar development but is dispensable for milk production. *Mol Endocrinol* 2005;19:340-9.
119. Wojciak-Stothard B, Potempa S, Eichholtz T, Ridley AJ. Rho and Rac but not Cdc42 regulate endothelial cell permeability. *J Cell Sci* 2001;114:1343-55.
120. Yamashita T und Tohyama M. The p75 receptor acts as a displacement factor that releases Rho from Rho-GDI. *Nat Neurosci* 2003;6:461-7.
121. Yoshinaga C, Mukai H, Toshimori M, Miyamoto M, Ono Y. Mutational analysis of the regulatory mechanism of PKN: the regulatory region of PKN contains an arachidonic acid-sensitive autoinhibitory domain. *J Biochem (Tokyo)* 1999;126:475-84.
122. Zettl KS, Sjaastad MD, Riskin PM, *et al.* Glucocorticoid-induced formation of tight junctions in mouse mammary epithelial cells in vitro. *Proc Natl Acad Sci U S A* 1992;89:9069-73.