

## 9. Literaturverzeichnis

ABELE, U. (1999)

Kalzium in organischer Bindung für Kühe.

Nutztier Spiegel 4 : 350-355

ABELE, U., WOLF, F. (2000)

Gebärparese - ein neues Therapiekonzept Calciuminfusion + Phosphor/Calcium oral Ergebnisse einer Feldstudie.

Tierärztetag Leipzig

ABU DAMIR, H., PHILLIPPO, M., THORP, B. H., MILNE, J. S., DICK, L.,

NEVISON, I. M. (1994)

Effects of dietary acidity on calcium balance and mobilisation, bone morphology and 1,25 dihydroxyvitamin D in prepartal dairy cows.

Res. Vet. Sci. 56(3): 310-318

ALLEN, W. M., SANSOM, B. F. (1985)

Milk fever and calcium metabolism.

Journal of Veterinary Pharmacology and therapeutics 8: 19-29

ARAMBEL, M. J., WIEDMEIR, R. D., CLARK, D. H., LAMB, R. C., BOMAN, R. L. ,  
WALTERS, J. L. (1988)

Effect of sodium bicarbonate and magnesium oxide in an alfalfa-based total mixed ration fed to early lactating dairy cattle.

J. Dairy Sci. 71: 159-163

BECK, N., WEBSTER, S. K. (1976)

Effects of acute metabolic acidosis on parathyroid hormone action and calcium mobilization.

Am. J. Physiol. 230: 127-131

BEEDE, D. (1995)

Practical application of cation-anion difference in dairy rations.

Maryland Nutr. Conf. For Feed Manuf., Univ. Maryland, College Park, MD

BEEDE, D. (1996)

Nutritional management of cows in transition.

Michigan Dairy Review 1 No. 3

BEITZ, D. C., BURKHART, D. J., JACOBSON, N. L. (1974)

Effect of calcium to phosphorus ratio in the diet of dairy cows on incidence of parturient paresis.

J. Dairy Sci. 57: 49-55

BETHARD, G., VERBECK, R., SMITH, J. F. (1998)

Controlling milk fever and hypocalcemia in dairy cattle: use of dietary cation-anion difference (DCAD) in formulating dry cow rations.

Technical Support 31

BLOCK, E. (1984)  
Manipulating dietary anions and cations for prepartum dairy cows to reduce incidence of milk fever.  
J. Dairy Sci. 67(12): 2939-2948

BLOCK, E. (1994)  
Manipulation of dietary cation-anion difference on nutritionally related production diseases, productivity, and metabolic responses of dairy cows.  
J. Dairy Sci. 77: 1437-1450

BODA, J. M. (1956)  
Further studies on the influence of dietary calcium and phosphorus on the incidence of milk fever in dairy cattle.  
J. Dairy Sci. 39: 66-72

BODA, J. M., COLE, H. H. (1954)  
The influence of dietary calcium and phosphorus on the incidence of milk fever in dairy cattle.  
J. Dairy Sci. 37: 360-372

BUDDECKE, E. (1994)  
Grundriss der Biochemie.  
9. Aufl., Walter de Gruyter, Berlin, New York

BUSHINSKY, D. A. (1995)  
Stimulated osteoclastic and suppressed osteoblastic activity in metabolic but not respiratory acidosis.  
Am. J. Physiol. 268 (Cell Physiol. 37): C80-C88

BUSHINSKY, D. A., RIERA, J. S., FAVUS, M. J., COE, F. L. (1985)  
Response of serum 1,25-(OH)2D3 to variation of ionized calcium during chronic acidosis.  
Am. J. Physiol. 249: F361-F365

BUSHINSKY, D. A., FRICK, K. K. (2000)  
The effects of acid on bone.  
Current opinion in nephrology and hypertension 9: 369-379

BYERS, D. I. (1994)  
Management considerations for successful use of anionic salts in dry-cow diets.  
The Compendium 16: 237-242

CONSTABLE, P. D. (1999)  
Clinical assessment of acid-base status. Strong ion difference theory.  
Vet Clin. North Am Food Anim. Pract. 15: 447-471

CURTIS, C. R., ERB, H. N., SNIFFEN, G. J. (1983)  
Association of parturient hypocalcemia with eight periparturient disorders in Holstein cows.  
J Am Vet Med Assoc 183: 559-561

CURTIS, C. R., ERB, H. N., SNIFFEN, G. J., SMITH, R. D. (1984)  
Epidemiology of parturient paresis: predisposing factors with emphasis on dry cow feeding  
and management.  
*J. Dairy Sci.* 67(4): 817-825

DANIEL, R. C. W. (1983)  
Motility of the rumen and abomasum during hypocalcaemia.  
*Can. J. Comp. Med.* 47: 276-280

DAVIDSON, J., RODRIGUEZ, L., PILBEAM, T., BEEDE, D. (1995)  
Urine pH check helps avoid milk fever.  
*Hoard's Dairyman* 140: 634

DELAQUIS, A. M., BLOCK, E. (1995)  
Acid-base status, renal function, water, and macromineral metabolism of dry cows fed  
diets differing in cation-anion difference.  
*J. Dairy Sci.* 78(3): 604-619

DHIMAN, T. R., SASIDHARAN, V. (1999)  
Effectiveness of calcium chloride in increasing blood calcium concentrations of  
periparturient dairy cows.  
*J Anim Sci* 77(6): 1597-1605

DISHINGTON, I. W. (1975)  
Prevention of milk fever (hypocalcemic paresis puerperalis) by dietary salt supplements.  
*Acta Vet. Scand.* 16: 503-512

EATON, H. D., JOHNSON, R. E., HELMBOLDT, C. F., SPIELMAN, A. A.,  
MATTERSON, L. D., JUNGHERR, E. L., KRAMER, J. H., SLATE, R. J. (1949)  
Prepartum milking. I. The effect of prepartum milking on some blood constituents of the cow.  
*J. Dairy Sci.* 32: 870-876

ENDER, F., DISHINGTON, I. W., HELGEBOSTAD, A. (1962)  
Parturient paresis and related forms of hypocalcemic disorders induced experimentally in  
dairy cows.  
Part II. *Acta Vet. Scand.* 3(Suppl.1):1-52

FAVUS, M. J., BUSHINSKY, D. A., COE, F. L. (1986)  
Effects of medium pH on duodenal and ileal calcium active transport in the rat.  
*Am. J. Physiol.* 251: G695-G700

FELDE, v. A. (1999)  
Innovation bei der Anwendung saurer Salze.  
*Kraftfutter/Feed Magazine* 11: 414-419

FETTMAN, M. J., CHASE, L. E., BENTINCK-SMITH, J., COPPOCK, C. E.,  
ZINN, S. A. (1984)  
Nutritional chloride deficiency in early lactation holstein cows.  
*J. Dairy Sci.* 67: 2321-2335

FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988a)  
Characterization of acid-base disturbances and effects on calcium and phosphorus balances of dietary fixed ions in pregnant or lactating does.  
*J Anim Sci* 66(1): 159-173

FREDEEN, A. H., DEPETERS, E. J., BALDWIN, R. L. (1988b)  
Effects of acid-base disturbances caused by differences in dietary fixed ion balance on kinetics of calcium metabolism in ruminants with high calcium demand.  
*J Anim Sci* 66(1): 174-184

FÜRLL, M., BAUERFELD, J. (2001)  
Effects of anion ratios at different durations of application on the milk fever prophylaxis  
Meeting Documents: Hypocalcaemia, acidosis and calcium homeostasis.  
An Abildgaard Symposium held at The Royal Veterinary and Agricultural University,  
Copenhagen, Denmark.

FÜRLL, M., JÄKEL, L., BAUERFELD, J., GROPPEL, B. (1996).  
Gebärpareseprophylaxe mit "Anionenrationen".  
*Collegium veterinarium* XXVI: 31-34

GARDNER, R. W. (1970)  
Avoiding milk fever.  
*Anim. Nutr. Health* 25: 6

GARDNER, R. W., PARK, R. L. (1971)  
Effects of prepartum energy intake and calcium to phosphorus ratios on lactation response and parturient paresis.  
*J. Dairy Sci.* 56(3): 385-389

GAST, D. R., MARQUARDT, J. P., JORGENSEN, N. A., DELUCA, H. F. (1977)  
Efficacy and safety of 1 $\alpha$ -hydroxyvitamin D<sub>3</sub> for prevention of parturient paresis.  
*J. Dairy Sci.* 60: 1910-1920

GAST, D. R., HORST, R. L., JORGENSEN, N. A., DELUCA, H. F. (1979)  
Potential use of 1,25-dihydroxycholecalciferol for prevention of parturient paresis.  
*J. Dairy Sci.* 62: 1009-1013

GAYNOR, P. J., MUELLER, F. J., MILLER, J. K., RAMSEY, N., GOFF, J. P.,  
HORST, R. L. (1989)  
Parturient hypocalcemia in jersey cows fed alfalfa haylage-based diets with different cation to anion ratios.  
*J. Dairy Sci.* 72(10): 2525-2531

GELFERT, C.-C., ZARRATH, M., EUSTERMANN, S., STAUFENBIEL, R. (2004)  
Überwachung des Einsatzes saurer Salze in Milchviehherden durch Futter- und Harnuntersuchungen.  
*Prakt. Tierarzt* 85:6, 422-430

GERLOFF, B. J. (1988)  
Feeding the dry cow to avoid metabolic disease.  
*Vet Clin North Am Food Anim Pract* 4 (2): 379-390

GOFF, J. P. (1992)

Cation-anion difference of diets and its influence on milk fever and subsequent lactation: the good and the bad news.

Proc. Cornell Nutr. Conf. for Feed Manufacturers Cornell Univ., Ithaca, N. Y.: 148-157

GOFF, J. P. (1999)

Treatment of calcium, phosphorus, and magnesium balance disorders.

Vet. Clin. N. Amer.-Food Anim. Pr. 15: 619-639

GOFF, J. P. (2000)

Pathophysiology of calcium and phosphorus disorders.

Vet Clin. North Am Food Anim. Pract. 16: 319-337

GOFF, J. P., LITTLEDIKE, E. T., HORST, R. L. (1986)

Effect of synthetic bovine parathyroid hormone in dairy cows: prevention of hypocalcemic parturient paresis.

J. Dairy Sci. 69: 2278-2288

GOFF, J. P., HORST, R. L., REINHARDT, T. A. (1987)

The pathophysiology and prevention of milk fever.

Veterinary medicine 82: 943-950

GOFF, J. P., KEHRLI, M. E., HORST, R. L. (1989a)

Periparturient hypocalcemia in cows: prevention using intramuscular parathyroid hormone.

J. Dairy Sci. 72: 1182-1187

GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1989b)

Recurring hypocalcemia of bovine parturient paresis is associated with failure to produce 1,25-dihydroxyvitamin D.

Endocrinology 125(1): 49-53

GOFF, J. P., HORST, R. L. (1990)

Effects of subcutaneously released 24F-1,25-dihydroxyvitamin D<sub>3</sub> on the incidence of parturient paresis in dairy cows.

J. Dairy Sci. 73: 406-412

GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1991a)

Enzymes and factors controlling vit. D metabolism and action in normal and milk fever cows.

J. Dairy Sci. 74: 4022-4032

GOFF, J. P., HORST, R. L., MUELLER, F. J., MILLER, J. K., KIESS, G. A.,

DOWLEN, H. H. (1991b)

Addition of chloride to a prepartal diet high in cations increases 1,25-dihydroxyvitamin D response to hypocalcemia preventing milk fever.

J. Dairy Sci. 74(11): 3863-3871

GOFF, J. P., REINHARDT, T. A., HORST, R. L. (1995)

Milk fever and dietary cation-anion balance effects on concentration of vitamin D receptor in tissue of periparturient dairy cows.

J. Dairy Sci. 78(11): 2388-2394

GOFF, J. P., HORST, R. L. (1997)  
Effects of the addition of potassium or sodium, but not calcium, to prepartum rations on milk fever in dairy cows.  
J. Dairy Sci. 80(1): 176-186

GOFF, J. P., HORST, R. L. (1998a)  
Use of hydrochloric acid as a source of anions for prevention of milk fever.  
J Dairy Sci 81(11): 2874-2880

GOFF, J. P., HORST, R. L. (1998b)  
Implications of health problems in the early lactation dairy cow - factors to concentrate on to prevent periparturient disease in the dairy cow with special emphasis on milk fever.  
Ruminant nutrition workshop: 15-34

GOFF, J. P., RUIZ, R., HORST, R. L. (2003)  
Relative acidifying activity of anionic salts commonly used to prevent milk fever.  
J. Dairy Sci. 87: 1245-1255

GOINGS, R. L., JACOBSEN, N. L., BEITZ, D. C., LITTLEDIKE, E. T., WIGGERS, K. D. (1974)  
Prevention of parturient paresis by a prepartum calcium-deficient diet.  
J. Dairy Sci. 57: 1184-1188

GOULD, G. N., JR. (1933)  
The provision of minerals for milk cows by feeding and fertilizing.  
Vet. Rec. 13: 7-15

GREGOROVIC, F., SKUSEK, F., KESNAR, F., BEKS, L. (1967)  
Crystalline vitamin D<sub>3</sub> for the prevention of milk fever in cattle.  
Vet. Rec. 79: 161-162

GREIG, J. R. (1930)  
Calcium gluconate as a specific in milk fever.  
Vet. Record 10: 115

GRÖHN, Y. T., ERB, H. N., MCCULLOCH, C. E., SALONIEMI, H. S. (1989)  
Epidemiology of metabolic disorders in dairy cattle: association among host characteristics, disease and production.  
J. Dairy Sci. 72: 1876-1885

GRÜNDER, H.-D. (1985)  
Rezidivprophylaxe und Vorbeuge der hypokalzämischen Gebäpparese des Rindes.  
Tierärztl. Umschau 40: 166-168

GÜRTLER, H., SEIDEL, H., LIEBAUG, E. (1977)  
Prophylaxe der Gebäpparese der Milchkuh durch Verabreichung hoher Dosen Vitamin D<sub>3</sub>.  
Monatsheft Vet. Med. 32: 664-668

HALLGREN, W. (1965)  
Gebäpparese.  
Wiener tierärztl. Monatsschrift 52: 359-369

HARTMANN, H., MEYER, H. (1994)  
Klinische Pathologie der Haustiere.  
Gustav Fischer Verlag Jena, Stuttgart

HARTMANN, H., BANDT, C. (2000)  
Pathophysiologische Mechanismen der Kalzium- und Magnesiumhomöostase sowie  
Bedeutung der renalen Exkretion für die Diagnostik von Elektrolytunbalancen beim Rind.  
Tierärztl Prax 2000; 28 (G): 190-8: 190-198

HIBBS, J. W., KRAUSS, W. E., POUNDEN, W. D., MONROE, C. F., SUTTEN, T. S.  
(1946)  
Studies on milk fever in dairy cows. II. The effect of vitamin D on some of the blood changes  
in normal and milk fever cows at parturition.  
J. Dairy Sci. 29: 767-781

HIBBS, J. W., CONRAD, H. R. (1966)  
Calcium, phosphorus, and vitamin D.  
J. Dairy Sci. 49: 243-246

HIBBS, J. W., CONRAD, H.R. (1976)  
Milk Fever in dairy cows. VII. Effect of continuous vitamin D feeding on incidence of milk  
fever.  
J. Dairy Sci. 59(11): 1944-1946

HOFFSIS, G. F., CAPEN, C. C., NORMAN, A. W. (1978)  
The use of 1,25 dihydroxycholecalciferol in the prevention of parturient hypocalcemia in  
dairy cows.  
Bovine Pract. 13: 88-95

HORST, R. L. (1986)  
Regulation of calcium and phosphorus homeostasis in the dairy cow.  
J. Dairy Sci. 69: 604-616

HORST, R. L., JORGENSEN, N. A. (1974)  
Effect of ammonium chloride on nitrogen and mineral balance in lactating and  
nonlactating goats.  
J. Dairy Sci. 57: 683-688

HORST, R. L., DELUCA, H. F., JORGENSEN, N. A. (1978a)  
The effect of age on calcium absorption and accumulation of 1,25 dihydroxyvitamin D<sub>3</sub> in  
intestinal mucosa of rats.  
Metab. Bone Dis. Relat. Res. 1: 29

HORST, R. L., JORGENSEN, N. A., DELUCA, H. F. (1978b)  
Plasma 1, 25-dihydroxyvitamin D and parathyroid hormone levels in paretic dairy cows.  
Am. J. Physiol. 235: E634

HORST, R. L., REINHARDT, T. A. (1983)  
Vitamin D metabolism in ruminants and its relevance to the periparturient cow.  
J. Dairy Sci. 66(4): 661-678

HORST, R. L., GOFF, J. P., REINHARDT, T. A. (1994)  
Calcium and vitamin D metabolism in the dairy cow.  
J. Dairy Sci. 77: 1936-1951

HORST, R. L., REINHARDT, T. A., GOFF, J. P. (1995)  
Pathophysiology and prevention of milk fever in dairy cattle.  
Proc. IXth Int. Congr. on Prod. Diseases, Berlin 9: 21-32

HORST, R. L., GOFF, J. P., REINHARDT, T. A., BUXTON, D. R. (1997)  
Strategies for preventing milk fever in dairy cattle.  
J. Dairy Sci. 80: 1269-1280

JACKSON, J. A., HOPKINS, D. M., XIN, Z., HEMKEN, R. W. (1992)  
Influence of cation-anion balance on feed intake, body weight gain, and humoral response of dairy calves.  
J. Dairy Sci. 75(5): 1281-1286

JARDON, P. W. (1995)  
Using urine pH to monitor anionic salt programs.  
The Compendium 17: 860-862

JEROCH, H., DROCHNER, W., SIMON, O. (1999)  
Ernährung landwirtschaftlicher Nutztiere.  
UTB für Wissenschaft, Eugen Ulmer GmbH & Co.

JONSSON, G., PEHRSON, B. (1970)  
Trials with prophylactic treatment of parturient paresis.  
Vet. Rec. 87: 575-583

JORGENSEN, N. A. (1974)  
Combating milk fever.  
J. Dairy Sci. 57: 933-944

JOYCE, P. W., SANCHEZ, W. K., GOFF, J. P. (1997)  
Effect of anionic salts in prepartum diets based on alfalfa.  
J. Dairy Sci. 80: 2866-2875

JULIEN, W. E., CONRAD, H. R., HIBBS, J. W., CRIST, W. L. (1977)  
Milk fever in dairy cows. VIII. Effect of injected vitamin D<sub>3</sub> and calcium and phosphorus intake on incidence.  
J. Dairy Sci. 60: 431-436

KENDALL, K. A., HARSHBARGER, K. E., HAYS, R. L., ORMISTON, E. E. (1969)  
Some responses of dairy cows to acid or alkaline dietary additives.  
J. Dairy Sci. 52: 931-932

KICHURA, T. S., HORST, R. L., BEITZ, D. C., LITTLEDIKE, E. T. (1982)  
Relationship between prepartal dietary calcium and phosphorus, vitamin D metabolism and parturient paresis in dairy cows.  
J. Nutr. 112: 480-487

KOLB, E. (1979)  
Neuere ernährungsbiochemische Erkenntnisse zur Entstehung und Verhütung der Gebärparese.  
Mh. Vet.-Med. 34: 64-69

KRAFT, W., DÜRR, U. M. (1997)  
Klinische Labordiagnostik in der Tiermedizin.  
F.K. Schattauer Verlagsgesellschaft mbH, Stuttgart

KUTAS, F. (1965)  
Determination of net acid-base excretion in the urine of cattle.  
Acta Veterinaria Academia Scientiarum Hungaricae 15: 147 - 153

LACHMANN, G., SIEGL, W., SIEBERT, H., SCHÄFER, M., ALKAFF, O. (1983)  
Untersuchungen zur renalen Kalziumausscheidung bei der metabolischen Azidose des Rindes.  
Math.-Naturwiss. R. 32(3): 314-320

LECLERC, H., BLOCK, E. (1989)  
Effects of reducing dietary cation-anion balance for prepartum dairy cows with specific reference to hypocalcemic parturient paresis.  
Can. J. Anim. Sci. 69: 411-423

LITTLE, W. L., WRIGHT, N. C. (1925)  
The aetiology of milk fever in cattle.  
Brit. J. Exptl. Pathol. 6: 129-134

LITTLEDIKE, E. T., HORST, R. L. (1982)  
Vitamin D<sub>3</sub> toxicity in dairy cows.  
J. Dairy Sci. 65: 749-759

LÖPTIEN, A. (2004)  
Experimentelle Untersuchungen zum Einfluss verschiedener Fütterungsfaktoren auf die metabolischen Effekte von Kalziumchlorid und Kalziumsulfat auf den Mengenelementhaushalt von Milchkühen.  
Diss., Berlin

LOMBA, F., CHAUVAUX, G., TELLER, E., LENGELE, L., BIENFET, V. (1978)  
Calcium digestibility in cows as influenced by the excess of alkaline ions over stable acid ions in their diets.  
Br. J. Nutr. 39: 425-429

LUCEY, S., ROLANDS, G. J. (1983)  
Relationships between production diseases and milk yield.  
Proceedings Vth Int. Conf. on Production Diseases in Farm Animals, Uppsala: 85-88

MAHLKOW-NERGE, K. (2001)  
Gesunderhaltung der Hochleistungskuh durch gezielte Fütterungsmaßnahmen.  
Deutsche Vilomix Tierernährung GmbH, Fachtagung 2001

MALZ, C., MEYER, C. (1992)  
Neue Aspekte zur Pathogenese und Therapie der hypokalzämischen Gebärparesse.  
Prakt. Tierarzt 6: 507-515

MARTIG, J. (2002)  
Hypokalzämische Gebärlähmung.  
in Dirksen, G., Gründer, H.-D., Stöber, M. (Hrsg.) Innere Medizin und Chirurgie des Rindes,  
Parey Buchverlag Berlin, S. 1245-1254

MATTICK, E. C. V., LITTLE, W. L. (1933)  
The calcium content of cow's blood. II. (a) Calcium in the blood of parturient heifers. (b)  
Effect of the injection of parathyroid extract, irradiation, etc. (c) Some case record of milk  
fever.  
Vet. Rec. 13: 1091

MAYER, G. P., RAMBERG, C. F., KRONFELD, D. S., BUCKLE, R. M., SHERWOOD,  
L. M., AURBACH, G. D., POTTS, J. T. (1969)  
Plasma parathyroid hormone concentration in hypocalcemic parturient cows.  
Am J Vet Res 30: 1587-1597

MEYER, H., DAHMS, L. (1969)  
Statistische Erhebungen zum Vorkommen der hypokalzämischen Gebärlähmung in deutschen  
Rinderrassen.  
Dtsch. Tierärztl. Wschr. 76: 497-536

MOODIE, E. W. (1960)  
Some aspects of hypocalcaemia in cattle.  
Vet. Rec. 72: 1145-1149

MOORE, C. W. (1970)  
Ionized calcium in normal ultrafiltrates and whole blood determined by ion exchange  
electrodes.  
J. Clin. Invest. 49: 318

MOORE, S. J., VANDEHAAR, M. J., SHARMA, B. K., PILBEAM, T. E., BEEDE, D. K.,  
BUCHHOLTZ, H. F., LIESMAN, J. S., HORST, R. L., GOFF, J. P. (2000)  
Effects of altering dietary cation-anion difference on calcium and energy metabolism in  
peripartum cows.  
J Dairy Sci 83(9): 2095-2104

NYDEGGER, M., MARTIG, J., LUGINBÜHL, A., TSCHUDI, P. (1990)  
Praktische Erfahrungen mit dem Calcium-Test-Gräub.  
Prakt. Tierarzt 73: 5-9

OETZEL, G. R. (1988)  
Parturient paresis and hypocalcemia in ruminant livestock.  
Vet. Clin. N. Amer.-Food Anim. Pr. 4: 351-364

OETZEL, G. R. (1993)  
Use of anionic salts for prevention of milk fever in dairy cattle.  
Compend. Contin. Educ. Pract. Vet. 15: 1138-1147

OETZEL, G. R., OLSON, J. D., CURTIS, C. R., FETTMAN, M. J. (1988)  
Ammonium chloride and ammonium sulfate for prevention of parturient paresis in dairy cows.  
J Dairy Sci 71(12): 3302-3309

OETZEL, G. R., FETTMAN, M. J., HAMAR, D. W., OLSON, J. D. (1991)  
Screening of anionic salts for palatability, effects on acid-base status, and urinary calcium excretion in dairy cows.  
J. Dairy Sci. 74(3): 965-971

OETZEL, G. R., BARMORE, J. A. (1993)  
Intake of a concentrate mixture containing various anionic salts fed to pregnant, nonlactating dairy cows.  
J. Dairy Sci. 76: 1617-1623

OLSON, W. H., JORGENSEN, N. A., BRINGE, A. N., SCHULTZ, L. H., DELUCA, H. F. (1974)  
25-Hydroxycholecalciferol (25-OHD<sub>3</sub>). I. Treatment for parturient paresis.  
J. Dairy Sci. 56: 885-888

OWENS, F. N., SECRIST, D.S., HILL, W.J., GILL, D.R. (1998)  
Acidosis in Cattle: A Review.  
J. Anim.Sci. 76: 275-286

PHILLIPPO, M., REID, G. W., NEVISON, I. M. (1994)  
Parturient hypocalcaemia in dairy cows: effects of dietary acidity on plasma minerals and calciotrophic hormones.  
Res. Vet. Sci. 56(3): 303-309

PRAECHTER, C. (2001)  
Untersuchungen zum Einfluss anionenreicher Rationen auf die Eigenschaften und die Zusammensetzung des Blutes und der Pansenflüssigkeit sowie auf die Ca-Absorption über die Pansenwand.  
Diss. Hannover

RAMBERG, C. F., JR., MAYER, G. P., KRONFELD, D. S., PHANG, J. M., ERMAN, M. (1970)  
Calcium kinetics in cows during late pregnancy, parturition, and early lactation.  
Am. J. Physiol. 219: 1166-1177

RAMBERG, C. F., JR., MAYER, G. P., KRONFELD, D. S., POTTS, J. T., JR. (1975)  
Dietary calcium , calcium kinetics and plasma parathyroid hormone concentration in cows.  
J. Nutr. 106: 671-679

RAMBERG, C. F., JOHNSON, E. K., FARGO, R. D., KRONFELD, D. S. (1984)  
Calcium homeostasis in cows with special reference to parturient hypocalcemia.  
Am. J. Physiol. 246: R698-R704

RAMBERG, C. F., FERGUSON, J. D., GALLIGAN, D. T. (1996)  
Metabolic basis of the cation anion difference concept.  
Center for Animal Health and Productivity, The Penn Annual Conference.

REINHARDT, T. A., CONRAD, H. R. (1980)  
Mode of action of pharmacological doses of cholecalciferol during parturient hypocalcemia  
in dairy cows.  
*J. Nutr.* 110: 1589-1596

REINHARDT, T. A., HORST, R. L., GOFF, J. P. (1988)  
Calcium, phosphorus, and magnesium homeostasis in ruminants.  
*Vet Clin North Am Food Anim Pract* 4(2): 331-349

RINGS, M. B., RINGS, D. M., WELKER, B. (1997)  
Milk fever: seeking new solutions to an old problem.  
*The Compendium* 19: 175-180

ROSSOW, N., JACOBI, U., SCHÄFER, M., LIPPmann, R., FURCHT, G., SLANINA, L.,  
VRZGULA, L., EHRENTRAUT, W. (1987)  
Stoffwechselüberwachungen bei Haustieren - Probleme, Hinweise, Referenzwerte.  
Tierhygiene-Information, Eberswalde-Finow 19

ROWLAND, G. N., CAPEN, C. C., YOUNG, D. M., BLACK, H. E. (1972)  
Micrographic evaluation of bone from cows with experimental hypervitaminosis D  
diet-induced hypocalcemia, and naturally occurring parturient paresis.  
*Calcif. Tiss. Res.* 9: 179-193

SANCHEZ, W. K. (1999)  
Another new look at DCAD for the prepartum dairy cow.  
Proc. of the Mid-South Ruminant Nutrition Conference

SCHONEWILLE, J., VAN'T KLOOSTER, A., DIRKZWAGER, A., BEYNEN, A. C.  
(1994a)  
Stimulatory effect of an anion (chloride) -rich ration on apparent calcium absorption in dairy  
cows.  
*Livestock Prod. Sci.* 40: 233-240

SCHONEWILLE, J., VAN'T KLOOSTER, A., BEYNEN, A. (1994b)  
The addition of extra calcium to a chloride-rich ration does not affect the absolute amount of  
calcium absorbed by non pregnant, dry cows.  
*J. Anim. Physiol. a. Anim. Nutr.* 72: 272-280

SCHÜLTKEN, A., MOLL, G. (1998)  
Effizienz einer oralen Prophylaxe der hypocalcämischen Gebäparese mit der  
Kalziumchlorid-Öl-Emulsion Calol in der Praxis.  
*Prakt. Tierarzt* 79(2): 150-161

SCOTT, D., WHITLOW, F. G., KAY, M. (1971)  
Renal excretion of acid in calves fed either roughage or concentrate diets.  
*Q. J. Exp. Physiol.* 56: 18

SMITH, B. P. (1996)  
Large animal internal medicine.  
Mosby-Year Book, Inc., St. Louis

SMITH, V. R., BLOSSER, T. H. (1947)  
The incidence of parturient paresis and changes in the total serum calcium at parturition in prepartum milked cows.  
J. Dairy Sci. 30: 861-866

SOMMERFELD, J. L., HORST, R. L., LITTLEDIKE, E. T., BEITZ, D. C. (1979)  
In vitro degradation of cholecalciferol in rumen fluid.  
J. Dairy Sci. 62 (Suppl. 1): 192

STACY, B. D., WILSON, B. W. (1970)  
Acidosis and hypercalcuria: renal mechanisms affecting calcium, magnesium and sodium excretion in the sheep.  
J. Physiol. 210: 549-564

STAUFENBIEL, R. (2000)  
Prophylaxe der Gebärparesie, Teil 2.  
Nutztier Spiegel 1: 58-61

STAUFENBIEL, R., ENGELHARD, T. (1999)  
Vier Strategien gegen Milchfieber.  
Top Agrar 9: R16-R19

STEINWIDDER, A., GRUBER, L. (2000)  
Fütterungs- und tierbedingte Einflussfaktoren auf den Harnstoffgehalt der Milch von Kühen.  
Die Bodenkultur 51: 49-51

STEWART, P. A. (1978)  
Independent and dependent variables of acid-base control.  
Resp. Physiol. 33: 9-26

STEWART, P. A. (1983)  
Modern quantitative acid-base chemistry.  
Can. J. Physiol. Pharmacol. 61: 1444-1461

STÖBER, M. (2002)  
Ruminale Ammoniak-, Harnstoff- oder NPN-Vergiftung.  
in Dirksen, G., Gründer, H.-D., Stöber, M. (Hrsg.) Innere Medizin und Chirurgie des Rindes, Parey Buchverlag Berlin, S. 1133-1135

STÖBER, M., SCHOLZ, H. (2002)  
Sulfid-, Sulfat-, Sulfit- und Schwefelvergiftung.  
in Dirksen, G., Gründer, H.-D., Stöber, M. (Hrsg.) Innere Medizin und Chirurgie des Rindes, Parey Buchverlag Berlin, S. 1118-1119

STOLLA, R., SCHULZ, H., MARTIN, R. (2000)  
Veränderungen im Krankheitsbild des perinatalen Festliegens beim Rind.  
Tierärztl. Umschau 55: 295-299

TAKAGI, H., BLOCK, E. (1991a)  
Effects of manipulating dietary cation-anion balance on macromineral balance in sheep.  
*J. Dairy Sci.* 74(12): 4202-4214

TAKAGI, H., BLOCK, E. (1991b)  
Effects of various dietary cation-anion balances on response to experimentally induced hypocalcemia in sheep.  
*J. Dairy Sci.* 74(12): 4215-4224

TAKAGI, H., BLOCK, E. (1991c)  
Effects of reducing dietary cation-anion balance on calcium kinetics in sheep.  
*J. Dairy Sci.* 74(12): 4225-4237

TRAN, T.-D. (1997)  
Mit Elektrolyten-Balance gegen Milchfieber.  
*Rinderwelt* 6: 26-28

TUCKER, W. B., HARRISON, G. A., HEMKEN, R. W. (1988)  
Influence of dietary cation-anion balance on milk, blood, urine, and rumen fluid in lactating dairy cattle.  
*J. Dairy Sci.* 71: 346-354

TUCKER, W. B., HOGUE, J. F., WATERMAN, D. F., SWENSON, T. S., XIN, Z.,  
HEMKEN, R. W., JACKSON, J. A., ADAMS, G. D., SPICER, L. J. (1991a)  
Role of sulfur and chloride in the dietary cation-anion balance equation for lactating dairy cattle.  
*J. Anim. Sci.* 69: 1205-1213

TUCKER, W. B., XIN, Z., HEMKEN, R. W. (1991b)  
Influence of calcium chloride on systemic acid-base status and calcium metabolism in dairy heifers.  
*J. Dairy Sci.* 74(4): 1401-1407

TUCKER, W. B., HOGUE, J. F., ADAMS, G. D., ASLAM, M., SHIN, I. S., MORGEN, G. (1992)  
Influence of dietary cation-anion balance during the dry period on the occurrence of parturient paresis in cows fed excess calcium.  
*J. Anim. Sci.* 70(4): 1238-1250

VAGG, M. J., PAYNE, J. M. (1970)  
The effect of ammonium chloride induced acidosis on calcium metabolism in ruminants.  
*Br. Vet. J.* 126(10): 531-537

VAGNONI, D. B., OETZEL, G. R. (1998)  
Effects of dietary cation-anion difference on the acid-base status of dry cows.  
*J. Dairy Sci.* 81(6): 1643-1652

VERDARIS, J. N., EVANS, J. L. (1976)  
Diet calcium and pH versus mineral balance in holstein cows 84 days pre- to 2 days Postpartum.  
*J. Dairy Sci.* 59: 1271-1277

WANG, C., BEEDE, D.K. (1990)  
Effects of supplemental protein on acid-base status and calcium metabolism of nonlactating jersey cows.  
J. Dairy Sci. 73: 3178-3186

WANG, C., BEEDE, D. K. (1992)  
Effects of ammonium chloride and sulfate on acid-base status and calcium metabolism of dry jersey cows.  
J. Dairy Sci. 75(3): 820-828

WANG, C., RISCO, C. A., DONOVAN, G. A., MERRITT, A. M.,  
BEEDE, D. K., VELEZ, J. S. (1994)  
Recent advances in prevention of parturient paresis in dairy cows.  
Florida Agriculture Experiment Station, Journal Series Number R-03003 16 (10): 1373-1380

WEST, J. W., HAYDON, K. D., MULLINIX, B. G., SANDIFER, T. G. (1992)  
Dietary cation-anion balance and cation source effects on production and acid-base status of heat-stressed cows.  
J. Dairy Sci. 75: 2776-2786

WESTENHOFF, R. A. (2000)  
Zum Einsatz (Akzeptanz, Wirkung auf den Mineralstoffwechsel und Säuren-Basen-Haushalt) von gecoatetem Calciumchlorid beim Wiederkäuer.  
Diss. Hannover

WIESNER, E., RIBBECK, R. (2000)  
Lexikon der Veterinärmedizin.  
ENKE im Hippokrates Verlag GmbH, Stuttgart

ZEPPERITZ, H. (1990)  
Untersuchungen zur klinischen und klinisch-chemischen Diagnostik der Gebärparese.  
Mh. Vet.-Med. 45: 859-864