

CONTENTS

LIST OF FIGURES	5
LIST OF TABLES	6
ABBREVIATIONS	7
1 INTRODUCTION.....	9
1.1 SENSORY NEURONE MECHANOTRANSDUCTION.....	10
1.2 A MOLECULAR MODEL FOR MECHANOTRANSDUCTION	11
1.2.1 The mechanotransduction model in C.elegans.....	12
1.2.1.1 The mechanotransduction core complex in C.elegans	14
1.2.2 Candidate molecules involved in mechanotransduction in mammals.....	15
1.2.2.1 Candidate ion channels	15
1.2.2.2 Candidate regulatory proteins	17
1.2.2.2.1 Mammalian homologues of MEC-2.....	17
1.2.2.2.2 Mammalian homologues of MEC-6.....	20
1.3 CUTANEOUS MECHANORECEPTORS IN MICE.....	21
1.4 AIMS.....	24
2 MATERIAL AND METHODS.....	25
2.1 MATERIAL AND ANIMALS	25
2.1.1 Technical equipment	25
2.1.2 Chemicals and reagents.....	26
2.1.3 Buffers and solutions.....	28
2.1.4 Culture media.....	31
2.1.5 Enzymes and molecular weight markers.....	31
2.1.6 Kits.....	32
2.1.7 Plasmids	32
2.1.8 Constructs.....	32
2.1.9 Primers	33
2.1.10 Antibodies	34
2.1.11 EST-clones	34
2.1.12 Consumables	35
2.1.13 Animals	35
2.2 METHODS	36

CONTENTS

2.2.1	Molecular biology	36
2.2.1.1	DNA cloning	36
2.2.1.2	In situ hybridisation.....	40
2.2.1.3	Quantitative Real Time PCR.....	41
2.2.1.4	Genomic Southern blot.....	42
2.2.2	Cell cultures	44
2.2.2.1	Maintenance	44
2.2.2.2	Transfection.....	44
2.2.2.3	Cultivation of sensory neurones	44
2.2.3	Protein chemistry.....	45
2.2.3.1	Protein isolation.....	45
2.2.3.2	SDS-PAGE.....	46
2.2.3.3	Western blotting	46
2.2.3.4	Cleavage of GPI anchored proteins	46
2.2.3.5	Immunocytochemistry	47
2.2.4	Electrophysiology.....	48
2.2.5	Electron microscopy.....	51
2.2.6	Behavioural tests	52
2.2.6.1	Tactile acuity test	52
2.2.6.2	Rotorod test	53
3	RESULTS.....	54
3.1	SPL3 EXPRESSION IN NEURONAL AND NON-NEURONAL TISSUE	54
3.2	CHARACTERISATION OF SLP3 ^{-/-} MICE.....	56
3.2.1	Targeting of the slp3 locus in mice	56
3.2.2	SLP3 ^{-/-} mice are healthy and viable.....	57
3.2.3	Genotyping of SLP3 ^{-/-} mice.....	57
3.2.4	Characterisation of SLP3 ^{-/-} mice	58
3.3	MECHANOSENSORY AFFERENTS IN THE SKIN REQUIRE SLP3 FOR THEIR FUNCTION IN MICE	61
3.3.1	General aspects of the electrical and the mechanical search protocol used in the in vitro skin nerve preparation	61
3.3.2	A-fibre mechanoreceptors lose mechanosensitivity in SLP3 ^{-/-} mice	65
3.3.3	Electrical thresholds of mechano-insensitive A-fibres are unchanged in SLP3 ^{-/-} mice .	68
3.3.4	Mechanoreceptor function is impaired in SLP3 ^{-/-} mice	69
3.3.4.1	Mechanosensitivity of RAM fibres in SLP3 ^{-/-} mice	70
3.3.4.2	Mechanosensitivity of SAM fibres in SLP3 ^{-/-} mice.....	72
3.3.4.3	Mechanosensitivity of D-hairs in SLP3 ^{-/-} mice	73

3.3.4.4	Mechanosensitivity of AM fibres in SLP3 ^{-/-} mice.....	75
3.3.4.5	Mechanosensitivity of C-fibres in SLP3 ^{-/-} mice	76
3.3.5	Lack of mechanoreceptor phenotype in SLP3 ^{+/-} mice.....	78
3.4	MECHANICALLY GATED ION CHANNELS REQUIRE SLP3 FOR THEIR FUNCTION IN MICE	80
3.5	MORPHOLOGICAL INTEGRITY OF SENSORY NEURONES AND THEIR AFFERENT ENDINGS IN THE SKIN OF SLP3 ^{-/-} MICE.....	84
3.5.1	Sensory neurones in the saphenous nerve of SLP3 ^{-/-} mice project normally to the skin	84
3.5.2	Sensory afferents form morphologically normal endings in SLP ^{-/-} mice	86
3.6	INVESTIGATION OF SLP3 ^{-/-} /STOMATIN ^{-/-} MICE	90
3.6.1.1	Mechanosensory properties in SLP3 ^{-/-} /Stomatin ^{-/-} mice	90
3.6.1.2	Mechano-insensitive fibres in SLP3 ^{-/-} /Stomatin ^{-/-} mice	92
3.6.1.3	Mechanosensitivity of low threshold mechanoreceptors in SLP3 ^{-/-} /Stomatin ^{-/-} mice	93
3.6.1.4	Mechanosensitivity of nociceptive receptors in SLP3 ^{-/-} /Stomatin ^{-/-} mice	95
3.6.2	Sensory neurones and sensory afferents are intact in SLP3 ^{-/-} /Stomatin ^{-/-} mice	97
3.7	TACTILE DRIVEN BEHAVIOUR IS IMPAIRED IN SLP3 ^{-/-} MICE.....	100
3.7.1	Design of a novel tactile acuity test for mice	100
3.7.2	Behaviour of SLP3 ^{-/-} mice on natural sandpaper	102
3.7.3	The grid-based quantitative tactile acuity test for mice.....	104
3.7.4	Behaviour of SLP3 ^{-/-} mice on the grid-based tactile acuity test.....	108
3.7.5	Performance of SLP3 ^{-/-} mice on a rotorod treadmill.....	110
3.8	PARAOXONASE GENES AND SENSORY MECHANOTRANSDUCTION.....	112
3.8.1	Cloning of paraoxonase gene cDNAs	112
3.8.2	Expression of the different paraoxonase genes in sensory neurones.....	113
3.8.3	Analysis of the PON2 sequence and secondary structure using bioinformatic tools ..	115
3.8.4	Subcellular localisation of PON2 in a heterologous expression system.....	116
3.8.5	Release of PON2 from plasma membranes by PI-PLC.....	117
4	DISCUSSION	120
4.1	SLP3 IS REQUIRED FOR CUTANEOUS MECHANORECEPTOR FUNCTION IN MICE.....	121
4.2	SLP3 IS REQUIRED FOR THE FUNCTION OF MECHANICALLY GATED ION CHANNELS	129
4.3	SLP3 ^{-/-} /STOMATIN ^{-/-} MICE SHOW NO ADDITIONAL MECHANOSENSORY DEFICITS	130

CONTENTS

4.4	SLP3 ^{-/-} MICE HAVE DEFICITS IN TACTILE DISCRIMINATION	132
4.5	PON2 IS A CANDIDATE MECHANOTRANSDUCTION MOLECULE.....	135
4.6	CONCLUSIONS	136
5	SUMMARY	138
6	REFERENCES.....	141

LIST OF FIGURES

Figure 1 Molecular model of mechanotransduction in <i>C. elegans</i> and mammals	13
Figure 2 Phylogenetic tree of stomatin-like proteins.	19
Figure 3 Mechanoreceptors found in mouse skin innervated by the saphenous nerve.	22
Figure 4 Overview of the skin-nerve preparation (courtesy of Paul Heppenstall)	49
Figure 5 Expression of <i>stomatin</i> and <i>slp3</i> mRNA in various mouse tissues	55
Figure 6 Southern blot hybridisation confirming the targeting mutation of the <i>slp3</i> gene in mice.....	57
Figure 7 PCR strategy for determination of the genotype of wild-type or SLP3 ^{-/-} mice	58
Figure 8 RT-PCR reactions carried out for further characterisation of SLP3 ^{-/-} mice (mRNA level)	59
Figure 9 Electrical search protocol	62
Figure 10 Schematic drawing of mechanical parameters studied using the mechanical search protocol.....	63
Figure 11 Mechanically insensitive sensory afferents in SLP3 ^{-/-} mice	66
Figure 12 Proportion of mechanosensitive A-fibre afferents in SLP3 ^{-/-} mice	67
Figure 13 Electrical thresholds of mechano-insensitive fibres in SLP3 ^{-/-} mice	68
Figure 14 Mechanical stimulation protocol for studying mechanoreceptor properties in the skin.....	69
Figure 15 Mechanosensitivity of RAM fibres in SLP3 ^{-/-} mice	71
Figure 16 Mechanosensitivity of SAM fibres in SLP3 ^{-/-} mice.....	73
Figure 17 Mechanosensitivity of D-hairs in SLP3 ^{-/-} mice	74
Figure 18 Mechanosensitivity of AM fibres in SLP3 ^{-/-} mice.....	76
Figure 19 Mechanosensitivity of nociceptors in SLP3 ^{-/-} mice	77
Figure 20 Mechanically insensitive sensory afferents in SLP3 ^{+/-} mice	78
Figure 21 Mechanical activation of primary sensory neurones in SLP3 ^{-/-} mice	81
Figure 22 Expression of ASIC2 in SLP3 ^{-/-} mice	82
Figure 23 Electron microscopy of the saphenous nerve	85
Figure 24 Sensory innervation of the hairy skin in SLP3 ^{-/-} mice	87
Figure 25 Hair follicle innervation in SLP3 ^{-/-} mice	88
Figure 26 Mechanically insensitive sensory afferents in SLP3 ^{-/-} /Stomatin ^{-/-} mice	93
Figure 27 Mechanosensitivity of LTM fibres in SLP3 ^{-/-} /Stomatin ^{-/-} mice	95
Figure 28 Mechanosensitivity of nociceptors in SLP3 ^{-/-} /Stomatin ^{-/-} mice.	96
Figure 29 Electron microscopy of the saphenous nerve of SLP3 ^{-/-} /Stomatin ^{-/-} mice	98
Figure 30 Sensory innervation of the hairy skin in SLP3 ^{-/-} /Stomatin ^{-/-} mice	99
Figure 31 The TSE ActiMot system for measuring open field activity in mice	101
Figure 32 The tactile driven behavioural test based on natural sandpaper cues	103
Figure 33 Behaviour of C57BL/6N and SLP3 ^{-/-} mice on sandpaper cues	104
Figure 34 The tactile driven behavioural test based on Plexiglas cues with varying spatial frequency.	105
Figure 35 Behaviour of C57BL/6N mice on the quantitative grid-based tactile driven behavioural test.....	107

Figure 36 Behaviour of SLP3^{-/-} mice on the grid-based tactile acuity test 109

Figure 37 Mice performance on an accelerating rotorod treadmill 110

Figure 38 Expression of different *paraoxonase* mRNA transcripts in the DRG in mice 113

Figure 39 Expression of *pon2* mRNA in the DRG in mice 115

Figure 40 Western blot detecting PON2 in transfected HEK293 cells 117

Figure 41 Release of PON2 from plasma membranes by PI-PLC 118

LIST OF TABLES

Table 1 Detailed breakdown of the single fibre recordings from SLP3^{-/-} and SLP3^{+/+} mice using the electrical search protocol 64

Table 2 Detailed breakdown of the single fibre recording from SLP3^{-/-} and SLP3^{+/+} mice using the mechanical search protocol..... 64

Table 3 Detailed breakdown of the single fibre recording in SLP3^{-/-}/Stomatin^{-/-} and wild-type littermates using the electrical search protocol..... 91

Table 4 Detailed breakdown of the single fibre recording in SLP3^{-/-}/Stomatin^{-/-} and wild-type littermates using the mechanical search protocol 91