

## 8 Reference list

1. Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., and Walter, P. (2002). *Molecular Biology of the Cell* 4<sup>th</sup> ed.
2. Arlt, H., Steglich, G., Perryman, R., Guiard, B., Neupert, W., and Langer, T. (1998). The formation of respiratory chain complexes in mitochondria is under the proteolytic control of the m-AAA protease. *EMBO J.* 17, 4837-4847.
3. Asamoto, M. and Cohen, S.M. (1994). Prohibitin gene is overexpressed but not mutated in rat bladder carcinomas and cell lines. *Cancer Lett.* 83, 201-207.
4. Bacher, S., Achatz, G., Schmitz, M.L., and Lamers, M.C. (2002). Prohibitin and prohibitone are contained in high-molecular weight complexes and interact with alpha-actinin and annexin A2. *Biochimie* 84, 1207-1220.
5. Barbacid, M. (1987). ras genes. *Annu. Rev. Biochem.* 56, 779-827.
6. Bauer, B., Moese, S., Bartfeld, S., Meyer, T.F., and Selbach, M. (2005). Analysis of cell type-specific responses mediated by the type IV secretion system of *Helicobacter pylori*. *Infect. Immun.* 73, 4643-4652.
7. Benecke, B.J., Ben Ze'ev, A., and Penman, S. (1978). The control of mRNA production, translation and turnover in suspended and reattached anchorage-dependent fibroblasts. *Cell.* 14, 931-939.
8. Berger, K.H. and Yaffe, M.P. (1998). Prohibitin family members interact genetically with mitochondrial inheritance components in *Saccharomyces cerevisiae*. *Mol. Cell Biol.* 18, 4043-4052.
9. Bohmer, R.M., Scharf, E., and Assoian, R.K. (1996). Cytoskeletal integrity is required throughout the mitogen stimulation phase of the cell cycle and mediates the anchorage-dependent expression of cyclin D1. *Mol. Biol. Cell.* 7, 101-111.
10. Bos, J.L. (1989). ras oncogenes in human cancer: a review. *Cancer Res.* 49, 4682-4689.
11. Boudreau, N.J. and Jones, P.L. (1999). Extracellular matrix and integrin signalling: the shape of things to come. *Biochem. J.* 339, 481-488.
12. Campbell, I.G., Allen, J., and Eccles, D.M. (2003). Prohibitin 3' untranslated region polymorphism and breast cancer risk. *Cancer Epidemiol. Biomarkers Prev.* 12, 1273-1274.
13. Campbell, S.L., Khosravi-Far, R., Rossman, K.L., Clark, G.J., and Der, C.J. (1998). Increasing complexity of Ras signaling. *Oncogene* 17, 1395-1413.

14. Campisi, J. (2005). Suppressing cancer: the importance of being senescent. *Science* 309, 886-887.
15. Chen, Q., Fischer, A., Reagan, J.D., Yan, L.J., and Ames, B.N. (1995). Oxidative DNA damage and senescence of human diploid fibroblast cells. *Proc. Natl. Acad. Sci. U. S. A* 92, 4337-4341.
16. Churin, Y., Al Ghouli, L., Kepp, O., Meyer, T.F., Birchmeier, W., and Naumann, M. (2003). *Helicobacter pylori* CagA protein targets the c-Met receptor and enhances the mitogenic response. *J. Cell Biol.* 161, 249-255.
17. Cipolat, S., Rudka, T., Hartmann, D., Costa, V., Serneels, L., Craessaerts, K., Metzger, K., Frezza, C., Annaert, W., D'Adamio, L., Derks, C., Dejaegere, T., Pellegrini, L., D'Hooge, R., Scorrano, L., and De, S.B. (2006). Mitochondrial rhomboid PARL regulates cytochrome c release during apoptosis via OPA1-dependent cristae remodeling. *Cell* 126, 163-175.
18. Coates, P.J., Jamieson, D.J., Smart, K., Prescott, A.R., and Hall, P.A. (1997). The prohibitin family of mitochondrial proteins regulate replicative lifespan. *Curr. Biol.* 7, 607-610.
19. Coates, P.J., Nenutil, R., McGregor, A., Picksley, S.M., Crouch, D.H., Hall, P.A., and Wright, E.G. (2001). Mammalian prohibitin proteins respond to mitochondrial stress and decrease during cellular senescence. *Exp. Cell Res.* 265, 262-273.
20. Davies, H. et al. (2002). Mutations of the BRAF gene in human cancer. *Nature.* 417, 949-954.
21. Delettre, C., Griffoin, J.M., Kaplan, J., Dollfus, H., Lorenz, B., Faivre, L., Lenaers, G., Belenguer, P., and Hamel, C.P. (2001). Mutation spectrum and splicing variants in the OPA1 gene. *Hum. Genet.* 109, 584-591.
22. Drouin, R., Lemieux, N., and Richer, C.L. (1990). Analysis of DNA replication during S-phase by means of dynamic chromosome banding at high resolution. *Chromosoma* 99, 273-280.
23. Drubin, D.G. and Nelson, W.J. (1996). Origins of cell polarity. *Cell.* 84, 335-344.
24. Eveleth, D.D., Jr. and Marsh, J.L. (1986). Sequence and expression of the Cc gene, a member of the dopa decarboxylase gene cluster of *Drosophila*: possible translational regulation. *Nucleic Acids Res.* 14, 6169-6183.
25. Folkman, J. and Moscona, A. (1978). Role of cell shape in growth control. *Nature.* 273, 345-349.
26. Franco, C., Ho, B., Mulholland, D., Hou, G., Islam, M., Donaldson, K., and Bendeck, M.P. (2006). Doxycycline alters vascular smooth muscle cell adhesion, migration, and reorganization of fibrillar collagen matrices. *Am. J. Pathol.* 168, 1697-1709.

27. Frezza,C., Cipolat,S., Martins de,B.O., Micaroni,M., Beznoussenko,G.V., Rudka,T., Bartoli,D., Polishuck,R.S., Danial,N.N., De,S.B., and Scorrano,L. (2006). OPA1 controls apoptotic cristae remodeling independently from mitochondrial fusion. *Cell* 126, 177-189.
28. Fusaro,G., Dasgupta,P., Rastogi,S., Joshi,B., and Chellappan,S. (2003). Prohibitin induces the transcriptional activity of p53 and is exported from the nucleus upon apoptotic signaling. *J. Biol. Chem.* 278, 47853-47861.
29. Fusaro,G., Wang,S., and Chellappan,S. (2002). Differential regulation of Rb family proteins and prohibitin during camptothecin-induced apoptosis. *Oncogene* 21, 4539-4548.
30. Garcia,R.A., Pantazatos,D.P., Gessner,C.R., Go,K.V., Woods,V.L., Jr., and Villarreal,F.J. (2005). Molecular interactions between matrilysin and the matrix metalloproteinase inhibitor doxycycline investigated by deuterium exchange mass spectrometry. *Mol. Pharmacol.* 67, 1128-1136.
31. Hanahan,D. and Weinberg,R.A. (2000). The hallmarks of cancer. *Cell* 100, 57-70.
32. Hansen,L.K., Mooney,D.J., Vacanti,J.P., and Ingber,D.E. (1994). Integrin binding and cell spreading on extracellular matrix act at different points in the cell cycle to promote hepatocyte growth. *Mol. Biol. Cell.* 5, 967-975.
33. ImageJ (2007). <http://rsb.info.nih.gov/ij/>.
34. Ishihara,N., Fujita,Y., Oka,T., and Mihara,K. (2006). Regulation of mitochondrial morphology through proteolytic cleavage of OPA1. *EMBO J.* 25, 2966-2977.
35. Itahana,K., Campisi,J., and Dimri,G.P. (2007). Methods to detect biomarkers of cellular senescence: the senescence-associated beta-galactosidase assay. *Methods Mol. Biol.* 371, 21-31.
36. Jazwinski,S.M. (1996). Longevity, genes, and aging. *Science* 273, 54-59.
37. Jeyaraju,D.V., Xu,L., Letellier,M.C., Bandaru,S., Zunino,R., Berg,E.A., McBride,H.M., and Pellegrini,L. (2006). Phosphorylation and cleavage of presenilin-associated rhomboid-like protein (PARL) promotes changes in mitochondrial morphology. *Proc. Natl. Acad. Sci. U. S. A.* 103, 18562-18567.
38. Joshi,B., Ko,D., Ordonez-Ercan,D., and Chellappan,S.P. (2003). A putative coiled-coil domain of prohibitin is sufficient to repress E2F1-mediated transcription and induce apoptosis. *Biochem. Biophys. Res. Commun.* 312, 459-466.
39. Jupe,E.R., Badgett,A.A., Neas,B.R., Craft,M.A., Mitchell,D.S., Resta,R., Mulvihill,J.J., Aston,C.E., and Thompson,L.F. (2001). Single nucleotide polymorphism in prohibitin 39 untranslated region and breast-cancer susceptibility. *Lancet.* %19;357, 1588-1589.

40. Jupe,E.R., Liu,X.T., Kiehlbauch,J.L., McClung,J.K., and Dell'Orco,R.T. (1995). Prohibitin antiproliferative activity and lack of heterozygosity in immortalized cell lines. *Exp. Cell Res.* 218, 577-580.
41. Jupe,E.R., Liu,X.T., Kiehlbauch,J.L., McClung,J.K., and Dell'Orco,R.T. (1996). Prohibitin in breast cancer cell lines: loss of antiproliferative activity is linked to 3' untranslated region mutations. *Cell Growth Differ.* 7, 871-878.
42. Jupe,E.R., Liu,X.T., Kiehlbauch,J.L., McClung,J.K., and Dell'Orco,R.T. (1996). The 3' untranslated region of prohibitin and cellular immortalization. *Exp. Cell Res.* 224, 128-135.
43. Kasashima,K., Ohta,E., Kagawa,Y., and Endo,H. (2006). Mitochondrial functions and estrogen receptor-dependent nuclear translocation of pleiotropic human prohibitin 2. *J. Biol. Chem.* 281, 36401-36410.
44. Kihara,A., Akiyama,Y., and Ito,K. (1996). A protease complex in the Escherichia coli plasma membrane: HflKC (HflA) forms a complex with FtsH (HflB), regulating its proteolytic activity against SecY. *EMBO J.* 15, 6122-6131.
45. Kolch,W. (2000). Meaningful relationships: the regulation of the Ras/Raf/MEK/ERK pathway by protein interactions. *Biochem. J.* 351 Pt 2:289-305., 289-305.
46. Kozjak-Pavlovic,V., Ross,K., Benlasfer,N., Kimmig,S., Karlas,A., and Rudel,T. (2007). Conserved roles of Sam50 and metaxins in VDAC biogenesis. *EMBO Rep.* 8, 576-582.
47. Kufe,D. and Weichselbaum,R. (2003). Radiation therapy: activation for gene transcription and the development of genetic radiotherapy-therapeutic strategies in oncology. *Cancer Biol. Ther.* 2, 326-329.
48. Lamers,M.C. and Bacher,S. (1997). Prohibitin and prohibitone, ubiquitous and abundant proteins that are reluctant to reveal their real identity. *Int. Arch. Allergy Immunol.* 113, 146-149.
49. Langer,T. (2000). AAA proteases: cellular machines for degrading membrane proteins. *Trends Biochem. Sci.* 25, 247-251.
50. Levenberg,S., Katz,B.Z., Yamada,K.M., and Geiger,B. (1998). Long-range and selective autoregulation of cell-cell or cell-matrix adhesions by cadherin or integrin ligands. *J. Cell Sci.* 111, 347-357.
51. Liu,X.T., Stewart,C.A., King,R.L., Danner,D.A., Dell'Orco,R.T., and McClung,J.K. (1994). Prohibitin expression during cellular senescence of human diploid fibroblasts. *Biochem. Biophys. Res. Commun.* 201, 409-414.
52. Manjeshwar,S., Branam,D.E., Lerner,M.R., Brackett,D.J., and Jupe,E.R. (2003). Tumor suppression by the prohibitin gene 3'untranslated region RNA in human breast cancer. *Cancer Res.* 63, 5251-5256.

53. McClung, J.K., Danner, D.B., Stewart, D.A., Smith, J.R., Schneider, E.L., Lumpkin, C.K., Dell'Orco, R.T., and Nuell, M.J. (1989). Isolation of a cDNA that hybrid selects antiproliferative mRNA from rat liver. *Biochem. Biophys. Res. Commun.* *164*, 1316-1322.
54. McClung, J.K., Jupe, E.R., Liu, X.T., and Dell'Orco, R.T. (1995). Prohibitin: potential role in senescence, development, and tumor suppression. *Exp. Gerontol.* *30*, 99-124.
55. McClung, J.K., Jupe, E.R., Liu, X.T., and Dell'Orco, R.T. (1995). Prohibitin: potential role in senescence, development, and tumor suppression. *Exp. Gerontol.* *30*, 99-124.
56. McQuibban, G.A., Saurya, S., and Freeman, M. (2003). Mitochondrial membrane remodelling regulated by a conserved rhomboid protease. *Nature.* *423*, 537-541.
57. Michaloglou, C., Vredeveld, L.C., Soengas, M.S., Denoyelle, C., Kuilman, T., van der Horst, C.M., Majoor, D.M., Shay, J.W., Mooi, W.J., and Peeper, D.S. (2005). BRAFE600-associated senescence-like cell cycle arrest of human naevi. *Nature* *436*, 720-724.
58. Montano, M.M., Ekena, K., age-Mourroux, R., Chang, W., Martini, P., and Katzenellenbogen, B.S. (1999). An estrogen receptor-selective coregulator that potentiates the effectiveness of antiestrogens and represses the activity of estrogens. *Proc. Natl. Acad. Sci. U. S. A.* *96*, 6947-6952.
59. Nijtmans, L.G., Artal, S.M., Grivell, L.A., and Coates, P.J. (2002). The mitochondrial PHB complex: roles in mitochondrial respiratory complex assembly, ageing and degenerative disease. *Cell Mol. Life Sci.* *59*, 143-155.
60. Nijtmans, L.G., Artal, S.M., Grivell, L.A., and Coates, P.J. (2002). The mitochondrial PHB complex: roles in mitochondrial respiratory complex assembly, ageing and degenerative disease. *Cell Mol. Life Sci.* *59*, 143-155.
61. Nijtmans, L.G., de Jong, L., Artal, S.M., Coates, P.J., Berden, J.A., Back, J.W., Muijsers, A.O., van der, S.H., and Grivell, L.A. (2000). Prohibitins act as a membrane-bound chaperone for the stabilization of mitochondrial proteins. *EMBO J.* *19*, 2444-2451.
62. Ning, Y., Buranda, T., and Hudson, L.G. (2007). Activated epidermal growth factor receptor induces integrin alpha2 internalization via caveolae/raft-dependent endocytic pathway. *J. Biol. Chem.* *282*, 6380-6387.
63. Nuell, M.J., Stewart, D.A., Walker, L., Friedman, V., Wood, C.M., Owens, G.A., Smith, J.R., Schneider, E.L., Dell'Orco, R., Lumpkin, C.K., and . (1991). Prohibitin, an evolutionarily conserved intracellular protein that blocks DNA synthesis in normal fibroblasts and HeLa cells. *Mol. Cell Biol.* *11*, 1372-1381.

64. Obaya,A.J. and Sedivy,J.M. (2002). Regulation of cyclin-Cdk activity in mammalian cells. *Cell Mol. Life Sci.* 59, 126-142.
65. Olichon,A., Baricault,L., Gas,N., Guillou,E., Valette,A., Belenguer,P., and Lenaers,G. (2003). Loss of OPA1 perturbs the mitochondrial inner membrane structure and integrity, leading to cytochrome c release and apoptosis. *J. Biol. Chem.* 278, 7743-7746.
66. Olichon,A., Emorine,L.J., Descoins,E., Pelloquin,L., Brichese,L., Gas,N., Guillou,E., Delettre,C., Valette,A., Hamel,C.P., Ducommun,B., Lenaers,G., and Belenguer,P. (2002). The human dynamin-related protein OPA1 is anchored to the mitochondrial inner membrane facing the inter-membrane space. *FEBS Lett.* 523, 171-176.
67. Peeper,D.S., Upton,T.M., Ladha,M.H., Neuman,E., Zalvide,J., Bernards,R., DeCaprio,J.A., and Ewen,M.E. (1997). Ras signalling linked to the cell-cycle machinery by the retinoblastoma protein. *Nature* 386, 177-181.
68. Piper,P.W., Jones,G.W., Bringloe,D., Harris,N., MacLean,M., and Mollapour,M. (2002). The shortened replicative life span of prohibitin mutants of yeast appears to be due to defective mitochondrial segregation in old mother cells. *Aging Cell* 1, 149-157.
69. Rajalingam,K., Wunder,C., Brinkmann,V., Churin,Y., Hekman,M., Sievers,C., Rapp,U.R., and Rudel,T. (2005). Prohibitin is required for Ras-induced Raf-MEK-ERK activation and epithelial cell migration. *Nat. Cell Biol.* 7, 837-843.
70. Reifemberger,J., Knobbe,C.B., Sterzinger,A.A., Blaschke,B., Schulte,K.W., Ruzicka,T., and Reifemberger,G. (2004). Frequent alterations of Ras signaling pathway genes in sporadic malignant melanomas. *Int. J. Cancer* 109, 377-384.
71. Rubinson,D.A., Dillon,C.P., Kwiatkowski,A.V., Sievers,C., Yang,L., Kopinja,J., Rooney,D.L., Ihrig,M.M., McManus,M.T., Gertler,F.B., Scott,M.L., and Van Parijs,L. (2003). A lentivirus-based system to functionally silence genes in primary mammalian cells, stem cells and transgenic mice by RNA interference. *Nat. Genet.* 33, 401-406.
72. Sambrook et al. (1989). *Molecular cloning 2<sup>nd</sup> ed.* Cold Spring Harbor Laboratory Press).
73. Sato,T., Sakamoto,T., Takita,K., Saito,H., Okui,K., and Nakamura,Y. (1993). The human prohibitin (PHB) gene family and its somatic mutations in human tumors. *Genomics.* 17, 762-764.
74. Serrano,M., Lin,A.W., McCurrach,M.E., Beach,D., and Lowe,S.W. (1997). Oncogenic ras provokes premature cell senescence associated with accumulation of p53 and p16INK4a. *Cell* 88, 593-602.
75. Sik,A., Passer,B.J., Koonin,E.V., and Pellegrini,L. (2004). Self-regulated cleavage of the mitochondrial intramembrane-cleaving protease PARL yields Pbeta, a nuclear-targeted peptide. *J. Biol. Chem.* 279, 15323-15329.

76. Spurdle,A.B., Hopper,J.L., Chen,X., McCredie,M.R., Giles,G.G., Newman,B., and Chenevix-Trench,G. (2002). Prohibitin 3' untranslated region polymorphism and breast cancer risk in Australian women. *Lancet*. 360, 925-926.
77. Spurdle,A.B., Purdie,D.M., Chen,X., and Chenevix-Trench,G. (2003). The prohibitin 3' untranslated region polymorphism is not associated with risk of ovarian cancer. *Gynecol. Oncol.* 90, 145-149.
78. St Croix,B., Sheehan,C., Rak,J.W., Florenes,V.A., Slingerland,J.M., and Kerbel,R.S. (1998). E-Cadherin-dependent growth suppression is mediated by the cyclin-dependent kinase inhibitor p27(KIP1). *J. Cell Biol.* 142, 557-571.
79. Steglich,G., Neupert,W., and Langer,T. (1999). Prohibitins regulate membrane protein degradation by the m-AAA protease in mitochondria. *Mol. Cell Biol.* 19, 3435-3442.
80. Stein,G.H., Beeson,M., and Gordon,L. (1990). Failure to phosphorylate the retinoblastoma gene product in senescent human fibroblasts. *Science* 249, 666-669.
81. Szulc,J., Wiznerowicz,M., Sauvain,M.O., Trono,D., and Aebischer,P. (2006). A versatile tool for conditional gene expression and knockdown. *Nat. Methods.* 3, 109-116.
82. Tatsuta,T., Model,K., and Langer,T. (2005). Formation of membrane-bound ring complexes by prohibitins in mitochondria. *Mol. Biol. Cell* 16, 248-259.
83. Terashima,M., Kim,K.M., Adachi,T., Nielsen,P.J., Reth,M., Kohler,G., and Lamers,M.C. (1994). The IgM antigen receptor of B lymphocytes is associated with prohibitin and a prohibitin-related protein. *EMBO J.* 13, 3782-3792.
84. Thompson,W.E., Sanbuissho,A., Lee,G.Y., and Anderson,E. (1997). Steroidogenic acute regulatory (StAR) protein (p25) and prohibitin (p28) from cultured rat ovarian granulosa cells. *J. Reprod. Fertil.* 109, 337-348.
85. Tuschl,T. (2002). Expanding small RNA interference. *Nat. Biotechnol.* 20, 446-448.
86. Vander Heiden,M.G., Choy,J.S., VanderWeele,D.J., Brace,J.L., Harris,M.H., Bauer,D.E., Prange,B., Kron,S.J., Thompson,C.B., and Rudin,C.M. (2002). Bcl-x(L) complements *Saccharomyces cerevisiae* genes that facilitate the switch from glycolytic to oxidative metabolism. *J. Biol. Chem.* 277, 44870-44876.
87. Wang,S., Fusaro,G., Padmanabhan,J., and Chellappan,S.P. (2002). Prohibitin co-localizes with Rb in the nucleus and recruits N-CoR and HDAC1 for transcriptional repression. *Oncogene* 21, 8388-8396.

88. Wang,S., Nath,N., Adlam,M., and Chellappan,S. (1999). Prohibitin, a potential tumor suppressor, interacts with RB and regulates E2F function. *Oncogene* 18, 3501-3510.
89. Wang,S., Nath,N., Fusaro,G., and Chellappan,S. (1999). Rb and prohibitin target distinct regions of E2F1 for repression and respond to different upstream signals. *Mol. Cell Biol.* 19, 7447-7460.
90. Weinberg,R.A. (1995). The retinoblastoma protein and cell cycle control. *Cell* 81, 323-330.
91. Wellbrock,C., Ogilvie,L., Hedley,D., Karasarides,M., Martin,J., Niculescu-Duvaz,D., Springer,C.J., and Marais,R. (2004). V599EB-RAF is an oncogene in melanocytes. *Cancer Res.* 64, 2338-2342.
92. White,J.J., Ledbetter,D.H., Eddy,R.L., Jr., Shows,T.B., Stewart,D.A., Nuell,M.J., Friedman,V., Wood,C.M., Owens,G.A., McClung,J.K., and . (1991). Assignment of the human prohibitin gene (PHB) to chromosome 17 and identification of a DNA polymorphism. *Genomics.* 11, 228-230.
93. Yu,X., Miyamoto,S., and Mekada,E. (2000). Integrin alpha 2 beta 1-dependent EGF receptor activation at cell-cell contact sites. *J. Cell Sci.* 113, 2139-2147.
94. Zhu,X., Ohtsubo,M., Bohmer,R.M., Roberts,J.M., and Assoian,R.K. (1996). Adhesion-dependent cell cycle progression linked to the expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of the retinoblastoma protein. *J. Cell Biol.* 133, 391-403.