

7. References

ABELIOVICH, A., SCHMITZ, Y., FARINAS, I., CHOI-LUNDBERG, D., HO, W.H., CASTILLO, P.E., SHINSKY, N., VERDUGO, J.M., ARMANINI, M., RYAN, A., HYNES, M., PHILLIPS, H., SULZER, D., and ROSENTHAL, A., (2000)

Mice lacking alpha-synuclein display functional deficits in the nigrostriatal dopamine system. *Neuron*, **25** (1):239 - 252

ABOUSALHAM, A., LIOSSIS, C., O'BRIEN, L., and BRINDLEY, D.N., (1997)

Cell-permeable ceramides prevent the activation of phospholipase D by ADP-ribosylation factor and RhoA.

J. Biol. Chem., **272** (2):1069 - 1075

ADACHI, T., NAKASHIMA, S., SAJI, S., NAKAMURA, T., and NOZAWA, Y., (1996)

Phospholipase D activation in hepatocyte growth factor-stimulated rat hepatocytes mediates the expressions of c-jun and c-fos: involvement of protein tyrosine kinase, protein kinase C, and Ca²⁺.

Hepatology, **24** (5):1274 - 1281

ADAM-KLAGES, S., SCHWANDNER, R., ADAM, D., KREDER, D., BERNARDO, K., and KRÖNKE, M., (1998)

Distinct adapter proteins mediate acid versus neutral sphingomyelinase activation through the p55 receptor for tumor necrosis factor.

J. Leukoc. Biol., **63** (6):678 - 682

AGUIRRE GHISO, J.A., FARIAS, E.F., ALONSO, D.F., ARREGUI, C., and BAL DE KIER JOFFE, E., (1997)

A phospholipase D and protein kinase C inhibitor blocks the spreading of murine mammary adenocarcinoma cells altering f-actin and beta1-integrin point contact distribution.

Int. J. Cancer., **71** (5):881 - 890

ALBERTS, B., BRAY, D., LEWIS, J., RAFF, M., ROBERTS, K., and WATSON, J.D., (1994)

Molecular biology of the cell. (3. ed.)

Garland Publishing, New York

ARNESON, L.S., KUNZ, J., ANDERSON, R.A., and TRAUB, L.M., (1999)

Coupled inositide phosphorylation and phospholipase D activation initiates clathrin-coat assembly on lysosomes.

J. Biol. Chem., **274** (25):17794 - 17805

BAE, C.D., MIN, D.S., FLEMING, I.N., and EXTON, J.H., (1998)

Determination of interaction sites on the small G protein RhoA for phospholipase D.

J. Biol. Chem., **273** (19):11596 - 11604

BALBOA, M.A., and INSEL, P.A., (1995)

Nuclear phospholipase D in Madin-Darby canine kidney cells. Guanosine 5'-O-(thiotriphosphate)-stimulated activation is mediated by RhoA and is downstream of protein kinase C.

J. Biol. Chem., **270** (50):29843 - 29847

- BALDASSARE, J.J., HENDERSON, P.A., BURNS, D., LOOMIS, C., and FISHER, G.J., (1992)**
Translocation of protein kinase C isozymes in thrombin-stimulated human platelets. Correlation with 1,2-diacylglycerol levels.
J. Biol. Chem., **267** (22):15585 - 15590
- BEKTAS, M., DULLIN, Y., WIEDER, T., KOLTER, T., SANDHOFF, K., BROSSMER, R., IHRIG, P., ORFANOS, C.E., and GEILEN, C.C., (1998)**
Induction of apoptosis by synthetic ceramide analogues in the human keratinocyte cell line HaCaT.
Exp. Dermatol., **7** (6):342 - 349
- BEN-AV, P., and LISCOVITCH, M., (1989)**
Phospholipase D activation by the mitogens platelet-derived growth factor and 12-*O*-tetradecanoylphorbol 13-acetate in NIH-3T3 cells.
FEBS Lett., **259** (1):64 - 66
- BERRIDGE, M.J., and IRVINE, R.F., (1984)**
Inositol trisphosphate, a novel second messenger in cellular signal transduction.
Nature, **312** (5992):315 - 321
- BI, K., ROTH, M.G., and KTISTAKIS, N.T., (1997)**
Phosphatidic acid formation by phospholipase D is required for transport from the endoplasmic reticulum to the Golgi complex.
Curr. Biol., **7** (5):301 - 307
- BILLAH, M.M., ECKEL, S., MULLMANN, T.J., EGAN, R.W., and SIEGEL, M.I., (1989)**
Phosphatidylcholine hydrolysis by phospholipase D determines phosphatidate and diglyceride levels in chemotactic peptide-stimulated human neutrophils. Involvement of phosphatidate phosphohydrolase in signal transduction.
J. Biol. Chem., **264** (29):17069 - 17077
- BISHOP, A.L., and HALL, A., (2000)**
Rho GTPases and their effector proteins.
Biochem. J., **348** (2):241 - 255
- BLIGH, E.G., and DYER, W.J., (1959)**
A rapid method of total lipid extraction and purification.
Can. J. Biochem. Physiol., **37** (2):911 - 917
- BOUKAMP, P., PETRUSSEVSKA, R.T., BREITKREUTZ, D., HORNUNG, J., MARKHAM, A., and FUSENIG, N.E., (1988)**
Normal keratinization in a spontaneously immortalized aneuploid human keratinocyte cell line.
J. Cell. Biol., **106** (3):761 - 771
- BOURGOIN, S., and GRINSTEIN, S., (1992)**
Peroxides of vanadate induce activation of phospholipase D in HL-60 cells. Role of tyrosine phosphorylation.
J. Biol. Chem., **267** (17):11908 - 11916
- BOWMAN, E.P., UHLINGER, D.J., and LAMBETH, J.D., (1993)**
Neutrophil phospholipase D is activated by a membrane-associated Rho family small molecular weight GTP-binding protein.
J. Biol. Chem., **268** (29):21509 - 21512

- BROWN, H.A., GUTOWSKI, S., MOOMAW, C.R., SLAUGHTER, C., and STERNWEIS, P.C., (1993)**
ADP-ribosylation factor, a small GTP-dependent regulatory protein, stimulates phospholipase D activity.
Cell, **75** (6):1137 - 1144
- BROWN, H.A., GUTOWSKI, S., KAHN, R.A., and STERNWEIS, P.C., (1995)**
Partial purification and characterization of Arf-sensitive phospholipase D from porcine brain.
J. Biol. Chem., **270** (25):14935 - 14943
- BRUGGEN, J., FOGH, J., and SORG, C., (1981)**
Tumor production in the nude mouse, fibrinolytic activity and cross-reactivity with anti-tumor sera of various human tumor cell lines.
J. Cancer Res. Clin. Oncol., **102** (2):141 - 152
- CABOT, M.C., WELSH, C.J., CAO, H.T., and CHABBOTT, H., (1988)**
The phosphatidylcholine pathway of diacylglycerol formation stimulated by phorbol diesters occurs via phospholipase D activation.
FEBS Lett., **233** (1):153 - 157
- CASTELLINO, A.M., and CHAO, M.V., (1999)**
Differential association of phosphatidylinositol-5-phosphate 4-kinase with the EGF/ErbB family of receptors.
Cell. Signal., **11** (3):171 - 177
- CESNJAJ, M., ZHENG, L., CATT, K.J., and STOJILKOVIC, S.S., (1995)**
Dependence of stimulus-transcription coupling on phospholipase D in agonist-stimulated pituitary cells.
Mol. Biol. Cell, **6** (8):1037 - 1047
- CHALIFA-CASPI, V., ELI, Y., and LISCOVITCH, M., (1998)**
Kinetic analysis in mixed micelles of partially purified rat brain phospholipase D activity and its activation by phosphatidylinositol 4,5-bisphosphate.
Neurochem. Res., **23** (5):589 - 599
- CHALIFOUR, R., and KANFER, J.N., (1982)**
Fatty acid activation and temperature perturbation of rat brain microsomal phospholipase D.
J. Neurochem., **39** (2):299 - 305
- CHEN, Y.G., SIDDHANTA, A., AUSTIN, C.D., HAMMOND, S.M., SUNG, T.C., FROHMAN, M.A., MORRIS, A.J., and SHIELDS, D., (1997)**
Phospholipase D stimulates release of nascent secretory vesicles from the *trans*-Golgi network.
J. Cell. Biol., **138** (3):495 - 504
- CHUNG, J.K., SEKIYA, F., KANG, H.S., LEE, C., HAN, J.S., KIM, S.R., BAE, Y.S., MORRIS, A.J., and RHEE, S.G., (1997)**
Synaptojanin inhibition of phospholipase D activity by hydrolysis of phosphatidylinositol 4,5-bisphosphate.
J. Biol. Chem., **272** (25):15980 - 15985
- CLARK, E.A., GOLUB, T.R., LANDER, E.S., and HYNES, R.O., (2000)**
Genomic analysis of metastasis reveals an essential role for RhoC.
Nature, **406** (6795):532 - 535

CLAYTON, D.F., and GEORGE, J.M., (1998)

The synucleins: a family of proteins involved in synaptic function, plasticity, neurodegeneration and disease.

Trends Neurosci., **21** (6):249 - 254

COHEN, P., (2000)

The regulation of protein function by multisite phosphorylation - a 25 year update.

Trends Biochem. Sci., **25** (12):596 - 601

COLLEY, W.C., SUNG, T.C., ROLL, R., JENCO, J., HAMMOND, S.M., ALTSHULLER, Y., BAR-SAGI, D., MORRIS, A.J., and FROHMAN, M.A., (1997)

Phospholipase D2, a distinct phospholipase D isoform with novel regulatory properties that provokes cytoskeletal reorganization.

Curr. Biol., **7** (3):191 - 201

CONRICODE, K.M., BREWER, K.A., and EXTON, J.H., (1992)

Activation of phospholipase D by protein kinase C. Evidence for a phosphorylation-independent mechanism.

J. Biol. Chem., **267** (11):7199 - 7202

CONRICODE, K.M., SMITH, J.L., BURNS, D.J., and EXTON, J.H., (1994)

Phospholipase D activation in fibroblast membranes by the alpha and beta isoforms of protein kinase C.

FEBS Lett., **342** (2):149 - 153

CORDELL, J.L., FALINI, B., ERBER, W.N., GHOSH, A.K., ABDULAZIZ, Z., MACDONALD, S., PULFORD, K.A., STEIN, H., and MASON, D.Y., (1984)

Immunoenzymatic labeling of monoclonal antibodies using immune complexes of alkaline phosphatase and monoclonal anti-alkaline phosphatase (APAAP complexes).

J. Histochem. Cytochem., **32** (2):219 - 229

CROSS, M.J., ROBERTS, S., RIDLEY, A.J., HODGKIN, M.N., STEWART, A., CLAESSEON-WELSH, L., and WAKELAM, M.J.O., (1996)

Stimulation of actin stress fibre formation mediated by activation of phospholipase D.

Curr. Biol., **6** (5):588 - 597

DANIEL, L.W., HUANG, C., STRUM, J.C., SMITHERMAN, P.K., GREENE, D., and WYKLE, R.L., (1993)

Phospholipase D hydrolysis of choline phosphoglycerides is selective for the alkyl-linked subclass of Madin-Darby canine kidney cells.

J. Biol. Chem., **268** (29):21519 - 21526

DUBYAK, G.R., and KERTESY, S.B., (1997)

Inhibition of GTP gamma S-dependent phospholipase D and Rho membrane association by calphostin is independent of protein kinase C catalytic activity.

Arch. Biochem. Biophys., **341** (1):129 - 139

ECKERT, R.L., and WELTER, J.F., (1996)

Transcription factor regulation of epidermal keratinocyte gene expression.

Mol. Biol. Rep., **23** (1):59-70

ESKILDSEN-HELMOND, Y.E., BEZSTAROSTI, K., DEKKERS, D.H., VAN HEUGTEN, H.A., and LAMERS, J.M., (1997)

Cross-talk between receptor-mediated phospholipase C-beta and D via protein kinase C as intracellular signal possibly leading to hypertrophy in serum-free cultured cardiomyocytes. *J. Mol. Cell. Cardiol.*, **29** (9):2545 - 2559

EXTON, J.H., (1994)

Phosphatidylcholine breakdown and signal transduction. *Biochim. Biophys. Acta*, **1212** (1):26 - 42

EXTON, J.H., (1997)

Phospholipase D: enzymology, mechanisms of regulation, and function. *Physiol. Rev.*, **77** (2):303 - 320

EXTON, J.H., (1999)

Regulation of phospholipase D. *Biochim. Biophys. Acta*, **1439** (2):121 - 133

FISHER, G.J., HENDERSON, P.A., VOORHEES, J.J., and BALDASSARE, J.J., (1991)

Epidermal growth factor-induced hydrolysis of phosphatidylcholine by phospholipase D and phospholipase C in human dermal fibroblasts. *J. Cell. Physiol.*, **146** (2):309 - 317

FRITZ, G., JUST, I., and KAINA, B., (1999)

Rho GTPases are over-expressed in human tumors. *Int. J. Cancer.*, **81** (5):682 - 687

FROHMAN, M.A., SUNG, T.C., and MORRIS, A.J., (1999)

Mammalian phospholipase D structure and regulation. *Biochim. Biophys. Acta.*, **1439** (2):175 - 186

FRY, M.J., (1994)

Structure, regulation and function of phosphoinositide 3-kinases. *Biochim. Biophys. Acta.*, **1226** (3):237 - 268

GAMPEL, A., PARKER, P.J., and MELLOR, H., (1999)

Regulation of epidermal growth factor receptor traffic by the small GTPase rhoB. *Curr. Biol.*, **9** (17):955 - 958

GENY, B., and COCKCROFT, S., (1992)

Synergistic activation of phospholipase D by protein kinase C- and G-protein-mediated pathways in streptolysin O-permeabilized HL60 cells. *Biochem. J.*, **284** (2):531 - 538

GENY, B., FENSOME, A., and COCKCROFT, S., (1993)

Rat brain cytosol contains a factor which reconstitutes guanine-nucleotide-binding-protein-regulated phospholipase-D activation in HL60 cells previously permeabilized with streptolysin O. *Eur. J. Biochem.*, **215** (2):389 - 396

GHOSH, S., STRUM, J.C., SCIORRA, V.A., DANIEL, L., and BELL, R.M., (1996)

Raf-1 kinase possesses distinct binding domains for phosphatidylserine and phosphatidic acid. Phosphatidic acid regulates the translocation of Raf-1 in 12-*O*-tetradecanoyl phorbol-13-acetate-stimulated Madin-Darby canine kidney cells.

J. Biol. Chem., **271** (14):8472 - 8480

GIARD, D.J., AARONSON, S.A., TODARO, G.J., ARNSTEIN, P., KERSEY, J.H., DOSIK, H., and PARKS, W.P., (1973)

In vitro cultivation of human tumors: establishment of cell lines derived from a series of solid tumors.

J. Natl. Cancer Inst., **51** (5):1417 - 1423

GILLIES, R.J., DIDIER, N., and DENTON, M., (1986)

Determination of cell number in monolayer cultures.

Anal. Biochem., **159** (1):109 - 113

GOMEZ-CAMBRONERO, J., (1995)

Immunoprecipitation of a phospholipase D activity with antiphosphotyrosine antibodies.

J. Interferon Cytokine Res., **15** (10):877 - 885

GOTTLIN, E.B., RUDOLPH, A.E., ZHAO, Y., MATTHEWS, H.R., and DIXON, J.E., (1998)

Catalytic mechanism of the phospholipase D superfamily proceeds via a covalent phosphohistidine intermediate.

Proc. Natl. Acad. Sci., **95** (16):9202 - 9207

GRINER, R.D., QIN, F., JUNG, E., SUE-LING, C.K., CRAWFORD, K.B., MANN-BLAKENEY, R., BOLLAG, R.J., and BOLLAG, W.B., (1999)

1,25-dihydroxyvitamin D₃ induces phospholipase D-1 expression in primary mouse epidermal keratinocytes.

J. Biol. Chem., **274** (8):4663 - 4670

GRANGE, M., SETTE, C., CUOMO, M., CONTI, M., LAGARDE, M., PRIGENT, A.F., and NEMOZ, G., (2000)

The cAMP-specific phosphodiesterase PDE4D3 is regulated by phosphatidic acid binding. Consequences for cAMP signaling pathway and characterization of a phosphatidic acid binding site.

J. Biol. Chem., **275** (43):33379 - 33387

HA, K.S., and EXTON, J.H., (1993)

Activation of actin polymerization by phosphatidic acid derived from phosphatidylcholine in IIC9 fibroblasts.

J. Cell Biol., **123** (6, 2):1789 - 1796

HALL, A., (1998)

Rho GTPases and the actin cytoskeleton.

Science, **279** (5350):509 - 514

HAMMOND, S.M., ALTSHULLER, Y.M., SUNG, T.C., RUDGE, S.A., ROSE, K., ENGBRECHT, J., MORRIS, A.J., and FROHMAN, M.A., (1995)

Human ADP-ribosylation factor-activated phosphatidylcholine-specific phospholipase D defines a new and highly conserved gene family.

J. Biol. Chem., **270** (50):29640 - 29643

- HAMMOND, S.M., JENCO, J.M., NAKASHIMA, S., CADWALLADER, K., GU, Q., COOK, S., NOZAWA, Y., PRESTWICH, G.D., FROHMAN, M.A., and MORRIS, A.J., (1997)**
Characterization of two alternately spliced forms of phospholipase D1. Activation of the purified enzymes by phosphatidylinositol 4,5-bisphosphate, ADP-ribosylation factor, and Rho family monomeric GTP-binding proteins and protein kinase C-alpha.
J. Biol. Chem., **272** (6):3860 - 3868
- HART, M.J., JIANG, X., KOZASA, T., ROSCOE, W., SINGER, W.D., GILMAN, A.G., STERNWEIS, P.C., and BOLLAG, G., (1998)**
Direct stimulation of the guanine nucleotide exchange activity of p115 RhoGEF by Galpha13.
Science, **280** (5372):2112 - 2114
- HAYAKAWA, K., NAKASHIMA, S., ITO, Y., MIZUTA, K., MIYATA, H., and NOZAWA, Y., (1999)**
Increased expression of phospholipase D1 mRNA during cAMP- or NGF-induced differentiation in PC12 cells.
Neurosci. Lett., **265** (2):127 - 130
- HEUNG, Y.M., and POSTLE, A.D., (1995)**
The molecular selectivity of phospholipase D in HL60 granulocytes.
FEBS Lett., **364** (3):250 - 254
- HODGKIN, M.N., PETTITT, T.R., MARTIN, A., MICHELL, R.H., PEMBERTON, A.J., and WAKELAM, M.J., (1998)**
Diacylglycerols and phosphatidates: which molecular species are intracellular messengers?
Trends Biochem. Sci., **23** (6):200 - 204
- HODGKIN, M.N., MASSON, M.R., POWNER, D., SAQIB, K.M., PONTING, C.P., and WAKELAM, M.J., (2000)**
Phospholipase D regulation and localisation is dependent upon a phosphatidylinositol 4,5-bisphosphate-specific PH domain.
Curr. Biol., **10** (1):43 - 46
- HOFMANN, J., (1997)**
The potential for isoenzyme-selective modulation of protein kinase C.
FASEB J., **11** (8):649 - 669
- HOKIN, M.R., and HOKIN, L.E., (1953)**
Effects of acetylcholine on phospholipids in the pancreas.
J. Biol. Chem., **203**:967 - 977
- HONIGBERG, S.M., CONICELLA, C., and ESPOSITO, R.E., (1992)**
Commitment to meiosis in *Saccharomyces cerevisiae*: involvement of the SPO14 gene.
Genetics, **130** (4):703 - 716
- HOULE, M.G., and BOURGOIN, S., (1999a)**
Regulation of phospholipase D by phosphorylation-dependent mechanisms.
Biochim. Biophys. Acta, **1439** (2):135 - 149
- HOULE, M.G., NACCACHE, P.H., and BOURGOIN, S., (1999b)**
Tyrosine kinase-regulated small GTPase translocation and the activation of phospholipase D in HL60 granulocytes.
J. Leukoc. Biol., **66** (6):1021 - 1030

HUANG, C.F., and CABOT, M.C., (1990)

Vasopressin-induced polyphosphoinositide and phosphatidylcholine degradation in fibroblasts. Temporal relationship for formation of phospholipase C and phospholipase D hydrolysis products.

J. Biol. Chem., **265** (29):17468 - 17473

HUANG, C., WYKLE, R.L., and DANIEL, L.W., (1995)

Phospholipase D hydrolyzes ether- and ester-linked glycerophospholipids by different pathways in MDCK cells.

Biochem. Biophys. Res. Commun., **213** (3):950 - 957

IMAMURA, Y., KOZAWA, O., SUZUKI, A., WATANABE, Y., SAITO, H., and OISO, Y., (1995)

Mechanism of phospholipase D activation induced by prostaglandin D₂ in osteoblast-like cells: function of Ca²⁺/calmodulin.

Cell. Signal., **7** (1):45 - 51

ISHIHARA, H., SHIBASAKI, Y., KIZUKI, N., KATAGIRI, H., YAZAKI, Y., ASANO, T., and OKA, Y., (1996)

Cloning of cDNAs encoding two isoforms of 68-kDa type I phosphatidylinositol-4-phosphate 5-kinase.

J. Biol. Chem., **271** (39):23611 - 23614

ISHIHARA, H., SHIBASAKI, Y., KIZUKI, N., WADA, T., YAZAKI, Y., ASANO, T., and OKA, Y., (1998)

Type I phosphatidylinositol-4-phosphate 5-kinases. Cloning of the third isoform and deletion/substitution analysis of members of this novel lipid kinase family.

J. Biol. Chem., **273** (15):8741 - 8748

IWASAKI-BESSHO, Y., BANNO, Y., YOSHIMURA, S., ITO, Y., KITAJIMA, Y., and NOZAWA, Y., (1998)

Decreased phospholipase D (PLD) activity in ceramide-induced apoptosis of human keratinocyte cell line HaCaT.

J. Invest. Dermatol., **110** (4):376 - 382

JACKSON, C.L., and CASANOVA, J.E., (2000)

Turning on ARF: the Sec7 family of guanine-nucleotide-exchange factors.

Trends Cell Biol., **10** (2):60 -67

JAKEN, S., (1996)

Protein kinase C isozymes and substrates.

Curr. Opin. Cell Biol., **8** (2):168 - 173

JENCO, J.M., RAWLINGSON, A., DANIELS, B., and MORRIS, A.J., (1998)

Regulation of phospholipase D2: selective inhibition of mammalian phospholipase D isoenzymes by alpha- and beta-synucleins.

Biochemistry, **37** (14):4901 - 4909

JIANG, H., ALEXANDROPOULOS, K., SONG, J., and FOSTER, D.A., (1994)

Evidence that v-Src-induced phospholipase D activity is mediated by a G protein.

Mol. Cell Biol., **14** (6):3676 - 3682

JINSI-PARIMOO, A., and DETH, R.C., (1997)

Reconstitution of alpha2D-adrenergic receptor coupling to phospholipase D in a PC12 cell lysate.

J. Biol. Chem., **272** (23):14556 - 14561

JONES, G.A., and CARPENTER, G., (1993)

The regulation of phospholipase C-gamma 1 by phosphatidic acid. Assessment of kinetic parameters.

J. Biol. Chem., **268** (28):20845 - 20850

JONES, D., MORGAN, C., and COCKCROFT, S., (1999)

Phospholipase D and membrane traffic. Potential roles in regulated exocytosis, membrane delivery and vesicle budding.

Biochim. Biophys. Acta, **1439** (2):229 - 244

KAHN, R.A., TERUI, T., and RANDAZZO, P.A., (1996)

Effects of acid phospholipids on ARF activities: potential roles in membrane traffic.

J. Lipid Mediat. Cell Signal., **14** (1-3):209 - 214

KAM, J.L., MIURA, K., JACKSON, T.R., GRUSCHUS, J., ROLLER, P., STAUFFER, S., CLARK, J., ANEJA, R., and RANDAZZO, P.A., (2000)

Phosphoinositide-dependent activation of the ADP-ribosylation factor GTPase-activating protein ASAP1. Evidence for the pleckstrin homology domain functioning as an allosteric site.

J. Biol. Chem., **275** (13):9653 - 9663

KASAI, T., OHGUCHI, K., NAKASHIMA, S., ITO, Y., NAGANAWA, T., KONDO, N., and NOZAWA, Y., (1998)

Increased activity of oleate-dependent type phospholipase D during actinomycin D-induced apoptosis in Jurkat T cells.

J. Immunol., **161** (12):6469 - 6474

KATAYAMA, K., KODAKI, T., NAGAMACHI, Y., and YAMASHITA, S., (1998)

Cloning, differential regulation and tissue distribution of alternatively spliced isoforms of ADP-ribosylation-factor-dependent phospholipase D from rat liver.

Biochem. J., **329** (3):647 - 652

KIM, J.H., LEE, S.D., HAN, J.M., LEE, T.G., KIM, Y., PARK, J.B., LAMBETH, J.D., SUH, P.G., and RYU, S.H., (1998)

Activation of phospholipase D1 by direct interaction with ADP-ribosylation factor 1 and RalA.

FEBS Lett., **430** (3):231 - 235

KIM, J.H., KIM, Y., LEE, S.D., LOPEZ, I., ARNOLD, R.S., LAMBETH, J.D., SUH, P.G., and RYU, S.H., (1999a)

Selective activation of phospholipase D2 by unsaturated fatty acid.

FEBS Lett., **454** (1-2):42 - 46

KIM, Y., HAN, J.M., PARK, J.B., LEE, S.D., OH, Y.S., CHUNG, C., LEE, T.G., KIM, J.H., PARK, S.K., YOO, J.S., SUH, P.G., and RYU, S.H., (1999b)

Phosphorylation and activation of phospholipase D1 by protein kinase C in vivo: determination of multiple phosphorylation sites.

Biochemistry, **38** (32):10344 - 10351

- KOZASA, T., JIANG, X., HART, M.J., STERNWEIS, P.M., SINGER, W.D., GILMAN, A.G., BOLLAG, G., and STERNWEIS, P.C., (1998)**
p115 RhoGEF, a GTPase activating protein for Galpha12 and Galpha13.
Science, **280** (5372):2109 - 2111
- KOZAWA, O., BLUME-JENSEN, P., HELDIN, C.H., and RONNSTRAND, L., (1997)**
Involvement of phosphatidylinositol 3'-kinase in stem-cell-factor-induced phospholipase D activation and arachidonic acid release.
Eur. J. Biochem., **248** (1):149 - 155
- KTISTAKIS, N.T., BROWN, H.A., STERNWEIS, P.C., and ROTH, M.G., (1995)**
Phospholipase D is present on Golgi-enriched membranes and its activation by ADP ribosylation factor is sensitive to brefeldin A.
Proc. Natl. Acad. Sci., **92** (11):4952 - 4956
- KTISTAKIS, N.T., BROWN, H.A., WATERS, M.G., STERNWEIS, P.C., and ROTH, M.G., (1996)**
Evidence that phospholipase D mediates ADP ribosylation factor-dependent formation of Golgi coated vesicles.
J. Cell Biol., **134** (2):295 - 306
- KURIBARA, H., TAGO, K., YOKOZEKI, T., SASAKI, T., TAKAI, Y., MORII, N., NARUMIYA, S., KATADA, T., and KANAHO, Y., (1995)**
Synergistic activation of rat brain phospholipase D by ADP-ribosylation factor and rhoA p21, and its inhibition by Clostridium botulinum C3 exoenzyme.
J. Biol. Chem., **270** (43):25667 - 25671
- KWAK, J.Y., LOPEZ, I., UHLINGER, D.J., RYU, S.H., and LAMBETH, J.D., (1995)**
RhoA and a cytosolic 50-kDa factor reconstitute GTP gamma S-dependent phospholipase D activity in human neutrophil subcellular fractions.
J. Biol. Chem., **270** (45):27093 - 27098
- LAEMMLI, U.K., (1970)**
Cleavage of structural proteins during the assembly of the head of bacteriophage T4.
Nature, **227** (259):680 - 685
- LEE, C., KANG, H.S., CHUNG, J.K., SEKIYA, F., KIM, J.R., HAN, J.S., KIM, S.R., BAE, Y.S., MORRIS, A.J., and RHEE, S.G., (1997)**
Inhibition of phospholipase D by clathrin assembly protein 3 (AP3).
J. Biol. Chem., **272** (25):15986 - 15992
- LEE, C., KIM, S.R., CHUNG, J.K., FROHMAN, M.A., KILIMANN, M.W., and RHEE, S.G., (2000)**
Inhibition of phospholipase D by amphiphysins.
J. Biol. Chem., **275** (25):18751 - 18758
- LEE, T.G., PARK, J.B., LEE, S.D., HONG, S., KIM, J.H., KIM, Y., YI, K.S., BAE, S., HANNUN, Y.A., OBEID, L.M., SUH, P.G., and RYU, S.H., (1997)**
Phorbol myristate acetate-dependent association of protein kinase C alpha with phospholipase D1 in intact cells.
Biochim. Biophys. Acta, **1347** (2-3):199 - 204
- LEIROS, I., SECUNDO, F., ZAMBONELLI, C., SERVI, S., and HOUGH, E., (2000)**
The first crystal structure of a phospholipase D.
Structure Fold Des., **8** (6):655 - 667

LESLIE, C.C., (1997)

Properties and regulation of cytosolic phospholipase A2.
J. Biol. Chem., **272** (27):16709 - 16712

LIANG, J.O., SUNG, T.C., MORRIS, A.J., FROHMAN, M.A., and KORNFELD, S., (1997)

Different domains of mammalian ADP-ribosylation factor 1 mediate interaction with selected target proteins.
J. Biol. Chem., **272** (52):33001 - 33008

LIMATOLA, C., SCHAAP, D., MOOLENAAR, W.H., and VAN BLITTERSWIJK, W.J., (1994)

Phosphatidic acid activation of protein kinase C-zeta overexpressed in COS cells: comparison with other protein kinase C isotypes and other acidic lipids.
Biochem. J., **304** (3):1001 - 1008

LISCOVITCH, M., CZARNY, M., FIUCCI, G., and TANG, X., (2000)

Phospholipase D: molecular and cell biology of a novel gene family.
Biochem. J., **345** (3):401 - 415

LIU, M.Y., GUTOWSKI, S., and STERNWEIS, P.C., (2001)

The C-terminus of Mammalian PLD Is Required for Catalytic Activity.
J. Biol. Chem., **276** (8):5556 - 5562

LOPEZ, I., BURNS, D.J., and LAMBETH, J.D., (1995)

Regulation of phospholipase D by protein kinase C in human neutrophils. Conventional isoforms of protein kinase C phosphorylate a phospholipase D-related component in the plasma membrane.
J. Biol. Chem., **270** (33):19465 - 19472

LOPEZ, I., ARNOLD, R.S., and LAMBETH, J.D., (1998)

Cloning and initial characterization of a human phospholipase D2 (hPLD2). ADP-ribosylation factor regulates hPLD2.
J. Biol. Chem., **273** (21):12846 - 12852

LOWRY, O.H., ROSEBROUGH, H.J., FARR, A.L., and RANDALL, R.J., (1951)

Protein measurement with the folin phenol reagent.
J. Biol. Chem., **193**:265 - 275

LUBERTO, C., and HANNUN, Y.A., (1998)

Sphingomyelin synthase, a potential regulator of intracellular levels of ceramide and diacylglycerol during SV40 transformation. Does sphingomyelin synthase account for the putative phosphatidylcholine-specific phospholipase C?
J. Biol. Chem., **273** (23):14550 - 14559

LUKOWSKI, S., LECOMTE, M.C., MIRA, J.P., MARIN, P., GAUTERO, H., RUSSO-MARIE, F., and GENY, B., (1996)

Inhibition of phospholipase D activity by fodrin. An active role for the cytoskeleton.
J. Biol. Chem., **271** (39):24164 - 24171

LUKOWSKI, S., MIRA, J.P., ZACHOWSKI, A., and GENY, B., (1998)

Fodrin inhibits phospholipases A2, C, and D by decreasing polyphosphoinositide cell content.
Biochem. Biophys. Res. Commun., **248** (2):278 - 284

- MALCOLM, K.C., ROSS, A.H., QIU, R.G., SYMONS, M., and EXTON, J.H., (1994)**
Activation of rat liver phospholipase D by the small GTP-binding protein RhoA.
J. Biol. Chem., **269** (42):25951 - 25954
- MANIFAVA M, THURING JW, LIM ZY, PACKMAN L, HOLMES AB, and KTISTAKIS NT. (2001)**
Differential binding of traffic-related proteins to phosphatidic acid- or phosphatidylinositol (4,5) bisphosphate-coupled affinity reagents.
J. Biol. Chem., **276** (12):8987 - 8994
- MARCIL, J., HARBOUR, D., NACCACHE, P.H., and BOURGOIN, S., (1997)**
Human phospholipase D1 can be tyrosine-phosphorylated in HL-60 granulocytes.
J. Biol. Chem., **272** (33):20660 - 20664
- MARTIN, T.W., FELDMAN, D.R., GOLDSTEIN, K.E., and WAGNER, J.R., (1989)**
Long-term phorbol ester treatment dissociates phospholipase D activation from phosphoinositide hydrolysis and prostacyclin synthesis in endothelial cells stimulated with bradykinin.
Biochem. Biophys. Res. Commun., **165** (1):319 - 326
- MIN, D.S., PARK, S.K., and EXTON, J.H., (1998)**
Characterization of a rat brain phospholipase D isozyme.
J. Biol. Chem., **273** (12):7044 - 7051
- MITCHELL, R., MCCULLOCH, D., LUTZ, E., JOHNSON, M., MACKENZIE, C., FENNELL, M., FINK, G., ZHOU, W., and SEALFON, S.C., (1998)**
Rhodopsin-family receptors associate with small G proteins to activate phospholipase D.
Nature, **392** (6674):411 - 414
- MUFSON, R.A., OKIN, E., and WEINSTEIN, I.B., (1981)**
Phorbol esters stimulate the rapid release of choline from prelabelled cells.
Carcinogenesis, **2** (11):1095-1102
- MÜLLER-WIEPRECHT, V., RIEBELING, C., ALEXANDER, C., SCHOLZ, F.R., HÖER, A., WIEDER, T., ORFANOS, C.E., and GEILEN, C.C., (1998)**
Expression and regulation of phospholipase D in the human keratinocyte cell line HaCaT.
FEBS Lett., **425** (2):199 - 203
- NAKAMURA, M., NAKASHIMA, S., KATAGIRI, Y., and NOZAWA, Y., (1997)**
Effect of wortmannin and 2-(4-morpholinyl)-8-phenyl-4H-1-benzopyran-4-one (LY294002) on *N*-formyl-methionyl-leucyl-phenylalanine-induced phospholipase D activation in differentiated HL60 cells: possible involvement of phosphatidylinositol 3-kinase in phospholipase D activation.
Biochem. Pharmacol., **53** (12):1929 - 1936
- NAKASHIMA, S., OHGUCHI, K., FROHMAN, M.A., and NOZAWA, Y., (1998)**
Increased mRNA expression of phospholipase D (PLD) isozymes during granulocytic differentiation of HL60 cells.
Biochim. Biophys. Acta, **1389** (3):173 - 177
- NOH, D., AHN, S., LEE, R., PARK, I., KIM, J., SUH, P., RYU, S., LEE, K., and HAN, J., (2000)**
Overexpression of phospholipase D1 in human breast cancer tissues.
Cancer Lett., **161** (2):207 - 214

- OHGUCHI, K., BANNO, Y., NAKASHIMA, S., and NOZAWA, Y., (1996)**
Regulation of membrane-bound phospholipase D by protein kinase C in HL60 cells. Synergistic action of small GTP-binding protein RhoA.
J. Biol. Chem., **271** (8):4366 - 4372
- OKAMURA, S., and YAMASHITA, S., (1994)**
Purification and characterization of phosphatidylcholine phospholipase D from pig lung.
J. Biol. Chem., **269** (49):31207 - 31213
- OUDE WEERNINK, P.A., SCHULTE, P., GUO, Y., WETZEL, J., AMANO, M., KAIBUCHI, K., HAVERLAND, S., VOSS, M., SCHMIDT, M., MAYR, G.W., and JAKOBS, K.H., (2000)**
Stimulation of phosphatidylinositol-4-phosphate 5-kinase by Rho-kinase.
J. Biol. Chem., **275** (14):10168 - 10174
- PAI, J.K., SIEGEL, M.I., EGAN, R.W., and BILLAH, M.M., (1988)**
Phospholipase D catalyzes phospholipid metabolism in chemotactic peptide-stimulated HL-60 granulocytes.
J. Biol. Chem., **263** (25):12472 - 12477
- PARK, S.K., PROVOST, J.J., BAE, C.D., HO, W.T., and EXTON, J.H., (1997)**
Cloning and characterization of phospholipase D from rat brain.
J. Biol. Chem., **272** (46):29263 - 29271
- PARK, S.K., MIN, D.S., and EXTON, J.H., (1998)**
Definition of the protein kinase C interaction site of phospholipase D.
Biochem. Biophys. Res. Commun., **244** (2):364 - 367
- PARK, B.J., KIM, J.H., HAN, J.S., and JUNG, P.M., (1999)**
Effect of ceramide on apoptosis and phospholipase D activity in FRTL-5 thyroid cells.
Exp. Mol. Med., **31** (3):142 - 150
- PESSIN, M.S., and RABEN, D.M., (1989)**
Molecular species analysis of 1,2-diglycerides stimulated by alpha-thrombin in cultured fibroblasts.
J. Biol. Chem., **264** (15):8729 - 8738
- PETTITT, T.R., MARTIN, A., HORTON, T., LISSIS, C., LORD, J.M., and WAKELAM, M.J., (1997)**
Diacylglycerol and phosphatidate generated by phospholipases C and D, respectively, have distinct fatty acid compositions and functions. Phospholipase D-derived diacylglycerol does not activate protein kinase C in porcine aortic endothelial cells.
J. Biol. Chem., **272** (28):17354 - 17359
- PONTING, C.P., (1996)**
Novel domains in NADPH oxidase subunits, sorting nexins, and PtdIns 3-kinases: binding partners of SH3 domains?
Protein Sci., **5** (11):2353 - 2357
- RAISOVA, M., BEKTAS, M., WIEDER, T., DANIEL, P., EBERLE, J., ORFANOS, C.E., and GEILEN, C.C., (2000)**
Resistance to CD95/Fas-induced and ceramide-mediated apoptosis of human melanoma cells is caused by a defective mitochondrial cytochrome c release.
FEBS Lett., **473** (1):27 - 32

- RAISOVA, M., HOSSINI, A.M., EBERLE, J., RIEBELING, C., WIEDER, T., STURM, I., DANIEL, P.T., ORFANOS, C.E., and GEILEN, C.C., (2001a)**
The Bax/Bcl-2 ratio determines the susceptibility of human melanoma cells to CD95/Fas-mediated apoptosis.
J. Invest. Dermatol. in press
- RAISOVA, M., GOLTZ, G., BIELAWSKA, A., RIEBELING, C., HOSSINI, A.M., EBERLE, J., HANNUN, Y.A., ORFANOS, C.E., and GEILEN, C.C., (2001b)**
Bcl-2 overexpression prevents apoptosis induced by a novel ceramidase inhibitor.
Manuscript in preparation
- REBECCHI, M.J., and PENTYALA, S.N., (2000)**
Structure, function, and control of phosphoinositide-specific phospholipase C.
Physiol. Rev., **80** (4):1291 - 1335
- REICH, R., BLUMENTHAL, M., and LISCOVITCH, M., (1995)**
Role of phospholipase D in laminin-induced production of gelatinase A (MMP-2) in metastatic cells.
Clin. Exp. Metastasis, **13** (2):134 - 140
- RIZZO, M.A., SHOME, K., WATKINS, S.C., and ROMERO, G., (2000)**
The recruitment of Raf-1 to membranes is mediated by direct interaction with phosphatidic acid and is independent of association with Ras.
J. Biol. Chem., **275** (31):23911 - 23918
- ROBERTSON, D., PATERSON, H.F., ADAMSON, P., HALL, A., and MONAGHAN, P., (1995)**
Ultrastructural localization of ras-related proteins using epitope-tagged plasmids.
J. Histochem. Cytochem., **43** (5):471 - 480
- ROTH, M.G., (1999)**
Snapshots of ARF1: implications for mechanisms of activation and inactivation.
Cell, **97** (2):149 - 152
- RUDGE, S.A., and ENGBRECHT, J., (1999)**
Regulation and function of PLDs in yeast.
Biochim. Biophys. Acta, **1439** (2):167 - 174
- RÜMENAPP, U., GEISZT, M., WAHN, F., SCHMIDT, M., and JAKOBS, K.H., (1995)**
Evidence for ADP-ribosylation-factor-mediated activation of phospholipase D by m3 muscarinic acetylcholine receptor.
Eur. J. Biochem., **234** (1):240 - 244
- RÜMENAPP, U., SCHMIDT, M., OLESCH, S., OTT, S., EICHEL-STREIBER, C.V., and JAKOBS, K.H., (1998)**
Tyrosine-phosphorylation-dependent and rho-protein-mediated control of cellular phosphatidylinositol 4,5-bisphosphate levels.
Biochem. J., **334** (3):625 - 631
- SAIKI, R.K., SCHARF, S., FALOONA, F., MULLIS, K.B., HORN, G.T., ERLICH, H.A., and ARNHEIM, N., (1985)**
Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia.
Science, **230** (4732):1350 - 1354

SAITO, M., and KANFER, J., (1973)

Solubilization and properties of a membrane-bound enzyme from rat brain catalyzing a base-exchange reaction.

Biochem. Biophys. Res. Commun., **53** (2):391 - 398

SARRI, E., BOCKMANN, I., KEMPTER, U., VALEVA, A., VON EICHEL-STREIBER, C., WEICHEL, O., and KLEIN, J., (1998)

Regulation of phospholipase D activity in synaptosomes permeabilized with *Staphylococcus aureus* alpha-toxin.

FEBS Lett., **440** (3):287 - 290

SAWAI, H., OKAZAKI, T., YAMAMOTO, H., OKANO, H., TAKEDA, Y., TASHIMA, M., SAWADA, H., OKUMA, M., ISHIKURA, H., UMEHARA, H., and DOMAE, N., (1995)

Requirement of AP-1 for ceramide-induced apoptosis in human leukemia HL-60 cells.

J. Biol. Chem., **270** (45):27326 - 27331

SCHMIDT, M., RÜMENAPP, U., BIENEK, C., KELLER, J., VON EICHEL-STREIBER, C., and JAKOBS, K.H., (1996)

Inhibition of receptor signaling to phospholipase D by *Clostridium difficile* toxin B. Role of Rho proteins.

J. Biol. Chem., **271** (5):2422 - 2426

SCHMIDT, M., RÜMENAPP, U., KELLER, J., LOHMANN, B., and JAKOBS, K.H., (1997)

Regulation of phospholipase C and D activities by small molecular weight G proteins and muscarinic receptors.

Life Sci., **60** (13-14):1093 - 1100

SCIORRA, V.A., RUDGE, S.A., PRESTWICH, G.D., FROHMAN, M.A., ENGBRECHT, J., and MORRIS, A.J., (1999)

Identification of a phosphoinositide binding motif that mediates activation of mammalian and yeast phospholipase D isoenzymes.

EMBO J., **18** (21):5911 - 5921

SENARATNE, S.G., PIRIANOV, G., MANSI, J.L., ARNETT, T.R., and COLSTON, K.W., (2000)

Bisphosphonates induce apoptosis in human breast cancer cell lines.

Br. J. Cancer., **82** (8):1459 - 1468

SHOME, K., NIE, Y., and ROMERO, G., (1998)

ADP-ribosylation factor proteins mediate agonist-induced activation of phospholipase D.

J. Biol. Chem., **273** (46):30836 - 30841

SIDDIQI, A.R., SRAJER, G.E., and LESLIE, C.C., (2000)

Regulation of human PLD1 and PLD2 by calcium and protein kinase C.

Biochim. Biophys. Acta, **1497** (1):103 - 114

SINGER, W.D., BROWN, H.A., JIANG, X., and STERNWEIS, P.C., (1996)

Regulation of phospholipase D by protein kinase C is synergistic with ADP-ribosylation factor and independent of protein kinase activity.

J. Biol. Chem., **271** (8):4504 - 4510

SINGH, I.N., SORRENTINO, G., and KANFER, J.N., (1998)

Activation of LA-N-2 cell phospholipase D by amyloid beta protein (25-35).

Neurochem. Res., **23** (10):1225 - 1232

- SLAABY, R., JENSEN, T., HANSEN, H.S., FROHMAN, M.A., and SEEDORF, K., (1998)**
PLD2 complexes with the EGF receptor and undergoes tyrosine phosphorylation at a single site upon agonist stimulation.
J. Biol. Chem., **273** (50):33722 - 33727
- SMITH, P.K., KROHN, R.I., HERMANSON, G.T., MALLIA, A.K., GARTNER, F.H., PROVENZANO, M.D., FUJIMOTO, E.K., GOEKE, N.M., OLSON, B.J., and KLENK, D.C., (1985)**
Measurement of protein using bicinchoninic acid.
Anal. Biochem., **150** (1):76 - 85
- SONG, J., and FOSTER, D.A., (1993)**
v-Src activates a unique phospholipase D activity that can be distinguished from the phospholipase D activity activated by phorbol esters.
Biochem. J., **294** (3):711 - 717
- SPANG, A., MATSUOKA, K., HAMAMOTO, S., SCHEKMAN, R., and ORCI, L., (1998)**
Coatomer, Arf1p, and nucleotide are required to bud coat protein complex I-coated vesicles from large synthetic liposomes.
Proc. Natl. Acad. Sci., **95** (19):11199 - 11204
- STEED, P.M., CLARK, K.L., BOYAR, W.C., and LASALA, D.J., (1998)**
Characterization of human PLD2 and the analysis of PLD isoform splice variants.
FASEB J., **12** (13):1309 - 1317
- STUCKEY, J.A., and DIXON, J.E., (1999)**
Crystal structure of a phospholipase D family member.
Nat. Struct. Biol., **6** (3):278 - 284
- STUTCHFIELD, J., and COCKCROFT, S., (1993)**
Correlation between secretion and phospholipase D activation in differentiated HL60 cells.
Biochem. J., **293** (3):649 - 655
- SUGARS, J.M., CELLEK, S., MANIFAVA, M., COADWELL, J., and KTISTAKIS, N.T., (1999)**
Fatty acylation of phospholipase D1 on cysteine residues 240 and 241 determines localization on intracellular membranes.
J. Biol. Chem., **274** (42):30023 - 30027
- SUNG, T.C., ROPER, R.L., ZHANG, Y., RUDGE, S.A., TEMEL, R., HAMMOND, S.M., MORRIS, A.J., MOSS, B., ENGBRECHT, J., and FROHMAN, M.A., (1997)**
Mutagenesis of phospholipase D defines a superfamily including a trans-Golgi viral protein required for poxvirus pathogenicity.
EMBO J., **16** (15):4519 - 4530
- SUNG, T.C., ALTSHULLER, Y.M., MORRIS, A.J., and FROHMAN, M.A., (1999A)**
Molecular analysis of mammalian phospholipase D2.
J. Biol. Chem., **274** (1):494 - 502
- SUNG, T.C., ZHANG, Y., MORRIS, A.J., and FROHMAN, M.A., (1999B)**
Structural analysis of human phospholipase D1.
J. Biol. Chem., **274** (6):3659 - 3666

- SUWA, H., OHSHIO, G., IMAMURA, T., WATANABE, G., ARII, S., IMAMURA, M., NARUMIYA, S., HIAI, H., and FUKUMOTO, M., (1998)**
Overexpression of the rhoC gene correlates with progression of ductal adenocarcinoma of the pancreas.
Br. J. Cancer, **77** (1):147 - 152
- TAKAHASHI, K., TAGO, K., OKANO, H., OHYA, Y., KATADA, T., and KANAHO, Y., (1996)**
Augmentation by calmodulin of ADP-ribosylation factor-stimulated phospholipase D activity in permeabilized rabbit peritoneal neutrophils.
J. Immunol., **156** (3):1229 - 1234
- TOMIC, S., GREISER, U., LAMMERS, R., KHARITONENKOV, A., IMYANITOV, E., ULLRICH, A., and BOHMER, F.D., (1995)**
Association of SH2 domain protein tyrosine phosphatases with the epidermal growth factor receptor in human tumor cells. Phosphatidic acid activates receptor dephosphorylation by PTP1C.
J. Biol. Chem., **270** (36):21277 - 21284
- TOWBIN, H., STAEBELIN, T., and GORDON, J., (1979)**
Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications.
Proc. Natl. Acad. Sci., **76** (9):4350 - 4354
- TSANG, V.C., and WILKINS, P.P., (1991)**
Optimum dissociating condition for immunoaffinity and preferential isolation of antibodies with high specific activity.
J. Immunol. Methods, **138** (2):291 - 299
- UNGS, I.J., THOMPSON, N.T., RANDALL, R.W., SPACEY, G.D., BONSER, R.W., HUDSON, A.T., and GARLAND, L.G., (1992)**
Tyrosine phosphorylation is involved in receptor coupling to phospholipase D but not phospholipase C in the human neutrophil.
Biochem. J., **281** (3):597-600
- VAN AELST, L., and D'SOUZA-SCHOREY, C., (1997)**
Rho GTPases and signaling networks.
Genes Dev., **11** (18):2295 - 2322
- VAN BEEK, E., PIETERMAN, E., COHEN, L., LOWIK, C., and PAPAPOULOS, S., (1999)**
Farnesyl pyrophosphate synthase is the molecular target of nitrogen-containing bisphosphonates.
Biochem. Biophys. Res. Commun., **264** (1):108 - 111
- VAN GOLEN, K.L., DAVIES, S., WU, Z.F., WANG, Y., BUCANA, C.D., ROOT, H., CHANDRASEKHARAPPA, S., STRAWDERMAN, M., ETHIER, S.P., and MERAJVER, S.D., (1999)**
A novel putative low-affinity insulin-like growth factor-binding protein, LIBC (lost in inflammatory breast cancer), and RhoC GTPase correlate with the inflammatory breast cancer phenotype.
Clin. Cancer Res., **5** (9):2511 - 2519

- VAN GOLEN, K.L., WU, Z.F., QIAO, X.T., BAO, L.W., and MERAJVER, S.D., (2000)**
RhoC GTPase, a novel transforming oncogene for human mammary epithelial cells that partially recapitulates the inflammatory breast cancer phenotype.
Cancer Res., **60** (20):5832 - 5838
- VENABLE, M.E., BIELAWSKA, A., and OBEID, L.M., (1996)**
Ceramide inhibits phospholipase D in a cell-free system.
J. Biol. Chem., **271** (40):24800 - 24805
- VOGELSTEIN, B., and GILLESPIE, D., (1979)**
Preparative and analytical purification of DNA from agarose.
Proc. Natl. Acad. Sci., **76** (2):615 - 619
- WAITE, K.A., WALLIN, R., QUALLIOTINE-MANN, D., and MCPHAIL, L.C., (1997)**
Phosphatidic acid-mediated phosphorylation of the NADPH oxidase component p47-phox. Evidence that phosphatidic acid may activate a novel protein kinase.
J. Biol. Chem., **272** (24):15569 - 15578
- WAKELAM, M.J., (1998)**
Diacylglycerol--when is it an intracellular messenger?
Biochim. Biophys. Acta, **1436** (1-2):117 - 126
- WAKITA, H., TOKURA, Y., YAGI, H., NISHIMURA, K., FURUKAWA, F., and TAKIGAWA, M., (1994)**
Keratinocyte differentiation is induced by cell-permeant ceramides and its proliferation is promoted by sphingosine.
Arch. Dermatol. Res., **286** (6):350 - 354
- WATANABE, H., and KANAHO, Y., (2000)**
Inhibition of phosphatidylinositol 4,5-bisphosphate-stimulated phospholipase D2 activity by Ser/Thr phosphorylation.
Biochim. Biophys. Acta, **1495** (2):121 - 124
- WEST, M.A., BRIGHT, N.A., and ROBINSON, M.S., (1997)**
The role of ADP-ribosylation factor and phospholipase D in adaptor recruitment.
J. Cell. Biol., **138** (6):1239 - 1254
- WIEDER, T., ZHANG, Z., GEILEN, C.C., ORFANOS, C.E., GIULIANO, A.E., and CABOT, M.C., (1996)**
The antitumor phospholipid analog, hexadecylphosphocholine, activates cellular phospholipase D.
Cancer Lett., **100** (1-2):71 - 79
- WILLIGER, B.T., HO, W.T., and EXTON, J.H., (1999)**
Phospholipase D mediates matrix metalloproteinase-9 secretion in phorbol ester-stimulated human fibrosarcoma cells.
J. Biol. Chem., **274** (2):735 - 738
- YAMAZAKI, M., ZHANG, Y., WATANABE, H., YOKOZEKI, T., OHNO, S., KAIBUCHI, K., SHIBATA, H., MUKAI, H., ONO, Y., FROHMAN, M.A., and KANAHO, Y., (1999)**
Interaction of the small G protein RhoA with the C terminus of human phospholipase D1.
J. Biol. Chem., **274** (10):6035 - 6038

YANG, S.F., FREER, S., and BENSON, A.A., (1967)

Transphosphatidylation by phospholipase D.

J. Biol. Chem., **242** (3):477 - 484

YOSHIDA, M., OKAMURA, S., KODAKI, T., MORI, M., and YAMASHITA, S., (1998)

Enhanced levels of oleate-dependent and Arf-dependent phospholipase D isoforms in experimental colon cancer.

Oncol. Res., **10** (8):399 - 406

YOSHIMURA, S., NAKASHIMA, S., OHGUCHI, K., SAKAI, H., SHINODA, J., SAKAI, N., and NOZAWA, Y., (1996)

Differential mRNA expression of phospholipase D (PLD) isozymes during cAMP-induced differentiation in C6 glioma cells.

Biochem. Biophys. Res. Commun., **225** (2):494 - 499

YOSHIMURA, S., SAKAI, H., OHGUCHI, K., NAKASHIMA, S., BANNO, Y., NISHIMURA, Y., SAKAI, N., and NOZAWA, Y., (1997)

Changes in the activity and mRNA levels of phospholipase D during ceramide-induced apoptosis in rat C6 glial cells.

J. Neurochem., **69** (2):713 - 720

ZHANG, Y., ALTSHULLER, Y.M., HAMMOND, S.M., HAYES, F., MORRIS, A.J., and FROHMAN, M.A., (1999)

Loss of receptor regulation by a phospholipase D1 mutant unresponsive to protein kinase C.

EMBO J., **18** (22):6339 - 6348

ZHAO, D., BERSE, B., HOLLER, T., CERMAK, J.M., and BLUSZTAJN, J.K., (1998)

Developmental changes in phospholipase D activity and mRNA levels in rat brain.

Brain Res. Dev. Brain Res., **109** (2):121 - 127

ZRIHAN-LICHT, S., FU, Y., SETTLEMAN, J., SCHINKMANN, K., SHAW, L., KEYDAR, I., AVRAHAM, S., and AVRAHAM, H., (2000)

RAFTK/Pyk2 tyrosine kinase mediates the association of p190 RhoGAP with RasGAP and is involved in breast cancer cell invasion.

Oncogene, **19** (10):1318 - 1328