

8 Literaturverzeichnis

ABU-HALAWEH, M., J. BATES, B. K. PATEL (2005):

Rapid detection and differentiation of pathogenic *Campylobacter jejuni* and *Campylobacter coli* by real-time PCR.

Res. Microbiol. 156(1):107-114.

ACUFF, G. R., C. VANDERZANT, M. O. HANNA, J. G. EHLERS, F. A. GARDNER (1986):

Effects of Handling and Preparation of Turkey Products on the Survival of *Campylobacter jejuni*.

J. Food Prot. 49(8):627-631.

AHO, M. und J. HIRN (1988):

Prevalence of *Campylobacter* in Finnish Broiler Chicken Chain from the Producer to the Consumer.

Acta vet. scand. 29:451-462.

AHO, M., M. KAUPPI, J. HIRN (1988):

The Stability of Small Number of Campylobacteria in Four Different Transport Media.

Acta vet. scand. 29:437-442.

ALBERT, M. J., W. TEE, A. S. LEACH, V. ASCHE, J. L. PENNER (1992):

Comparison of a blood-free medium and a filtration technique for the isolation of *Campylobacter* spp. from diarrhoeal stools of hospitalised patients in central Australia.

J. Med. Microbiol. 37:176-179.

ALDERTON, M.R., V. KOROLIK, P. J. COLOE, F. E. DEWHIRST, B. J. PASTER (1995):

Campylobacter hyoilei sp. nov., associated with porcine proliferative enteritis.

Int. J. Syst. Bacteriol. 45(1):61-66.

ALTMAYER, M., P. KRABISCH, P. DORN (1985):

Zum Vorkommen und zur Verbreitung von *Campylobacter jejuni/coli* in der Jungmastgeflügel-Produktion. 1. Mitteilung.

Dtsch. Tierärztl. Wochenschr. 92(11/12):456-459.

ANDERSON, J. M., P. A. HARTMAN (1985):

Direct Immunoassay for Detection of *Salmonellae* in Foods and Feeds.

Appl. Environ. Microbiol. 49(5):1124-1127.

ANONYMUS (1994):

BERGEY's Manual of Determinative Bacteriology, 9th edition, Williams & Wilkins, 41-61.

ANONYMUS (1994a):

Campylobacter jejuni/coli. National Advisory Committee on Microbiological Criteria for Foods.

J. Food Prot. 57:1101-1121.

ANONYMUS (1995):

Die Durchführung der Lebensmittelkontrolle in der Schweiz im Jahre 1994.

Tätigkeitsbericht der Abteilungen Vollzug Lebensmittelrecht und Lebensmittelwissenschaft des Bundesamtes für Gesundheitswesen.

Mitt. Gebiete Lebensm. Hyg. 86:331-441.

ANONYMUS (2000):

Nachweis von *Campylobacter jejuni* und *Campylobacter coli* in Lebensmitteln durch Amplifizierung spezifischer Gensequenzen mit der Polymerase-Kettenreaktion.
Bundesgesundheitsbl – Gesundheitsforsch – Gesundheitsschutz 43:816-824.

ANONYMUS (2000a):

Zwei Gastroenteritis-Ausbrüche durch *Campylobacter jejuni* nach dem Genuss von Rohmilch.
Epidemiologisches Bulletin Nr. 18, 5. Mai 2000, Robert Koch-Institut (Hrsg.), Berlin, 143-145.
URL: http://www.rki.de/cln_011/nn_244006/DE/Content/Infekt/EpidBull/Archiv/2000/18_00,templateId=raw,property=publicationFile.pdf/18_00

ANONYMUS (2003):

Bacterial Nomenclature Up-To-Date (Approved List, Validation Lists).
Juli 2003, compiled by DSMZ – Deutsche Sammlung von Mikroorganismen und Zellkulturen
GmbH, Braunschweig, Germany, List 07/2003.
URL: <http://www.dsmz.de>

ANONYMUS (2004):

Campylobacter-Enteritis.
In: Infektionsepidemiologisches Jahrbuch meldepflichtiger Krankheiten für 2004,
Robert Koch-Institut (Hrsg.), Redakteur: Dr. Benzler, Mercedes-Druck, 2004, ISBN 3-89606-088-0, Berlin, 52-56.
URL:
http://www.rki.de/cln_006/nn_226624/DE/Content/Infekt/Jahrbuch/Jahrbuch__2004.html

AQUINO, M. H. C., A. H. R. MANGIA, A. L. L. FILGUEIRAS, L. M. TEIXEIRA, M. C. S. FERREIRA, A. TIBANA (2002):

Use of a Multiplex PCR-based Assay to Differentiate *Campylobacter jejuni* and *Campylobacter coli* Strains Isolated from Human and Animal Sources.
Vet. J. 163(1):102-104.

ARWANA, A. A. K. (1987):

Untersuchungen zum Vorkommen von *Campylobacter jejuni* und *Campylobacter coli* in Hühner- und Schaffleisch und zum Verhalten der Keime gegenüber verschiedenen Umwelteinflüssen.
Diss. Med. Vet., HU-Berlin.

ARWANA, A. und G. SCHEIBNER (1988):

Modelluntersuchungen zum Überleben von *Campylobacter jejuni* auf der Oberfläche von Fleisch.
Monatsh. Vet. Med. 43:483-485.

ASPINALL, S. T., D. R. A. WAREING, P. G. HAYWARD, D. N. HUTCHINSON (1996):

A comparison of a new campylobacter selective medium (CAT) with membrane filtration for the isolation of thermophilic campylobacters including *Campylobacter upsaliensis*.
J. Appl. Microbiol. 8:645-650.

ATABAY, H. I. und J. E. L. CORRY (1996):

Use of novel techniques for the isolation of unusual campylobacters from cattle and poultry.
In: COST Action 97, Pathogenic micro-organisms in poultry and eggs, 2. Monitoring procedures, rapid detection methods and techniques, C. J. Thorns, P. Jones (Hrsg.), European Commission, Compton, Newbury, UK, 21.-23. April 1996, p. 26-34.

ATABAY, H. I. und J. E. L. CORRY (1998):

The isolation and prevalence of campylobacters from dairy cattle using a variety of methods.
J. Appl. Microbiol. 84:733-740.

ATANASSOVA , V., T. STOYANCHEV, C. RING (2003):

Vorkommen und Differenzierung von *Campylobacter* spp..
Fleischwirtschaft 9:146-151.

ATANASSOVA, V. und C. RING (1999):

Prevalence of *Campylobacter* spp. in poultry and poultry meat in Germany.
Int. J. Food Microbiol. 51(2.3):187-190.

ATANASSOVA, V. und C. RING (2001):

Zur Epidemiologie von *Campylobacter* in Geflügelfleisch aus Ländern der EU.
In: 42. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“,
25.-28. September 2001, Garmisch-Partenkirchen, Germany, 390-392.

BACHMANN, S. (1998):

Diagnostische und epidemiologische Aspekte bei *Campylobacter*-Darminfektionen.
Inaugural-Dissertation, Fachbereich Veterinärmedizin, Justus-Liebig-Universität Gießen,
1998.

BAGGERMAN, W. I. und T. KÖSTER (1992):

A comparison of enrichment and membrane filtration methods for the isolation of
Campylobacter from fresh and frozen foods.
Food Microbiol. 9:87-94.

BANDICK, N., K. DÜNNEBIER, L. BRÄUTIGAM, A. THOMELE, R. FRIES (2005):

Nachweis von *Campylobacter* aus Brauchwasser einer Geflügelfleisch-Gewinnungslinie
mittels PCR.

Poster, 46. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“,
2005, Garmisch-Partenkirchen, Germany.

BANG, D. D., K. PEDERSEN, M. MADSEN (2001):

Development of a PCR assay suitable for *Campylobacter* spp. mass screening programs in
broiler production.

J. Rapid Methods Aut. Microbiol. 9:97-114.

BARREL, R. A. E. (1984):

The survival of *Campylobacter jejuni* in red meats stored at different temperatures.

Int. J. Food Microbiol. 1:187-196.

BARTELT, E. und P. LUBER (2003):

Vergleich von Transportmedien für den *Campylobacter*-Nachweis aus Tupferproben.
In: 44. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, DVG
29. September - 02. Oktober 2003, Garmisch-Partenkirchen, Germany.

BARTELT, E., B.-M. WERTH, G. KLEIN, P. LUBER (2003):

Antibiotikaresistenz von *Campylobacter*-Isolaten von Schlachttierkörpern verschiedener
Tierarten, Handelsproben vom Geflügel und aus Stuhlproben.

In: 44. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, DVG 29. September - 02.
Oktober 2003, Garmisch-Partenkirchen, Germany.

- BASERISALEHI, M., N. BAHADOR, B. P. KAPADNIS** (2004):
A novel method for isolation of *Campylobacter* spp. from environmental samples, involving sample processing, and blood- and antibiotic-free medium.
J. Appl. Microbiol. 97(4):853-860.
- BATTISTA, K., C. NEWCOMER, K. TRUONG** (persönliche Mitteilung, 2001):
Mini VIDAS as an Alternative to Standard Methods.
- BAUMGART, J., R. BRINKMANN, P. FRANKE** (2003):
Die Kultur von Mikroorganismen und Untersuchung der Morphologie;
Labororganisation, Verfahrensmanual und Sicherheit im Labor.
In: Mikrobiologische Untersuchungen von Lebensmitteln (CD-ROM),
Jürgen Baumgart, Barbara Becker (Hrsg.), Behr's Verlag, April 2003, Kapitel I.1.
- BAUMGARTNER, A., M. GRAND, M. LINIGER, A. SIMMEN** (1995):
Campylobacter contaminations of poultry liver – consequences for food handlers and consumers.
Archiv für Lebensmittelhygiene 46(1):11-12.
- BAYLIS, C. L., S. MACPHEE, K. W. MARTIN, T. J. HUMPHREY, R. P. BETTS** (2000):
Comparison of three enrichment media for the isolation of *Campylobacter* spp. from foods.
J. Appl. Microbiol. 89:884-891.
- BEACH, J. C., E. A. MURANO, G. R. ACUFF** (2002):
Prevalence of *Salmonella* and *Campylobacter* in Beef Cattle from Transport to Slaughter.
J. Food Prot. 65(11):1687-1693.
- BECKER, H., G. SCHALLER, E. MÄRTLBAUER** (1994):
Nachweis von Staphylococcus-aureus-Enterotoxinen in Lebensmitteln mit kommerziellen Enzymimmuntests.
Archiv für Lebensmittelhygiene 45:27-32.
- BECKER, H., G. SCHALLER, M. FAROUQ, E. MÄRTLBAUER** (1998):
Nachweis einiger pathogener Mikroorganismen in Lebensmittel mit kommerziellen Testkits,
Teil 1 Nachweis von Salmonellen.
Archiv für Lebensmittelhygiene 49:10-13.
- BECKER, H., G. SCHALLER, M. FAROUQ, E. MÄRTLBAUER** (1998a):
Nachweis einiger pathogener Mikroorganismen in Lebensmittel mit kommerziellen Testkits,
Teil 2 Nachweis von Listerien.
Archiv für Lebensmittelhygiene 49:30-34.
- BECKER, H., G. SCHALLER, S. EBERHARDT, M. FAROUQ, E. MÄRTLBAUER** (1998b):
Nachweis einiger pathogener Mikroorganismen in Lebensmittel mit kommerziellen Testkits,
Teil 3 Nachweis von Listerien.
Archiv für Lebensmittelhygiene 49:97-102.
- BERNDTSON, E., M. TIVEMO, A. ENGVALL** (1992):
Distribution and numbers of *Campylobacter* in newly slaughtered broiler chickens and hens.
Int. J. Food Microbiol. 15:45-50.
- BERRANG, M. E., S. R. LEDELY, R. J. BUHR** (2001):
Presence and Level of *Campylobacter*, Coliforms, *Escherichia coli*, and Total Aerobic Bacteria Recovery from Broiler Parts with and without Skin.
J. Food Prot. 64(2):184-188.

- BEST, E. L., E. J. POWELL, C. SWIFT, K. A. GRANT, J. A. FROST** (2003):
Applicability of a rapid duplex real-time PCR assay for speciation of *Campylobacter jejuni* and *Campylobacter coli* directly from culture plates.
FEMS Microbiol. Lett. 229(2):237-41.
- BEUTLING, D.** (1998):
Vorkommen und Überleben von *Campylobacter* in Lebensmitteln.
Archiv für Lebensmittelhygiene 49(1):13-15.
- BHADURI, S. und B. COTTRELL** (2004):
Survival of Cold-Stressed *Campylobacter jejuni* on Ground Chicken and Chicken Skin during Frozen Storage.
Appl. Environ. Microbiol. 70(12):7103-7109.
- BLACKBURN, C. DE W., L. M. CURTIS, L. HUMPHESON, S. B. PETITT** (1994):
Evaluation of the Vitek Immunodiagnostic Assay System (VIDAS) for the detection of *Salmonella* in foods.
Lett. Appl. Microbiol. 19(1):32-36.
- BLASER, M. J., D. N. TAYLOR, R. A. FELDMAN** (1983a):
Epidemiology of *Campylobacter jejuni* infections.
Epidemiol. Rev. 5:157-176.
- BLASER, M. J., H. L. HARDESTY, B. POWERS, W.-L. L. WANG** (1980):
Survival of *Campylobacter fetus* subsp. *jejuni* in Biological Milieus.
J. Clin. Microbiol. 11(4):309-313.
- BLASER, M. J., J. A. HOPKINS, M. L. VASIL** (1984):
Campylobacter jejuni Outer Membrane Proteins are Antigenic for Humans.
Infect. Immun. 43:986-993.
- BLASER, M. J., J. A. HOPKINS, R. M. BERKA, M. L. VASIL, W.-L. L. WANG** (1983):
Identification and Characterization of *Campylobacter jejuni* Outer Membrane Proteins.
Infect. Immunol. 42:276-284.
- BLASER, M., J. CRAVENS, B. W. POWERS, W. L. WANG** (1978):
Campylobacter enteritis associated with canine infection.
Lancet. 2(8097):979-81.
- BLASER, M.J., I. D. BERKOWITZ, F. M. LAFORCE, J. CRAVENS, L. B. RELLER, W. L. WANG** (1979):
Campylobacter enteritis: clinical and epidemiologic features.
Ann. Intern. Med. 91(2):179-85.
- BOLTON , F. J. und L. ROBERTSON** (1982):
A selective medium for isolation *Campylobacter jejuni*.
In: *Campylobacter*, epidemiology, pathogenesis and biochemistry, D. G. Newell (Hrsg.), Mtp Press, 1982, Lancaster, Boston 75-76.
- BOLTON, F. J., D. N. HUTCHINSON, D. COATES** (1984):
Blood-free selective medium for isolation of *Campylobacter jejuni* from faeces.
J. Clin. Microbiol. 19(2):169-171.

- BOLTON, F. J., A. D. SAILS, A. J. FOX, D. R. A. WAREING, D. L. A. GREENWAY** (2002):
Detection of *Campylobacter jejuni* and *Campylobacter coli* in Foods by Enrichment Culture and Polymerase Chain Reaction Enzyme-Linked Immunosorbent Assay.
J. Food Prot. 65(5):760-767.
- BRUCE, D., W. ZOCHOWSKI, G. FLEMING** (1980):
Campylobacter infection in cats and dogs.
Vet. Rec. 107:200-201.
- BRUNNER, B. UND M. BÜLTE** (2002):
Untersuchung von künstlich und natürlich kontaminiertem Hackfleisch mittels VIDAS-LMO.
Fleischwirtschaft 2:94-95.
- BORCK, B., E. M. NIELSEN, K. PEDERSEN, M. MADSEN** (2001):
Prevalence and serotypes of *Campylobacter* spp. in Danish turkeys.
11th International Workshop on *Campylobacter*, *Helicobacter* and related Organisms., 1. – 5. September 2001, Freiburg, Germany, 43.
Int. J. Med. Microbiol. 291, Suppl. 31:1-168.
- BORCK, B., H. STRYHN, A. K. ERSBØLL, K. PEDERSEN** (2002):
Thermophilic *Campylobacter* spp. in turkey samples: evaluation of two automated enzyme immunoassays and conventional microbiological techniques.
J. Appl. Microbiol. 92:574-582.
- BORCK, B., M. LUND, K. PEDERSEN, M. MADSEN** (2001a):
Detection of *Campylobacter* spp. in turkey samples by conventional culture, PCR and two enzyme immunoassays.
Poster L-14, presented: CHRO 2001, 1. -5. Sept. 2001, 11th International Workshop on *Campylobacter*, *Helicobacter* and related Organisms, Freiburg, Germany.
Int. J. Med. Microbiol. 291(Suppl. 31):107.
- BOSTAN, K.** (2001):
Effects of cooking and cold storage on the survival of *Campylobacter jejuni* in meatballs.
Archiv für Lebensmittelhygiene 52(2):28-30.
- BOSTAN, K., H. AKSU, Ö. ÖZGEN, M. UĞUR** (2001):
Survival of *Campylobacter jejuni* in Turkish Fermented Sausage.
Archiv für Lebensmittelhygiene 52(6):119-121.
- BOUCHER, S. N., A. H. L. CHAMBERLAIN, M. R. ADAMS** (1998):
Enhanced Survival of *Campylobacter jejuni* in Association with Wood.
J. Food Prot. 61(1):26-30.
- BOUCHER, S. N., E. R. SLATER, A. H. L. CHAMBERLAIN, M. R. ADAMS** (1994):
Production and viability of coccoid forms of *Campylobacter jejuni*.
J. Appl. Bacteriol. 77:303-307.
- BRECHTEL, C., J. KLEER, G. HILDEBRANDT** (2002):
Zur Qualitätskontrolle des Sortiments eines Tiefkühlkost-Vertriebes hinsichtlich der *Campylobacter*-Kontamination.
In: 43. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, 24.-27. September 2002, Garmisch-Partenkirchen, Germany, 784-786.

- BROMAN, T., H. PALMGREN, S. BERGSTRÖM, M. SELLIN, J. WALDENSTRÖM, M.-L. DANIELSSON-THAM, B. OLSON (2002):**
Campylobacter jejuni and Black Headed Gulls (*Larus ridibundus*): Prevalence, Genotypes, and Influence on *C. jejuni* Epidemiology.
J. Clin. Microbiol. 40(12):4594-4602.
- BRYAN, F. L. und T. W. MCKINLEY (1974):**
Prevention of foodborne illness by time-temperature control of thawing, cooking, chilling and reheating turkeys in school lunch kitchen.
J. Milk Food Technol. 37:420-429.
- BUBERT, A., L. THOMPSON, C. LINDHARDT, H.-G. LEUSCH (2004):**
Singlepath *Campylobacter*® Lateral Flow Assay als einfache Methode zur Identifizierung von *Campylobacter* spp. in Lebensmitteln.
In: Proceeding, 23. Jenaer Symposium: *Campylobacter*-Infektionen, 1.-2. Juli 2004, Bundesforschungsanstalt für Viruskrankheiten der Tiere (BFAV), Standort Jena, Germany.
- BÜLTE, M. und A. STOLLE (1989):**
Die Einsatzfähigkeit moderner mikrobiologischer Schnellmethoden zur Untersuchung von Lebensmitteln tierischen Ursprungs.
Fleischwirtschaft 69:1459-1463.
- BUSWELL, C., Y. HERLIHY, L. LAWRENCE, J. T. M. MCGUIGGAN, P. MARSH, C. KEEVIL, S. A. LEACH (1998):**
Extended Survival and Persistance of *Campylobacter* spp. in Water and Aquatic Biofilms and Their Detection by Immunfluorescent-Antibody and -rRNA Staining.
Appl. Environ. Microbiol. 64(2):733-741.
- BUTLER, R. C., V. LUND, D. A. CARLSON (1987):**
Susceptibility of *Campylobacter jejuni* and *Yersinia enterocolitica* to UV radiation.
Appl. Environ. Microbiol. 53:375-378.
- CARY, S.G. und E. B. BLAIR (1964):**
New transport medium for shipment of clinical specimens.
J. Bact. 88:96-98.
- CASTILLO, A. und E. F. ESCARTIN (1994):**
Survival of *Campylobacter jejuni* on Sliced Watermelon and Papaya.
J. Food Prot. 57:166-168.
- CHAN, F. T. und A. M. MACKENZIE (1982):**
Enrichment medium and control system for isolation of *Campylobacter fetus* subsp. *jejuni* from stools.
Clin. Microbiol. 15(1): 12-15.
- CHENG, Z. und M. W. GRIFFITHS (2003):**
Rapid Detection of *Campylobacter jejuni* in Chicken Rinse Water by Melting-Peak Analysis of Amplicons in Real-Time Polymerase Chain Reaction.
J. Food Prot. 66(8):1343-1352.
- CHIRIFE, J. und M. D. BUERA (1996):**
Water activity, water glass dynamics, and the control of microbiological growth in foods.
Crit. Rev. Food. Sci. Nutr. 36(5):465-513.

CHRISTOPHER, F. M., G. C. SMITH, C. VANDERZANT (1982):
Examination of Poultry, Giblets, Raw Milk and Meat for *Campylobacter fetus* subsp. *jejuni*.
J. Food Prot. 45(3):260-262.

CHRISTOPHER, F. M., G. C. SMITH, C. VANDERZANT (1982a):
Effect of Temperature and pH on the Survival of *Campylobacter fetus*.
J. Food Protect. 45(3):253-259.

CHUMA, T., K. YANO, H. OMORI, K. OKAMOTO, H. YUGI (1997):
Direct Detection of *Campylobacter jejuni* in Chicken Cecal Contents by PCR.
J. Vet. Med. Sci. 59(1):85-87.

CLOAK, O. M. und P. M. FRATAMICO (2002):
A Multiplex Polymerase Chain Reaction for the Differentiation of *Campylobacter jejuni* and *Campylobacter coli* from Swine Processing Facility and Characterization of Isolates by Pulsed-Field Gel Electrophoresis and Antibiotic Resistance Profiles.
J. Food Prot. 65(2):266-273. Erratum in: J Food Prot. 65(11):1705.

COMI, G., C. CANTONI, G. MARENDA (1984):
Campylobacter jejuni nelle carni di pollo. *Campylobacter jejuni* in the meat of poultry.
Arch. Vet. It. 35:1-9.

COOPER, L. A., L. T. DAUM, R. ROUDABUSH, K. L. LOHMAN (2002):
Molecular Identification of *Campylobacter coli* and *Campylobacter jejuni* Using Automated DNA Extraction and Real-Time PCR with Species-Specific TaqMan Probes.
In: Reischl, U., C. Wittwer, F. Cockerill (Hrsg.): Rapid Cycle Real-Time PCR – Methods and Applications – Microbiology and Food Analysis.
Springer-Verlag, 2002, Berlin-Heidelberg-New York, 155-161.

CORRY, J. E. L. (1996):
Methods for the Isolation of Campylobacters and Arcobacters.
In: Factors affecting the microbial quality of meat, Concerted Action CT94-1456, Microbial Control in the Meat Industry, 4. Microbial Methods for the Meat Industry, M. H. Hinton und C. Rowlings (Hrsg.), University of Bristol Press, UK, European Commission, Agro-Industrial Research, Proceeding, „Het Pand“ Conference Centre, Gent, Belgium, 14.-16. Oktober 1996.

CORRY, J. E. L. (1999):
Detection by Cultural and Modern Techniques.
In: Encyclopedia of Food Microbiology. R. K. Robinson, C. A. Batt, and P. D. Patel (Hrsg.), Academic Press, San Diego, CA, 1999, 341-347.

CORRY, J. E. L. und H. I. ATABAY (2001):
Poultry as a Source of *Campylobacter* and Related organisms.
Symp. Ser. Soc. Appl. Microbiol. 30:96S-114S.

CORRY, J. E. L., D. E. POST, P. COLIN, M. J. LAISNEY (1995):
Culture media for the isolation of campylobacters.
Int. J. Food Microbiol. 26:43-76.

CORRY, J. E. L., H. I. ATABAY, S. J. FORSYTHE, L. P. MANSFIELD (2003):
Culture media for the isolation of campylobacters, helicobacters and arcobacters.
In: Handbook of Culture Media for Food Microbiology. Corry, J. E. L., G. D. W. Curtis, R. M. Baird (Hrsg.), Volume 37, Elsevier Science B. V., Amsterdam, The Netherlands, Chapter 18, 271-316.

- CURIALE, M. S., M. J. KLATT, M. A. MOZOLA** (1990):
Colorimetric Desoxyribonucleic Acid Hybridization Assay for Rapid Screening of *Salmonella* in Foods: Collaborative Study.
J. Assoc. Off. Anal. Chem. 73:248-256.
- CURIALE, M. S., V. GANGAR, C. GRAVENS** (1997):
VIDAS Enzyme-Linked Fluorescent Immunoassay for Detection of *Salmonella* in Foods: Collaborative Study.
J. AOAC Int. 80 (3): 491-504.
- DE BOER, E. P. VAN BEEK, K. PELGROM** (1998):
Comparison of culture media for the isolation of campylobacters from chicken meat.
In: „*Campylobacter, Helicobacter and Related Organisms*“, Lastovica, A. J., D. G. Newell, E. E. Lastovica (Hrsg.), Proceeding, 9th International Workshop, Cape Town, 1997, University of Cape Town, 370-372.
- DE BOER, E. und R. R. BEUMER** (1999):
Methodology for Detection and Typing of Foodborn Microorganisms.
Int. J. Food Microbiol. 50:119-130.
- DE BOER, E. und T. J. HUMPHREY** (1991):
Comparison of methods for the isolation of thermophilic campylobacters from chicken products.
Microb. Health Dis. 4, Special Issue, S43.
- DE BOER, E. und W. REITSMA** (1991):
Isolation of *Campylobacter* from poultry products using membrane filtration.
In: Ruiz-Palacios, G. M., F. Calva, B. R. Ruiz-palacios (Hrsg.), „*Campylobacter V*“ Proceeding, 5th International Workshop on *Campylobacter* Infections, Instituto Nacional de la Nutricion, Mexico, 113-115.
- DE BOER, P., B. DUIM, A. RIGTER, J. VAN DER PLAS, W. F. JACOBS-REITSMA, J.A. WAGENAAR** (2000):
Computer-assisted analysis and epidemiological value of genotyping methods for *Campylobacter jejuni* and *Campylobacter coli*.
J. Clin. Microbiol. 38:1940-1946.
- DE CESARE, A., B. W. SHELDON, K. S. SMITH, L.-A. JAYKUS** (2003):
Survival and Persistance of *Campylobacter* and *Salmonella* Species under Various Organic Loads on Food Contact Surfaces.
J. Food Prot. 66(9):1587-1594.
- DE MAN, J. C.** (1983):
MPN Tables, Corrected.
Eur. J. Appl. Microbiol. Biotechnol. 17:301-305.
- DE MEDICI, D., S. DI PASQUALE, G. CICCAGLIONI, G. FALZI, L. OREFICE** (1996):
Comparison Between two Rapid Methods and the Conventional Cultural Method for the Detection of *Salmonella* in Eggs.
In: COST Action 97, Pathogenic micro-organisms in poultry and eggs, European Commission, 1996, p. 81-84.

- DEDISTE, A., O. VANDENBERG, L. VLAES, A. EBRAERT, N. DOUAT, P. BAHWERE, J. P. BUTZLER (2003):**
Evaluation of the ProSpecT Microplate Assay for detection of *Campylobacter*: a routine laboratory perspective.
Clin. Microbiol. Infect. 9(11):1085-1090.
- DEDISTE, A., O. VANDENBERG, L. VLAES, A. EBRAERT, P. RETORE, H. COIGNEAU, J. BUTZLER (2001):**
Evaluation of ProSpecT *Campylobacter* Microplate Assay under routine conditions.
Poster L-17, presented: CHRO 2001, 1. -5. Sept. 2001, 11th International Workshop on *Campylobacter, Helicobacter* and related Organisms, Freiburg, Germany.
Int. J. Med. Microbiol. 291(Suppl. 31):108.
- DEKEYSER, P., M. GOSSUIN-DETTRAIN, J. P. BUTZLER, J. STERNON (1972):**
Acute enteritis due to related vibrio: first positive stool cultures.
J. Infect. Dis. 125:390-392.
- DENIS, M., C. SOUMET, K. RIVOAL, G. ERMEL, D. BLIVET, G. SALVAT, P. COLIN (1999):**
Development of a m-PCR assay for simultaneous identification of *C. jejuni* and *C. coli*.
Lett. App. Microbiol. 29:406-410.
- DENIS, M., J. REFRÉGIER-PETTON, M.-J. LAISNEY, G. ERMEL, G. SALVAT (2001):**
Campylobacter contamination in French chicken production from farm to consumers. Use of a PCR assay for detection and identification of *Campylobacter jejuni* and *Camp. coli*.
J. Appl. Microbiol. 91:255-267.
- DESAI, M., J. M. LOGAN, J. A. FROST, J. STANLEY (2001):**
Genome sequence-based fluorescent amplified fragment length polymorphism of *Campylobacter jejuni*, its relationship to serotyping, and its implications for epidemiological analysis.
J. Clin. Microbiol. 39:3823-3829.
- DIKER, K. S., S. DIKER, M. B. OZLEM (1990):**
Bovine diarrhoea associated with *Campylobacter hyoileus*.
J. Vet. Med. 37:158-160.
- DINGLE, K. E., F. M. COLLES, R. URE, J. A. WAGENAAR, B. DUIM, F. J. BOLTON et al. (2002):**
Molecular Characterization of *Campylobacter jejuni* Clones: A Basis for Epidemiologic Investigation.
Emerg. Infect. Dis. 8(9):949-955.
URL: <http://www.cdc.gov/ncidod/EID/vol8no9/02-0122.htm>
- DOCHERTY, L., M. R. ADAMS, P. PATEL, J. McFADDEN (1996):**
The Magnetic Immuno-Polymerase Chain Reaction Assay for the Detection of *Campylobacter* in Milk and Poultry.
Lett. Appl. Microbiol. 22:288-292.
- DOMÍNGUEZ, C., I. GÓMEZ, J. ZUMALACÁRREGUI (2002):**
Prevalence of *Salmonella* and *Campylobacter* in retail chicken meat in Spain.
Int. J. Food Microbiol. 72:165-168.
- DORRELL, N., J. A. MANGAN, K. G. LAING, J. HINDS, H. AL-GHUSEIN, B. G. BARRELL et al. (2001):**
Whole genome comparison of *Campylobacter jejuni* human isolates using a low-cost microarray reveals extensive genetic diversity.
Genome Res. 11:1706-1715.

DOYLE, M. P. und D. J. ROMAN (1981):

Growth and survival of *Campylobacter fetus* subsp. *jejuni* as a function of temperature and pH.

J. Food Prot. 44(8):596-601.

DOYLE, M. P. und D. J. ROMAN (1982):

Sensitivity of *Campylobacter jejuni* to drying.

J. Food Prot. 45:507-510.

DOYLE, M. P. und D. J. ROMAN (1982a):

Response of *Campylobacter jejuni* to Sodium Chloride.

Appl. Environ. Microbiol. 43:561-565.

DOYLE, M. P. und D. J. ROMAN (1982b):

Prevalence and Survival of *Campylobacter jejuni* in Unpasteurized Milk.

Appl. Environ. Microbiol. 44:1154-1158.

DOYLE, M. P. und J. L. SCHOENI (1986):

Isolation of *Campylobacter jejuni* from Retail Mushrooms.

Appl. Environ. Microbiol. 51:449-450.

DUBREUIL, J.D., M. KOSTRZYNASKA, J. W. AUSTIN, T. J. TRUST (1990):

Antigenic Differences among *Campylobacter fetus* S-Layer Proteins.

J. Bacteriol. 172(9):5035-5043.

URL: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC213160/pdf>

DUFRENNE J., W. RITMEESTER, E. DELFGOU-VAN ASCH, F. VAN LEUSDEN, R. DE JONGE (2001): Quantification of The Contamination of Chicken and Chicken Products in The Netherlands with *Salmonella* and *Campylobacter*.

J. Food Prot. 64(4):538-541.

DUNN, B. E., M. J. BLASER, E. L. SNYDER (1987):

Two-Dimensional Gel Electrophoresis and Immunoblotting of *Campylobacter* Outer Membrane Proteins.

Infect. Immun. 55:1564-1572.

DZIEZAK, J. D. (1987):

Rapid Methods for Microbiological Analysis of Food.

Food Technol. 41(7):56-73.

ELMER-ENGLHARD, E., M. KNOLL-SAUER, H. BECK (1998):

Untersuchung von Geflügelfleisch auf thermophile *Campylobacter*. Verbessertes Nachweisverfahren durch eine modifizierte Preston-Anreicherung in Kombination mit Membranfiltration. Erfahrungen mit dem VIDAS-System als Screening-Methode.

In: DVG – 39. Arbeitstagung des Arbeitsgebietes „Lebensmittelhygiene“, Garmisch-Partenkirchen 22.-25.09.1998, Germany, Teil I und Teil II, 401-406.

EL-SHERBEENY, M. R., CH. BOPP, J. G. WELLS, G. K. MORRIS (1986):

Comparison of Gauze Swabs and Membrane Filters for Isolation of *Campylobacter* spp. from Surface Water.

Appl. Environ. Microbiol. 50:611-614.

- ENDTZ, H. P., C. W. ANG, N. VAN DEN BRAAK, A. LUIJENDIJK, B. C. JACOBS, P. DE MAN et al.** (2000): Evaluation of a New Commercial Immunoassay for Rapid Detection of *Campylobacter jejuni* in Stool Samples. Eur. J. Clin. Infect. Dis. 19(10):794-797.
- ENDTZ, H. P., C. W. ANG, N. VAN DEN BRAAK, B. DUIM, A. RIGTER, L. J. PRICE et al.** (2000a): Molecular Characterization of *Campylobacter jejuni* from Patients with Guillain-Barré and Miller-Fisher-Syndromes. J. Clin. Microbiol. 38:2297-2301.
- ENDTZ, H. P., G. J. H. M. RUIJS, A. H. ZWINDERMAN, T. VAN DER REIJDEN, M. BIEVER, R. P. MOUTON** (1991a): Comparison of Six Media, Including a Semisolid Agar, for the Isolation of Various *Campylobacter* Species from Stool Specimens. J. Clin. Microbiol. 29(5):1007-1010.
- ENDTZ, H. P., G. J. RUIJS, B. VAN KLINGEREN, W. H. JANSEN, T. VAN DER REIJDEN, R. P. MOUTON** (1991): Quinolone Resistance in *Campylobacter* Isolated from Man and Poultry Following the Introduction of Fluoroquinolones in Veterinary Medicine. J. Antimicrob. Chemother. 27:199-208.
- ENDTZ, H. P., J. S. VLIEGENTHART, P. VANDAMME, H. W. WEVERINK, N. P. VAN DEN BRAAK, H. A. VERBRUGH et al.** (1997): Genotypic diversity of *Campylobacter lari* isolated from mussels and oysters in The Netherlands. Int. J. Food Microbiol. 34:79-88.
- ENGBERG, J., S. L. W. ON, C. S. HARRINGTON, P. GERNER-SMIDT** (2000): Prevalence of *Campylobacter*, *Arcobacter*, *Helicobacter*, *Sutterella* spp. in human fecal samples as estimated by a reevaluation of isolation methods for Campylobacters. J. Clin. Microbiol. 38:286-291.
- ENGLEN, M. D. und P. J. FEDORKA-CRAY** (2002): Evaluation of a commercial diagnostic PCR for the identification of *Campylobacter jejuni* und *Campylobacter coli*. Lett. App. Microbiol. 35:353-356.
- ENGLEN, M. D., P. J. FEDORKA-CRAY, J. CZAJKA, L. F. BOLTON, K. PETERSON, M. HEADRICK, L. K. TOLLEFSON** (2001): Evaluation of a New PCR Method for the Identification of *Campylobacter jejuni* and *Campylobacter coli*. American Society for Microbiology, 2001 General Meeting (5/20/2001 through 5/24/2001). URL: <http://www.asmusa.org/memonly/abstracts/AbstractView.asp?AbstractID=50258>
- ENTIS, P., M. K. BRODSKY, A. N. SHARPE, G. A. JARVIS** (1982): Rapid Detection of *Salmonella* spp. in Food by Use of the ISO-GRID Hydrophobic Grid Membrane Filter. Appl. Environ. Microbiol. 43(2):261-268.
- ERTAŞ, H. B., G. ÖZBEY, A. KILIÇ, A. MUZ** (2003): Isolation of *Campylobacter jejuni* and *Campylobacter coli* from the gall bladder samples of sheep and identification by polymerase chain reaction. J. Vet. Med., series B, 50(6):294-297.

- ESCHERICH, T. (1886):**
Beiträge zur Erkenntnis der Darmbakterien. III. Über das Vorkommen von Vibrionen im Darmcanal und den Stuhlgängen der Säuglinge.
Münch. Med. Wochenschr. 33:815-817;833-835.
- ETOH, Y., F. E. DEWHIRST, B. J. PASTER, A. YAMAMOTO, N. GOTO (1993):**
Campylobacter showae sp. nov., isolated from the human oral cavity.
Int. J. Syst. Bacteriol. 43:631-639.
- EYERS, M., S. CHAPELLE, G. VAN CAMP, H. GOOSENS, R. DE WACHTER (1993):**
Discrimination among thermophilic *Campylobacter* species by Polymerase Chain Reaction Amplification of 23S rRNA gene fragments.
J. Clin. Microbiol. 31:3340-3343.
- FENG, P. (1996):**
Emergence of Rapid Methods for Identifying Microbial Pathogens in Foods.
J. Assoc. Off. Anal. Chem. Int. 79(3):809-812.
- FENG, P. (1997):**
Impact of Molecular Biology on the Detection of Foodborne Pathogens.
Mol. Biotech. 7:267-278.
- FENG, P. (2001):**
Rapid Methods for Detecting Foodborne Pathogens.
Bacteriological Analytical Manual Online. Appendix 1. Jan. 2001.
Hypertext Source: Bacteriological Analytical Manual, 8th Edition, Revision A, 1998. Revised 2000-July-18, Final Revision: 2001-Jan-25, Autor: Peter Feng
URL: <http://www.cfsan.fda.gov/~ebam/bam-a1.html#author>
- FENG, P., K. A. LAMPEL, W. E. HILL (1996):**
Developments in Food Technology: Applications and Economic and Regulatory Considerations.
In: Nucleic Acid Analysis: Principles and Bioapplications, C. A. Dangler und B. Osburn (Hrsg.), Wiley & Sons, 1996, New York, 203-229.
- FERMÉR, C. und E. O. ENGVALL (1999):**
Specific PCR Identification and Differentiation of the Thermophilic *Campylobacters*, *Campylobacter jejuni*, *C. coli*, *C. lari*, and *C. upsaliensis*.
J. Clin. Microbiol. 37(10):3370-3373.
- FERNIE, D.S. und T. D. HEALING (1976):**
Wild bank voles (*clethrionomys glareolus*) are possibly a natural reservoir of campylobacters (microaerophilic vibrios).
Nature. 263(5577):496.
- Fox, J. G., S. ZANOTTI, H. V. JORDAN (1981):**
The hamster as a reservoir of *Campylobacter fetus* subspecies *jejuni*.
J. Infect. Dis. 143(6):856.
- FRICKER, C. R. und R. W. A. PARK (1989):**
A two year study of the distribution of thermophilic *Campylobacters* in human, environmental and food samples from the Reading area with particular reference to toxin production and heat-stable serotype.
J. Appl. Bacteriol. 66:477-490.

FRICKER, C. R., R. W. GIRDWOOD, D. MUNRO (1983):
A Comparison of Procedures for the Isolation of Campylobacters from Seagull Faeces.
J. Hyg. (Lond.) 91(3):445-450.

FROST, J. A. (2001):
Current Epidemiological issues in human Campylobacteriosis.
Symp. Ser. Soc. Appl. Microbiol. 30:85S-95S.

FROST, J. A., A. N. OZA, R. T. THWAITES, B. ROWE (1998):
Serotyping Scheme for *Campylobacter jejuni* and *Campylobacter coli* Based on Direct Agglutination of Heat-Stable Antigens.
J. Clin. Microbiol. 36(2):335-339.

FUNG, D. Y. C. (1991):
Rapid methods and automation for food microbiology.
In: *Instrumental Methods for Quality Assurance in Foods*. D. Y. C. Fung, R. F. Matthews (Hrsg.). Marcel Dekker, 1991, New York. 1-38.

FUNG, D. Y. C., N. A. COX, J. S. BAILEY (1988):
Rapid methods and automation in the microbiological examination of food.
Dairy Food Sanit. 8:292-296.

GANGAR, V., M. S. CURIALE, A. D'ONORIO, A. SCHULTZ (2000):
VIDAS® Enzyme-Linked Immunofluorescent Assay for Detection of *Listeria* in Foods:
Collaborative Study.
J. AOAC Int. 83(4):903-918.

GARCIA, M. M., H. LIOR, R. B. STEWART, G. M. RUCKERBAUER, J. R. R. TRUDEL, A. SKLJAREVSKI (1985):
Isolation, Characterization, and Serotyping of *Campylobacter jejuni* and *Campylobacter coli* from Slaughter Cattle.
Appl. Environ. Microbiol. 49(3):667-672.

GARCIA, M. M., M. D. EAGLESOME, C. RIGBY (1983):
Campylobacters important to veterinary medicine.
Vet. Bull. 53:793-818.

GARRITY, G. M., K. L. JOHNSON, J. BELL, D. B. SEARLES (2002):
Taxonomic Outline of the Prokaryotes, Bergey's Manual of Systematic Bacteriology, 2nd Ed., Juli 2002, Springer-Verlag, 121-123.

GE, B., D. G. WHITE, P. F. McDERMOTT, W. GIRARD, S. ZHAO, S. HUBERT et. al. (2003):
Antimicrobial-Resistant *Campylobacter* Species from Retail Raw Meats.
Appl. Environ. Microbiol. 69(5):3005-3007.

GEILHAUSEN, B., H. SCHUTT-GEROWITT, S. ALEKSIC, R. KOENEN, G. MAUFF, G. PULVERER (1996):
Campylobacter and *Salmonella* contaminating fresh chicken meat.
Zbl Bakteriol. 284(2-3):241-245.

GIACOBONI, G. I., K. ITOH, K. HIRAYAMA, E. TAKAHASHI, T. MITSUOKA (1993):
Comparison of fecal *Campylobacter* in calves and cattle of different ages and areas in Japan.
J. Vet. Med. Sci. 55:555-559.

GIESENDORF, B. A. J. und W. G. V. QUINT (1995):
Detection and Identification of *Campylobacter* spp. using the Polymerase Chain Reaction.
Cell. Mol. Biol. 41(5):625-638.

GIESENDORF, B. A. J., W. G. V. QUINT, M. H. C. HENKENS, H. STEGEMAN, F. A. HUF, H. G. M. NIESTERS (1992):
Rapid and Sensitive Detection of *Campylobacter* spp. in Chicken Products by Using the Polymerase Chain Reaction.
Appl. Environ. Microbiol. 58(12):3804-3808.

GILL, C. O. und L. M. HARRIS (1984):
Hamburgers and Broiler Chickens as Potential Sources of Human *Campylobacter enteritis*.
J. Food Prot. 47(2):96-99.

GILL, C. und L. M. HARRIS (1982):
Survival and Growth of *Campylobacter fetus* subsp. *jejuni* on Meat and Cooked Foods.
Appl. Environ. Microbiol. 44(2):259-263.

GLÜNDER, G. (1989):
Charakterisierung von *Campylobacter* spp. aus Wildvögeln.
Berl. Münch. Tierärztl. Wochenschr. 102:49-52.

GLÜNDER, G. (1989a):
Untersuchungen zur *Campylobacter*-Infektion und *Campylobacter*-Ausscheidung bei Puten.
Berl. Münch. Tierärztl. Wochenschr. 102:374-378.

GLÜNDER, G. (1993):
Campylobacter-Infektionen beim Geflügel – Epizootiologie, Bedeutung und Bekämpfungsmöglichkeiten.
Arch. Geflügelk. 57(6):241-248.

GLÜNDER, G., U. NEUMANN, S. BRAUNE, J. PRÜTER, S. PETERSEN, G. VAUK (1991):
Zum Vorkommen von *Campylobacter* spp. und *Salmonella* spp. bei Möwen in Norddeutschland.
Dtsch. Tierärztl. Wochenschr. 98(4):152-155.

GOAK, M. (2001):
Campylobacter in Lebensmittel.
Deutsche Lebensmittel-Rundschau 97(2):57-60.

GONZALEZ, I., K. A. GRANT, P. T. RICHARDSON, S. F. PARK, M. D. COLLINS (1997):
Specific Identification of the enteropathogens *Campylobacter jejuni* and *Campylobacter coli* by using a test based on the ceuE gene encoding a putative virulence determinant.
J. Clin. Microbiol. 35:759-763.

GOOSSENS, H. und J.-P. BUTZLER (1992):
Isolation and identification of *Campylobacter* spp.
In: *Campylobacter jejuni*. Current status and future trends, I. Nachamkin, M. J. Blaser, L. S. Tompkins (Hrsg.), American Society for Microbiology – ASM Press, 1992, Washington, DC, 93-109.

GOOSSENS, H., L. VLAES, I. GALAND, C. VAN DEN BORRE, J.-P. BUTZLER (1989):
Semisolid Blood-Free Selective-Motility Medium for the Isolation of *Campylobacters* from Stool Specimens.
J. Clin. Microbiol. 27(5):1077-1080.

- GOOSSENS, H., L. VLAES, M. DEBOECK** (1990):
Is „*Campylobacter upsaliensis*“ a unrecognised cause of human diarrhoea?
Lancet 335:584-586.
- GORKIEWICZ, G., G. FEIERL, R. ZECHNER, E. ZECHNER** (2002):
Transmission of *Campylobacter hyoilestinales* from a Pig to a Human.
J. Clin. Microbiol. 40(7):2601-2605.
- GORMAN, R. und C. C. ADLEY** (2004):
An evaluation of five preservation techniques and conventional freezing temperatures of -20 °C and -85 °C for long-term preservation of *Campylobacter jejuni*.
Lett. Appl. Microbiol. 38:306-310.
- GREGORY, E., H. BARNHART, D. W. DREESEN, N. J. STERN, J. L. CORN** (1997):
Epidemiological Study of *Campylobacter* spp. in Broilers: Source, Time of Colonization, and Prevalence.
Avian Diseases 41:890-898.
- GRENNAN , B., N. A. O'SULLIVAN, R. FALLON, C. CARROLL, T. SMITH, M. GLENNON, M. MAHER** (2001):
PCR-ELISAs for the detection of *Campylobacter jejuni* and *Campylobacter coli* in poultry samples. Research Report.
Biotechniques 30(3):608-610.
- GRiffin, M. R., E. DALLEY, M. FITZPATRICK, S. H. AUSTIN** (1983):
Campylobacter gastroenteritis associated with raw clams.
J. Med. Assoc. New Jersey 80:607-609.
- GRIFFITHS, A. und C. D. RIBEIRO** (1988):
Improved blood free selective medium for isolating *Campylobacter jejuni* from faecal specimens.
J. Clin. Pathol. 41(6):704-705.
- GUEVREMONT, E., R. HIGGINS, S. QUESSY** (2001):
Prevalence and genetic characterization of *Campylobacter* spp. isolates from swine in Quebec, Canada.
Proceeding, 4th International Symposium on the Epidemiology and Control of *Salmonella* and other food borne pathogens in Pork, 2. – 5. September 2001, Leipzig, Germany, 146-148.
- GUN-MUNRO, J., R. P. RENNIE, J. H. THORNLEY, H. L. RICHARDSON, D. HODGE und J. LYNCH** (1987):
Laboratory and Clinical Evaluation of Isolation Media for *Campylobacter jejuni*.
J. Clin. Microbiol. 25(12):2274-2277.
- GUTTERIDGE, C. S. und M. L. ARNOTT** (1989):
Rapid methods: an over the horizon view.
In: *Rapid Methods in Food Microbiology: Progress in Industrial Microbiology*, M. R. Adams und C. F. A. Hope (Hrsg.), Elsevier, 1989, New York, 297-319.
- HABA, J. H. (1993):**
Incidence and control of *Campylobacter* in foods.
Microbiologia Sem. 9:57-65.

HAFEZ, H. M., A. STADLER, S. SCHROTH (1996):

The microbiological contamination of turkey and turkey meat with *Salmonella* and *Campylobacter*.

La Contaminación microbiológica del pavo y de la carne de pavo por *Salmonella* y *Campylobacter*.

Proceeding, 12th European Symposium on the Quality of Poultry Meat, 1996, Session on Poultry Microbiology, Zaragoza, Spain, 63-73.

HAFEZ, H. M., S. SCHROTH, A. STADLER, D. SCHULZE (2001):

Detection of *Salmonella*, *Campylobacter*, and Verotoxin producing *E. coli* in turkey flocks during rearing and processing.

Arch. Geflügelk. 65(3):130-136.

HALD, B., H. SKOVGÅRD, D. D. BANG, K. PEDERSEN, J. DYBDAHL, J. B. JESPERSEN, M. MADSEN (2004):

Flies and *Campylobacter* Infection of Broiler Flocks.

Emerg. Infect. Dis. 10(8):1490-1492.

HALL, P. A. (1994):

Scope for rapid microbiological methods in modern food production.

In: Rapid Analysis Techniques in Food Microbiology, P. D. Patel (Hrsg.), Blackie Academic & Professional, Chapman & Hall, 1994, London, 255-266.

HÄNNINEN, M. L., H. KORKEALA, P. PAKKALA (1984):

Effect of various gas atmospheres on the growth and survival of *Campylobacter jejuni* on beef.

J. Appl. Bacteriol. 57:89-94.

HÄNNINEN, M. L., P. PERKO-MÄKELÄ, H. RAUTELIN, B. DUIM, J. A. WAGENAAR (2001):

Genomic relatedness within five common Finnish *Campylobacter jejuni* pulsed-field gel electrophoresis genotypes studied by amplified fragment length polymorphism analysis, ribotyping, and serotyping.

Appl. Environ. Microbiol. 67:1581-1586.

HÄNNINEN, M.-J., H. HAAJANEN, T. PUMMI, K. WERMUNDSEN, M.-L. KATILA, H. SARKKINEN et al. (2003):

Detection and Typing of *Campylobacter jejuni* and *Campylobacter coli* and Analysis of Indicator Organisms in Three Waterborne Outbreaks in Finland.

Appl. Environ. Microbiol. 69(3):1391-1396.

HÄNNINEN, M.-L. (1981):

The effect of NaCl on *Campylobacter jejuni/coli*.

Acta vet. scand. 22:578-588.

HARMON , K. M., G. M. RANSOM, I. V. WESLEY (1997):

Differentiation of *Campylobacter jejuni* and *Campylobacter coli* by Polymerase Chain Reaction.

Mol. Cell. Probes. 11(3):195-200.

HARRIS, N. V., T. KIMBALL, N. S. WEISS, C. NOLAN (1986):

Diary products, produce and other non-meat food as possible sources of *Campylobacter jejuni* and *Campylobacter coli* enteritis.

J. Food Prot. 49:347-351.

- HARTMAN, P. A., B. SWAMINATHAN, M. S. CURIALE, R. FIRSTENBERG-EDEN, A. N. SHARPE, N. A. COX, D. Y. C. FUNG, M. C. GOLDSCHMIDT (1992):**
Chapter 39, Rapid Methods and automation.
In: Compendium of Methods for the Microbiological Examination of Foods, 3rd ed., C. Vanderzant, F. Splittstoesser (Hrsg.). American Public Health Association, 1992, Washington, DC. 665-746.
- HARTOG, B. J., G. J. A. DE WILDE, E. DE BOER (1983):**
Poultry as a Source of *Campylobacter jejuni*.
Archiv für Lebensmittelhygiene 34(5):109-132.
- HARTUNG, M. (2000):**
Vorkommen von Zoonosenerregern in Lebensmitteln. Mitteilung der Länder über 1999. Bundesgesundheitsbl.-Gesundheitsforsch-Gesundheitsschutz 43:1011-1014.
- HARVEY, R. B., C. R. YOUNG, R. C. ANDERSON, R. E. DROLESKEY, K. J. GENOVESE, L. F. EGAN, D. J. NISBET (2000):**
Diminution of *Campylobacter* Colonization in Neonatal Pigs Reared Off-Sow.
J. Food Prot. 63(10):1430-1432.
- HARVEY, R. B., C. R. YOUNG, R. L. ZIPRIN, M. E. HUME, K. J. GENOVESE, R. C. ANDERSON et al. (1999):**
Prevalence of *Campylobacter* spp. isolated from the intestinal tracts of pigs raised in an integrated swine production system.
J. Am. Vet. Med. Assoc. 215:1601-1604.
- HARVEY, S. M. (1980):**
Hippurate hydrolysis by *Campylobacter fetus*.
J. Clin. Microbiol. 11:435-437.
- HAZELEGER, W. C. und R. R. BEUMER (1999):**
Detection by Latex Agglutination Techniques.
In: Encyclopedia of Food Microbiology. R. K. Robinson, C. A. Batt, and P. D. Patel (Hrsg.), Academic Press, San Diego, CA, 1999, 347-352.
- HILL, W. E. (1996):**
The polymerase chain reaction: application for the detection of foodborne pathogens.
CRC Crit. Rev. Sci. Nutr. 36:123-173.
- HINDIYEH, M. , S. JENSE, S. HOHMANN, H. BENNETT, C. EDWARDS, W. ALDEEN et al. (2000):**
Rapid Detection of *Campylobacter jejuni* in Stool Specimens by an Enzyme Immunoassay and Surveillance for *Campylobacter upsaliensis* in the Greater Lake City Area.
J. Clin. Microbiol. 38(8):3076-3079.
- HOAR, B. R., E. R. ATWILL, C. ELMY, W. W. UTTERBACK, A. J. EDMONDSON (1999):**
Comparison of fecal samples collected per rectum and off the ground for estimation of environmental contamination attributable to beef cattle.
Am. J. Vet. Res. 60:1352-1356.
- HODGE, D. S., A. BORCZYK, L.-L. WAT (1990):**
Evaluation of the Indoxyl Acetate Hydrolysis Test for the Differentiation of Campylobacters.
J. Clin. Microbiol. 28(6):1482-1483.
- HODGE, J. P. und N. R. KRIEG (1994):**
Oxygen tolerance estimates in *Campylobacter* species depend on the testing medium.
J. Appl. Bacteriol. 77:666-673.

HÖLLER, C. (1991):

A Note on the Comparative Efficacy of Three Selective Media for Isolation of *Campylobacter* Species from Environmental Samples.
Zbl. Hyg. 192:116-123.

HOFSHAGEN, M. und H. KRUSE (2005):

Reduction in flock prevalence of *Campylobacter* spp. in broilers in Norway after implementation of an action plan.
J. Food Prot. 68(10):2220-3.

HONG, Y., M. E. BERRANG, T. LIU, C. L. HOFACRE, S. SANCHEZ, L. WANG, J. J. MAURER (2003):

Rapid Detection of *Campylobacter coli*, *C. jejuni*, and *Salmonella enterica* on Poultry Carcasses by Using PCR-Enzyme-Linked Immunosorbent Assay.
Appl. Environ. Microbiol. 69(6):3492-3499.

HOOD, A. M., A. D. PEARSON, M. SHAHAMT (1988):

The extent of surface contamination of retailed chickens with *Campylobacter jejuni* serogroups.
Epidemiol. Infect. 100(1):17-25.

HOORFAR, J., E. M. NIELSEN, H. STRYHN, S. ANDERSEN (1999):

Evaluation of two automated enzyme-immunoassays for detection of thermophilic *Campylobacters* in faecal samples from cattle and swine.
J. Microbiol. Meth. 38:101-106.

HUBER, I., M. KNOLL-SAUER, R. ZUCKER, D. THÄRIGEN, S. HÖRMANSDORFER, C. HÖLLER, U. BUSCH (2004):

Rapid detection of *Campylobacter jejuni* and *Campylobacter coli* in food by PCR.
In: 5th World Congress Foodborne Infections and Intoxications, 7 – 11 June 2004, Federal Institut for Risk Assessment (BfR), Berlin, Germany.

HUDSON, W. R. (1979):

The occurrence of *Campylobacter* on beef and pig carcasses.
Meat Research Institute, Memorandum, 41.

HUMPHREY, T. J. (1986):

Techniques for the optimum recovery of cold injured *Campylobacter jejuni* from milk or water.
J. Appl. Bacteriol. 61:125-132.

HUMPHREY, T. J. (1989):

An appraisal of the efficacy of pre-enrichment for the isolation of *Campylobacter jejuni* from water and food.
J. Appl. Microbiol. 66:119-126.

HUMPHREY, T. J. und I. MUSCAT (1989):

Incubation temperature and the isolation of *Campylobacter jejuni* from food, milk or water.
Lett. Appl. Microbiol. 9:137-139.

HUNT, J. M., C. ABETYTA, T. TRAN (2000):

Isolation of *Campylobacter* Species from Food and Water. *Campylobacter*, Chapter 7.
In: Bacteriological Analytical Manual Online, U.S. Food & Drug Administration Center for Food Safety & Applied Nutrition, März 2001, Updated and revised: 2000-DEC-29.
Hypertext Source: Bacteriological Analytical Manual, 8th Edition, Revision A, 1998, Chapter 7.
URL: <http://www.cfsan.fda.gov/~ebam/bam-7.html>

HUNT, J. M., C. ABEYTA, T. TRAN (1998):

Campylobacter. Chapter 7.

In: Food and Drug Administration, Bacteriological Analytical Manual, 8th ed. (revision A, CD-ROM version), R. L. Merker (Hrsg.), AOAC International, 1998, Gaithersburg, MD.

JANEWAY, C. A und P. TRAVERS (HRSG.) (1995):

Die Messung und die Anwendung von Antikörpern.

In: Immunologie. C. A. Janeway und P. Travers (Hrsg.), Spektrum Akademischer Verlag, 1995, Heidelberg, Berlin, Oxford, 55-77.

HUTCHINSON, D. N. und F. J. BOLTON (1984):

Improved blood-free medium for the isolation of *Campylobacter jejuni* from faecal specimens.

Letter to the Editor.

J. Clin. Pathol. 37:956-957.

HUYSMANS, M. B., J. D. TURNIDGE, J. H. WILLIAMS (1995):

Evaluation of API Campy in Comparison with Conventional Methods for Identification of Thermophilic Campylobacters.

J. Clin. Microbiol. 33(12):3345-3346.

HWANG, M. und G. M. EDERER (1975):

Rapid hippurase hydrolysis method for presumptive identification of Group B *Streptococcus*.

J. Clin. Microbiol. 1:114-115.

IBRAHIM, A. A. , H. A. A. MOHAMED (2003):

Studies on *Campylobacter* infections in layer chickens.

Assiut Vet. Med. J. 49(97):275-284.

IBRAHIM, G. F. (1986):

A Review of Immunoassays and Their Application to Salmonellae Detection in Foods.

J. Food Prot. 49:299-310.

INGLIS, G. D. und L. D. KALISCHUK (2003):

Use of PCR for Direct Detection of *Campylobacter* Species in Bovine Feces.

Appl. Environ. Microbiol. 69(6):3435-3447.

IRIARTE, P. und R. J. OWEN (1996):

PCR-RFLP analysis of the large subunit(23s) ribosomal RNA genes of *Campylobacter jejuni*.

Lett. App. Microbiol. 23:163-166.

JACOB, J. und W. STELZER (1992):

Comparison of two Media for the Isolation of Thermophilic *Campylobacters* from Waste Waters of Different Quality.

Zentralbl. Mikrobiol. 147:41-44.

JACOBS-REITSMA, W. F. (1997):

Aspects of epidemiology of *Campylobacter* in poultry.

Vet. Q. 19:113-117.

JACOBS-REITSMA, W., E. SAMUËLS, J. WAGENAAR (1999):

Evaluation of the VIDAS *Campylobacter* assay for direct detection of *Campylobacter* in broiler caecal material.

Poster, presented: CHRO 1999 International Meeting on *Campylobacter*, Aarhus, Denmark.

- JACOBS-REITSMA, W., M. VAN DER WAL, E. SAMUËLS, J. WAGENAAR** (2003):
Evaluation of the VIDAS *Campylobacter* Assay for detection of *Campylobacter* in fresh poultry products after various enrichment methods.
Poster A18, presented: CHRO 2003 International Meeting on *Campylobacter*, Aarhus, Denmark.
- JEFFREY, J. S., E. R. ATWILL, A. HUNTER** (2001):
Prevalence of *Campylobacter* and *Salmonella* at a Squab (Young Pigeon) Processing Plant.
Poultry Science 80:151-155.
- JONES, D., E. SUTCLIFFE, A. CURRY** (1991a):
Recovery of viable but non-culturable *Campylobacter jejuni*.
J. Gen. Microbiol. 137:2477-2482.
- JONES, F. T., R. C. AXTELL, D. V. RIVES, S. E. SCHNEIDELER, JR. F. R. TARVER, R. L. WALKER, M. J. WINELAND** (1991):
A survey of *Campylobacter jejuni* contamination in modern broiler production and processing system.
J. Food Prot. 54:259-262.
- KALAMAKI, M., R. J. PRIUCE, D. Y. C. FUNG** (1997):
Rapid Methods for Identifying Seafood Microbial Pathogens and Toxins.
J. Rapid Methods and Automation in Microbiol. 5:87-137.
- KANG, D.-C.** (1981):
Isolation, Cultural Characteristics and Survival of *Campylobacter fetus* subspecies *jejuni* in Different Conditions.
J. Chinese Soc. Vet. Sci. 7:43-54.
- KARENLAMPI, R. und M. L. HÄNNINEN** (2004):
Survival of *Campylobacter jejuni* on Various Fresh Produce.
Int. J. Food Microbiol. 97(2):187-195.
- KARMALI, M. A., A. E. SIMOR, M. ROSCOE, P. C. FLEMING, S. S. SMITH, J. LANE** (1986):
Evaluation of a blood-free, charcoal-based, selective medium for the isolation of *Campylobacter* organisms from feces.
J. Clin. Microbiol. 24(3):456-459.
- KARMALI, M. A., A. K. ALLEN, P. C. FLEMING** (1981):
Differentiation of catalase-positive campylobacters with special reference to morphology.
Int. J. system. Bacteriol. 31(1):64-71.
- KARMALI, M. A., S. A. DE GRANDIS, A. K. ALLEN, P. C. FLEMMING** (1982):
Identification, nomenclature and taxonomy of catalase-positive campylobacters.
In: *Campylobacter* Epidemiology, Pathogenesis and Biochemistry, D. G. Newell (Hrsg.), MTP Press Limited, Lancaster-Boston, 35-40.
- KEITH, M.** (1997):
Evaluation of an Automated Enzyme-Linked Fluorescent Immunoassay System for the Detection of *Salmonellae* in Foods.
J. Food Prot. 60(6):682-685.

- KERAMAS, G., D. D. BANG, M. LUND, M. MADSEN, H. BUNKENBORG, P. TELLEMAN, C. B. CHRISTENSEN (2004):**
Use of Culture, PCR Analysis, and DNA Microarrays for Detection of *Campylobacter jejuni* and *Campylobacter coli* from Chicken Feces.
J. Clin. Microbiol. 42(9):3985-3991.
- KERDAHI, K. F. und P. F. ISTAFANOS (2000):**
Rapid Determination of *Listeria monocytogenes* by Automated Enzyme-Linked Immunoassay and Nonradioactive DNA Probe.
J. AOAC 83(1):86-88.
- KING, E. O. (1957):**
Human infections with *Vibrio fetus* and closely related *Vibrio*.
J. Infect. Dis. 101:119-128.
- KIST, M. (1986):**
Wer entdeckte *Campylobacter jejuni/coli*? Eine Zusammenfassung bisher unberücksichtigter Literaturquellen. Who Discovered *Campylobacter jejuni/coli*?
A Historical Review.
Zbl. Bakt. Hyg. A 261(2):177-186.
- KIST, M. (2002):**
Lebensmittelbedingte Infektionen durch *Campylobacter*.
Bundesgesundheitsbl-Gesundheitsforsch-Gesundheitsschutz 45:497-506.
- KLENA, J. D., C. T. PARKER, K. KNIBB, J. C. IBBITT, P. M. DEVANE, S. T. HORN, W. G. MILLER, M. E. KONKEL (2004):**
Differentiation of *Campylobacter coli*, *Campylobacter jejuni*, *Campylobacter lari* and *Campylobacter upsaliensis* by a Multiplex PCR Developed from the Nucleotide Sequence of the Lipid A Gene ipxA.
J. Clin. Micobiol. 12:5549-57.
- KLINGSBICHEL, E. und D. JENEWEIN (2000):**
Neue Tendenzen in der Lebensmitteluntersuchung.
Proceeding, Fachgruppe Mikrobiologie, Jahrestagung der Arbeitsgemeinschaft landwirtschaftlicher Versuchsanstalten, Gmunden (2000)
- KNOLL-SAUER, M., U. BUSCH, R. ZUCKER, H. BECK (2002):**
Methodenvergleich von Vidas und PCR von *Campylobacter jejuni* und *Campylobacter coli* in Lebensmitteln.
In: DVG – 43. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, Garmisch-Partenkirchen 24.-27.09.2002, Germany, Teil I und Teil II, 688-691.
- KOIDIS, P. und M. P. DOYLE (1983):**
Survival of *Campylobacter jejuni* in fresh and heated red meat.
J. Food Prot. 46(9):771-774.
- KOLLOWA, T. und C. KOLLOWA (1989):**
Vorkommen und Überlebensverhalten von *Campylobacter jejuni* auf der Schalenoberfläche von Hühnereiern.
Occurrence and survival of *Campylobacter jejuni* on shell surface of hen's egg.
Monatsh. Vet.-Med. 44:63-65.
- KRADOLFER, P. und A. BOUCHET (1998):**
Evaluation of VIDAS® *Campylobacter* Method in Comparison with Standard Method.
Poster P-66, ASM Annual Meeting, Atlanta, GA, May 20, 1998.

- KRAMER, J. M., FROST, J. A., BOLTON, F. J. UND WAREING, D. R. (2000):**
Campylobacter Contamination of Raw Meat and Poultry at Retail Sale: Identification of Multiple Types and Comparison with Isolates from Human Infection.
 J. Food Prot. 63(12):1654-1659.
- KRSTULOVIĆ, F., B. ŠIMPRAGA, T. ZGLAVNIK, M. TIŠLJAR, S. VOLAREVIĆ (2003):**
 [The presence of *Campylobacter* bacterium in poultry faeces]
 Pojavnost bakterije *Campylobacter* u izmetu peradi.
 In: V. Simpozij, Peradarski Dani, Zbornik Radova, Poreč, Hrvatska, 14-17 svibnja, 2003. [V. J. Wittner (Hrsg.)], Zagreb, Croatia, 2003, 167-171. Vet. Bull. 73(10):1403.
- KUSUMANINGRUM, H. D., E. D. VAN ASSELT, R. R. BEUMER, M. H. ZWIETERING (2004):**
 A Quantitative Analysis of Cross-Contamination of *Salmonella* and *Campylobacter* spp. via Domestic Kitchen Surfaces.
 J. Food Prot. 67(9):1892-1903.
- KWIATEK, K., B. WOJTON, N. J. STERN (1990):**
 Prevalence and Distribution of *Campylobacter* spp. on Poultry and Selected Red Meat Carcasses in Poland.
 J. Food Prot. 53(2):127-130.
- LAGIER, M. J., L. A. JOSEPH, T. V. PASSARETTI, K. A. MUSSER, N. M. CIRINO (2004):**
 A real-time multiplex PCR assay for rapid detection and differentiation of *Campylobacter jejuni* and *Campylobacter coli*.
 Mol. Cell. Probes 18(4):275-282.
- LAMMERDING, A. M., M. M. GARCIA, E. D. MANN, Y. ROBINSON, W. J. DORWARD, R. B. TRUSCOTT et al. (1988):**
 Prevalence of *Salmonella* and Thermophilic *Campylobacter* in Fresh Pork, Beef, Veal and Poultry in Canada.
 J. Food Prot. 51(1):47-52.
- LANDER, K. P. UND K. P. GILL (1980):**
 Experimental infection of the bovine udder with *Campylobacter coli/jejuni*.
 J. Hyg. (Lond.) 84(3):421-428.
- LASTOVICA, A. J. UND M. B. SKIRROW (2000):**
 Clinical Significance of *Campylobacter* and related species other than *Campylobacter jejuni* and *C. coli*.
 In: Nachamkin, I. und M. J. Blaser (Hrsg.), *Campylobacter*, 2nd Edition, American Society for Microbiology – ASM Press, 2000, Washington, DC, 89-120.
- LAUWERS, S., M. DE BOECK, J. P. BUTZLER (1978):**
Campylobacter enteritis in Brussels.
 Lancet 1(8064):604-5.
- LEE, A., S. C. SMITH, P. J. COLOE (1998):**
 Survival and Growth of *Campylobacter jejuni* after Artificial Inoculation onto Chicken Skin as a function of Temperature and Packaging Conditions.
 J. Food Prot. 61(12):1609-1614.
- LEPPER, W. A., A. M. SCHULTZ, M. S. CURIALE (2002a):**
 Evaluation of VIDAS® Immuno-Concentrationm *Salmonella* Assay Plus Selective Plate Method (Hektoen Enteric, Bismuth Sulfite, *Salmonella* Identification)for Detection of *Salmonella* in Selected Foods: Collaborative Study.
 J. AOAC Int. 85(3):576-592.

- LEPPER, W. A., A. M. SCHULTZ, M. S. CURIALE (2002b):**
Salmonella in Selected Foods by VIDAS® Immuno-Concentration *Salmonella* Plus Selective Plate Method (Hektoen Enteric, Xylose Lysine Desoxycholate, Bismuth Sulfite): Collaborative Study.
J. AOAC Int. 85(3):593-608.
- LEPPER, W. A., A. M. SCHULTZ, M. S. CURIALE (2002c):**
Evaluation of VIDAS® Immuno-Concentration *Salmonella*/VIDAS *Salmonella* Immunoassay for Detection of *Salmonella* in Selected Foods: Collaborative Study.
J. AOAC Int. 85(3):609-625.
- LEVY, A. J. (1946):**
A gastroenteritis outbreak probably due to a bovine strain of *Vibrio*.
Yale J. Biol. Med. 18:243-258.
- LIENAU, J. (2004):**
Vorkommen von thermophilen *Campylobacter* spp. bei Masthähnchen und Verfolgung herdenspezifischer Klone von der Mast über die Schlachtung bis hin zum Endprodukt mittels genotypischer Feindifferenzierung (PFGE).
Inaugural-Dissertation, Freie Universität Berlin, Berlin 2004, Journal-Nr. 2877.
- LIMACHER, W., C. LUTZ, M. STAMM, R. STEPHAN (2001):**
Vergleich einer kulturellen Methode mit einem EIA-System und dem PROBELIA®-Test zum Campylobacternachweis bei Halshautproben von Geflügelschlacht-tierkörpern.
In: 42. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, 25. - 28. September 2001, Garmisch-Partenkirchen, Germany, 398-401.
- LINE, J. E. (2001):**
Development of a Selective Differential Agar for Isolation and Enumeration of *Campylobacter* spp..
J. Food Prot. 64(11):1711-1715.
- LINTON, D., A. J. LAWSON, R.J. OWEN, J. STANLEY (1997):**
PCR Detection, Identification to Species Level, and Fingerprinting of *Campylobacter jejuni* and *Campylobacter coli* Direct from Diarrheic Samples.
J. Clin. Microbiol. 35(10):2568-2572.
- LINTON, D., R. J. OWEN, J. STANLEY (1996):**
Rapid identification by PCR of the genus *Campylobacter* and of five *Campylobacter* species enteropathogenic for man and animals.
Res. Microbiol. 147:707-718.
- LIOR, H., D. L. WOODWARD, J. A. EDGAR, L. J. LAROCHE, P. GILL (1982):**
Serotyping of *Campylobacter jejuni* by slide agglutination based on heat-labile antigenic factors.
J. Clin. Microbiol. 15:761-768.
- LOEWENHERZ, K. (1995):**
Untersuchung zum Vorkommen von *Campylobacter jejuni* in verschiedenen Lebensmitteln tierischen Ursprungs.
[Examinations for occurrence of *Campylobacter jejuni* in food of animal origin]
Diss., Journal-Nr. 1808, 1995, Freie Universität Berlin.
URL: <http://library.vetmed.fu-berlin.de/diss-abstracts/80944.html>

- LOEWENHERZ-LÜNING, K. M. HEITMANN, G. HILDEBRANDT (1996):**
Untersuchung zum Vorkommen von *Campylobacter jejuni* in verschiedenen Lebensmitteln tierischen Ursprungs.
Fleischwirtschaft 76(9):958-961.
- LOGAN, J. M. J., K. J. EDWARDS, N. A. SAUNDERS, J. STANLEY (2001):**
Rapid Identification of *Campylobacter* spp. by Melting Peak Analysis of Biprobes in Real-Time PCR.
J. Clin. Microbiol. 39(6):2227-2232.
- LOGAN, S. M. und T. J. TRUST (1983):**
Molecular Identification of Surface Protein Antigens of *Campylobacter jejuni*.
Infect. Immunol. 42(2):675-682.
- LOGAN, S. M. und T. J. TRUST (1986):**
Location of Epitopes on *Campylobacter jejuni* Flagella.
J. Bacteriol. 168(2):739-745.
- LORENZ, R. J. (1992):**
Grundbegriffe der Biometrie.
3. Auflage, Gustav Fischer Verlag Stuttgart, Jena, New York.
- LÜBECK, P. S., N. COOK, M. WAGNER, P. FACH, J. HOORFAR (2003):**
Toward an International Standard for PCR-Based Detection of Food-Borne Thermotolerant Campylobacters: Validation in a Multicenter Collaborative Trial.
Appl. Environ. Microbiol. 69(9):5670-5672.
- LUECHTEFELD, N. W. und W.-L. L. WANG (1981):**
Campylobacter fetus subsp. *jejuni* in a Turkey Processing Plant.
J. Clin. Microbiol. 13:266-268.
- LUECHTEFELD, N. W. und W.-L. L. WANG (1982):**
Animal Reservoirs of *Campylobacter jejuni*.
In: *Campylobacter* Epidemiology, Pathogenesis and Biochemistry, D. G. Newell (Hrsg.), MTP Press Limited, Lancaster, 249-252.
- LUECHTEFELD, N. W., W.-L. L. WANG, M. J. BLASER, L. B. RELLER (1981):**
Evaluation of Transport and Storage Techniques for Isolation of *Campylobacter fetus* subsp. *jejuni* from Turkey Cecal Specimens.
J. Clin. Microbiol. 13(3):438-443.
- LUND, M., A. WEDDERKOPP, M. WAINØ, S. NORDENTOFT, D. D. BANG, M. MADSEN (2003):**
Evaluation of PCR for detection of *Campylobacter* in a national broiler surveillance programme in Denmark.
J. Appl. Microbiol. 94(5):929-935.
- LUND, M., S. NORDENTOFT, K. PEDERSEN, M. MADSEN (2004):**
Detection of *Campylobacter* spp. in chicken fecal samples by real-time PCR.
J. Clin. Micobiol. 42(11):5125-32.
- MÄDE, D. und R. STARK (2000):**
Nachweis thermophiler *Campylobacter* in Lebensmitteln durch Polymerase-Kettenreaktion.
Archiv für Lebensmittelhygiene 51:8-12.

- MAHER, M., C. FINNEGAN, E. COLLINS, B. WARD, C. CARROLL, M. CORMICAN** (2003): Evaluation of Culture Methods and a DNA Probe-Based PCR Assay for detection of *Campylobacter* Species in Clinical Specimens of Feces. *J. Clin. Microbiol.* 41(7):2980-2986.
- MALIK, K. A. und E. LANG** (1996): Successful preservation of *Campylobacteraceae* and related bacteria by liquid-drying under anaerobic conditions. *J. Microbiol. Meth.* 25:37-42.
- MANSER, P. A. und R. W. DALZIEL** (1985): A survey of *Campylobacter* in animals. *J. Hyg. (Lond.)* 95:15-21.
- MANZANO, M., C. PIPAN, G. BOTTA, G. COMI** (1995): Polymerase chain reaction assay for detection of *Campylobacter coli* and *Campylobacter jejuni* in poultry meat. *Zbl. Hyg.* 197:370-386.
- MARTIN, S. W., A. H. MECK, P. WILLEBERG** (1987): Veterinary Epidemiology – Principles and Methods. Iowa State University Press, Iowa.
- MATTICK, K., K. DURHAM, G. DOMINGUE, F. JØRGENSEN, M. SEN, D. W. SCHAFFNER, T. HUMPHREY** (2003): The survival of foodborne pathogens during domestic washing-up and subsequent transfer onto washing-up sponges, kitchen surfaces and food *Int. J. Food Microbiol.* 85(3):213-226.
- McFADYEAN, J. und S. STOCKMAN** (1909): Report of the Departmental Committee appointed by the Board of Agriculture and Fisheries to inquire into epizootic abortion. Part I: epizootic abortion in cattle. Her Majesty's Stationery Office, London, III, Appendix D: 156.
URL: <http://www.bopcris.ac.uk/bopall/ref7043.html>
- McKAY, D., J. FLETCHER, P. COOPER, F. M. THOMSON-CARTER** (2001): Comparison of Two Methods for Serotyping *Campylobacter* spp. *J. Clin. Microbiol.* 39:1917-1921.
- MCNAMARA, A. M.** (1994): The microbiology division's perspective on *Listeria monocytogenes*, *Escherichia coli* O157:H7 and *Campylobacter jejuni/coli*. *Dairy Food Environ. Sanit.* 14:250-261.
- MEGRAUD, F. und A. M. GAVINET** (1987): Comparison of three protocols to isolate *Campylobacter* species from human faeces. In: Kayser, B. und E. Falsen (Hrsg.), „*Campylobacter IV*“ Proceeding, 4th International Workshop on *Campylobacter* Infections, Göteborg, Sweden, 90-91.
- MEINERSMANN, R.J., C. M. PATTON, G. M. EVINS, I. K. WACHSMUTH, P. I. FIELDS** (2002): Genetic diversity and relationships of *Campylobacter* species and subspecies. *Int. J. Syst. Evol. Microbiol.* 52(Pt 5):1789-97.
- MENTZING, L.-O.** (1981): Waterborne outbreaks of *Campylobacter enteritis* in central Sweden. *Lancet* ii:352-354.

- METHERELL, L. A., J. M. J. LOGAN, J. STANLEY** (1999):
PCR-Enzyme-Linked Immunosorbent Assay for Detection and Identification of *Campylobacter* Species: Application to Isolates and Stool Samples.
J. Clin. Microbiol. 37(2):433-435.
- MILLS, C. K. und R. L. GHERNA** (1988):
Cryopreservation studies of *Campylobacter*.
Cryobiology 25:148-152.
- MILLS, S. D., W. C. BRADBURY, J. L. PENNER** (1986):
Isolation and Characterization of a Common Antigen in *Campylobacter jejuni* and *Campylobacter coli*.
J. Clin. Microbiol. 24(1): 69-75.
URL: <http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=268834&blobtype=pdf>
- MISAWA, N., K. KAWASHIMA, H. KAWAMOTO, F. KONDO** (2002):
Development of a Combined Filtration-Enrichment Culture followed by a One-Step PCR Technique for the Rapid Detection of *Campylobacter jejuni* and *C. coli* in Human Faecal Samples.
J. Med. Microbiol. 51(1):86-89.
- MOORE, J. E.** (2001):
An optimised recovery method for thermophilic *Campylobacter* from liver.
BMC Microbiol. 1:32.
URL: <http://www.biomedcentral.com/1471-2180/1/32>
- MOORE, J. E. und R. H. MADDEN** (2001):
Survival of *Campylobacter coli* in porcine liver.
Food Microbiol. 18(1):1-10.
- MOORE, J. E. und R. H. MADDEN** (2002):
Impediometric Detection of *Campylobacter coli*.
J. Food Prot. 65(10):1660-1662.
- MOORE, J. E., T. S. WILSON, D. R. A. WAREING, T. J. HUMPHREY, P. G. MURPHY** (2002):
Prevalence of Thermophilic *Campylobacter* spp. in Ready-to-Eat Foods and Raw Poultry in Northern Ireland.
J. Food Prot. 65(8):1326-1328.
- MOORE, J. E. und R. H. MADDEN** (1998):
Occurrence of Thermophilic *Campylobacter* spp. in Porcine Liver in Northern Ireland.
J. Food. Prot. 61(4):409-413.
- MOOREHEAD, S. M. und G. A. DYKES** (2002):
Survival of *Campylobacter jejuni* on beef trimmings during freezing and frozen storage.
Lett. Appl. Microbiol. 34:72-76.
- MORENO, Y. M. HERNÁNDEZ, M. A. FERRÚS, J. L. ALONSO, S. BOTELLA, R. MONTES, J. HERNÁNDEZ** (2001):
Direct Detection of *Campylobacters* in Chicken Products by PCR and In Situ Hybridization.
Res. Microbiol. 152(6):577-582.
- MORGAN, G., P. CHADWICK, K. P. LANDER, K. P. W. GILL** (1985):
Campylobacter mastitis in a cow: a zoonosis-related incident.
Vet. Rec. 116:111.

- MORGAN, L. W., H. BALL, H. J. CLARKE, S. LOUGHRIDGE, D. MACKIE, D. A. POLLOCK (2001):**
Detection of *Campylobacter* using Enzyme-Linked Immunosorbent Assay (ELISA).
Poster L-16, presented: CHRO 2001, 1. -5. Sept. 2001, 11th International Workshop on *Campylobacter, Helicobacter* and related Organisms, Freiburg, Germany.
Int. J. Med. Microbiol. 291(Suppl. 31):108.
- MORRISON, R. M. und T. ROBERTS (1985):**
Potential public health benefits of irradiating fresh chicken, pork and beef.
In: Food irradiation: new perspectives on a controversial technology. A review of technical, public health and economic considerations. Hearing on Federal Food Irradiation Development and Control Act. Committee of Agriculture, United State House of Representatives, Washington, DC, No. 99-14, 1038-1064.
- MÜFFLING, T. v., I. HUBER, C. SEYBOLD, B. NOWAK, C. GISSEL (2003):**
Simultaner Nachweis von *Salmonella* spp., *Campylobacter jejuni* und *L. mono-cytogenes* in Lebensmitteln. Untersuchungen mittels Microarray-Technologie (NUTRI[®]-Chip).
Fleischwirtschaft 12:97-100.
- MÜLLER, A. E. und H. E. MÜLLER (1997):**
Comparative Investigation of Selective Media for *Campylobacter*.
Vergleichende Untersuchungen von *Campylobacter*-Selektivmedien.
Clin. Lab. 43:263-268.
- MÜLLER, W., U. METHNER, F. SCHULZE, J. MÜLLER (2004):**
Differenzierung und *fla*-Typisierung von *Campylobacter-jejuni* und *Campylobacter-colis*-Isolaten.
In: Proceeding, 23. Jenaer Symposium: Campylobacter-Infektionen, 1.-2. Juli 2004, Bundesforschungsanstalt für Viruskrankheiten der Tiere (BFAV), Standort Jena, Germany.
- MUNROE, D. L., J. F. PRESCOTT, J. L. PENNER (1983):**
Campylobacter jejuni and *Campylobacter coli* serotypes isolated from chickens, cattle, and pigs.
J. Clin. Microbiol. 18:877-881.
- MUSGROVE, M. T., M. E. BERRANG, J. A. BYRD, N. J. STERN, N. A. COX (2001):**
Detection of *Campylobacter* spp. in Ceca and Crops With and Without Enrichment.
Poult. Sci. 80:825-828.
- NACHAMKIN, I., J. ENGBERG, F. M. AARESTRUP (2000):**
Diagnosis and antimicrobial susceptibility of *Campylobacter* species.
In: Nachamkin, I. und Blaser, M. J. (Hrsg.), *Campylobacter*, 2nd edition, American Society for Microbiology – ASM Press, 2000, Washington, DC, 45-66.
- NACHAMKIN, I., M. J. BLASER, L. S. TOMPKINS (Hrsg.) (1992):**
Campylobacter jejuni – current status and future trends.
American Society for Microbiology – ASM Press, 1992, Washington, DC.
- NADEAU, É., S. MESSIER, S. QUESSY (2002):**
Prevalence and Comparison of Genetic Profiles of *Campylobacter* Strains Isolated from Poultry and Sporadic Cases of Campylobacteriosis in Humans.
J. Food Prot. 65(1):73-78.
- NESBAKKEN, T., K. ECKNER, H. K. HØIDAL, OLE-JOHAN RØTTERUD (2002):**
Occurrence of *Yersinia enterocolitica* and *Campylobacter* spp. in slaughter pigs and consequence for meat inspection, slaughtering, and dressing procedures.
Int. J. Food Microbiol. 80: 231-240.

- NEUBAUER, C. (2001):**
Einsatz der PCR zum Nachweis von *Campylobacter* spp. – Entwicklung eines direkten PCR-Nachweises von *Campylobacter* spp..
Inaugural-Dissertation, Veterinärmedizinische Universität Wien, 2001.
- NEWELL, D. G. und I. NACHAMKIN (1992):**
Immune Responses directed against *Campylobacter jejuni*.
In: *Campylobacter jejuni: current status and future trends*, I. Nachamkin, M. J. Blaser, L. S. Tompkins (Hrsg.), American Society for Microbiology – ASM Press, 1992, Washington, DC, 201-206.
- NOGVA, H. K., A. BERGH, A. HOLCK, K. RUDI (2000):**
Application of the 5'-Nuclease PCR Assay in Evaluation and Development of Methods for Quantitative Detection of *Campylobacter jejuni*.
Appl. Environ. Microbiol. 66(9):4029-4036.
- NORBERG, P. (1981):**
Enteropathogenic Bacteria in Frozen Chicken.
Appl. Environ. Microbiol. 42(1):32-34.
- NOTERMANS, S. und A. W. BARENDsz (2002):**
The evolution of microbiological risk assessment.
In: *Microbiological risk assessment in food processing*, M. Brown und M. Stringer (Hrsg.), CRC Press, 2002, Boca Raton – Boston – New York – Washington (DC), Woodhead Publishing Limited, Cambridge, England, Kapitel 2:5-41.
- NOTERMANS, S. und K. WERNARS (1991):**
Immunological Methods for Detection of Foodborne Pathogens and Their Toxins.
Int. J. Food Microbiol. 12:91-102.
- OBIRI-DANSO, K., N. PAUL, K. JONES (2001):**
The effects of UVB and temperature on the survival of natural populations and pure cultures of *Campylobacter jejuni*, *Camp. coli*, *Camp. lari* and ureasepositive thermophilic campylobacters (UPTC) in surface waters.
J. Appl. Microbiol. 90:256-267.
- OBISCO, R. (2001):**
Evaluation of Electrochemiluminescent Assays for the Rapid Detection of Foodborne Pathogens on Environmental Surfaces.
International Association for Food Protection (IAFP) 2001, 88th Annual Meeting, 5.-8. August 2001, Minneapolis, USA.
J. Food Prot. 64(Sup. A): 45-113.
URL: <http://www.foodprotection.org/imageup/2001%20Annual%20Meeting>
- ON, S. L. (1998):**
In vitro genotypic variation of *Campylobacter coli* documented by pulsed- field gel electrophoretic DNA profiling: implications for epidemiological studies.
FEMS Microbiol. Lett. 165:341-346.
- OOSTEROM, J., C. H. DEN UYL, J. R. J. BÄNFFER, J. HUISMAN (1984):**
Epidemiological investigations on *Campylobacter jejuni* in households with a primary infection.
J. Hyg. (Camb.) 92:325-332.

OOSTEROM, J., G. B. ENGELS, R. PETERS, R. POT (1982):
Campylobacter jejuni in Cattle and Raw Milk in The Netherlands.
J. Food Prot. 45(13):1212-1213.

OOSTEROM, J., G. J. A. DE WILDE, E. DE BOER, L. H. DE BLAAUW, H. KARMAN (1983a):
Survival of *Campylobacter jejuni* during Poultry Processing and Pig Slaughtering.
J. Food Prot. 46(8):702-706.

OOSTEROM, J., S. NOTERMANS, H. KARMAN, G. B. ENGELS (1983):
Origin and Prevalence of *Campylobacter jejuni* in Poultry Processing.
J. Food Prot. 46:339-344.

OPFER, C., J. KLEER, G. HILDEBRANDT (2000):
Vergleich kultureller Verfahren zum Nachweis von thermotoleranten *Campylobacter* spp. in Geflügelfleisch.
In: 41. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, September 2002,
Garmisch-Partenkirchen, Germany, 551-556.

OPFER, C., J. KLEER, G. HILDEBRANDT (2001):
Vergleich verschiedener PCR-Systeme für den Nachweis von thermotoleranten *Campylobacter* spp. in Geflügelfleisch.
Comparison of two different PCR assays for the detection of thermotolerant *Campylobacter* spp. in poultry.
Berl. Münch. Tierärztl. Wochenschr. 114:470-472.

OYARZABAL, O. A., I. V. WESLEY, J. M. BARBAREE, L. H. LAUERMAN, D. E. CONNER (1997):
Specific detection of *Campylobacter lari* by PCR.
J. Microbiol. Meth. 29: 97-102.

OYARZABAL, O.A., D. E. CONNER, F. J. HOERR (1995):
Incidence of campylobacters in the intestine of avian species in Alabama.
Avian Dis. 39(1):147-51.

OYOFO, B. A., S. M. ABD EL SALAM, A. M. CHURILLA, M. O. WASFY (1997):
Rapid and sensitive detection of *Campylobacter* spp. from chicken using the polymerase chain reaction.
Zentralbl. Bakt. 285:480-485.

OYOFO, B. A., S. A THORNTON, D. H. BURR, T. J. TRUST, O. R. PAVLOVSKIS, P. GUERRY (1992):
Specific Detection of *Campylobacter jejuni* and *Campylobacter coli* by Using Polymerase Chain Reaction.
J. Clin. Microbiol. 30(10):2613-2619.

PALMER, S. R., P. R. GULLY, J. M. WHITE, A. D. PEARSON, W. G. SUCKLING, D. M. JONES et al. (1983): Waterborne outbreaks of *Campylobacter* gastroenteritis.
Lancet 287-290.

PARK, C. E. und G. W. SANDERS (1991):
A sensitive enrichment procedure for the isolation of *Campylobacter jejuni* from frozen foods.
In: *Campylobacter* V, Proceeding 5th International Workshop on *Campylobacter* Infections,
National Institut of Nutrition, Mexico, 102.

PARK, C.E., Z. K. STANKIEWICZ, J. LOVETT, J. HUNT, D. W. FRANCIS (1983): Effect of temperature, duration of incubation, and pH of enrichment culture on the recovery of *Campylobacter jejuni* from eviscerated market chickens.
Can. J. Microbiol. 29(7):803-6.

PARK, S. F. (2002):

The physiology of *Campylobacter* species and its relevance to their role as foodborne pathogens.

Int. J. Food Microbiol. 74:177-188.

PATEL, P. D. (1994):

Microbiological applications of immunomagnetic techniques.

In: Rapid Analysis Techniques in Food Microbiology, P. D. Patel (Hrsg.), Blackie Academic & Professional, Chapman & Hall, 1994, London, 104-128.

PATEL, S., M. YATES, N. A. SAUNDERS (1997):

PCR-Enzyme-Linked Immunosorbent Assay and Partial rRNA Gene Sequencing: a Rational Approach to Identifying Mycobacteria.

J. Clin. Microbiol. 35(9):2375-2380.

PAULSEN, P., S. MAYRHOFER, F. HILBERT, F. J. M. SMULDERS (2002):

Zum Nachweis von *Campylobacter* sp. in gefrorenem und gekühltem Fleisch mittels ELFA Nachweissystem (Vidas) und kultureller Voranreicherung.

In: 43. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, 24.-27. September 2002, Garmisch-Partenkirchen, Germany, 686-687.

PEARCE, R. A., F. M. WALLACE, J. E. CALL, R. L. DUDLEY, A. OSER, L. YODER et al. (2003):

Prevalence of *Campylobacter* within a Swine Slaughter and Processing Facility.

J. Food Prot. 66(9):1550-1556.

PEARSON, A. D., M. GREENWOOD, T. D. HEALING, D. ROLLINS, M. SHAHAMAT,**J. DONALDSON, R. R. COLWELL (1993):**

Colonization of Broiler Chickens by Waterborne *Campylobacter jejuni*.

Appl. Environ. Microbiol. 59(4): 987-996.

PENNER, J. L. (1991):

Campylobacter, *Helicobacter* and related spiral bacteria.

In: Balows, A.; Hausler Jr., W. J.; Herrmann, K. L.; Isenberg, H. D.; Shadomy, J. H., (Hrsg.): Manual of clinical microbiology, 5th edition, Washington, American Society for Microbiology, 402-409.

PENNER, J. L. und J. N. HENNESSY (1980):

Passive haemagglutination technique for serotyping

Campylobacter fetus subsp. *jejuni* on the basis of soluble heat stable antigens.

J. Clin. Microbiol. 12:732-737.

PEZZOTTI, G., A. SERAFIN, I. LUZZI, R. MIONI, M. MILAN, R. PERIN (2003):

Occurrence and Resistance to Antibiotics of *Campylobacter jejuni* and *Campylobacter coli* in Animals and Meat in Northern Italy.

Int. J. Food Microbiol. 82(3):281-287.

PHEBUS, R. K., F. A. DRAUGHON, J. R. MOUNT (1991):

Survival of *Campylobacter jejuni* in Modified Atmosphere Packaged Turkey Roll.

J. Food Prot. 54(3):194-199.

PIERSIMONI, C., S. BORNIGIA, L. CURZI, G. DE SIO (1995):

Comparison of two selective media and a membrane filtration technique for isolation of *Campylobacter* species from diarrhoeal stools.

J. Clin. Microbiol. Infect. Dis. 14:539-542.

- POPOVIC-UROIC, T., C. M. PATTON, A. NICHOLSON, J. A. KIEHLBAUCH** (1990): Evaluation of the Indoxyl Acetate Hydrolysis Test for Rapid Differentiation of *Campylobacter*, *Helicobacter*, and *Wolinella* Species. *J. Clin. Microbiol.* 28(10):2335-2339.
- POSCH, J., W SIXL, G. WÜST, S. SCHMIDT, F. F. REINTHALER, G. FEIERL, E. MARTH** (2004): Transmission and antibiotic resistance of *Campylobacter* sp. in a poultry slaughterhouse. 14th European Congress of Clinical Microbiology and Infectious Diseases, 2. Mai 2004, Prag. URL: <http://lme.agrar.de/20040906-00000/>
- PREScott, J. F. und C. W. BRUIN-Mosch** (1981): Carriage of *Campylobacter jejuni* in healthy and diarrheic animals. *Am. J. Vet. Res.* 42:164-166.
- QUIÑONES-RAMÍREZ, E. I., C. VÁZQUEZ-SALINAS, O. R. RODAS-SUÁREZ, M. O. RAMOS-FLORES, R. RODRÍGUEZ-MONTAÑO** (2000): Frequency of Isolation of *Campylobacter* from Roasted Chicken Samples from Mexico City. *J. Food Prot.* 63(1):117-119.
- RASMUSSEN, H. N., J. E. OLSEN, K. JØRGENSEN, O. F. RASMUSSEN** (1996): Detection of *Campylobacter jejuni* and *Campylobacter coli* in chicken faecal samples by PCR. *Lett. Appl. Microbiol.* 23(5):363-366.
- RAYES, H. M., C. A. GENIGEORGIS, T. B. FARVER** (1983): Prevalence of *Campylobacter jejuni* on turkey wings at the supermarket level. *I. Food Prot.* 46: 292-294
- REFAIE, R. S. und B. GALAL** (1992): Survival and Growth of *Campylobacter jejuni* in meat. *Assuit Med. Vet. J.* 28:174-179.
- REIERSEN, J., H. BRIEM, H. HARDARDOTTIR, E. GUNNARSSON, F. GEORGSSON, E. GUDMUNDSDOTTIR, K. G. KRISTINSSON** (2002): Human Campylobacteriosis Epidemic in Iceland 1998-2000 and Effect of Interventions Aimed at Poultry and Humans. Conference Room Document proposed by Iceland, FAO/WHO Global Forum of Food Safety Regulators, Marrakech, Morocco, 28 - 30 January 2002. URL: <http://www.fao.org/DOCREP/MEETING/004/AB520E.HTM>
- REINA, J., M. J. ROS, A. SERRA** (1995): Evaluation of the API-Campy System in the Biochemical Identification of Hippurate Negative *Campylobacter* Strains Isolated from Faeces. *J. Clin. Pathol.* 48(7):683-685.
- REITER, M. G., C. M. BUENO, C. LOPEZ, R. JORDAN** (2005): Occurrence of *Campylobacter* and *Listeria monocytogenes* in a poultry processing plant. *J. Food Prot.* 68(9):1903-1906.
- RITCHIE, A.E., R. F. KEELER, J. H. BRYNER** (1966): Anatomical features of *Vibrio fetus*: Electron microscopic survey. *J. Gen. Microbiol.* 43(3):427-438.
- ROBINSON, D. A.** (1981): Infective dose of *Campylobacter jejuni* in milk. *Br. Med. J.* 282:1584.

- ROLLINS, D. M. und R. R. COLWELL** (1986):
Viable but Nonculturable Stage of *Campylobacter jejuni* and Its Role in Survival in the Natural, Aquatic Environment.
Appl. Environ. Microbiol. 52(3):531-538.
- ROSEF, O. und G. KAPPERUD** (1983):
House Flies (*Musca domestica*) as Possible Vectors of *Campylobacter fetus* subsp. *jejuni*.
Appl. Environ. Microbiol. 45:381-383.
- ROSZAK, D. B., D. J. GRIMES, R. R. COLWELL** (1984):
Viable but Nonrecoverable Stage of *Salmonella enteritidis* in Aquatic Systems.
Can. J. Microbiol. 30(3):334-338.
- SACHS, L.** (1990):
Angewandte Statistik.
7. Auflage, Springer Verlag, Berlin, Heidelberg, New York.
- SAEED, A.M., N. V. HARRIS, R. F. DIGIACOMO** (1993):
The role of exposure to animals in the etiology of *Campylobacter jejuni/coli* enteritis.
Am. J. Epidemiol. 137(1):108-14.
- SAILS, A. D., A. J. FOX, F. J. BOLTON, D. R. A. WAREING, D. L. A. GREENWAY, R. BORROW** (2001):
Development of a PCR ELISA assay for the identification of *Campylobacter jejuni* and *Campylobacter coli*.
Mol. Cell. Probes 15(5):291-300
- SAILS, A. D., F. J. BOLTON, A. J. FOX, D. R. A. WAREING, D. L. A. GREENWAY** (2002):
Detection of *Campylobacter jejuni* and *Campylobacter coli* in Environmental Waters by PCR Enzyme-Linked Immunosorbent Assay.
Appl. Environ. Microbiol. 68(3):1319-1324.
- SAILS, A. D., F. J. BOLTON, A. J. FOX, D. R. A. WAREING, D. L. A. GREENWAY** (2003):
A real-time PCR assay for the quantitative detection of *Campylobacter jejuni* in foods.
Poster J23, presented: CHRO 2003 International Meeting on *Campylobacter*, Aarhus, Denmark.
- SANDVEN, P., O. SOLBERG, K. ØDEGAARD, G. MYHRE** (1982):
Improved Medium For The Transportation Of Gonococcal Specimens.
Acta path. microbiol. immunol. scand. Sect. B. 90:73-77.
- SCOTTER, S. L., T. J. HUMPHREY, A. HENLEY** (1993):
Methods for the detection of thermotolerant campylobacters in foods: results of an inter-laboratory study.
J. Appl. Bacteriol. 74:155-163.
- SEBALD, M. und M. VÉRON** (1963):
Teneur en bases de l'ADN et classification des vibrions.
Ann. Inst. Pasteur (Paris) 105:897-910.
- SEIFERT, U. und A. WEBER** (1983):
Nachweis von *Campylobacter jejuni* bei Hunden und Katzen mit und ohne Enteritiden.
Kleintierpraxis, 28:371-374.

SHANE, S. M. (1991):

Environmental factors associated with *Campylobacter jejuni* colonization of poultry.
In: Colonization Control of Human Bacterial Enteropathogens in Poultry, Academic Press Inc., San Diego, 1991, 29-45.

SHANE, S. M. (2000):

Campylobacter infection of commercial poultry.
Rev. sci. tech. Off. int. Epiz. 19(2):376-395.

SHANKER, S., A. LEE, T. C. SORRELL (1990):

Horizontal transmission of *Campylobacter jejuni* amongst broiler chicks: experimental studies.
Epidemiol. Infect. 104:101-110.

SHANKER, S., S. W. GORDON, H. FULLER, G. L. GILBERT (1991):

Sensitivity of a filtration method for the detection of *Campylobacter/Helicobacter* spp. in faeces.
Microb. Ecol. Hlth. Dis. 4:S47.

SHARMA, A. (1999):

Enzyme Immunoassays: Overview.
In: Encyclopedia of Food Microbiology. R. K. Robinson, C. A. Batt, and P. D. Patel (Hrsg.), Academic Press, San Diego, CA, 1999.

SHARPE, A. N. (1994):

Development and evaluation of membrane filtration techniques in microbial analysis.
In: Rapid Analysis Techniques in Food Microbiology, P. D. Patel (Hrsg.), Blackie Academic & Professional, Chapman & Hall, 1994, London, 29-54.

SIMMONS, N. A. und F. J. GIBBS (1979):

Campylobacter in oven-ready poultry.
J. Infect. 1:159-162.

SKIRROW, M. B. (1977):

Campylobacter enteritis: a „new“ disease.
Br. Med. J. 2:9-11.

SKIRROW, M. B. und J. BENJAMIN (1980):

“1001” *Campylobacters*: cultural characteristics of intestinal campylobacters from man and animals.
J. Hyg. 85:427-442.

SKIRROW, M.B., R. G. FIDOE, D. M. JONES (1981):

An Outbreak of Presumptive Foodborne *Campylobacter* Enteritis.
J. Infect. 3(3):234-6.

SLAVIK, M. F., J.-W. KIM, J. T. WALKER (1995):

Reduction of *Salmonella* and *Campylobacter* on Chicken Carcasses by Changing Scalding Temperature.
J. Food. Prot. 58:689-691.

SMIBERT, R.M. (1984):

Genus II. *Campylobacter*.
In: BERGEY’s Manual of Determinative Bacteriology, Vol. 1, N. R. Kreig und J. G. Holt (Hrsg.). 111-118. Williams & Wilkins, Baltimore.

SMITH, K. E., J. M. BESSER, C. W. HEDBERG, F. T. LEANO, J. B. BENDER, J.H WICKLUND, B. P. JOHNSON, K. A. MOORE, M. T. OSTERHOLM (1999):
Quinolone-resistant *Campylobacter jejuni* infections in Minnesota, 1992-1998. Investigation Team.
N. Engl. J. Med. 340:1525-32.

SMITH, T. und M. S. TAYLOR (1919):
Morphological and biochemical characters of the spirilla (*Vibrio fetus* nov. sp.) associated with disease of the fetal membranes in cattle.
J. Exp. Med. 30:299-312.

SMITHERMAN, R. E., C. A. GENIGEORGIS, T. B. FARVER (1984):
Preliminary Observations on the Occurance of *Campylobacter jejuni* et Four Chicken Ranches.
J. Food Prot. 47(4):293-298.

SMULDERS, F. J. M. (1987):
Prospectives for microbial decontamination of meat and poultry by organic acids with special reference to lactic acid.
In: Smulders, F. J. M. (Hrsg.), Elimination of pathogenic organisms from meat and poultry. Amsterdam: Elsevier Science Publishers B. V., 1987: 319-344.

SOCKETT P.N. und A. D. PEARSON (1988):
Cost implications of human *Campylobacter* infections.
In: B. Kaijser, E. Falsen (Hrsg.), *Campylobacter IV*. Proceedings of the 4th international workshop on campylobacter infections. Göteborg, University of Göteborg, 261-264.

SLOW, B. T., O. M. CLOAK, P. M. FRATAMICO (2003):
Effect of Temperature on Viability of *Campylobacter jejuni* and *Campylobacter coli* on Raw Chicken or Pork Skin.
J. Food Prot. 66(11):2023-2031.

STAGER, C. E. und J. R. DAVIS (1992):
Automated Systems for Identification of Microorganisms.
Clin. Microbiol. Rev. 5:302-327.

STANLEY, J., A. P. BURNENS, D. LINTON, S. L. W. ON, M. COSTAS, R. J. OWEN (1992):
Campylobacter helveticus sp. nov., a new thermophilic species from domestic animals: characterization, and cloning of a species-specific DNA probe.
J. Gen. Microbiol. 138:2293-2303.

STEINBRUECKNER, B., G. HAERTER, K. PELZ, M. KIST (1999):
Routine identification of *Campylobacter jejuni* and *Campylobacter coli* from human stool samples.
FEMS Microbiol. Letters 179:227-232

STEINHAUSEROVA, I., J. ČEŠKOVA, K. FOJTIKOVA, I. OBROVSKA (2001):
Identification of Thermophilic *Campylobacter* spp. by Phenotypic and Molecular Methods.
J. Appl. Microbiol. 90:470-475.

STEPHAN, R., S. SCHUMACHER, A. ZYCHOWSKA (2003):
Schnellnachweis von *L. monocytogenes* in Lebensmitteln und Umgebungsproben mit fluoreszenzmarkierten Gensonden. Evaluierung des VIT Systems als spezifisches Nachweisverfahren.
Fleischwirtschaft 2:94-96.

STERN, N. J. (1981):

Recovery rate of *Campylobacter fetus* ssp. *jejuni* on eviscerated pork, lamb, and beef carcasses.
J. Food Sci. 46:1291-1293.

STERN, N. J. (1992):

Reservoirs for *Campylobacter jejuni* and Approaches for Intervention in Poultry.
In: Nachamkin, I., M. J. Blaser, L. S. Tompkins (Hrsg.), *Campylobacter jejuni* - current status and future trends, American Society for Microbiology – ASM Press, 1992, Washington, DC.

STERN, N. J., M. D. GREENBERG, D. M. KINSMAN (1986):

Survival of *Campylobacter jejuni* in selected gaseous environments.
J. Food Sci. 51(3):652-654.

STERN, N. J. und S. U. KAZMI (1989):

Campylobacter jejuni.
In: Foodborn Bacterial Pathogens, M. P. Doyle (Hrsg.), Marcel Dekker Inc., New York – Basel.

STERN, N. J., R. J. MEINERSMANN, H. W. DICKERSON (1991):

Treatment of *Campylobacter jejuni* with antibody increases the dose required to colonize chicks.
In: Colonization Control of Human Bacterial Enteropathogens in Poultry, Academic Press Inc., San Diego, 1991, 343-346.

STICH-GROH, V. (1982):

Campylobacter in healthy slaughter pigs: a possible source of infection in man.
Vet. Rec. 110:104-106.

STUCKI, U., J. FREY, J. NICOLET, A. P. BURNENS (1995):

Identification of *Campylobacter jejuni* on the Basis of a Species-Specific Gene That Encodes a Membrane Protein.
J. Clin. Microbiol. 33(4):855-859.

SUERBAUM, S., M. LOHRENGEL, A. SONNEVEND, F. RUBERG, M. KIST (2001):

Allelic Diversity and Recombination in *Campylobacter jejuni*.
J. Bacteriol. 183(8):2553-9.

URL: <http://jb.asm.org/cgi/reprint/183/8/2553>

SVEDHEM, A. und B. KAIJSER (1981):

Isolation of *Campylobacter jejuni* from domestic animals and pets: Probable origin of human infection.
J. Infect. 3(1):37-40.

SVEDHEM, A., B. KAIJSER, E. SJÖRGEN (1981):

The occurrence of *Campylobacter jejuni* in fresh food and survival under different conditions.
J. Hyg. 87:421-425.

SWAMINATHAN, B. und P. FENG (1994):

Rapid Detection of Foodborne Pathogenic Bacteria.
In: Annu. Rev. Microbiol., Annual Reviews Inc., 1994, Palo Alto, CA, 48:401-426.

SWAMINATHAN, B. und R. L. KONGER (1986):

Immunoassays for Detection Foodborne Bacteria and Microbial Toxins.
In: Foodborne Pathogens and Their Toxins: Developing Methodology. M. D. Pierson, N. J. Stern (Hrsg.). Marcel Dekker, 1986, New York. 253-281.

TAUXE, R. V., N. HARGRETT-BEAN, C. M. PATTON, I. K. WACHSMUTH (1988):
Campylobacter Isolates in the United States, 1982-1986.
 Morbid. Mortal. Weekly Rep. 37:1-13.

TAYLOR, D.E. und N. CHANG (1987):
 Immunoblot and enzyme-linked immunosorbent assays of *Campylobacter* major outer-membrane protein and application to the differentiation of *Campylobacter* species.
 Mol. Cell. Probes. 1(3):261-274.

TERZIEVA, S. I. und G. A. McFETERS (1991):
 Survival and injury of *Escherichia coli*, *Campylobacter jejuni*, and *Yersinia enterocolitica* in stream water.
 Can. J. Microbiol. 37(10):785-790.

TEUFEL, P. (1982):
Campylobacter fetus ssp. *jejuni*-Ausscheidungsraten beim Schwein und Überleben in Leitungswasser und Hackfleisch.
 Fleischwirtschaft 62(10):1344-1345.

THOLAZAN, J. L., J. M. CAPPELIER, J. P. TISSIER, G. DELATTRE, M. FEDERIGHI (1999):
 Physiological Characterization of Viable-But-Nonculturable *Campylobacter jejuni* Cells.
 Appl. Environ. Microbiol. 65(3):1110-1116.

THOMAS C., D. J. HILL, M. MABEY (1999):
 Morphological Changes of Synchronized *Campylobacter jejuni* Populations During Growth in Single Phase Liquid Culture.
 Lett. Appl. Microbiol. 28(3):194-198.

THOMPSON, L., C. LINDHARDT, A. BUBERT, H.-G. LEUSCH (2004):
 Merck Singlepath® *Campylobacter*: Evaluation of an immunological rapid test for the detection of pathogenic *Campylobacter* spp. from foods.
 Poster, 23. Jenaer Symposium: *Campylobacter*-Infektionen, 1.-2. Juli 2004, Bundesforschungsanstalt für Viruskrankheiten der Tiere (BFAV), Standort Jena, Germany.

THOMPSON, L., C. LINDHARDT, A. BUBERT, H.-G. LEUSCH (2004a):
 Singlepath® *Campylobacter*: Entwicklung und Evaluierung eines immunologischen Schnelltests zum Nachweis pathogener *Campylobacter* Spezies aus Lebensmitteln.
 Poster, 23. Jenaer Symposium: *Campylobacter*-Infektionen, 1.-2. Juli 2004, Bundesforschungsanstalt für Viruskrankheiten der Tiere (BFAV), Standort Jena, Germany.

THUNBERG, R. L., T. T. TRAN, M. O. WALDERHAUG (2000):
 Detection of Thermophilic *Campylobacter* spp. in Blood-Free Enriched Samples of Inoculated Foods by the Polymerase Chain Reaction.
 J. Food Prot. 63(3):299-303.

THURM, V., R. STARK, D. MÄDE, S. FANGHÄHNEL, W. BERGER, H. KNOBLOCH, D. LANGE (2000):
 Rohmilch als Ursache lebensmittelbedingter *Campylobacter*-Infektionen.
 Bundesgesundheitsbl-Gesundheitsforsch-Gesundheitsschutz 43:777-780.

TOKUMARU, M., H. KONUMA, M. UMESAKO, S. KONNO, K. SHINAGAWA (1990):
 Rates of detection of *Salmonella* and *Campylobacter* in meals in response to the sample size and the infection level of each species.
 Int. J. Food Microbiol. 13:41-46.

- TOLCIN, R., M. M. LASALVIA, B. A. KIRKLEY, E. A. VETTER, F. R. COCKERILL, G. W. PROCOP (2000):**
An Evaluation of the Alexon-Trend ProSpecT® *Campylobacter* Microplate Assay.
American Society for Microbiology, 2000 General Meeting (5/21/2000 through 5/25/2000).
URL: <http://www.asmusa.org/memonly/abstracts/AbstractView.asp?AbstractID=29999>
- TOMANCOVA, I., L. STEINHAUSER, Z. MATYAS (1987):**
Campylobacter jejuni and its occurrence in meat packaged whilst warm.
Vet. Med. 32(9):541-546.
- TOMANCOVA, I., L. STEINHAUSER, Z. MATYAS (1991):**
Effects of processing on the survival of *Campylobacter jejuni* in foods of animal origin. Vet. Med. 36(6):373-380.
- TOTTEN, P. A., C. M. PATTON, F. C. TENOVER, T. J. BARRETT, W. E. STAMM, A. G. STEIGERWALT et al. (1987):**
Prevalence and Characterization of Hippurate-Negative *Campylobacter jejuni* in King County, Washington.
J. Clin. Microbiol. 25(9):1747-1752.
- TRACHOO, N., J. F. FRANK, N. J. STERN (2002):**
Survival of *Campylobacter jejuni* in Biofilms Isolated from Chicken Houses.
J. Food Prot. 65(7):1110-1116.
- TRESCHNAK, E. und E. HELLMANN (1987):**
Vergleich verschiedener *Campylobacter*-Selektivnährböden bei der Untersuchung von Fäzesproben von Haustieren.
Berl. Münch. Tierärztl. Wochenschr. 100:381-385.
- TRIGO, D., J. KLEER, G. HILDEBRANDT (2002):**
Vergleich des MiniVIDAS-Systems mit den kulturellen Standardverfahren beim Nachweis von *Salmonella*, *Campylobacter* und *Listeria monocytogenes*.
In: 43. Arbeitstagung des „Arbeitsgebietes Lebensmittelhygiene“, 24.-27. September 2002, Garmisch-Partenkirchen, Germany, 596-599.
- URADZIŃSKI, J., J. SZTEYN, M. GOMÓLKA, E. JÓZWIK, M. RADKOWSKI (1996):**
Das Überleben von *Campylobacter jejuni* in Schlachthähnchen beim Erhitzen im Mikrowellengerät.
Survival of *Campylobacter jejuni* in chicken carcasses during microwave cooking.
Fleischwirtschaft 76(8):833-835; ergänzt durch: Fleischwirtschaft 76(12):1354.
- URSINITSCH, B., P. PLESS, J. KÖFER (2001):**
Prevalence and Resistance Behaviour of *Campylobacter* spp. in Faecal and Product Samples of Styrian Broiler Flocks.
11th International Workshop on *Campylobacter*, *Helicobacter* and related Organisms., 1. - 5. September, Freiburg, Germany, Poster E-25, 40-41.
Int. J. Med. Microbiol. 291, Suppl 31:1-168.
- VAN CAMP, G., H. FIERENS, P. VANDAMME, H. GOOSSENS, A. HUYGHEBEART, R. DE WACHTER (1993):**
Identification of enteropathogenic *Campylobacter* species by oligonucleotide probes and Polymerase Chain Reaction based on 16S rRNA genes.
Syst. Appl. Microbiol. 16:30-36.

- VAN DE GIESSEN, A., S.-I. MAZURIER, W. JACOBS-REITSMA, W. JANSEN, P. BERKERS, W. RITMEESTER, K. WERNARS (1992):**
Study on the Epidemiology and Control of *Campylobacter jejuni* in Poultry Broiler Flocks.
Appl. Environ. Microbiol. 58(6):1913-1917.
- VAN DER PLAS, J., D. S. KOSTER, H. HOFSTRA, A. F. M. NIEROP, L. SCHOUWS, WEIJTENS, M. J. B. M. et al. (1994):**
Restriction fragment length polymorphism (RFLP) typing of *Campylobacter* strains.
In: WHO consultation on epidemiology and control on campylobacteriosis in humans and animals, Bilthoven, 1994, The Netherlands, 25-27.
- VAN DER ZEE, H., P. POSTMA, M. VONK (1999):**
Practical Use of VIDAS for *Salmonella*; Comparing Different Test Kit Techniques in Routine Use.
In: Food Microbiology and Food Safety into The Next Millennium, 17th International Conference of the ICFMH, Veldhoven, The Netherlands, 13.-17. September 1999, 606-610.
- VAN DONKERSGOED, J., E. D. JANZEN, M. CHIRINO-TREJO, C. BERRY, E. G. CLARK, D. M. HAINES (1990):**
Campylobacter jejuni abortions in two beef cattle herds in Saskatchewan.
Can. Vet. J. 31:373-377.
- VAN DOORN, L. J., B. A. J. GIESENDORF, R. BAX, B. A. M. VAN DER ZEIJST, P. VANDAMME, W. G. V. QUINT (1997):**
Molecular discrimination between *Campylobacter jejuni*, *Campylobacter coli*, *Campylobacter lari*, and *Campylobacter upsaliensis* by a PCR based novel putative GTPase gene.
Mol. Cell. Probes 11:177-185.
- VANDAMME, P. (2000):**
Taxonomy of the family *Campylobacteraceae*.
In: Nachamkin, I. und M. J. Blaser (Hrsg.), *Campylobacter*, 2nd Edition, American Society for Microbiology – ASM Press, 2000, Washington, DC, 3-26.
- VANDAMME, P. und DE LEY, J. (1991):**
Proposal for a new family, *Campylobacteraceae*.
Int. J. Syst. Bacteriol. 41:451-455.
- VANDAMME, P. und H. GOOSSENS (1992):**
Taxonomy of *Campylobacter*, *Arcobacter*, and *Helicobacter*: A Review.
Zbl. Bakt. 276:447-472.
- VANDAMME, P., E. FALSEN, R. ROSSAU, B. HOSTE, P. SEGERS, R. TYTGAT, J. DE LEY (1991):**
Revision of *Campylobacter*, *Helicobacter*, and *Wolinella* taxonomy: emendation of generic descriptions and proposal of *Arcobacter* gen. Nov.
Int. J. Syst. Bacteriol. 41(1):88-103.
- VANNIASINKAM, T., J. A. LANSER, M. D. BARTON (1999):**
PCR for the detection of *Campylobacter* spp. in clinical specimens.
Lett. Appl. Microbiol. 28:52-56.
- VAZ-VELHO, M., G. DUARTE, P. GIBBS (2000):**
Evaluation of mini-VIDAS rapid test for detection of *Listeria monocytogenes* from production lines of fresh to cold-smoked fish.
J. Microbiol. Meth. 40:147-151.

VERNOZY-ROZAND, C., C. MAZUY, S. RAY-GUENIOT, S. BOUTRAND-LOEÏ, A. MEYRAND, Y. RICHARD (1998):

Evaluation of the VIDAS Methodology for Detection of *Escherichia coli* O157 in Food Samples.

J. Food Prot. 61(7):917-920.

VERNOZY-ROZAND, C., S. BOUTRAND-LOEÏ, J. M. PRADEL, A. MEYRAND, C. MAZUY, S. RAY-GUENIOT, Y. RICHARD (1998a):

Utilisation d'une méthode de screening automatique pour la detection de *Escherichia coli* O157:H7 dans les aliments en anglais.

Rev. Méd. Vét. 149(3):239-244.

VLIEGENTHART, J. S. (1994):

Aanwezigheid en betekenis van *Campylobacter* bin schelpdieren.

De Waren Chemikus 24:115-117.

WAAGE, A. S., T. VARDUND, V. LUND, G. KAPPERUD (1999):

Detection of Small Numbers of *Campylobacter jejuni* and *Campylobacter coli* Cells in Environmental Water, Sewage and Food Samples by a Seminested PCR Assay.

Appl. Environ. Microbiol. 65(4):1636-1643.

WAEGEL, A. und I. NACHAMKIN (1996):

Detection and Molecular Typing of *Campylobacter jejuni* in Fecal Samples by Polymerase Chain Reaction.

Mol. Cell. Probes 10(2):75-80.

WAGENAAR, J. A., K. DE GOFFAU, R. ACHTERBERG, J. DIJKSTRA, W. JACOBS-REITSMA, J. LAMBERS (2001):

The use of an Enzyme Immunoassay for the detection of *Campylobacter* in poultry caecal samples.

Poster L-15, presented: CHRO 2001, 1. -5. Sept. 2001, 11th International Workshop on *Campylobacter, Helicobacter* and related Organisms, Freiburg, Germany.

Int. J. Med. Microbiol. 291(Suppl. 31):107.

WAGENAAR, J. A., M. A. VAN BERGEN, D. G. NEWELL, R. GROGONO-THOMAS und B. DUIM (2001a):

Comparative study using amplified fragment length polymorphism fingerprinting, PCR genotyping, and phenotyping to differentiate *Campylobacter fetus* strains isolated from animals.

J. Clin. Microbiol. 39:2283-2286.

WAGNER, M., C. T. WEBER, A. LEHNER, H. ASPERGER, H. HEISTINGER, E. BRANDL (1999):

The influence of cheese matrix, microbial flora and enrichment broths on the detection of *Listeria monocytogenes* by PCR and the VIDAS assay®.

Milchwissenschaft 54(6):310-314.

WALLER, D. F. und S. A. OGATA (2000):

Quantitative Immunocapture PCR Assay for Detection of *Campylobacter jejuni* in Foods.

Appl. Environ. Microbiol. 66(9):4115-4118.

WANG, H. (2002):

Rapid Methods for Detection and Enumeration of *Campylobacter* spp. in Foods.

J. AOAC International 85(4):996-999.

- WANG, H. und D. MURDOCH (2004):**
Detection of *Campylobacter* species in faecal samples by Gram stain microscopy.
Pathology 36(4):343-344.
- WANG, H., J. M. FARBER, N. MALIK, G. SANDERS (1999):**
Improved PCR detection of *Campylobacter jejuni* from chicken rinse by a simple sample preparation procedure.
Int. J. Food Microbiol. 52:39-45.
- WANG, H., Y. LI, M. SLAVIK, J. YE (2001):**
PCR-based Fluorescent Method for Rapid Detection of *Campylobacter jejuni* and *Salmonella Typhimurium* in Poultry Samples.
International Association for Food Protection (IAFP) 2001, 88th Annual Meeting, 5.-8. August 2001, Minneapolis, USA.
J. Food Prot. 64(Sup. A): 45-113.
URL: <http://www.foodprotection.org/imageup/2001%20Annual%20Meeting/>
- WANG, W. L., L. B. RELLER, B. SMALLWOOD, N. W. LUECHTEFELD, M. J. BLASER (1983):**
Evaluation of Transport Media for *Campylobacter jejuni* in Human Fecal Specimens.
J. Clin. Microbiol. 18(4):803-807.
- WASSENAAR, T. M. (2000):**
Molekularmethoden als Nachweis, Spezifizierung und Subtypisierung von *Campylobacter* spp..
Lohmann Information 2:17-24.
- WASSENAAR, T. M. und D. G. NEWELL (2000):**
Genotyping of *Campylobacter* spp..
Appl. Environ. Microbiol. 66(1):1-9.
- WATERMAN, S. C. (1982):**
The heat sensitivity of *Campylobacter jejuni* in milk.
J. Hyg. Cam. 88:529-533.
- WAWERLA, M., B. SCHALCH, H. EISGRUBER (1996):**
Einsatz der Impedanzmessung zum Nachweis von *Clostridium perfringens* in Lebensmitteln.
In: 37. Arbeitstagung, Deutsche Veterinärmedizinische Gesellschaft e. V., Arbeitsgebiet Lebensmittelhygiene, Garmisch-Partenkirchen, 229-233.
- WEBER, A., C. LEMBKE, A. KETTNER (1981):**
Nachweis von *Campylobacter jejuni* in Kotproben von klinisch gesunden Brieftauben.
Berl. Münch. Tierärztl. Wochenschr. 94(22):449-451.
- WEBER, A., C. LEMBKE, R. SCHÄFER (1982):**
Untersuchungen zum Vorkommen von *Campylobacter jejuni* bei Kaninchen, Meerschweinchen, Ratten und Mäusen in der Versuchstierhaltung.
Berl. Münch. Tierärztl. Wochenschr. 95(24):488-489.
- WEBER, A., R. SCHÄFER, H. BERG (1984):**
Vorkommen von *Campylobacter jejuni* bei Hunden und Katzen eines Tierheimes.
Der Praktische Tierarzt 65(1):51-53.
- WEDDERKOPP, A., K. O. GRADEL, J. C. JØRGENSEN, M. MADSEN (2001):**
Pre-harvest surveillance of *Campylobacter* and *Salmonella* in Danish broiler flocks: a 2-year study.
Int. J. Food Microbiol. 68:53-59.

- WEGMÜLLER, B., J. LÜTHY, U. CANDRIAN** (1993):
Direct Polymerase Chain Reaction Detection of *Campylobacter jejuni* and *Campylobacter coli* in Raw Milk and Dairy Products.
Appl. Environ. Microbiol. 59(7):2161-2165.
- WEIJTENS, M. J. B. M., J. VAN DER PLAS, P. G. H. BIJKER, H. A. P. URLINGS, D. KOSTER, J. G. VAN LOGTESTIJN et al.** (1997):
The transmission of *Campylobacter* in piggeries; an epidemiological study.
J. Appl. Microbiol. 83:693-698.
- WEIJTENS, M. J. B. M., R. D. REINDERS, H. A. P. URLINGS, J. VAN DER PLAS** (1999):
Campylobacter infections in fattening pigs; excretion pattern and genetic diversity.
J. Appl. Microbiol. 86:63-70.
- WEMPE, J. M., C. A. GENIGEORGIS, T. B. FARVER, H. I. YUSUFU** (1983):
Prevalence of *Campylobacter jejuni* in Two California Chicken Processing Plants.
Appl. Environ. Microbiol. 45:355-359.
- WERLEIN, H.-D.** (1996):
Bestimmung des Oberflächenkeimgehaltes von Rind- und Schweineschlachttierkörpern mit der Biolumineszenzmethode.
Fleischwirtschaft 76:179-183.
- WESLEY, I. V.** (1996):
Helicobacter and *Arcobacter* Species: Risk for Food and Beverages.
J. Food Prot. 59:1127-1132.
- WHELAN, C. D., P. MONAGHAN, R. W. A. GIRDWOOD, C. R. FRICKER** (1988):
The significance of wild birds (*Larus sp.*) in the epidemiology of *Campylobacter* infections in humans.
Epidem. Inf. 101:259-267.
- WHYTE, P., K. MC GILL, D. COWLEY, C. CARROLL, I. DOOLAN, A. O'LEARY et al.** (2003):
A Comparison of Two Culture Media for the Recovery of Thermophilic *Campylobacters* in Broiler Farm Samples.
J. Microbiol. Methods 54(3):367-371.
- WICHELHAUS, T. A., V. SCHÄFER, V. BRADE** (2000):
Typisierungsverfahren in der Infektionsepidemiologie.
Chemotherapie Journal, 9. Jahrgang, 2:93-98.
- WIELER, L. H. und C. LATURNUS** (2003):
Classification and Typing of *Campylobacter*: Application of Genotypical Methods in Veterinary Medicine.
Genome Letters 2(1/2):53-61.
- WILLIS, W. L. und C. MURRAY** (1997):
Campylobacter jejuni seasonal recovery observations of retail market broilers.
Poult. Sci. 76:314-317.
- WINTERS, D. K. und M. F. SLAVIK** (2000):
Multiplex PCR Detection of *Campylobacter jejuni* and *Arcobacter butzleri* in Food Products.
Mol. Cell. Probes 14(2):95-99.
- WOLCOTT, M. J.** (1992):
Advances in Nucleic Acid-Based Detection Methods.

Clin. Microbiol. Rev. 5(4):370-386.

URL: <http://www.ncbi.nlm.nih.gov/pmc/articles/358255/pdf/>

WOLCOTT, M. J. (1991):

DNA-Based Rapid Methods for the Detection of Foodborne Pathogens.

J. Food Prot. 54(5):387-401.

WUNDT, W., A. KUTSCHER, G. KASPER (1985):

Untersuchungen zum Verhalten von *Campylobacter jejuni* in verschiedenen Lebensmitteln.

Zbl. Bakt. Hyg., I. Abt. Orig. B 180:528-533.

WYATT, G. M., H. A. LEE, M. R. A. MORGAN (1992):

Immunoassays for Food Poisoning Bacteria and Bacterial Toxins.

Food Safety Series I, 1st Edition, 1992, London, Chapman & Hall.

YANG, H., Y. LI, M. G. JOHNSON (2001):

Survival and Death of *Salmonella* and *Campylobacter jejuni* in Processing Water and on Chicken Skin during Poultry Scalding and Chilling.

J. Food Prot. 64(6):770-776.

YEH, K.-S., C.-E. TSAI, S.-P. CHEN, C.-W. LIAO (2002):

Comparison between VIDAS Automatic Enzyme-Linked Fluorescent Immunoassay and Culture Method for *Salmonella* Recovery from Pork Carcass Sponge Samples.

J. Food Prot. 65(10):1656-1659.

YOUNG, C. R., R. HARVEY, R. ANDERSON, D. NISBET, L. H. STANKER (2000):

Enteric colonisation following natural exposure to *Campylobacter* in pigs.

Res. Vet. Sci. 68:75-78.

Yu, L. S. L., J. UKNALIS, S.-I. Tu (2001):

Immunomagnetic separation methods for the isolation of *Campylobacter jejuni* from ground poultry meats.

J. Immunol. Methods 256:11-18.

ZHAO, C., B. GE, J. DE VINELLA, R. SUDLER, E. YEH, S. ZHAO et al. (2001):

Prevalence of *Campylobacter* spp., *Escherichia coli*, and *Salmonella* Serovars in Retail Chicken, Turkey, Pork, and Beef from Greater Washington, D.C., Area.

Appl. Environ. Microbiol. 67(12):5431-5436.

ZHAO, T., G. O. I. EZEIKE, M. P. DOYLE, Y.-C. HUNG, R. S. HOWELL (2003):

Reduction of *Campylobacter jejuni* on Poultry by Low-Temperature Treatment.

J. Food Prot. 66(4):652-655.

Zitierte Rechtsregulative, Normen und Normenvorschläge

ANONYMUS (1990):

Method no. 119.

In: *Campylobacter jejuni/coli*. Detection in Foods, 2nd Edition. 1-7. Nordic Committee on Food Analysis, Finland.

ANONYMUS (1995):

ISO 10272:1995/Cor.1:1996(E): Microbiology of food and animal feeding stuffs - Horizontal method for detection of *Campylobacter* growing at 41,5 °C.

ANONYMUS (1996):

ISO 7218:1996(E) – Microbiology of food and animal feeding stuffs – General rules for microbiological examinations. Second edition 1996-02-15, International Organization for Standardization, Switzerland.

ANONYMUS (1998):

DIN 1034. Allgemeine methodenspezifische Anforderungen zum Nachweis von Mikroorganismen mit der Polymerase-Kettenreaktion.
Beuth-Verlag, Berlin.

ANONYMUS (1999):

E DIN 10900-42. Mikrobiologie von Lebensmitteln und Futtermitteln - Arbeitsvorschrift für die Validierung alternativer Verfahren.
Deutsche Fassung E DIN 10900-42:1999-08.

ANONYMUS (2001a):

Revision of ISO 10272:1995-detection of thermotolerant *Campylobacter*.
Mitteilung des Deutschen Instituts für Normung e.V. (DIN) und Normenausschuss Lebensmittel und landwirtschaftliche Produkte (NAL).

ANONYMUS (2003a):

DIN EN ISO 16140, Ausgabe:2003-09. Mikrobiologie von Lebensmitteln und Futtermitteln - Arbeitsvorschrift für die Validierung alternativer Verfahren.
Deutsche Fassung EN ISO 16140:2003.

Amtliche Sammlung von Untersuchungsverfahren nach § 35 LMBG (jetzt § 64 LFGB), Untersuchung von Lebensmitteln:

Zählung von *Pseudomonas* spp. in Fleisch und Fleischerzeugnissen (Übernahme der gleichlautenden DIN ISO 13720, Ausgabe Mai 1998), September 1998, L 06.00 – 43.

Bestimmung von *Enterobacteriaceae* in Fleisch. Tropfplattenverfahren (Übernahme der gleichnamigen DIN 10164 Teil 2, Ausgabe August 1986), November 1987, L 06.00 – 25.

Bestimmung der aeroben Keimzahl bei 30 °C in Fleisch und Fleischerzeugnissen. Tropfplattenverfahren (Übernahme der gleichlautenden DIN 10161 Teil 2, Ausgabe Februar 1984), Mai 1984, L 06.00 – 19.

Bestimmung von *Enterococcus faecalis* und *Enterococcus faecium* in Fleisch und Fleischerzeugnissen. Spatelverfahren (Referenzverfahren) (Übernahme der gleichlautenden Deutschen Norm DIN 10106, Ausgabe September 1991), Ausgabe 1992-06, L 06.00 – 32.

Bestimmung von Laktobazillen in Fleisch und Fleischerzeugnissen; Spatelverfahren (Referenzverfahren), Ausgabe 1992-06, L 06.00 – 31.

Photoquellen

<http://www-instruct.nmu.edu/cls/Iriipi/micro/campylobacter.ipg.jpg>

http://www.nature.com/genomics/papers/c_jejuni.html (Barry Dowsett/Science Photo Library)

Abbildung 4 und Abbildung 5 (miniVIDAS® Systems): Druckgenehmigung bioMérieux Deutschland GmbH, Nürtingen; Quelle: BfR, Berlin.

Abbildung 7 (Singlepath® System):

http://www.merck.de/servlet/PB/show/1449250/Auszug_lateral_flow_tests.pdf