

10 Literatur

ALBANI, S., KEYSTONE, E.C., NELSON, J.L., OLLIER, W.E., LACAVA, A.,
 MONTEMAYOR, A.C., WEBER, D.A., MONTEUCCO, C.; MARTINI, A. u. CARSON, D.A.
 (1995)

Positive selection in autoimmunity: abnormal immune response to a bacterial DNA antigenic
 determinant in patients with early rheumatoid arthritis.

Nat. Med. 1:448-452

ALEXANDER, J.W., BEGG, S., DUELAND, R. u. SCHULTZ, R.D. (1976)

Rheumatoid arthritis in the dog: clinical diagnosis and management.

J. Am. Anim. Hosp. Assoc. 12:727-734

ANDERSON, W.F. (1992)

Human Gene Therapy.

Science 256:808-813

AREND, W.P. u. DAYER, J.M. (1995)

Inhibition of the production and effects of interleukin-1 and tumor necrosis factor–alpha in
 rheumatoid arthritis.

Arthritis Rheum. 38:151-160

ARNETT, F.C. (1992)

Rheumatoid Arthritis.

In: J.B. WYNGAARDEN, L.H. SMITH und J.C. BENNETT (Hrsg): Cecil Textbook of Medicine
 19.Aufl., WB Saunders, Philadelphia, 1503-1510

BANDARA, G., ROBBINS, P.D., GEORGESCU, H.J., MUELLER, G.M., GLORIOSO, J.C. u.
 EVANS, C.H. (1992)

Gene transfer to synoviocytes: Prospects for gene treatment of arthritis.

DNA Cell Biol. 11:227-331

Literatur.....

BARAGI, V.M., RENKIEWICZ, Q.I.U.L., BRAMMER, D., RILEY, J.M., SIGLER, R.E., FENKEL, S.R., AMIM, S.R., ABRAMSON, S.B., ROESSLER, B.J.(1997)

Transplantation of adenovirally transduced allogeneic chondrocytes into articular cartilage defects in vivo.

Osteoarthritis Cartilage 1997 Jul; 5(4):275-282

BAREESEL, K.H., LEHMANN, C., RESZKA, R. u. SCHMIDT, M.F.G. (1997)

Reconstituting and testing Sendai virus glycoproteins for liposomal drug targeting protocols. A progress report.

Kongreß für Molekulare Medizin (02.05- 05.05 1997) in Berlin

BARI, A.S., CARTER, S.D., BELL, S.C., MORGAN, K. u. BENNETT, D. (1989)

Anti-type II collagen antibody in naturally occurring canine joint diseases.

Br. J. Rheumatol. 1989; 28:480-486.

BARRETT, R.E. (1977)

Canine polyarthritis.

In: R.W. KIRK (Hrsg): Current veterinary therapy small animal practice, 6.Auflage, WB Saunders, Philadelphia, 890-897

BASSET, C.A.L. u. HERRMANN, I. (1961)

Influence of oxygen concentration and mechanical factors on differentiation of connective tissue in vitro.

Nature 190:460-461

BATCHELOR, J. u. WELSH, K.I. (1981)

Major Histocompatibility Complex Genes and the Genetic regulation of the Immune Response
Relevance for Rheumatic Disease.

In: H. DEICHER und L.C. SCHULZ (Hrsg): Arthritis models and mechanisms.

Springer Verlag Berlin., 147-155

BELL, S.C., CARTER, S.D. u. BENNETT, D. (1991)

Canine distemper viral antigens and antibodies in dogs with rheumatoid arthritis.

Res.Vet.Sci. 50:64-68

BELL, S.C., CARTER, S.D., MAY, C. u. BENNETT, D. (1993)

IgA and IgM rheumatoid factors in canine rheumatoid arthritis.

J. Small. Anim. Pract. 1993; 34:259-264

BELL, S.C., CARTER, S.D., MAY, C. u. BENNETT, D. (1995)

Antibodies to heat shock proteins in dogs with rheumatoid arthritis and systemic lupus erythematosus.

Br. Vet. J. 151:271-279

BELL, S.C., HUGHES, D.E., BENNETT, D., BARI, A.S., KELLY, D.F. u. CARTER, S.D. (1997)

Analysis significance of anti-nuclear antibodies in dogs.

Res. Vet. Sci. 62:83-84

BELLAH, J.R., SHULL, R.M. u. SHULL-SELCER, E.V. (1986)

Ehrlichia canis related polyarthritis in a dog.

J. Am. Vet. Med. Assoc. 189:922-923

BENNETT, D. (1987a)

Immune-based erosive inflammatory joint disease of the dog: Canine rheumatoid arthritis I.

Clinical, radiological and laboratory investigations.

J. Small Anim. Pract. 28:779-797

BENNETT, D. (1987b)

Immune- based erosive inflammatory joint disease of the dog: canine rheumatoid arthritis II.

Pathological investigations.

J. Small Anim. Pract. 28:799-819

Literatur.....

BENNETT, D. (1987c)

Immune-based non-erosive inflammatory joint disease of the dog III. Idiopathic polyarthritis.
J. Small Anim. Pract. 28:909-928

BENNETT, D. (1990a)

Immuninduzierte Arthritiden.

In: 21. Jahresversammlung der Schweizerischen Vereinigung für Kleintiermedizin,
Biel 1990, Kongressbericht, 193-214

BENNETT, D. (1990b)

Joints and Joint Diseases.

In: W.G. WHITTICK (Hrsg.): Canine Orthopedics 2. Aufl., Lea and Febiger, Philadelphia, 761-
778

BENNETT, D. (1993a)

Arthritis- it's classification, pathogenesis and clinical relevance.

Tijdschr. Diergeneeskd. 118(1):19-23

BENNETT, D. (1993b)

Disorders of the Musculoskeletal System.

In: J. WILLS u. A. WOLF (Hrsg.): Handbook of Feline Medicine, Pergamon Press, Oxford, 239-
248

BENNETT, D. (1997)

Inflammatory arthropathies. The immune based arthritides.

In: VIFK, Films, 1997, Kongressbericht, 21-49

BERTOLINI, D.R., NEDWIN, G.E., BRINGMAN, T.S., SMITH, D.D. u. MUNDY, G.R. (1986)

Stimulation of bone resorption and inhibition of bone formation in vitro by human tumor necrosis
factors.

Nature 319:516-518

BEUTLER, B. u. CERAMI, A. (1988)

Tumor necrosis, cachexia, shock, and inflammation: a common mediator.

Annu. Rev. Biochem. 57:505-518

BLUM et al. (1987)

Silver stain method.

Electrophoresis 1987; 8:93-99

BOLOGNA, C., VIU, P., PICOT, M.C., JORGENSEN, C. u. SANY, J.(1997)

Long-term follow-up of 453 rheumatoid arthritis patients treated with methotrexat: an open, retrospective, observational study.

Br. J. Rheumatol. 1997; 36:535-540

BOMBARDIER, C., LAINE, L., REICIN, A., SHAPIRO, D., BURGOS-VARGAS, R., DAVIS, B., et al., for the VIGOR Study Group (2000)

Comparison of upper gastrointestinal toxicity of rofecoxib and naproxen in patients with rheumatoid arthritis.

N. Engl. J. Med. 2000; 343:1520-1528

BRADFORD, M.M. (1976)

A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding.

Anal. Biochem. 1976 May 7; 72:248-254

BRENNAN, F.M., CHANTRY, D., JACKSON, A., MAINI, R. u. FELDMANN, M. (1989)

Inhibitory effect of TNF-alpha antibodies on synovial cell interleukin-1 production in rheumatoid arthritis.

Lancet 2:244-247

BROWN, M., HU-LI, J. u. PAUL, W.E. (1988)

IL-4 B cell stimulatory factor-1 stimulates T cell growth by an IL-2 independent mechanism.
J. Immunol. 141:504-511

BROOKS, P.M. (1993)

Clinical management of rheumatoid arthritis.
Lancet 341:286-290

BUCHAN, G., BARRETT, K., TURNER, M., CHANTRY, D., MAINI, R.N. u. FELDMANN, M. (1988)

Interleukin-1 and tumor necrosis factor mRNA expression in rheumatoid arthritis: Prolonged production of IL-1 alpha.
Clin. Exp. Immunol. 1988 Sep; 73(3):449-455

BUCHAN, G.S., GRIMMETT, D.J. u. GRIFFIN, J.F.(1991)

Cervine T-lymphocyte growth factors and their measurement in tuberculosis.
Vet. Immunol. Immunopathol. 29(1-2):115-126

BUJARD, H., GENTZ, R., LAZER, M., STÜBER, D., MÜLLER, M., IBRAHIMI, I., HÄUPTLE, M.T. u. DOBBERSTEIN, B. (1987)

A T5 promoter based transcription-translation system for the analysis of proteins in vivo and in vitro.
Methods Enzymol. 155:416-433

BURG, S., ZSCHABITZ, A. u. STOFFT, E. (1991)

Effect of different media on long-term cultivation of human synovial macrophages.
Z. Rheumatol. 1991, May-Jun; 50(3):142-150

CALLARD, R.E. (1991)

Immunoregulation by Interleukin-4 in man.
Br. J. Haematol. 78:293-299

CAMPBELL, I.K., PICCOLI, D.S., BUTLER, D.M., SINGELTON, D.K. u. HAMILTON, J.A.
(1988)

Recombinant human interleukin-1 stimulates human articular cartilage to undergo resorption and human chondrocytes to produce both tissue- and urokinase-type plasminogen activator.
Biochem. Biophys. Acta. 967:183-194

CAMPBELL, I.K., PICCOLI, D.S., ROBERTS, M.J., MUIRDEN, K.D. u. HAMILTON, J.A.
(1990)

Effects of tumor necrosis factor alpha and beta on resorption of human articular cartilage and production of plasminogen activator by human articular chondrocytes.
Arthritis Rheum. 1990, 33:542-552

CARRO, T. (1994)

Polyarthritis in cats.

Compend. Cont. Educ. Pract. Vet. 16:57-66

CARTER, S.D., BELL, B.C., BARI, A.S. u. BENNETT, D. (1989)

Immune complexes and rheumatoid factors in canine arthritis.
Ann. Rheum. Dis. 48:986-991

CENTRELLA, M., McCARTHY, T.L. u. CANALIS, E. (1988)

Tumor necrosis factor-alpha inhibits collagen synthesis and alkaline phosphatase activity independently of its effect on desoxyribonucleic acid synthesis in osteoblast-enriched bone cell cultures.

Endocrinology 123:1442-1448

CHALFIE, M., TU, M., EUSKIRCHEN, G., WARD, W.W. u. PRASHER, D.C. (1994)

Green Fluorescent Protein as a Marker for Gene Expression.
Science 263:802-805

CHEN, H. u. PAUL, W.E. (1997)

Cultured NK1.1+ CD4+ T cells produce large amounts of IL-4 and IFN-gamma upon activation by anti-CD3 or CD1.

J. Immunol. 159:2240-2249

CHENG, L., FU, J., TSUKAMOTO, A. u. HAWLEY, R.G. (1996)

Use of green fluorescent protein variants to monitor gene transfer and expression in mammalian cells.

Nat. Biotechnol. 14:606-609

CHOMARAT, P., VANNIER, E., DECHANET, J., RISSOAN, M.C., BANCHEREAU, J.,
DINARELLO, C.D. u. MIOSSEC, P. (1995)

Balance of IL-1 receptor antagonist/IL-1 β in rheumatoid synovium and its regulation by IL-4 and IL-10.

J. Immunol. 154:1432

COHAN, S.B., MORELAND, L.W. u. CUSH, J.J. (2004)

A multicenter doubleblind randomized placebo-controlled trial of Kineret[®] (Anakira), a recombinant Interleukin-1-receptor antagonist, in patients with rheumatoid arthritis treated with background methotrexat therapy.

Ann. Rheum. Dis. Published Online First April 13, 2004

COHEN, B.J., BUCKLEY, M.M., CLEWLEY, J.P., JONES, V.E., PUTTNIK, A.H. u. JACOBY, R.K. (1986)

Human parvovirus infection in early rheumatoid and inflammatory arthritis.

Ann. Rheum. Dis. 45:832-838

COLOTTA, F., RE, F., MUZIO, M., BERTINI, R., POLENTARUTTI, N., SIRONI, M.,
DOWER, S.K., SIMS, J.E. u. MANTOVANI, A. (1993)

Interleukin-1 type II receptor: a decoy target for IL-1 that is regulated by IL-4.

Science 261:472.

- COPE, A.P., GIBBONS, D.L., ADERKA, D., FOXWELL B.M., WALLACH, D., MAINI, R.N., FELDMANN, M. u. BRENNAN, F.M. (1993)
 Differential regulation of tumor necrosis factor receptors (TNF-R) by IL-4; uponregulation of P55 and P75 TNF-R on synovial joint mononuclear cells.
 Cytokine 5:205-212
- CORMACK, B. P., VALDIVIA, R. H. u. FALKOW, S. (1996)
 FACS-optimized mutants of the geen fluorescent protein (GFP).
 Gene 173:33-38
- COWELL, R.L., TYLER, R.D., CLICKENBEARD, K.D. u. MEINKOTH, J.H. (1988)
 Ehrlichiosis and polyarthritis in three dogs.
 J. Am. Vet. Med. Assoc. 192:1093-1095
- DAGERT, M. u. EHRLICH, S.D. (1979)
 Progoled incubation in calcium chlorid improves the competence of *Escherichia coli* cells.
 Gene 6:23-28
- DEFRANCE, T., VANBERVLIET, B., AUBRY, J.P., TAKEBE, Y., ARAI, N., MIYAIMA, A., YOKOTA, T., LEE, F., DE VRIES, J.E., et al. (1987)
 B-cell growth-promoting activity of recombinant human interleukin-4.
 J. Immunol. 139:1135-1141
- DEL SAL, G., MANFIOLETTI, G. u. SCHNEIDER, C. (1988)
 A one-tube plasmid DNA minipreparation suitable for sequencing.
 Nucleic acids research 16:9878

Literatur.....

DUBUCQUOI, S., DESREUMAUX, P., JANIN, A., KLEIN, O., GOLDMAN, M.,
TAVERNIER, J., CAPRON, A. u. CAPRON, M. (1994)

Interleukin-4 synthesis by eosinophils: association with granules and immunoglobulin-dependent secretion.

J. Exp. Med. 179:703-708

ELIMA, K., VUORIO, E. (1989)

Expression of mRNAs for collagens and other matrix components in differentiating and redifferentiating human chondrocytes in culture.

FEBS Lett 258: 195-198

ELLIOTT, M.J., MAINI, R.N., FELDMANN, M., LONG-FOX, A., CHARLES, P., KATSIKIS, P., BRENNAN, F.M., WALKER, J., BIJIL, H., GHRAYEB, J. et al. (1993)

Treatment of rheumatoid arthritis with chimeric monoclonal antibodies to tumor necrosis factor alpha.

Arthritis Rheum. 36:1681-1690

ELLIOTT, M.J. u. MAINI, R.N. (1994)

New directions for biological therapy in rheumatoid arthritis.

Int. Arch. Allergy Immunol. 104:112-125

ENGVALL, E. u. PERLMAN, P. (1971)

Enzyme-linked immunosorbent assay (ELISA). Quantitative assay of immunoglobulin G.

Immunochemistry 8(9):871-874

ENGVALL, E. u. PERLMAN, P. (1972)

Enzyme-linked immunosorbent assay (ELISA). 3. Quantitation of specific antibodies by enzyme-labeled anti-immunoglobulin in antigen-coated tubes.

J. Immunol. 109(1):129-135

EVANS, C.H. u. ROBBINS, P.D. (1996)

Pathways to gene therapy in rheumatoid arthritis.

Curr. Opin. Rheumatol. 1996; 8:230-234

EVANS, C.H., GHIVIZZANI, S.C., LECHMAN, E.R., ZHEBAO, M., JAFFURS, D. u.
ROBBINS, P.D. (1999)

Lessons learned from gene transfer approaches.

Arthritis Research 1999; 1:21-24

EVANS, C.H. (2004)

Gene Therapies for Osteoarthritis.

Curr. Rheum. Reports 2004; 6:31-40

FELDMANN, M., BRENNAN, F.M. u. MAINI, R.N. (1996)

Role of cytokines in rheumatoid arthritis.

Ann. Rev. Immunol. 1996; 14:397-440

FELDMANN, M. u. MAINI, R.N. (2001)

Anti TNF alpha therapy of rheumatoid arthritis: what have we learnt?

Annu. Rev. Immunol. 19:163-96

FELGNER, P.L., GADEK, T.R., HOLM, M., ROMAN, R., CHAN, H.W., WENZ, M.,
NORTHROP, J.P., RINGOLD, G.M. u. DANIELSEN, M. (1987)

Proc. Natl. Acad. Sci. USA 84:7413

FINER, M.H., GERSTENFELD, L.C., YOUNG, D., DOTY, P. u. BOEDTKER, H. (1985)

Collagen expression in embryonic chicken chondrocytes treated with phorbol myristate acetate.

Mol. Cell. Biol. 5:1415-1424

Literatur.....

FISCHER, R. (1990)

Herstellung, Charakterisierung und Klonierung von TMV-neutralisierenden Antikörpern.
Eberhard-Karls-Universität Tübingen, Med. Diss.

FLEISCHMANN, R.M., SCHECHTMAN, J., BENNETT, R., et al. (2003)

Anakira, a recombinant human interleukin-1 receptor antagonist (r-metHuIL-1ra), in patients with rheumatoid arthritis. A large international, multicenter, placebo-controlled trial.

Arthritis Rheum. 2003; 48:927-934

FORTH, W. u. RUMMEL, W. (1992)

Pharmaka zur Beeinflussung der Funktionen von Magen, Dünn- und Dickdarm.

In: W. FORTH, D. HENSCHEL., W. RUMMEL, K. STARKE (Hrsg.): Pharmakologie und Toxikologie. 6. Aufl., Wissenschaftsverlag, Mannheim, 466-490

FRISBIE, D.D. u. Mc ILWRAITH, C.H. (1999)

Pers. Mitteilung an Prof. M.F.G. SCHMIDT, 4th World Congress of the Osteoarthritis Research Society International, Wien:16.-19.9.1999

GIBSON, J.P. u. ROENIGK, W.J. (1972)

Pseudogout in a dog.

J. Am. Vet. Med. Assoc. 161:912-915

GRAY, P.W., BARETT, K., CHANTRY, D., TURNE, M. u. FELDMANN, M. (1990)

Cloning of human tumor necrosis factor (TNF) receptor cDNA and expressing of recombinant soluble TNF-binding protein.

Proc. Natl. Acad. Sci. USA 87:7380-7384

HAAN, J.J. DE u. ANDREASEN, C.B. (1992)

Calcium crystal-associated arthropathy (pseudogout in a dog).

J. Am. Vet. Med. Assoc. 200:943-946

HÄNTSCHEL, H. u. SEIDEL, W. (1992)

Basistherapie.

2. In: H. HÄNTSCHEL, W. OTTO u. V. NASSONOVA (Hrsg.): Rheumatoide Arthritis eine systemische Erkrankung. Aufl., Barth Verlag, Leipzig, 223-224

HÄUPTL, T., GRÜTZKAU, A., GRÜN, J., BAUMGRASS, R., JANITZ, M., STUHLMÜLLER, B., ROHRLACH, R., KAPS, C., RUDWALEIT, M., MORAWIETZ, L., ZACHER, J., KRENN, V., BURMESTER, G.R. u. RADBRUCH (2004)

Unraveling complexity of rheumatoid gene expression by comparison with purified leukocyte profiles.

Arthritis Research and Therapy, abstract; 6:241

HANSEN, U., KURZ, B., IOANNIDIS, N., HASSENPFUG, J., GEHRKE, T. u. SCHÜNKE, M. (1998)

Influence of the combination of intermittent compressive forces and reduced partial oxygen pressure on proliferation and matrix production of bovine articular chondrocytes in vitro.

Anat. Anz. (Suppl)180:231

HARRIS, E.D. jr. (1993)

Etiology and Pathogenesis of Rheumatoid Arthritis.

In: W.N. KELLY, E.D. HARRIS, S. RUDDY und C.D. SLEDGE (Hrsg.): Textbook of Rheumatology 4. Aufl., Bd 1, Saunders, Philadelphia, London, 833-873

HARLOW, E., LANE, D. (1999)

Using Antibodies. A Laboratory Manual

Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY

HASLER, F. (1993)

Wenn ich eine chronische Polyarthrititis hätte - Neue Ideen zur Basistherapie.

Praxis. 82:349-352

HASLOCK, I. (1978)

Enteropathic arthritis.

In: J.T. SCOTT (Hrsg.): Copeman's Textbook of the Rheumatic Diseases.

5. Aufl., Churchill, Livingstone, 567-579

HAWLEY-NELSON, P., CICCARONE, V., GEBEYEHU, G., JESSEE, J. u. FELGNER, P.L.

(1993)

Lipofektin[®] Transfection Activity Increased by Protocol Improvement.

Focus[®] 15:3

HEGEMANN, N., KOHN, B., BRUNNBERG, L. u. SCHMIDT, M.F.G. (2002)

Biomarkers of joint tissue metabolism in canine osteoarthritic and arthritic joint disorders.

Osteoarthritis Cartilage. 2002 Sep; 10(9):714-721

HEGEMANN, N., WONDIMU, A., ULLRICH, K. u. SCHMIDT, M.F.G. (2003)

Synovial MMP-3 and TIMP-1 levels and their correlation with cytokine expression in canine rheumatoid arthritis.

Vet. Immunopathol. 2003 Feb.10; 91(3-4):199-204

HENDERSON, B. u. PETTIPHER, E.R. (1985)

The synovial lining cell: biology and pathobiology.

Semin. Arthritis Rheum. 15:1-32

HETTENKOEFER, H.-J. (Hrsg.) (1989)

Rheumatologie: Diagnostik-Klinik-Therapie. 2. Aufl., Thieme Verlag, Stuttgart, New York

HEWICKER-TRAUTWEIN, M., CARTER, S.D., BENNETT, D. u. KELLY, D.F. (1999)

Immunocytochemical demonstration of lymphocyte subsets and MHC class II antigen expression in synovial membranes from dogs with rheumatoid arthritis and degenerative joint disease.

Immunol. Immunopathol. 67:341-57

HILDEBRANDT, H. (1994)

Pschyrembel, Medizinisches Wörterbuch, 257. Auflage, Nikol. Verlagsgesellschaft, Hamburg

HIRSCH-KAUFMANN, M. u. SCHWEIGER, M. (1996)

Biologie für Mediziner.

Thieme Verlag, 300-306

HOPPER, P.E.(1993)

Immune-mediated Joint Diseases.

In: D. SLATTER (Hrsg.): Textbook of Small Animal Surgery.

2. Aufl., WB Saunders, Philadelphia. S. 1928-1937

HOWARD, M., FARRAR, J., HILFIKER, M., JOHNSON, B., TAKATSU, K., HAMAOKA, T.
u. PAUL, W.E. (1982)

Identification of a T cell-derived B cell growth factor distinct from interleukin-2.

J. Exp. Med. 155:914-923

HUANG, S.K., CHENG, M. u. HUI, S.W. (1990)

Effect of lateral mobility of fluorescent probes in lipid mixing assays of cell fusion.

Biophys. J. 58:1119-1126

HUNTER, S.J. u. CAPLAN, A.L. (1983)

Control of cartilage differentiation.

In: Hall BK (ed) Cartilage, vol 2: Development, differentiation and growth. Academic Press, New York, 87-120

HUXTABLE, C.R. u. DAVIS, P.E. (1976)

The pathology of polyarthritis in young Greyhounds.

J. Comp. Pathol. 86:11-21

INOUYE, S. u. TSUJI, F.I. (1994)

Aequorea green fluorescent protein: Expression of the gene and fluorescence characteristics of the recombinant protein.

FEBS Lett. 341:277-280

JONES, S.J. u. PATTERSON, R.L.S. (1985)

Simplified enzyme-linked immunosorbent assay (ELISA) for qualitative species identification.

Biochemical Identification of Meat Species, ed by R.L.S. Patterson, 107-117

JORGENSEN, C., APPARAILLY, F. u. SANY, J. (1999)

Immunological evaluation of cytokine and anticytokine immunotherapy in vivo: what have we learnt?

Ann. Rheum. Dis. 1999; 58:136-141

KAETHER, C. u. GERDES, H.H. (1995)

Visualisation of protein transport along secretory pathway using green fluorescent protein.

FEBS Lett. 369:267-271

KAHLE, P., SAAL, J.G., SCHAUDT, K., ZACHER, J., FRITZ, P. u. PAWELEC, G. (1992)

Determination of cytokines in synovial fluids: Correlation with diagnosis and histomorphological characteristics of synovial tissue.

Ann. Rheum. Dis. 51:731-734

KAIN, S.R., ADAMS, M., KONDEPUDI, A., YANG, T.T., WARD, W.W. u. KITTS, P. (1995)

The green fluorescent protein as a reporter of gene expression and protein localisation.

BioTechniques 19:650-655

KANG, R., MARUI, T., CHIVIZZANI, S.C., NITA, I.M., GEORGESCU, H.I., ROBBINS, P.D. u. EVANS, C.H. (1997a)

Ex vivo gene transfer to chondrocytes in full-thickness articular cartilage defects: a feasibility study.

Osteoarthr. Cart. 1997; 5:139-143

KANG, R., GHIVIZZANI, S.C., HERNDON, J.H. et al. (1997b)

Gene transfer to the human rheumatoid joint.

Trans. Orthop. Res. Soc. 22:193

KIM, S.H., EVANS, C.H., KIM, S., OLIGINO, T., GHIVIZZANI, S.C. u. ROBBINS, P.D.

(2000)

Gene therapy for established murine collagen-induced arthritis by local and systemic adenovirus-mediated delivery of interleukin-4.

Arthritis Res. 2:293-302

KINGSTON, R.E. (1997)

Introduction of DNA into Mammalian Cells.

Current protocols in Molecular Biology (eds. AUSUBEL, F.M., BRENT, R., KINGSTON, R.E., MOORE, D.D., SEIDMAN, J.G., SMITH, J.A. and STRUHL, K.), John Wiley & Sons, New York, 9.0.1.-9.17.3

KLEBE, R.J. u. BENTLEY, K.L. (1987)

Chemically mediated cell fusion; methods of Hybridoma Formation.

BARTAL, A.H., HIRSHAUT, Y. (eds.), Humana Press, 77-96

KÖHLER, G. u. MILSTEIN, C. (1975)

Continuous cultures of fused cells secreting monoclonal antibodies of predefined specificity.

Nature 256: 495-497

KOHN, B. u. GIGER, U. (2001)

Anämien, Polyzythämien, Gerinnungsstörungen.

In: H.G. NIEMAND u. P.F. SUTER (Hrsg.): Praktikum der Hundeklinik. 9. Aufl., Parey Verlag, Berlin, 623-657

Literatur.....

KOHN, B., WONDIMU, A., LÜBKE, S., LAMMER, B., SCHMIDT, M.F.G. u. BRUNNBERG, L. (1999)

Immunbedingte Polyarthritiden beim Hund: 17 Fälle (1996-1998)

8. Jahrestagung der DVG-Fachgruppe „Innere Medizin und klinische Laboratoriumsdiagnostik, 4.-6. März 1999 in München .Abstr.book, 47

LÄMMLI, U.K. (1970)

Cleavage of structural proteins during the assembly of the head of bacteriophage T4.

Nature 227:680

LEDLEY, F.D. (1995)

Nonviral gene therapy: the promise of genes as pharmaceutical products.

Human gene therapy 6:1129-1144

LEWIN, B. (1996)

Rearrangement and the generation of immune diversity.

6th edition, J. Wiley and sons

LORENZO, J.A., SOUSA, S.L., ALANDER, C., RASISZ, L.G. u. DINARELLO, C.A. (1987)

Comparison of the bone-resorbing activity in the supernatants from phytoagglutinin-stimulated human peripheral blood mononuclear cells with that of cytokines through the use of an antiserum to interleukin-1.

Endocrinology 121:1164-1170

LORENZO, J.A. (1991)

The role of cytokines in regulation of local bone resorption.

Crit. Rev. Immunol. 11:195-213

LUBBERTS, E., JOOSTEN, L.A.B., VAN DEN BERSSELAAR, L., HELSE, M.M.A.,
BAKKER, A.C., VAN MEURS, J.B.J., GRAHAM, F.L., RICHARDS, C.D. u. VAN DEN
BERG, W.B. (1999)

Adenoviral vector-mediated overexpression of IL-4 in the knee joint of mice with collagen-
induced arthritis prevents cartilage destruction.

The Journal of Immunology 163:4546-4556

LÜBKE, S. (2002)

Immunbedingte Polyarthrititis beim Hund, eine retro- und prospektive Studie.

Freie Univ. Berlin, Vet. Med. Diss.

MACGREGOR, A.J. u. SMILAN, A. (1994)

An analysis of the relative contribution of genetic and environmental factors to rheumatoid
arthritis.

Arthritis Rheum. 37:169-175

MADRY, H. u. TRIPPEL, S.B. (2000)

Efficient lipid-mediated gene transfer to articular chondrocytes.

Gene Therapy 2000; 7:286-291

MAGEED, R.A., ADAMS, G., WOODROW, D., PODHAJECER, O.L. u. CHERNAJOWSKI, Y.
(1998)

Prevention of collagen-induced arthritis by gene delivery of soluble p75 tumor necrosis factor
receptor.

Gene Therapy 1998; 5:1584-1592

MAINI, R.N., BRENNAN, F.M., WILLIAMS, R., CHU C.Q., COPE, A.P., GIBBONS, D.,
ELLIOT, M. u. FELDMANN, M. (1993)

TNF-alpha in rheumatoid arthritis and prospects of anti-TNF therapy.

Clin. Exp. Rheumatol. 1993 Mar-Apr; 11 Suppl 8:173-175

Literatur.....

MALFAIT, A.M., VERBRUGGEN, G., VEYS, E.M., LAMBERT, J., DE RIDDER, L. u.
CORNELISSEN, M. (1994)

Comperative and combined effects of interleukin-6, interleukin-1 beta, and tumor necrosis factor alpha on proteoglycan metabolism of human articular chondrocytes cultured in agarose.
J. Rheumatol. 1994; 21:314-320

MANDEL, M. u. HIGA, A. (1970)

Calcium dependent bacteriophage DNA infection.
J. Mol. Biol. 53:154-162

MANIATIS, T., FRITSCH, E.E. u. SAMBROOK, F. (1982)

Molecular cloning: a laboratory manual.
Cold Spring Habor Laboratory 2nd Edition, New York

MANNINO, R.J. u. GOULD-FOGERITE, S. (1988)

Liposome mediated gene transfer.
Biotechniques 1988, 6:682-690

MARSHALL, K.W., MANOLOPOULOS, V., MANCER, K., STAPLES, J. u.

DAMYANOVICH, A. (2000)
Amelioration of disease severity by intraarticular hylan therapy in bilateral canine osteoarthritis.
J. Orthop. Res 18(3):416-425

MAROUDAS, A. (1973)

Transport through articular cartilage.
In: ALI, S.Y., ELVERS, M.W., LEABECK, D.H. (eds) Symposium on normal and osteoarthritic cartilage. University of London, London, 30

MAY, C. (1989)

Leishmania infection associated with arthritis in the dog.
WSAVA, Abstract, Harrogate

MAY, C., HUGHES, D.E., CARTER, S.D. u. BENNETT, D. (1992)

Lymphocyte populations in the synovial membranes of dogs with rheumatoid arthritis.
Vet. Immunopathol. 1992; 31:289-300

MAY, C. u. BENNETT, D. (1994)

Immune Mediated Arthritides.

In: J. HOULTON u. R. COLLINSON (Hrsg.): Manual of Small Animal Arthrology.
British Small Animal Veterinary Association, Bournemouth, 86-99

MAY, C., CARTER, S.D., BELL, S.C. u. BENNETT, D. (1994)

Immune responses to canine distemper virus in joint diseases of dogs.
Br. J. Rheumatol. 33:27-31

MERIC, S.M. (1992)

Disorders of the Joints.

In: R.W. NELSON u. C.G. COUTO (Hrsg.): Essentials of Small Animal Internal Medicine,
Mosby Year Book, 820-829

MIELE, W. (2003)

Medikamentöse Therapie rheumatischer Erkrankungen.

3. neu bearbeitete Auflage, 2003. Georg Thieme Verlag Stuttgart, New York

MILSTEIN, C. (1980)

Monoklonale Antikörper.

Spektrum der Wissenschaft 12:96-108

MILSTEIN, C. (1988)

Monoklonale Antikörper.

Immunsystem, 2.Auflage, Spektrum der Wissenschaft, Heidelberg

MIOSSEC, P. u. VAN DEN BERG, W. (1997)

Th1/Th2 cytokine balance in arthritis.

Arthritis Rheum. 40:2105-2115

MORELAND, L.W., BUCKY, R.P., TILDEN, A., PRATT, P.W., LOBUGLIO, A.F.,
KHAZAELI, M., EVERSON, M.P., DADDONA, P., GHRAYEB, J., KLIGRARRIFF, C.,
SANDERS, M.E. u. KOOPMAN, W.J. (1993a)

Use of a chimeric monoclonal anti-CD4 antibody in patients with refractory rheumatoid arthritis.

Arthritis Rheum. 36:307

MORELAND, L.W., SEWELL, K.L., SULLIVAN, W.F., SHMERLING, R.H., PARKER, K.C.,
SWATZ, W.G., WOODWORTH, T.G., TRENTAM, D.E. u. KOOPMAN, W.J. (1993b)

Double-blind placebo-controlled phase II trial of diphtheria-interleukin-2 fusion toxin

(DAB48611-2) in patients with refractory rheumatoid arthritis (RA).

Arthritis Rheum. 36 (Suppl):39-317

MOSMANN, T.R., CHERWINSKI, H., BOND, M.W., GIEDLIN, M.A. u. COFFMAN, R.L.
(1986)

Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins.

J. Immunol. 136:2348-2357

MULLER-LADNER, U., ROBERTS, C.R., FRANKLIN, B.N., GAY, R.E., ROBBINS, P.D.,
EVANS, C.H. u. GAY, S. (1997)

Human IL-1Ra gene transfer into human synovial fibroblasts is chondroprotective.

J. Immunol. 158:3492-3498

MULLER-LADNER, U., EVANS, C.H., FRANKLIN, B.N., ROBERTS, C.R., GAY, R.E.,
ROBBINS, P.D. u. GAY, S. (1999)

Gene transfer of cytokine inhibitors into human synovial fibroblasts in the SCID mouse model.

Arthritis Rheum. 1999; 42:490-497

NEPOM, B.S. u. NEPOM, G.T. (1993)

Immunogenetics and the Rheumatic Diseases.

In: W.N. KELLY, E.D. HARRIS, S. RUDDY, C.B. SLEDGE (Hrsg.): Textbook of Rheumatology 4. Aufl., Bd. 1, WB Saunders, Philadelphia, 89-107

NIXON, A.J., BROWER-TOLAND, B.D., BENT, S.J., SAXER, S.A., WILKE, M.J., ROBBINS, D. u. EVANS, C.H. (2000)

Insulinlike growth factor I gene therapy applications for cartilage repair.

Clin. Orthop. 2000 Oct; 379(Suppl.):201-213

NUKI, G. (1995)

Disease of connective tissues, joints and bones.

In Davidson`s Principles and Practice of Medicine, ed. CRW EDWARDS, IAD BOUCHIER, C HASLET, ER CHILVERS, 863-939. Edinburgh: Churchill Livingstone

OLLIER, W.E.R., KENNEDY, L.J., THOMSON, W., BARNES, A.N., BELL, S.C., BENNETT, D., ANGLES, J.M., INNES, J.F. u. CARTER, S.D. (2001)

Dog MHC alleles containing the human RA shared epitope confer susceptibility to canine rheumatoid arthritis.

Immunogenetics. 53(8):669-673

OLSEN, N.J., BROOKS, R.H., CUSH, J.J., LIPSKY, P.E., ST. CLAIR, E.W., MATTESEN, E.L., GOLD, K.N., CANNON, G.W., JACKSON, C.G., MCCUNE, W.J., FOX, D.A., NELSON, B., LORENZ, T. u. STRAND, V. (1996)

A double-blind, placebo-controlled study of anti-CD5 immunoconjugate in patients with rheumatoid arthritis. The Xoma RA Investigator Group.

Arthritis Rheum. 39:1102-1108

PANAYI, G.S., LANCHBURY, I.S. u. KINGSLEY, G.H. (1992)

The importance of the T cell in initiating and maintaining the chronic synovitis of rheumatoid arthritis.

Arthritis Rheum. 1992 Jul; 35(7):729-735

PAUL, W.E. (1991)

Interleukin-4: a prototypic immunoregulatory lymphokine.

Blood 77:1859-1870

PEDERSEN, N.C., WEISNER, K., CASTLES, J.J., LING, G.U. u. WEISNER, G. (1976)

Non-infectious canine arthritis: the inflammatory, non-erosive arthritides.

J. Am. Vet. Med. Assoc. 169:304-310

PEDERSEN, N.C., POOL, R.R. u. MORGAN, J.P. (1989)

Joint diseases of dogs and cats.

In: S.J. ETTINGER (HRSG.): Textbook of Veterinary Internal Medicine. Diseases of the Dog and Cat. 3. Aufl., Bd. 3, WB Saunders, Philadelphia, 2329-2377

PERSON, J.M., QUINTIN-COLONNA, F. u. BOULOIS, H.J. (1991)

Les poly-arthritis immunologiques du chien: Bilan de 2436 examens serologiques d'Alfort entre 1978 et 1986.

Recl. Med. Vet. Ec. Alfort. 167:1141-1149

PINES, J. (1995)

GFP in mammalian cells.

Trends Genet. 11:326-327

PONIMASKIN, E., BAREESEL, K.K.H., MARKGRAF, K., RESZKA, R., LEHMANN, K., GELDERBLOM, H.R., GAWAZ, M. u. SCHMIDT, M.F.G. (2000)

Sendai Virosomes Revisited: Reconstitution with Exogenous Lipids Leads to Vehicles for Gene Transfer.

Virology 269:391-403

PONTEKORVO, G. (1975)

Production of mammalian somatic cell hybrids by means of polyethylene glycol treatment.

Somat. Cell Genet. 1:397-400

PRASHER, D.C., ECKENRODE, V.K., WARD, W.W., PRENDERGAST, F.G. u. CORMIER, M.J. (1992)

Primary structure of the *Aequorea victoria* green fluorescent protein.

Gene 111:229-233

PRUGNARD, S. (1979)

Les arthrites du chien.

Ecole Nat. Vet. d'Alfort, Paris, Vet. med. Diss.

ROCHE LEXIKON der Medizin (1999)

4. Ausgabe

SCHMIDT, K.T., TILLMAN, K. u. TRUCKENBRODT, H. (1991)

Juvenile chronische Arthritis.

In: A. STURM, F. LARGIADER, O. WICKI (Hrsg): Checkliste Rheumatologie.

Thieme Verlag, Stuttgart, 196-199

SCHULTZ, O., KEYSZER, G., ZACHER, J., SITTINGER, M. u. BURMESTER, G.R. (1997)

Development of in vitro model systems for destructive joint diseases: novel strategies for establishing inflammatory pannus.

Arthr. Rheum. 1997; 40(8):1420-1428

SCHUMACHER, H.R., NEWTON, C. u. HALLIWEL, R.E. (1980)

Synovial pathologic changes in spontaneous canine rheumatoid-like arthritis.

Arthritis Rheum. 1980; 23:412-423

SCHWÄGELE, F. (1999)

Polymerase Chain Reaction - PCR.

Möglichkeiten und Grenzen der Anwendung in der Lebensmittelanalytik.

Fleischwirtsch. 79(1):121-123

Literatur.....

SERRA, D.A. u. WHITE, S.D. (1989)

Oral chrysotherapy with auranofin in dogs.

J. Am. Vet. Med. Assoc. 194:1327-1330

SHIH, P., EVANS, K., SCHIFFERLI, K., CICCARONE, V., LICHAA, F., MASOUD, M., LAN, J. u. HAWLEY-NELSON, P. (1997)

Using the LIPOFECTAMINE PLUS™ Reagent.

Focus® 19:52

SINGHALA, A. u. HUANG, L. (1994)

Gene transfer to mammalian cells using liposomes as a carrier.

In: WOLF, J.A. (ed) Gene therapeutics: Methods and applications of direct gene transfer.

Birkhauser, Boston, 118-142

SMOLIAN, H., THIELE, S., KOLKENBROCK, H., ZACHER, J., AICHER, W., SCHULTZ, O., BURMESTER, G.R. u. SITTINGER, M. (2001)

Establishment of an in vitro model for rheumatoid arthritis as test system for therapeutical substances.

ALTEX. 2001; 18(4):265-280

SPRENG, D. u. SCHWALBACH, B. (1991)

Die rheumatoide Polyarthrititis beim Hund. Klinische Aspekte und deren Beziehung zu einem neuen Rheumafaktor-Test.

Uni. Bern, Vet. Med. Diss.

SPRENG, D. (1993)

Leishmanial polyarthrititis in two dogs.

J. Small Anim. Pract. 34:559-563

SPRENG, D., SCHWALBACH, B. u. SCHAWALDER, P. (1993)

Die rheumatologische Polyarthrititis beim Hund. Teil 1: Klinische Untersuchungen.

Kleintier-Prax. 38:557-565

STASHENKO, P., DEWHIRST, F.E., PEROS W.J., KENT, R.L. u. AGO, J.M. (1987)

Synergistic interactions between interleukin-1, tumor necrosis factor, and lymphotoxin in bone resorption.

J. Immunol. 138:1464-1468

STEWART, C.F., CHRISTENSEN, M.L., EVENS, R.P., CREMER, M. u. EVANS, W.E. (1987)

Influence of concomitant aspirin or prednisolone on methotrexate synovial fluid concentration.

J. Pharmacol., Exp. Ther. 243:131-137

STREY, A. (1996)

Immunopharmaka.

In : H.-H. FREY u. W. LÖSCHER (Hrsg.): Lehrbuch der Pharmakologie und Toxikologie für die Veterinärmedizin. Enke, Stuttgart, 612-621

SUAREZ-ALMAZOR, M.E., BELSECK, E., SHEA, B., WELLS, G. u. TUGWELL, P. (2001)

Methotrexat for treating rheumatoid arthritis (Cochrane Review).

In: The Conchrane Library. Issue 4;2001. Oxford: Update Software

TAYLOR, S.M. (1998)

Disorders of the joint.

In: R.W. NELSON, C. G. COUTO (Hrsg.): Small animal internal medicine.

Mosby, Inc., St. Louis, 1078

TE VELDE, A.A., HUIJBENS, R.J., HEIJE, K., DE VRIES, J.E. u. FIGDOR, C.G. (1990)

Interleukin-4 (IL-4) inhibits secretion of IL-1 beta, tumor necrosis factor alpha and IL-6 human monocytes.

Blood 76:1392-1397

THOMAS, C.E., EHRHARDT, A. u. KAY, M.A. (2003)

Progress and problems with the use of viral vectors for gene therapy.

Nat. Rev. Genet. 2003; 4:346-358

Literatur.....

TOMITA, T., HASHIMOTO, H., TOMITA, N., MORISHITA, R., LEE, S.B., HAYASHIDA, K., NAKAMURA, N., YONENOBU, K., KANEDA, Y. u. OCHI, T. (1997)

In vivo direct gene transfer into articular cartilage by intraarticular injection mediated by HVJ (Sendai virus) and liposomes.

Arthritis Rheum. 1997 May; 40(5):901-906

TRACEY, K.J. u. CERAMI, A. (1994)

Tumor necrosis factor: a pleiotropic cytokine and therapeutic target.

Annu. Rev. Med. 45:491-503

UNGEMACH, F.R. (1994)

Pharmakologische Beeinflussung von Entzündungen.

In: W. LÖSCHER, F.R. UNGEMACH u. R. KROKER (Hrsg.): Grundlagen der

Pharmakotherapie bei Haus- und Nutztieren 2. Aufl., Parey Verlag, Berlin, Hamburg, 398-399

VADEN, S.L. (1995)

Cyclosporine.

In: J. BONAGURA (Hrsg.): Current Veterinary Therapy.

12. Aufl. WB Saunders, Philadelphia, 73-77

VAN DE LOO, F.A. u. VAN DEN BERG, W.B. (2002)

Gene therapy for rheumatoid arthritis. Lessons from animal models, including studies on interleukin-4, interleukin-10, and interleukin-1 receptor antagonist as potential disease modulators.

Rheum. Dis. Clin. North Am. 2002; 28(1):300-307

VAN DER KAAJI, S.Y., PINELLI, E., BROEREN, C.P., SCHETTERS, T.P., HAGHPARAST, A., RUITENBERG E.J. u. RUTTEN, V.P. (1999)

Molecular cloning and sequencing of cDNA for dog interleukin-4.

Immunogenetics 49:142-143

VAN DER POUW-KRAAN, T., VAN KOOTEN, C., RENSINK, I. u. AARDEN, L. (1992)
 Interleukin-4 (IL-4) production by human T cells: differential regulation of IL-4 vs. IL-2
 production.
 Eur. J. Immunol. 22:1237-1241

VAN ROON, J.A., VAN ROY, J.L., GMELIG MEYLING, F.H., LAFEBER, F.B. u. BIJLSMA,
 J.W. (1996)
 Prevention and reversal of cartilage degradation in rheumatoid arthritis by interleukin-10 and
 interleukin-4.
 Arthritis Rheum. 1996; 39:829-835

VASSEUR, P.B., JOHNSON, A.L., BUDSBERG, S.C., LINCOLN, J.D., TOOMBS, J.P.,
 WHITEHAIR, J.G. u. LENTZ, E.L. (1995)
 Randomized, controlled trial of the efficiency of carprofen, a non steroidal anti-inflammatory
 drug, in the treatment of osteoarthritis in dogs.
 J. Am. Vet. Med. Assoc. 206(6):807-811

WATANABE, S., IMAGAWA, T., BOIVIN, G.P., GAO, G., WILSON, J.M. u. HIRSCH, R.
 (2000)
 Adeno-associated virus mediates long-term gene transfer and delivery of chondroprotective IL-4
 murine synovium.
 Mol. Ther. 2000; 2(29):147-152

WINGFIELD, P.T., PALMER, I.U. u. LIANG, S.M. (1995)
 Folding and purification of insoluble (inclusion-body) proteins from Escherichia coli. Current
 protocols in protein science, Vol. 1, COLIGAN, J.E., DUNN, B.M., PLOEGH, H.L., SPEICHER,
 D.W., WINGFIELD, P.T.
 Eds. Wiley and Sons, Inc. New York, 6.5.1.-6.5.27.

WOLLENHAUPT, J. u. ZEIDLER, H. (1993)
 Early chronic polyarthritis: Possibilities and limits of inhibition of joint destruction.
 Internist (Berl.). 34:307-315

WONDIMU, A., VEIT, M., KOHN, B., KAUL, S., HOFFMANN, A., BRUNNBERG, L. u. SCHMIDT, M.F.G. (2001)

Molecular cloning, expression and characterisation of the canis familiaris interleukin-4.
Cytokine, 2001 Nov; 16(3):88-92

WONDIMU, A. (2002)

Study of cytokines in canine rheumatoid Arthritis.

FU-Berlin, Rer. Nat. Diss.

WOODARD, J.C., RISER, W.H., BLOOMBERG, M.S., GASKIN, J.M. u. GORING, R.L. (1991)

Erosive polyarthritis in two greyhounds.

J. Am. Vet. Med. Assoc. 198:873-876

WOODS, J.M., KATSCHKE, K.J., VOLIN, M.V., RUTH, J.H., WOODRUFF, D.C., AMIN, M.A., CONNORS, M.A., KURATA, H., ARAI, K. u. KOCH, A.E. (1999)

Adenoviral interleukin (IL)-4 gene therapy improves rat adjuvant-induced arthritis.

Arthritis Rheum. 1999; 42 (suppl 9):106

YEH, L.-A., AUGUSTINE, A.J., LEE, P., RIVIERE, L.S. u. SHELDON, A. (1995)

Interleukin-4, an inhibitor of cartilage breakdown in bovine articular cartilage explants.

Rheumatol. 22:1740

ZABNER, J., FASBENDER, A.J., MONINGER, T., POLLINGER, K.A. u. WELSH, M.J. (1995)

Cellular and molecular barriers to gene-transfer by a cationic lipid.

Journal of biochemical chemistry 1995; 270:18997-19007

ZEMLIN, S. (1996)

Die rheumatoide Arthritis und andere immuninduzierte Polyarthritiden bei Hund und Katze. Eine Literaturstudie.

FU Berlin, Vet. Med. Diss.