

## 6. Literatur

- Andreucci VE: Manual of renal micropuncture; pp 21-22, 174-178, Idelson, Naples 1978.
- Baigent C, Burbury K, Wheeler D (2000): Premature cardiovascular disease in chronic renal failure. *Lancet* **356**, 147-52.
- Baker EH, Ireson NJ, Carney C, Markandu ND, MacGregor GA (2001): Transepithelial sodium absorption is increased in people of african origin. *Hypertension* **38**, 76-80.
- Baum A, Pohlmeier G, Rapp KG, Deerberg F(1995): Lewis rats of the inbred strain LEW/Han: life expectancy, spectrum and incidence of spontaneous neoplasms. *Exp Toxicol Pathol* **47**,11-8.
- Bianchi G, Tripodi G, Casari G, Salardi S, Barber BR, Garcia R, Leoni P, Torielli L, Cusi D, Ferrandi M, et al. (1994): Two point mutations within the adducin genes are involved in blood pressure variation. *Proc Natl Acad Sci USA* **26;91**, 3999-4003.
- Bradford MM (1976): A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* **72**, 248-54.
- Brenner BM, Garcia DL, Anderson S (1988): Glomeruli and blood pressure. Less of one, more the other? *Am-J-Hypert* **1(4Pt1)**, 335-347.
- Chen YP, Chao J, Chao L (1988): Molecular cloning and characterization of two rat renal kallikrein genes. *Biochemistry* **27**, 7189-7196.
- Deng AY, Rapp J P (1995): Linkage mapping of the endothelin-converting enzyme gene (Ednce) to rat chromosome 5. *Mamm Genome* **6**, 759-760.
- Deng AY, Dene H, Pravenec M, Rapp JP (1994): Genetic mapping of two new blood pressure quantitative trait loci in the rat by genotyping endothelin system genes. *J Clin Invest* **93**, 2701-2709.
- Dracheva SV, Remmers EF, Chen S, Chang L, Gulko PS, Kawahito Y, Longman RE, Wang J, Du Y, Shepard J, Ge L, Joe B, Kotake S, Salstrom JL, Furuya T, Hoffman J, Cannon GW, Griffiths MM, Wilder RL (2000): An integrated genetic linkage map with 1,137 markers constructed from five F2 crosses of autoimmune disease-prone and -resistant inbred rat strains. *Genomics* **63**, 202-226.
- Fassi A, Sangalli F, Maffi R, Colombi F, Mohamed EI, Brenner BM, Remuzzi G, Remuzzi A (1998): Progressive glomerular injury in the MWF rat is predicted by inborn nephron deficit. *J Am Soc Nephrol* **9**, 1399-406.
- Ferrari P, Bianchi G (2000): Genetic mapping and tailored antihypertensive therapy. *Cardiovasc Drugs Ther* **14**, 387-395.
- Fodor SP, Rava RP, Huang XC, Pease AC, Holmes CP, Adams CL (1993): Multiplexed biochemical assays with biological chips. *Nature* **364(6437)**, 555-6.
- Fukamizu A, Nishi K, Cho T, Saitoh M, Nakayama K, Ohkubo H, Nakanishi S, Murakami K (1988): Structure of the rat renin gene. *J. Mol. Biol.* **201**, 443-450.

- Ganten D, de Jong W (1994): Handbook of Hypertension, Vol. 16: Experimental and genetic models of hypertension. Elsevier Science B. V.
- Garrett MR, Dene H, Walder R, Zhang QY, Cicila GT, Assadnia S, Deng AY, Rapp JP (1998): Genome scan and congenic strains for blood pressure QTL using Dahl salt-sensitive rats. *Genome Res* **8**, 711-23.
- Gschwend S, Pinto-Sietsma SJ, Buikema H, Pinto YM, van Gilst WH, Schulz A, de Zeeuw D, Kreuz R (2002): Impaired Coronary Endothelial Function in a Rat Model of Spontaneous Albuminuria. *Kidney Int* **62**, 181-191.
- Hackbarth H, Gwinner W, Alt JM, Hagemann I, Thieman A, Finke B (1991): The Munich Wistar Frömter Rat: Proteinuria and blood pressure in correlation to the number of superficial glomeruli. *Renal Physiol Biochem* **14**, 246-252.
- Hackbarth H, Büttner D, Jarck D, Pothmann M, Messow C, Gärtner K (1983): Distribution of glomeruli in the renal cortex of Munich Wistar Frömter (MWF) Rats. *Renal Physiol.* **6**, 63-71.
- Hackbarth H, Baunack E, Winn M (1981): Strain differences in kidney function of inbred rats: 1. Glomerular filtration rate and renal plasma flow. *Laboratory Animals* **15**, 125-128.
- Hackbarth H, Gärtner K, Alt JM, Stolte H (1980): A subline of the Munich Wistar (MW) strain, response to selection for surface glomeruli. *Rat News Let.* **7**, 23.
- Hilbert P, Lindpaintner K, Beckmann JS, Serikawa T, Soubrier F, Dubay C, Cartwright P, De Gouyon B, Julier C, Takahashi S, et al. (1991): Chromosomal mapping of two genetic loci associated with blood-pressure regulation in hereditary hypertensive rats. *Nature* **353(6344)**: 521-9.
- Hofstra RM, Valdenaire O, Arch E, Osinga J, Kroes H, Loffler BM, Hamosh A, Meijers C, Buys CH (1999): A loss-of-function mutation in the endothelin-converting enzyme 1 (ECE-1) associated with Hirschsprung disease, cardiac defects, and autonomic dysfunction. *Am J Hum Genet* **64**, 304-8.
- Horster MF, Braun GS, Huber SM (1999): Embryonic renal epithelia: induction, nephrogenesis, and cell differentiation. *Physiological Reviews* **79**, 1157-1191.
- Jeunemaitre X, Soubrier F, Kotelevtsev YV, Lifton RP, Williams CS, Charu A, Hunt SC, Hopkins PN, Williams RR, Lalouel JM (1992): Molecular basis of human hypertension: role of angiotensinogen. *Cell* **71**, 169-180.
- Johnson MR, Bruzdinski CJ, Winograd SS, Gelehrter TD (1992): Regulatory sequences and protein-binding sites involved in the expression of the rat plasminogen activator inhibitor-1 gene. *J Biol Chem* **267**, 12202-12210.
- Julier C, Delepine M, Keavney B, Terwilliger J, Davis S, Weeks DE, Bui T, Jeunemaitre X, Velho G, Froguel P, Ratcliffe P, Corvol P, Soubrier F, Lathrop M (1997): Genetic susceptibility for human familial essential hypertension in a region of homology with blood pressure linkage on rat chromosome 10. *Hum Mol Gen* **6**, 2077-2085.
- Källén B, Logdberg L (1982): Low susceptibility to the induction of experimental autoimmune encephalomyelitis in a substrain of the otherwise susceptible Lewis rat. *Eur J Immunol* **12**, 596-9.

- Kaufmann K, Hackbarth H (MHH; 1990): Quantitative vergleichende Untersuchungen zur Bestimmung der Nierenkörperchenanzahl bei der Munich-Wistar-Frömter-Ratte und der Wistar-Cryptorchic-Ratte. *Dtsch. Tierärztl. Wschr.* **97**, 265-304.
- Kreutz R, Paul M, Ganten D: Hypertonie, in Gerok W, Huber C, Meinertz T, Zeidler H (eds): *Die Innere Medizin*. Stuttgart, 10 Aufl., Stuttgart; New York: Schattauer, 2000, Kap. 6.10:377-399.
- Kreutz R, Kovacevic L, Schulz A, Rothermund L, Ketteler M, Paul M (2000): Effect of high NaCl diet on spontaneous hypertension in a genetic rat model with reduced nephron number. *J Hypertens* **18**, 777-82.
- Kreutz R, Struk B, Rubattu S, Hubner N, Szpirer J, Szpirer C, Ganten D, Lindpaintner K (1997): Role of the  $\alpha$ -,  $\beta$ -,  $\gamma$ -subunits of epithelial sodium channel in a model of polygenic hypertension. *Hypertension* **29**, 131-136.
- Kreutz R, Hübner N, James MR, Bihoreau MT, Gaugier D, Lathrop GM, Ganten D, Lindpaintner K (1995): Dissection of a quantitative trait locus for genetic hypertension on rat chromosome 10. *Proc. Natl. Acad. Sci. USA* **92**, 8778-8782.
- Lander E, Kruglyak L (1995): Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nat Genet* **11**, 241-247.
- Lander ES, Botstein D (1989): Mapping Mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics* **121**, 185-199.
- Lander ES, Green P, Abrahamson J, Barlow A, Daly MJ, Lincoln SE, Newburg L (1987): MAPMAKER: an interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* **1**, 174-81.
- Lindpaintner K, Kreutz R, Ganten D (1992): Genetic variation in hypertensive and 'control' strains – what are we controlling for anyway? *Hypertension* **19**, 428-430.
- Lifton RP, Gharavi AG, Geller DS (2001): Molecular mechanisms of human hypertension. *Cell* **104**, 545-556.
- Lockhart DJ, Dong H, Byrne MC, Follettie MT, Gallo MV, Chee MS, Mittmann M, Wang C, Kobayashi M, Horton H, Brown EL (1996): Expression monitoring by hybridization to high-density oligonucleotide arrays. *Nat Biotechnol* **14**, 1675-80.
- Mann JF, Gerstein HC, Pogue J, Bosch J, Yusuf S (2001): Renal insufficiency as a predictor of cardiovascular outcomes and the impact of ramipril: the HOPE randomized trial. *Ann Intern Med* **134**, 629-36.
- Manunta P, Cusi D, Barlassina C, Righetti M, Lanzani C, D'Amico M, Buzzi L, Stella P, Rivera R, Bianchi G (1998):  $\alpha$ -Adducin polymorphisms and renal sodium handling in essential hypertensive patients. *Kidney Int* **53**, 1471-1478.
- Merlet-Benichou C, Pegorier M, Muffat-Joly M, Augeron C (1981): Functional and morphologic patterns of renal maturation in the developing guinea pig. *Am. J. Physiol.* **F 241**, 618-624.
- Naruse M, Takagi S, Tanabe A, Naruse K, Adachi C, Yoshimoto T, Seki T, Takano K (2000): Augmented expression of tissue endothelin-1 messenger RNA is a common feature in hypertensive rats. *J Cardiovasc Pharmacol* **36(5 Suppl 1)**, S195-7.

- Nudel U, Calvo JM, Shani M, Levy Z (1984): The nucleotide sequence of a rat myosin light chain 2 gene. *Nucleic Acids Res* **12**, 7175-86.
- Ogawa T, Linz W, Scholkens BA, de Bold AJ. (1999): Variable renal atrial natriuretic factor gene expression in hypertension. *Hypertension* **33**, 1342-7.
- Olivetti G, Kithier K, Giacomelli F, Wiener J (1984): Characterization of glomerular permeability and proteinuria in acute hypertension in the rat. *Kidney Int* **25**, 599-607.
- Orth SR, Ritz E, Suter-Crazzolara C (2000): Glial cell line-derived neurotrophic factor (GDNF) is expressed in the human kidney and is a growth factor for human mesangial cells. *Nephrol Dial Transplant* **15**, 589-95.
- Plisov SY, Ivanov SV, Yoshino K, Dove LF, Plisova TM, Higinbotham KG, Karavanova I, Lerman M, Perantoni AO (2000): Mesenchymal-epithelial transition in the developing metanephric kidney: gene expression study by differential display. *Genesis* **27**, 22-31.
- Poulter N, Cappuccio F, Chaturvedi N, Cruickshank K (1997): High blood pressure and the african-Caribbean community in th UK. 1st ed. Birmingham, England: MediNews Ltd.
- Rapp J (2000): Genetic analysis of inherited hypertension in the rat. *Physiol. Rev.* **80**, 135-172.
- Rapp JP, Deng AY (1995): Detection and positional cloning of blood pressure quantitative trait loci: Is it possible? *Hypertension* **25**, 1121-1128.
- Remuzzi A, Puntorieri S, Alfano M, Macconi D, Abbate M, Bertani T, Remuzzi G (1992): Pathophysiologic implications of proteinuria in a rat model of progressive glomerular injury. *Lab Invest* **67**, 572-579.
- Remuzzi A, Puntorieri S, Alfano M, Mazzoleni A, Remuzzi G (1988): Sex related differences in glomerular ultrafiltration and proteinuria in Munich-Wistar rats. *Kidney Int* **34**, 481-486.
- Rittinghausen S, Alt JM, Hackbarth H, Messow C (1987): Untersuchungen zur Entwicklung der Nierenmorphologie und Proteinausscheidung bei MWF/Ztm-Ratten. *Dtsch. Tierärztl. Wschr.* **94**, 49-136.
- Rittinghausen S (1985): Morphometrische und funktionelle Untersuchungen an Nieren von Ratten der Stämme MWF/Ztm und LEW/Ztm während der postnatalen Entwicklungs- und Reifungsphase. *Dissertation*, Tierärztliche Hochschule Hannover.
- Rubattu S, Volpe M, Kreutz R, Ganten U, Ganten D, Lindpaintner K (1996): Chromosomal mapping of quantitative trait loci contributing to stroke in a rat model of complex human disease. *Nat Genet* **13**, 429-433.
- Ruilope LM, Salvetti A, Jamerson K, Hansson L, Warnold I, Wedel H, Zanchetti A (2001): Renal function and intensive lowering of blood pressure in hypertensive participants of the hypertension optimal treatment (HOT) study. *J Am Soc Nephrol* **12**, 218-25.
- Ruilope LM, Alcazar JM, Hernandez E, Moreno F, Martinez MA, Rodicio JL (1990): Does an adequate control of blood pressure protect the kidney in essential hypertension? *J Hypertens* **8**, 525-531.
- Sanger F, Nicklen S, Coulson AR (1977): DNA sequencing with chain-terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**, 5463-5467.

- Schiffrin EL (2000): Endothelin: role in experimental hypertension. *J Cardiovasc Pharmacol* **35(4 Suppl 2)**, S33-35.
- Schulz A, Marquardt H, Szpirer J, Szpirer C, Kreutz R (2000): Assignment of the genes encoding nephrin (Nphs1) and alpha-actinin 4 (Actn4) to rat chromosome 1q22 by in situ hybridization and radiation hybrid mapping. *Cytogenetics and Cell Genetics* **90**, 337-338.
- Schulz A, Tiedeken P, Ketteler M, Paul M, Kreutz R (1998). Evaluation of salt susceptibility in a genetic rat model with reduced nephron number and spontaneous hypertension. *Kidney Blood Press Res* **21**, 382 (Abstract).
- Schweizer A, Valdenaire O, Nelbock P, Deuschle U, Dumas Milne Edwards JB, Stumpf JG, Loffler BM (1997): Human endothelin-converting enzyme (ECE-1): three isoforms with distinct subcellular localizations. *Biochem J* **328 (Pt 3)**, 871-7.
- Skov K, Nyengaard JR, Korsgaard N, Mulvany MJ (1994): Number and size of renal glomeruli in spontaneously hypertensive rats. *J Hypertens* **12**, 1373-1376.
- Stuart RO, Bush KT, Nigam SK (2001): Changes in global gene expression patterns during development and maturation of the rat kidney. *Proc Natl Acad Sci USA* **98**, 5649-54.
- Sun DS, Chang AC, Jenkins NA, Gilbert DJ, Copeland NG, Chang NC (1996): Identification, molecular characterization, and chromosomal localization of the cDNA encoding a novel leucine zipper motif-containing protein. *Genomics* **36**, 54-62.
- Szpirer C, Rivière M, Szpirer J, Genet M, Drèze P, Levan G (1989): The rat gene map: assignment of 10 loci to chromosome 5, and homology of chromosome 5 with mouse chromosome 4, human chromosome 9, and human chromosome arm 1p. *Cytogenet Cell Genet* **51**, 1087.
- Timberlake DS, O'Connor DT, Parmer RJ (2001): Molecular genetics of essential hypertension: recent results and emerging strategies. *Curr Opin Nephrol Hypertens* **10**, 71-79.
- Valdenaire O, Lepailleur-Enouf D, Egidy G, Thouard A, Barret A, Vranckx R, Tougard C, Michel JB (1999): A fourth isoform of endothelin-converting enzyme (ECE-1) is generated from an additional promoter molecular cloning and characterization *J Eur. J. Biochem.* **264**, 341-349.
- Watanabe TK, Bihoreau MT, McCarthy LC, Kiguwa SL, Hishigaki H, Tsuji A, Browne J, Yamasaki Y, Mizoguchi-Miyakita A, Oga K, Ono T, Okuno S, Kanemoto N, Takahashi E, Tomita K, Hayashi H, Adachi M, Webber C, Davis M, Kiel S, Knights C, Smith A, Critcher R, Miller J, James MR, et al. (1999): A radiation hybrid map of the rat genome containing 5,255 markers. *Nat Genet* **22**, 3-4.
- Wong ZY, Stebbing M, Ellis JA, Lamantia A, Harrap SB (1999): Genetic linkage of beta and gamma subunits of epithelial sodium channel to systolic blood pressure. *Lancet* **353**, 1222-1225.
- Yu H, Bowden DW, Spray BJ, Rich SS, Freedman BI (1998); Identification of human plasma kallikrein gene polymorphisms and evaluation of their role in end-stage renal disease. *Hypertension* **31**, 906-11.
- Zimmermann KW (1933): Über den Bau des Glomerulus der Säugetiere. *Z. mikrosk.-anat. Forsch.* **32**, 176-287.