

## 7. Literaturverzeichnis

- Alcami A, Koszinowski UH (2000) Viral mechanisms of immune evasion. *Immunol Today* 21:447-55.
- Alcami A (2003) Viral mimicry of cytokines, chemokines and their receptors. *Nat Rev Immunol* 3:36-50.
- Alewijne AE, Timmerman H, Jacobs EH, Smit MJ, Roovers E, Cotecchia S, Leurs R (2000) The effect of mutations in the DRY motif on the constitutive activity and structural instability of the histamine H(2) receptor. *Mol Pharmacol* 57:890-8.
- Ali S, Palmer AC, Banerjee B, Fritchley SJ, Kirby JA (2000) Examination of the function of RANTES, MIP-1 $\alpha$ , and MIP-1 $\beta$  following interaction with heparin-like glycosaminoglycans. *J Biol Chem* 275:11721-7.
- Aragay AM, Mellado M, Fraile JM, Martin AM, Jimenez-Sainz MC, Martinez AC, Mayor F, Jr. (1998a) Monocyte chemoattractant protein-1-induced CCR2B receptor desensitization mediated by the G protein-coupled receptor kinase 2. *Proc Natl Acad Sci U S A* 95:2985-90.
- Aragay AM, Ruiz-Gomez A, Penela P, Sarnago S, Elorza A, Jimenez-Sainz MC, Mayor F, Jr. (1998b) G protein-coupled receptor kinase 2 (GRK2): mechanisms of regulation and physiological functions. *FEBS Lett* 430:37-40.
- Arai H, Charo IF (1996) Differential regulation of G-protein-mediated signaling by chemokine receptors. *J Biol Chem* 271:21814-9.
- Arvanitakis L, Geras-Raaka E, Varma A, Gershengorn MC, Cesarman E (1997) Human herpesvirus KSHV encodes a constitutively active G-protein-coupled receptor linked to cell proliferation. *Nature* 385:347-50.
- Arvin AM (2001) Varicella-Zoster Virus. In: Knipe DM, Howley PM (eds) *Fields Virology*, 4 edn. Lippincott Williams & Wilkins, Philadelphia, PA, USA, pp 2731-2767 vol 2
- Aznar S, Lacal JC (2001) Rho signals to cell growth and apoptosis. *Cancer Lett* 165:1-10.
- Baggiolini M, Dewald B, Moser B (1997) Human chemokines: an update. *Annu Rev Immunol* 15:675-705
- Balkwill F (2003) Chemokine biology in cancer. *Semin Immunol* 15:49-55.
- Bannert N, Craig S, Farzan M, Sogah D, Santo NV, Choe H, Sodroski J (2001) Sialylated O-glycans and sulfated tyrosines in the NH<sub>2</sub>-terminal domain of CC chemokine receptor 5 contribute to high affinity binding of chemokines. *J Exp Med* 194:1661-73.
- Barlic J, Khandaker MH, Mahon E, Andrews J, DeVries ME, Mitchell GB, Rahimpour R, Tan CM, Ferguson SS, Kelvin DJ (1999) beta-arrestins regulate interleukin-8-induced CXCR1 internalization. *J Biol Chem* 274:16287-94.
- Beisser PS, Vink C, Van Dam JG, Grauls G, Vanherle SJ, Bruggeman CA (1998) The R33 G protein-coupled receptor gene of rat cytomegalovirus plays an essential role in the pathogenesis of viral infection. *J Virol* 72:2352-63.

- Beisser PS, Goh CS, Cohen FE, Michelson S (2002) Viral chemokine receptors and chemokines in human cytomegalovirus trafficking and interaction with the immune system. CMV chemokine receptors. *Curr Top Microbiol Immunol* 269:203-34
- Belcheva MM, Coscia CJ (2002) Diversity of G protein-coupled receptor signaling pathways to ERK/MAP kinase. *Neurosignals* 11:34-44.
- Bergmann M, Hart L, Lindsay M, Barnes PJ, Newton R (1998) IkappaBalph degradation and nuclear factor-kappaB DNA binding are insufficient for interleukin-1beta and tumor necrosis factor-alpha- induced kappaB-dependent transcription. Requirement for an additional activation pathway. *J Biol Chem* 273:6607-10.
- Bermak JC, Li M, Bullock C, Zhou QY (2001) Regulation of transport of the dopamine D1 receptor by a new membrane-associated ER protein. *Nat Cell Biol* 3:492-8.
- Bernardini G, Ribatti D, Spinetti G, Morbidelli L, Ziche M, Santoni A, Capogrossi MC, Napolitano M (2003) Analysis of the role of chemokines in angiogenesis. *J Immunol Methods* 273:83-101.
- Biebermann H, Schoneberg T, Schulz A, Krause G, Gruters A, Schultz G, Gudermann T (1998) A conserved tyrosine residue (Y601) in transmembrane domain 5 of the human thyrotropin receptor serves as a molecular switch to determine G- protein coupling. *Faseb J* 12:1461-71.
- Bijlmakers MJ, Marsh M (2003) The on-off story of protein palmitoylation. *Trends Cell Biol* 13:32-42.
- Billstrom MA, Johnson GL, Avdi NJ, Worthen GS (1998) Intracellular signaling by the chemokine receptor US28 during human cytomegalovirus infection. *J Virol* 72:5535-44.
- Billstrom MA, Lehman LA, Scott Worthen G (1999) Depletion of extracellular RANTES during human cytomegalovirus infection of endothelial cells. *Am J Respir Cell Mol Biol* 21:163-7.
- Bisello A, Greenberg Z, Behar V, Rosenblatt M, Suva LJ, Chorev M (1996) Role of glycosylation in expression and function of the human parathyroid hormone/parathyroid hormone-related protein receptor. *Biochemistry* 35:15890-5.
- Bjorklof K, Lundstrom K, Abuin L, Greasley PJ, Cotecchia S (2002) Co- and posttranslational modification of the alpha(1B)-adrenergic receptor: effects on receptor expression and function. *Biochemistry* 41:4281-91.
- Blanpain C, Wittamer V, Vanderwinden JM, Boom A, Renneboog B, Lee B, Le Poul E, El Asmar L, Govaerts C, Vassart G, Doms RW, Parmentier M (2001) Palmitoylation of CCR5 is critical for receptor trafficking and efficient activation of intracellular signaling pathways. *J Biol Chem* 276:23795-804.
- Blaukat A, Pizard A, Rajerison RM, Alhenc-Gelas F, Muller-Esterl W, Dikic I (1999) Activation of mitogen-activated protein kinase by the bradykinin B2 receptor is independent of receptor phosphorylation and phosphorylation-triggered internalization. *FEBS Lett* 451:337-41.
- Blaukat A, Pizard A, Breit A, Wernstedt C, Alhenc-Gelas F, Muller-Esterl W, Dikic I (2001) Determination of bradykinin B2 receptor in vivo phosphorylation sites and their role in receptor function. *J Biol Chem* 276:40431-40.
- Bockaert J, Pin JP (1999) Molecular tinkering of G protein-coupled receptors: an evolutionary success. *Embo J* 18:1723-9.
- Bodaghi B, Jones TR, Zipeto D, Vita C, Sun L, Laurent L, Arenzana-Seisdedos F, Virelizier JL, Michelson S (1998) Chemokine sequestration by viral chemoreceptors as a novel

- viral escape strategy: withdrawal of chemokines from the environment of cytomegalovirus-infected cells. *J Exp Med* 188:855-66.
- Boehme SA, Sullivan SK, Crowe PD, Santos M, Conlon PJ, Sriramarao P, Bacon KB (1999) Activation of mitogen-activated protein kinase regulates eotaxin- induced eosinophil migration. *J Immunol* 163:1611-8.
- Boll W, Rapoport I, Brunner C, Modis Y, Prehn S, Kirchhausen T (2002) The mu2 subunit of the clathrin adaptor AP-2 binds to FDNPVY and YppO sorting signals at distinct sites. *Traffic* 3:590-600.
- Boshoff C, Weiss RA (1998) Kaposi's sarcoma-associated herpesvirus. *Adv Cancer Res* 75:57-86
- Bouvier M, Hausdorff WP, De Blasi A, O'Dowd BF, Kobilka BK, Caron MG, Lefkowitz RJ (1988) Removal of phosphorylation sites from the beta 2-adrenergic receptor delays onset of agonist-promoted desensitization. *Nature* 333:370-3.
- Bremnes T, Paasche JD, Mehlum A, Sandberg C, Bremnes B, Attramadal H (2000) Regulation and intracellular trafficking pathways of the endothelin receptors. *J Biol Chem* 275:17596-604.
- Budd DC, McDonald JE, Tobin AB (2000) Phosphorylation and regulation of a Gq/11-coupled receptor by casein kinase 1alpha. *J Biol Chem* 275:19667-75.
- Bunemann M, Hosey MM (1999) G-protein coupled receptor kinases as modulators of G-protein signalling. *J Physiol* 517:5-23.
- Carman CV, Benovic JL (1998) G-protein-coupled receptors: turn-ons and turn-offs. *Curr Opin Neurobiol* 8:335-44.
- Casarosa P, Bakker RA, Verzijl D, Navis M, Timmerman H, Leurs R, Smit MJ (2001) Constitutive signaling of the human cytomegalovirus-encoded chemokine receptor US28. *J Biol Chem* 276:1133-7.
- Chee MS, Satchwell SC, Preddie E, Weston KM, Barrell BG (1990) Human cytomegalovirus encodes three G protein-coupled receptor homologues. *Nature* 344:774-7.
- Chuang TT, LeVine H, 3rd, De Blasi A (1995) Phosphorylation and activation of beta-adrenergic receptor kinase by protein kinase C. *J Biol Chem* 270:18660-5.
- Chun M, Liyanage UK, Lisanti MP, Lodish HF (1994) Signal transduction of a G protein-coupled receptor in caveolae: colocalization of endothelin and its receptor with caveolin. *Proc Natl Acad Sci U S A* 91:11728-32.
- Cinque P, Marenzi R, Ceresa D (1997) Cytomegalovirus infections of the nervous system. *Intervirology* 40:85-97
- Ciocca DR, Oesterreich S, Chamness GC, McGuire WL, Fuqua SA (1993) Biological and clinical implications of heat shock protein 27,000 (Hsp27): a review. *J Natl Cancer Inst* 85:1558-70.
- Combadiere C, Salzwedel K, Smith ED, Tiffany HL, Berger EA, Murphy PM (1998) Identification of CX3CR1. A chemotactic receptor for the human CX3C chemokine fractalkine and a fusion coreceptor for HIV-1. *J Biol Chem* 273:23799-804.
- Cong M, Perry SJ, Hu LA, Hanson PI, Claing A, Lefkowitz RJ (2001) Binding of the beta2 adrenergic receptor to N-ethylmaleimide-sensitive factor regulates receptor recycling. *J Biol Chem* 276:45145-52.
- Curnock AP, Logan MK, Ward SG (2002) Chemokine signalling: pivoting around multiple phosphoinositide 3-kinases. *Immunology* 105:125-36.

- Daaka Y, Luttrell LM, Lefkowitz RJ (1997) Switching of the coupling of the beta2-adrenergic receptor to different G proteins by protein kinase A. *Nature* 390:88-91.
- Daaka Y, Luttrell LM, Ahn S, Della Rocca GJ, Ferguson SS, Caron MG, Lefkowitz RJ (1998) Essential role for G protein-coupled receptor endocytosis in the activation of mitogen-activated protein kinase. *J Biol Chem* 273:685-8.
- Damaj BB, McColl SR, Neote K, Songqing N, Ogborn KT, Hebert CA, Naccache PH (1996) Identification of G-protein binding sites of the human interleukin-8 receptors by functional mapping of the intracellular loops. *Faseb J* 10:1426-34.
- Davies A, Schertler GF, Gowen BE, Saibil HR (1996) Projection structure of an invertebrate rhodopsin. *J Struct Biol* 117:36-44.
- Davis D, Liu X, Segaloff DL (1995) Identification of the sites of N-linked glycosylation on the follicle-stimulating hormone (FSH) receptor and assessment of their role in FSH receptor function. *Mol Endocrinol* 9:159-70.
- Davis-Poynter NJ, Lynch DM, Vally H, Shellam GR, Rawlinson WD, Barrell BG, Farrell HE (1997) Identification and characterization of a G protein-coupled receptor homolog encoded by murine cytomegalovirus. *J Virol* 71:1521-9.
- De Lean A, Stadel JM, Lefkowitz RJ (1980) A ternary complex model explains the agonist-specific binding properties of the adenylate cyclase-coupled beta-adrenergic receptor. *J Biol Chem* 255:7108-17.
- del Pozo MA, Vicente-Manzanares M, Tejedor R, Serrador JM, Sanchez-Madrid F (1999) Rho GTPases control migration and polarization of adhesion molecules and cytoskeletal ERM components in T lymphocytes. *Eur J Immunol* 29:3609-20.
- Deslauriers B, Ponce C, Lombard C, Larguier R, Bonnafous JC, Marie J (1999) N-glycosylation requirements for the AT1a angiotensin II receptor delivery to the plasma membrane. *Biochem J* 339:397-405.
- Dhanasekaran N, Tsim ST, Dermott JM, Onesime D (1998) Regulation of cell proliferation by G proteins. *Oncogene* 17:1383-94.
- Diviani D, Lattion AL, Cotecchia S (1997) Characterization of the phosphorylation sites involved in G protein-coupled receptor kinase- and protein kinase C-mediated desensitization of the alpha1B-adrenergic receptor. *J Biol Chem* 272:28712-9.
- Doitsidou M, Reichman-Fried M, Stebler J, Koprucker M, Dorries J, Meyer D, Esguerra CV, Leung T, Raz E (2002) Guidance of Primordial Germ Cell Migration by the Chemokine SDF-1. *Cell* 111:647-59.
- Downward J (1998) Mechanisms and consequences of activation of protein kinase B/Akt. *Curr Opin Cell Biol* 10:262-7.
- Eason MG, Moreira SP, Liggett SB (1995) Four consecutive serines in the third intracellular loop are the sites for beta-adrenergic receptor kinase-mediated phosphorylation and desensitization of the alpha 2A-adrenergic receptor. *J Biol Chem* 270:4681-8.
- Fan GH, Yang W, Wang XJ, Qian Q, Richmond A (2001) Identification of a motif in the carboxyl terminus of CXCR2 that is involved in adaptin 2 binding and receptor internalization. *Biochemistry* 40:791-800.
- Farrens DL, Altenbach C, Yang K, Hubbell WL, Khorana HG (1996) Requirement of rigid-body motion of transmembrane helices for light activation of rhodopsin. *Science* 274:768-70.

- Farzan M, Mirzabekov T, Kolchinsky P, Wyatt R, Cayabyab M, Gerard NP, Gerard C, Sodroski J, Choe H (1999) Tyrosine sulfation of the amino terminus of CCR5 facilitates HIV-1 entry. *Cell* 96:667-76.
- Farzan M, Babcock GJ, Vasilieva N, Wright PL, Kiprilov E, Mirzabekov T, Choe H (2002) The role of post-translational modifications of the CXCR4 amino terminus in stromal-derived factor 1 alpha association and HIV-1 entry. *J Biol Chem* 277:29484-9.
- Ferguson SS (2001) Evolving concepts in G protein-coupled receptor endocytosis: the role in receptor desensitization and signaling. *Pharmacol Rev* 53:1-24.
- Feron O, Smith TW, Michel T, Kelly RA (1997) Dynamic targeting of the agonist-stimulated m<sub>2</sub> muscarinic acetylcholine receptor to caveolae in cardiac myocytes. *J Biol Chem* 272:17744-8.
- Finke D, Acha-Orbea H, Mattis A, Lipp M, Kraehenbuhl J (2002) CD4+CD3- cells induce Peyer's patch development: role of alpha4beta1 integrin activation by CXCR5. *Immunity* 17:363-73.
- Fleming P, Davis-Poynter N, Degli-Esposti M, Densley E, Papadimitriou J, Shellam G, Farrell H (1999) The murine cytomegalovirus chemokine homolog, m131/129, is a determinant of viral pathogenicity. *J Virol* 73:6800-9.
- Fortunato EA, McElroy AK, Sanchez I, Spector DH (2000) Exploitation of cellular signaling and regulatory pathways by human cytomegalovirus. *Trends Microbiol* 8:111-9.
- Fraile-Ramos A, Kledal TN, Pelchen-Matthews A, Bowers K, Schwartz TW, Marsh M (2001) The human cytomegalovirus US28 protein is located in endocytic vesicles and undergoes constitutive endocytosis and recycling. *Mol Biol Cell* 12:1737-49.
- Fraile-Ramos A, Kohout TA, Waldhoer M, Marsh M (2003) Endocytosis of the Viral Chemokine Receptor US28 Does Not Require Beta- Arrestins But Is Dependent on the Clathrin-Mediated Pathway. *Traffic* 4:243-253.
- Fukushima Y, Oka Y, Saitoh T, Katagiri H, Asano T, Matsuhashi N, Takata K, van Breda E, Yazaki Y, Sugano K (1995) Structural and functional analysis of the canine histamine H<sub>2</sub> receptor by site-directed mutagenesis: N-glycosylation is not vital for its action. *Biochem J* 310:553-8.
- Gao JL, Murphy PM (1994) Human cytomegalovirus open reading frame US28 encodes a functional beta chemokine receptor. *J Biol Chem* 269:28539-42.
- Garcia Rodriguez C, Cundell DR, Tuomanen EI, Kolakowski LF, Jr., Gerard C, Gerard NP (1995) The role of N-glycosylation for functional expression of the human platelet-activating factor receptor. Glycosylation is required for efficient membrane trafficking. *J Biol Chem* 270:25178-84.
- Georgopoulos C, Welch WJ (1993) Role of the major heat shock proteins as molecular chaperones. *Annu Rev Cell Biol* 9:601-34.
- Gerard C, Rollins BJ (2001) Chemokines and disease. *Nat Immunol* 2:108-15.
- Gether U, Lin S, Ghanouni P, Ballesteros JA, Weinstein H, Kobilka BK (1997) Agonists induce conformational changes in transmembrane domains III and VI of the beta<sub>2</sub> adrenoceptor. *Embo J* 16:6737-47.
- Gether U (2000) Uncovering molecular mechanisms involved in activation of G protein-coupled receptors. *Endocr Rev* 21:90-113.
- Giannini E, Brouchon L, Boulay F (1995) Identification of the major phosphorylation sites in human C5a anaphylatoxin receptor in vivo. *J Biol Chem* 270:19166-72.

- Gillitzer R, Goebeler M (2001) Chemokines in cutaneous wound healing. *J Leukoc Biol* 69:513-21.
- Gomord V, Wee E, Faye L (1999) Protein retention and localization in the endoplasmic reticulum and the golgi apparatus. *Biochimie* 81:607-18.
- Goodman OB, Jr., Krupnick JG, Santini F, Gurevich VV, Penn RB, Gagnon AW, Keen JH, Benovic JL (1996) Beta-arrestin acts as a clathrin adaptor in endocytosis of the beta2-adrenergic receptor. *Nature* 383:447-50.
- Gruijthuijsen YK, Casarosa P, Kaptein SJ, Broers JL, Leurs R, Bruggeman CA, Smit MJ, Vink C (2002) The rat cytomegalovirus R33-encoded G protein-coupled receptor signals in a constitutive fashion. *J Virol* 76:1328-38.
- Gupta R, Birch H, Rapacki K, Brunak S, Hansen JE (1999) O-GLYCBASE version 4.0: a revised database of O-glycosylated proteins. *Nucleic Acids Res* 27:370-2.
- Gutkind JS (2000) Regulation of mitogen-activated protein kinase signaling networks by G protein-coupled receptors. *Sci STKE* 2000:RE1.
- Hanyaloglu AC, Vrecl M, Kroeger KM, Miles LE, Qian H, Thomas WG, Eidne KA (2001) Casein kinase II sites in the intracellular C-terminal domain of the thyrotropin-releasing hormone receptor and chimeric gonadotropin-releasing hormone receptors contribute to beta-arrestin-dependent internalization. *J Biol Chem* 276:18066-74.
- Haskell CA, Cleary MD, Charo IF (2000) Unique role of the chemokine domain of fractalkine in cell capture. Kinetics of receptor dissociation correlate with cell adhesion. *J Biol Chem* 275:34183-9.
- Hausdorff WP, Bouvier M, O'Dowd BF, Irons GP, Caron MG, Lefkowitz RJ (1989) Phosphorylation sites on two domains of the beta 2-adrenergic receptor are involved in distinct pathways of receptor desensitization. *J Biol Chem* 264:12657-65.
- Hipkin RW, Wang Z, Ascoli M (1995) Human chorionic gonadotropin (CG)- and phorbol ester-stimulated phosphorylation of the luteinizing hormone/CG receptor maps to serines 635, 639, 649, and 652 in the C-terminal cytoplasmic tail. *Mol Endocrinol* 9:151-8.
- Hirsch E, Katanaev VL, Garlanda C, Azzolino O, Pirola L, Silengo L, Sozzani S, Mantovani A, Altruda F, Wymann MP (2000) Central role for G protein-coupled phosphoinositide 3-kinase gamma in inflammation. *Science* 287:1049-53.
- Holst PJ, Luttichau HR, Schwartz TW, Rosenkilde MM (2003) Virally encoded chemokines and chemokine receptors in the role of viral infections. *Contrib Microbiol* 10:232-52
- Ichijo H (1999) From receptors to stress-activated MAP kinases. *Oncogene* 18:6087-93.
- Innamorati G, Sadeghi H, Birnbaumer M (1996) A fully active nonglycosylated V2 vasopressin receptor. *Mol Pharmacol* 50:467-73.
- Jarvis MA, Nelson JA (2002) Mechanisms of human cytomegalovirus persistence and latency. *Front Biosci* 7:d1575-82.
- Jensen KK, Chen SC, Hipkin RW, Wiekowski MT, Schwarz MA, Chou CC, Simas JP, Alcamí A, Lira SA (2003) Disruption of CCL21-induced chemotaxis in vitro and in vivo by M3, a chemokine-binding protein encoded by murine gammaherpesvirus 68. *J Virol* 77:624-30.
- Johnson RA, Huong SM, Huang ES (2000) Activation of the mitogen-activated protein kinase p38 by human cytomegalovirus infection through two distinct pathways: a novel mechanism for activation of p38. *J Virol* 74:1158-67.

- Karpa KD, Lidow MS, Pickering MT, Levenson R, Bergson C (1999) N-linked glycosylation is required for plasma membrane localization of D5, but not D1, dopamine receptors in transfected mammalian cells. *Mol Pharmacol* 56:1071-8.
- Kirchhausen T (1999) Adaptors for clathrin-mediated traffic. *Annu Rev Cell Dev Biol* 15:705-32
- Kirchhausen T (2000) Three ways to make a vesicle. *Nat Rev Mol Cell Biol* 1:187-98.
- Kledal TN, Rosenkilde MM, Schwartz TW (1998) Selective recognition of the membrane-bound CX3C chemokine, fractalkine, by the human cytomegalovirus-encoded broad-spectrum receptor US28. *FEBS Lett* 441:209-14.
- Knall C, Worthen GS, Johnson GL (1997) Interleukin 8-stimulated phosphatidylinositol-3-kinase activity regulates the migration of human neutrophils independent of extracellular signal-regulated kinase and p38 mitogen-activated protein kinases. *Proc Natl Acad Sci U S A* 94:3052-7.
- Knall C, Johnson GL (1998) G-protein regulatory pathways: rocketing into the twenty-first century. *J Cell Biochem Suppl* 31:137-46
- Knaut H, Werz C, Geisler R, Nusslein-Volhard C (2003) A zebrafish homologue of the chemokine receptor Cxcr4 is a germ-cell guidance receptor. *Nature* 421:279-82.
- Koenig JA, Edwardson JM (1997) Endocytosis and recycling of G protein-coupled receptors. *Trends Pharmacol Sci* 18:276-87.
- Köhler G, Milstein C (1975) Continuous cultures of fused cells secreting antibody of predefined specificity. *Nature* 256:495-7.
- Kotwal GJ (2000) Poxviral mimicry of complement and chemokine system components: what's the end game? *Immunol Today* 21:242-8.
- Kraft K, Olbrich H, Majoul I, Mack M, Proudfoot A, Oppermann M (2001) Characterization of sequence determinants within the carboxyl-terminal domain of chemokine receptor CCR5 that regulate signaling and receptor internalization. *J Biol Chem* 276:34408-18.
- Krupnick JG, Goodman OB, Jr., Keen JH, Benovic JL (1997) Arrestin/clathrin interaction. Localization of the clathrin binding domain of nonvisual arrestins to the carboxy terminus. *J Biol Chem* 272:15011-6.
- Kuan SF, Byrd JC, Basbaum C, Kim YS (1989) Inhibition of mucin glycosylation by aryl-N-acetyl-alpha- galactosaminides in human colon cancer cells. *J Biol Chem* 264:19271-7.
- Kuschert GS, Coulin F, Power CA, Proudfoot AE, Hubbard RE, Hoogewerf AJ, Wells TN (1999) Glycosaminoglycans interact selectively with chemokines and modulate receptor binding and cellular responses. *Biochemistry* 38:12959-68.
- Kyriakis JM, Avruch J (1996) Protein kinase cascades activated by stress and inflammatory cytokines. *Bioessays* 18:567-77.
- Laemmli UK (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-5.
- Lalani AS, Barrett JW, McFadden G (2000) Modulating chemokines: more lessons from viruses. *Immunol Today* 21:100-6.
- Landolfo S, Gariglio M, Gribaudo G, Lembo D (2003) The human cytomegalovirus. *Pharmacol Ther* 98:269-297
- Langkabel P, Zwirner J, Oppermann M (1999) Ligand-induced phosphorylation of anaphylatoxin receptors C3aR and C5aR is mediated by "G protein-coupled receptor kinases. *Eur J Immunol* 29:3035-46

- Laporte SA, Oakley RH, Zhang J, Holt JA, Ferguson SS, Caron MG, Barak LS (1999) The beta2-adrenergic receptor/betaarrestin complex recruits the clathrin adaptor AP-2 during endocytosis. *Proc Natl Acad Sci U S A* 96:3712-7.
- Laporte SA, Oakley RH, Holt JA, Barak LS, Caron MG (2000) The interaction of beta-arrestin with the AP-2 adaptor is required for the clustering of beta 2-adrenergic receptor into clathrin-coated pits. *J Biol Chem* 275:23120-6.
- Lazzarotto T, Varani S, Gabrielli L, Spezzacatena P, Landini MP (1999) New advances in the diagnosis of congenital cytomegalovirus infection. *Intervirology* 42:390-7.
- Lefkowitz RJ (1998) G protein-coupled receptors. III. New roles for receptor kinases and beta-arrestins in receptor signaling and desensitization. *J Biol Chem* 273:18677-80.
- Leurs R, Smit MJ, Alewijnse AE, Timmerman H (1998) Agonist-independent regulation of constitutively active G-protein-coupled receptors. *Trends Biochem Sci* 23:418-22.
- Li Z, Jiang H, Xie W, Zhang Z, Smrcka AV, Wu D (2000) Roles of PLC-beta2 and -beta3 and PI3Kgamma in chemoattractant-mediated signal transduction. *Science* 287:1046-9.
- Liu F, Usui I, Evans LG, Austin DA, Mellon PL, Olefsky JM, Webster NJ (2002) Involvement of both G(q/11) and G(s) proteins in gonadotropin-releasing hormone receptor-mediated signaling in L beta T2 cells. *J Biol Chem* 277:32099-108.
- Liu X, Davis D, Segaloff DL (1993) Disruption of potential sites for N-linked glycosylation does not impair hormone binding to the lutropin/choriogonadotropin receptor if Asn-173 is left intact. *J Biol Chem* 268:1513-6.
- Loenen WA, Bruggeman CA, Wiertz EJ (2001) Immune evasion by human cytomegalovirus: lessons in immunology and cell biology. *Semin Immunol* 13:41-9.
- Lu ZL, Curtis CA, Jones PG, Pavia J, Hulme EC (1997) The role of the aspartate-arginine-tyrosine triad in the m1 muscarinic receptor: mutations of aspartate 122 and tyrosine 124 decrease receptor expression but do not abolish signaling. *Mol Pharmacol* 51:234-41.
- Lusso P (2000) Chemokines and viruses: the dearest enemies. *Virology* 273:228-40.
- Luster AD (2002) The role of chemokines in linking innate and adaptive immunity. *Curr Opin Immunol* 14:129-35.
- Luther SA, Cyster JG (2001) Chemokines as regulators of T cell differentiation. *Nat Immunol* 2:102-7.
- Luttrell LM, Ferguson SS, Daaka Y, Miller WE, Maudsley S, Della Rocca GJ, Lin F, Kawakatsu H, Owada K, Luttrell DK, Caron MG, Lefkowitz RJ (1999) Beta-arrestin-dependent formation of beta2 adrenergic receptor-Src protein kinase complexes. *Science* 283:655-61.
- Luttrell LM, Lefkowitz RJ (2002) The role of beta-arrestins in the termination and transduction of G-protein-coupled receptor signals. *J Cell Sci* 115:455-65.
- Mack M, Luckow B, Nelson PJ, Cihak J, Simmons G, Clapham PR, Signoret N, Marsh M, Stangassinger M, Borlat F, Wells TN, Schlondorff D, Proudfoot AE (1998) Ami-nooxypentane-RANTES induces CCR5 internalization but inhibits recycling: a novel inhibitory mechanism of HIV infectivity. *J Exp Med* 187:1215-24.
- Mackay CR (2001) Chemokines: immunology's high impact factors. *Nat Immunol* 2:95-101.
- Mahalingam S, Clark K, Matthaei KI, Foster PS (2001) Antiviral potential of chemokines. *Bioessays* 23:428-35.

- Malecz N, Bambino T, Bencsik M, Nissenson RA (1998) Identification of phosphorylation sites in the G protein-coupled receptor for parathyroid hormone. Receptor phosphorylation is not required for agonist-induced internalization. *Mol Endocrinol* 12:1846-56.
- Margeta-Mitrovic M, Jan YN, Jan LY (2000) A trafficking checkpoint controls GABA(B) receptor heterodimerization. *Neuron* 27:97-106.
- Marinissen MJ, Gutkind JS (2001) G-protein-coupled receptors and signaling networks: emerging paradigms. *Trends Pharmacol Sci* 22:368-76.
- May MJ, Ghosh S (1998) Signal transduction through NF-kappa B. *Immunol Today* 19:80-8.
- McCune DF, Edelmann SE, Olges JR, Post GR, Waldrop BA, Waugh DJ, Perez DM, Piascik MT (2000) Regulation of the cellular localization and signaling properties of the alpha(1B)- and alpha(1D)-adrenoceptors by agonists and inverse agonists. *Mol Pharmacol* 57:659-66.
- McLatchie LM, Fraser NJ, Main MJ, Wise A, Brown J, Thompson N, Solari R, Lee MG, Foord SM (1998) RAMPs regulate the transport and ligand specificity of the calcitonin-receptor-like receptor. *Nature* 393:333-9.
- Mellado M, Rodriguez-Frade JM, Aragay A, del Real G, Martin AM, Vila-Coro AJ, Serrano A, Mayor F, Jr., Martinez AC (1998) The chemokine monocyte chemotactic protein 1 triggers Janus kinase 2 activation and tyrosine phosphorylation of the CCR2B receptor. *J Immunol* 161:805-13.
- Mellado M, Rodriguez-Frade JM, Manes S, Martinez AC (2001) Chemokine signaling and functional responses: the role of receptor dimerization and TK pathway activation. *Annu Rev Immunol* 19:397-421
- Melnick JL, Adam E, DeBakey ME (1995) Cytomegalovirus and atherosclerosis. *Bioessays* 17:899-903.
- Menard L, Ferguson SS, Zhang J, Lin FT, Lefkowitz RJ, Caron MG, Barak LS (1997) Synergistic regulation of beta2-adrenergic receptor sequestration: intracellular complement of beta-adrenergic receptor kinase and beta-arrestin determine kinetics of internalization. *Mol Pharmacol* 51:800-8.
- Mhaouty-Kodja S, Barak LS, Scheer A, Abuin L, Diviani D, Caron MG, Cotecchia S (1999) Constitutively active alpha-1b adrenergic receptor mutants display different phosphorylation and internalization features. *Mol Pharmacol* 55:339-47.
- Michelson S, Dal Monte P, Zipeto D, Bodaghi B, Laurent L, Oberlin E, Arenzana-Seisdedos F, Virelizier JL, Landini MP (1997) Modulation of RANTES production by human cytomegalovirus infection of fibroblasts. *J Virol* 71:6495-500.
- Min KS, Liu X, Fabritz J, Jaquette J, Abell AN, Ascoli M (1998) Mutations that induce constitutive activation and mutations that impair signal transduction modulate the basal and/or agonist-stimulated internalization of the Lutropin/Choriogonadotropin receptor. *J Biol Chem* 273:34911-9.
- Min L, Ascoli M (2000) Effect of activating and inactivating mutations on the phosphorylation and trafficking of the human lutropin/choriogonadotropin receptor. *Mol Endocrinol* 14:1797-810.
- Miserey-Lenkei S, Parnot C, Bardin S, Corvol P, Clauser E (2002) Constitutive internalization of constitutively active agiotensin II AT(1A) receptor mutants is blocked by inverse agonists. *J Biol Chem* 277:5891-901.

- Moffett S, Adam L, Bonin H, Loisel TP, Bouvier M, Mouillac B (1996) Palmitoylated cysteine 341 modulates phosphorylation of the beta2- adrenergic receptor by the cAMP-dependent protein kinase. *J Biol Chem* 271:21490-7.
- Morello JP, Bouvier M (1996) Palmitoylation: a post-translational modification that regulates signalling from G-protein coupled receptors. *Biochem Cell Biol* 74:449-57
- Morris AJ, Malbon CC (1999) Physiological regulation of G protein-linked signaling. *Physiol Rev* 79:1373-430.
- Moser B, Loetscher P (2001) Lymphocyte traffic control by chemokines. *Nat Immunol* 2:123-8.
- Mueller SG, White JR, Schraw WP, Lam V, Richmond A (1997) Ligand-induced desensitization of the human CXC chemokine receptor-2 is modulated by multiple serine residues in the carboxyl-terminal domain of the receptor. *J Biol Chem* 272:8207-14.
- Müller G, Höpken UE, Stein H, Lipp M (2002) Systemic immunoregulatory and pathogenic functions of homeostatic chemokine receptors. *J Leukoc Biol* 72:1-8.
- Mullis KB, Faloona FA (1987) Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol* 155:335-50
- Munshi UM, Peegel H, Menon KM (2001) Palmitoylation of the luteinizing hormone/human chorionic gonadotropin receptor regulates receptor interaction with the arrestin-mediated internalization pathway. *Eur J Biochem* 268:1631-9.
- Murdoch C, Finn A (2000) Chemokine receptors and their role in inflammation and infectious diseases. *Blood* 95:3032-43.
- Murga C, Laguinge L, Wetzker R, Cuadrado A, Gutkind JS (1998) Activation of Akt/protein kinase B by G protein-coupled receptors. A role for alpha and beta gamma subunits of heterotrimeric G proteins acting through phosphatidylinositol-3-OH kinasegamma. *J Biol Chem* 273:19080-5.
- Murphy PM, Bagiolini M, Charo IF, Hebert CA, Horuk R, Matsushima K, Miller LH, Oppenheim JJ, Power CA (2000) International union of pharmacology. XXII. Nomenclature for chemokine receptors. *Pharmacol Rev* 52:145-76.
- Murphy PM (2001) Viral exploitation and subversion of the immune system through chemokine mimicry. *Nat Immunol* 2:116-22.
- Nagayama Y, Nishihara E, Namba H, Yamashita S, Niwa M (2000) Identification of the sites of asparagine-linked glycosylation on the human thyrotropin receptor and studies on their role in receptor function and expression. *J Pharmacol Exp Ther* 295:404-9.
- Nakata H, Kameyama K, Haga K, Haga T (1994) Location of agonist-dependent phosphorylation sites in the third intracellular loop of muscarinic acetylcholine receptors (m<sub>2</sub> subtype). *Eur J Biochem* 220:29-36.
- Neer EJ (1995) Heterotrimeric G proteins: organizers of transmembrane signals. *Cell* 80:249-57.
- Nichols BJ, Lippincott-Schwartz J (2001) Endocytosis without clathrin coats. *Trends Cell Biol* 11:406-12.
- Nichols WG, Boeckh M (2000) Recent advances in the therapy and prevention of CMV infections. *J Clin Virol* 16:25-40.
- Nilsson T, Warren G (1994) Retention and retrieval in the endoplasmic reticulum and the Golgi apparatus. *Curr Opin Cell Biol* 6:517-21.
- Ohguro H, Palczewski K, Ericsson LH, Walsh KA, Johnson RS (1993) Sequential phosphorylation of rhodopsin at multiple sites. *Biochemistry* 32:5718-24.

- Olson TS, Ley K (2002) Chemokines and chemokine receptors in leukocyte trafficking. *Am J Physiol Regul Integr Comp Physiol* 283:R7-28.
- Onorato JJ, Palczewski K, Regan JW, Caron MG, Lefkowitz RJ, Benovic JL (1991) Role of acidic amino acids in peptide substrates of the beta-adrenergic receptor kinase and rhodopsin kinase. *Biochemistry* 30:5118-25.
- Oppermann M, Mack M, Proudfoot AE, Olbrich H (1999) Differential effects of CC chemo- kines on CC chemokine receptor 5 (CCR5) phosphorylation and identification of phosphorylation sites on the CCR5 carboxyl terminus. *J Biol Chem* 274:8875-85.
- Orsini MJ, Parent JL, Mundell SJ, Benovic JL, Marchese A (1999) Trafficking of the HIV coreceptor CXCR4. Role of arrestins and identification of residues in the c-terminal tail that mediate receptor internalization. *J Biol Chem* 274:31076-86.
- Pagano A, Rovelli G, Mosbacher J, Lohmann T, Duthey B, Stauffer D, Ristig D, Schuler V, Meigel I, Lampert C, Stein T, Prezeau L, Blahos J, Pin J, Froestl W, Kuhn R, Heid J, Kaupmann K, Bettler B (2001) C-terminal interaction is essential for surface trafficking but not for heteromeric assembly of GABA(b) receptors. *J Neurosci* 21:1189-202.
- Palczewski K, Kumasaka T, Hori T, Behnke CA, Motoshima H, Fox BA, Le Trong I, Teller DC, Okada T, Stenkamp RE, Yamamoto M, Miyano M (2000) Crystal structure of rhodopsin: A G protein-coupled receptor. *Science* 289:739-45.
- Palmer TM, Stiles GL (2000) Identification of threonine residues controlling the agonist- dependent phosphorylation and desensitization of the rat A(3) adenosine receptor. *Mol Pharmacol* 57:539-45.
- Parnot C, Miserey-Lenkei S, Bardin S, Corvol P, Clauser E (2002) Lessons from constitutively active mutants of G protein-coupled receptors. *Trends Endocrinol Metab* 13:336-43.
- Pei G, Samama P, Lohse M, Wang M, Codina J, Lefkowitz RJ (1994) A constitutively active mutant beta 2-adrenergic receptor is constitutively desensitized and phosphorylated. *Proc Natl Acad Sci U S A* 91:2699-702.
- Penfold ME, Dairaghi DJ, Duke GM, Saederup N, Mocarski ES, Kemble GW, Schall TJ (1999) Cytomegalovirus encodes a potent alpha chemokine. *Proc Natl Acad Sci U S A* 96:9839-44.
- Penn RB, Pronin AN, Benovic JL (2000) Regulation of G protein-coupled receptor kinases. *Trends Cardiovasc Med* 10:81-9.
- Percherancier Y, Planchenault T, Valenzuela-Fernandez A, Virelizier JL, Arenzana-Seisdedos F, Bachelerie F (2001) Palmitoylation-dependent control of degradation, life span, and membrane expression of the CCR5 receptor. *J Biol Chem* 276:31936-44.
- Perry SJ, Lefkowitz RJ (2002) Arresting developments in heptahelical receptor signaling and regulation. *Trends Cell Biol* 12:130-8.
- Pierce KL, Luttrell LM, Lefkowitz RJ (2001) New mechanisms in heptahelical receptor signaling to mitogen activated protein kinase cascades. *Oncogene* 20:1532-9.
- Pitcher JA, Freedman NJ, Lefkowitz RJ (1998) G protein-coupled receptor kinases. *Annu Rev Biochem* 67:653-92
- Pleskoff O, Treboute C, Brelo A, Heveker N, Seman M, Alizon M (1997) Identification of a chemokine receptor encoded by human cytomegalovirus as a cofactor for HIV-1 entry. *Science* 276:1874-8.

- Pleskoff O, Treboute C, Alizon M (1998) The cytomegalovirus-encoded chemokine receptor US28 can enhance cell-cell fusion mediated by different viral proteins. *J Virol* 72:6389-97.
- Ploegh HL (1998) Viral strategies of immune evasion. *Science* 280:248-53.
- Pollok-Kopp B, Schwarze K, Baradari VK, Oppermann M (2003) Analysis of Ligand-stimulated CC Chemokine Receptor 5 (CCR5) Phosphorylation in Intact Cells Using Phosphosite-specific Antibodies. *J Biol Chem* 278:2190-8.
- Preobrazhensky AA, Dragan S, Kawano T, Gavrilin MA, Gulina IV, Chakravarty L, Kolattukudy PE (2000) Monocyte chemotactic protein-1 receptor CCR2B is a glycoprotein that has tyrosine sulfation in a conserved extracellular N-terminal region. *J Immunol* 165:5295-303.
- Pronin AN, Benovic JL (1997) Regulation of the G protein-coupled receptor kinase GRK5 by protein kinase C. *J Biol Chem* 272:3806-12.
- Prossnitz ER, Kim CM, Benovic JL, Ye RD (1995a) Phosphorylation of the N-formyl peptide receptor carboxyl terminus by the G protein-coupled receptor kinase, GRK2. *J Biol Chem* 270:1130-7.
- Prossnitz ER, Schreiber RE, Bokoch GM, Ye RD (1995b) Binding of low affinity N-formyl peptide receptors to G protein. Characterization of a novel inactive receptor intermediate. *J Biol Chem* 270:10686-94.
- Proudfoot AE, Power CA, Rommel C, Wells TN (2003a) Strategies for chemokine antagonists as therapeutics. *Semin Immunol* 15:57-65.
- Proudfoot AE, Handel TM, Johnson Z, Lau EK, LiWang P, Clark-Lewis I, Borlat F, Wells TN, Kosco-Vilbois MH (2003b) Glycosaminoglycan binding and oligomerization are essential for the in vivo activity of certain chemokines. *Proc Natl Acad Sci U S A* 100:1885-90.
- Randolph-Habecker J, Rahill B, Torok-Storb B, Vieira J, Kolattukudy P, Rovin B, Sedmak D (2002) The expression of the cytomegalovirus chemokine receptor homolog us28 sequesters biologically active cc chemokines and alters IL-8 production. *Cytokine* 19:37.
- Rands E, Candelore MR, Cheung AH, Hill WS, Strader CD, Dixon RA (1990) Mutational analysis of beta-adrenergic receptor glycosylation. *J Biol Chem* 265:10759-64.
- Rasmussen SG, Jensen AD, Liapakis G, Ghanouni P, Javitch JA, Gether U (1999) Mutation of a highly conserved aspartic acid in the beta2 adrenergic receptor: constitutive activation, structural instability, and conformational rearrangement of transmembrane segment 6. *Mol Pharmacol* 56:175-84.
- Rickinson AB, Kieff E (2001) Epstein-Barr Virus. In: Knipe DM, Howley PM (eds) *Fields Virology*, 4 edn. Lippincott Williams & Wilkins, Philadelphia, PA, USA, pp 2575-2627 vol 2)
- Rodems SM, Spector DH (1998) Extracellular signal-regulated kinase activity is sustained early during human cytomegalovirus infection. *J Virol* 72:9173-80.
- Rodriguez-Trade JM, Mellado M, Martinez AC (2001) Chemokine receptor dimerization: two are better than one. *Trends Immunol* 22:612-7.
- Rodriguez-Trade JM, Vila-Coro AJ, Martin A, Nieto M, Sanchez-Madrid F, Proudfoot AE, Wells TN, Martinez AC, Mellado M (1999) Similarities and differences in RANTES- and (AOP)-RANTES-triggered signals: implications for chemotaxis. *J Cell Biol* 144:755-65.

- Roizman B, Pellett PE (2001) The Family Herpesviridae: A Brief Introduction. In: Knipe DM, Howley PM (eds) *Fields Virology*, 4 edn. Lippincott Williams & Wilkins, Philadelphia, PA, USA, pp 2381-2397 vol 2)
- Roland J, Murphy BJ, Ahr B, Robert-Hebmann V, Delauzun V, Nye KE, Devaux C, Biard-Piechaczyk M (2003) Role of the intracellular domains of CXCR4 in SDF-1-mediated signaling. *Blood* 101:399-406.
- Roseberry AG, Hosey MM (2001) Internalization of the M2 muscarinic acetylcholine receptor proceeds through an atypical pathway in HEK293 cells that is independent of clathrin and caveolae. *J Cell Sci* 114:739-46.
- Rosenkilde MM, Waldhoer M, Luttichau HR, Schwartz TW (2001) Virally encoded 7TM receptors. *Oncogene* 20:1582-93.
- Rossi D, Zlotnik A (2000) The biology of chemokines and their receptors. *Annu Rev Immunol* 18:217-42
- Saederup N, Lin YC, Dairaghi DJ, Schall TJ, Mocarski ES (1999) Cytomegalovirus-encoded beta chemokine promotes monocyte-associated viremia in the host. *Proc Natl Acad Sci U S A* 96:10881-6.
- Samama P, Cotecchia S, Costa T, Lefkowitz RJ (1993) A mutation-induced activated state of the beta 2-adrenergic receptor. Extending the ternary complex model. *J Biol Chem* 268:4625-36.
- Samson M, Libert F, Doranz BJ, Rucker J, Liesnard C, Farber CM, Saragosti S, Lapoumeroulie C, Cogniaux J, Forceille C, Muyllemans G, Verhofstede C, Burtonboy G, Georges M, Imai T, Rana S, Yi Y, Smyth RJ, Collman RG, Doms RW, Vassart G, Parmentier M (1996) Resistance to HIV-1 infection in caucasian individuals bearing mutant alleles of the CCR-5 chemokine receptor gene. *Nature* 382:722-5.
- Sanger F, Nicklen S, Coulson AR (1977) DNA sequencing with chain-terminating inhibitors. *Proc Natl Acad Sci U S A* 74:5463-7.
- Sarnago S, Elorza A, Mayor F, Jr. (1999) Agonist-dependent phosphorylation of the G protein-coupled receptor kinase 2 (GRK2) by Src tyrosine kinase. *J Biol Chem* 274:34411-6.
- Schaarschmidt P, Reinhardt B, Michel D, Vaida B, Mayr K, Luske A, Baur R, Gschwend J, Kleinschmidt K, Kountidis M, Wenderoth U, Voisard R, Mertens T (1999) Altered expression of extracellular matrix in human-cytomegalovirus-infected cells and a human artery organ culture model to study its biological relevance. *Intervirology* 42:357-64.
- Schmitz AA, Govek EE, Bottner B, Van Aelst L (2000) Rho GTPases: signaling, migration, and invasion. *Exp Cell Res* 261:1-12.
- Seet BT, McFadden G (2002) Viral chemokine-binding proteins. *J Leukoc Biol* 72:24-34.
- Shapiro MJ, Trejo J, Zeng D, Coughlin SR (1996) Role of the thrombin receptor's cytoplasmic tail in intracellular trafficking. Distinct determinants for agonist-triggered versus tonic internalization and intracellular localization. *J Biol Chem* 271:32874-80.
- Shibutani T, Johnson TM, Yu ZX, Ferrans VJ, Moss J, Epstein SE (1997) Pertussis toxin-sensitive G proteins as mediators of the signal transduction pathways activated by cytomegalovirus infection of smooth muscle cells. *J Clin Invest* 100:2054-61.
- Signoret N, Oldridge J, Pelchen-Matthews A, Klasse PJ, Tran T, Brass LF, Rosenkilde MM, Schwartz TW, Holmes W, Dallas W, Luther MA, Wells TN, Hoxie JA, Marsh M

- (1997) Phorbol esters and SDF-1 induce rapid endocytosis and down modulation of the chemokine receptor CXCR4. *J Cell Biol* 139:651-64.
- Signoret N, Pelchen-Matthews A, Mack M, Proudfoot AE, Marsh M (2000) Endocytosis and recycling of the HIV coreceptor CCR5. *J Cell Biol* 151:1281-94.
- Sissons JG, Bain M, Wills MR (2002) Latency and reactivation of human cytomegalovirus. *J Infect* 44:73-7.
- Smit MJ, Verzijl D, Casarosa P, Navis M, Timmerman H, Leurs R (2002) Kaposi's sarcoma-associated herpesvirus-encoded G protein-coupled receptor ORF74 constitutively activates p44/p42 MAPK and Akt via G(i) and phospholipase C-dependent signaling pathways. *J Virol* 76:1744-52.
- Sotsios Y, Whittaker GC, Westwick J, Ward SG (1999) The CXC chemokine stromal cell-derived factor activates a Gi-coupled phosphoinositide 3-kinase in T lymphocytes. *J Immunol* 163:5954-63.
- Spiegel AM (1996) Defects in G protein-coupled signal transduction in human disease. *Annu Rev Physiol* 58:143-70
- Stocchi R, Ward KN, Fanin R, Baccarani M, Apperley JF (1999) Management of human cytomegalovirus infection and disease after allogeneic bone marrow transplantation. *Haematologica* 84:71-9.
- Streblow DN, Soderberg-Naucler C, Vieira J, Smith P, Wakabayashi E, Ruchti F, Mattison K, Altschuler Y, Nelson JA (1999) The human cytomegalovirus chemokine receptor US28 mediates vascular smooth muscle cell migration. *Cell* 99:511-20.
- Sullivan SK, McGrath DA, Liao F, Boehme SA, Farber JM, Bacon KB (1999) MIP-3alpha induces human eosinophil migration and activation of the mitogen-activated protein kinases (p42/p44 MAPK). *J Leukoc Biol* 66:674-82.
- Sweet C (1999) The pathogenicity of cytomegalovirus. *FEMS Microbiol Rev* 23:457-82.
- Tachibana K, Hirota S, Iizasa H, Yoshida H, Kawabata K, Kataoka Y, Kitamura Y, Matsushima K, Yoshida N, Nishikawa S, Kishimoto T, Nagasawa T (1998) The chemokine receptor CXCR4 is essential for vascularization of the gastrointestinal tract. *Nature* 393:591-4.
- Tarasova NI, Stauber RH, Choi JK, Hudson EA, Czerwinski G, Miller JL, Pavlakis GN, Michejda CJ, Wank SA (1997) Visualization of G protein-coupled receptor trafficking with the aid of the green fluorescent protein. Endocytosis and recycling of cholecystokinin receptor type A. *J Biol Chem* 272:14817-24.
- Teasdale RD, Jackson MR (1996) Signal-mediated sorting of membrane proteins between the endoplasmic reticulum and the golgi apparatus. *Annu Rev Cell Dev Biol* 12:27-54
- Thelen M (2001) Dancing to the tune of chemokines. *Nat Immunol* 2:129-34.
- Tilton B, Andjelkovic M, Didichenko SA, Hemmings BA, Thelen M (1997) G-Protein-coupled receptors and Fc $\gamma$ -receptors mediate activation of Akt/protein kinase B in human phagocytes. *J Biol Chem* 272:28096-101.
- Tobin AB, Totty NF, Sterlin AE, Nahorski SR (1997) Stimulus-dependent phosphorylation of G-protein-coupled receptors by casein kinase 1alpha. *J Biol Chem* 272:20844-9.
- Tortorella D, Gewurz BE, Furman MH, Schust DJ, Ploegh HL (2000) Viral subversion of the immune system. *Annu Rev Immunol* 18:861-926
- Trejo J, Coughlin SR (1999) The cytoplasmic tails of protease-activated receptor-1 and substance P receptor specify sorting to lysosomes versus recycling. *J Biol Chem* 274:2216-24.

- Tsao P, Cao T, von Zastrow M (2001) Role of endocytosis in mediating downregulation of G-protein-coupled receptors. *Trends Pharmacol Sci* 22:91-6.
- Ui M, Katada T (1990) Bacterial toxins as probe for receptor-Gi coupling. *Adv Second Messenger Phosphoprotein Res* 24:63-9
- Unger VM, Hargrave PA, Baldwin JM, Schertler GF (1997) Arrangement of rhodopsin transmembrane alpha-helices. *Nature* 389:203-6.
- Vila-Coro AJ, Rodriguez-Frade JM, Martin De Ana A, Moreno-Ortiz MC, Martinez AC, Mellado M (1999) The chemokine SDF-1alpha triggers CXCR4 receptor dimerization and activates the JAK/STAT pathway. *Faseb J* 13:1699-710.
- Vink C, Smit MJ, Leurs R, Bruggeman CA (2001) The role of cytomegalovirus-encoded homologs of G protein-coupled receptors and chemokines in manipulation of and evasion from the immune system. *J Clin Virol* 23:43-55.
- Waldhoer M, Kledal TN, Farrell H, Schwartz TW (2002) Murine cytomegalovirus (CMV) M33 and human CMV US28 receptors exhibit similar constitutive signaling activities. *J Virol* 76:8161-8.
- Waldhoer M, Casarosa P, Rosenkilde MM, Smit MJ, Leurs R, Whistler JL, Schwartz TW (2003) The Carboxyl Terminus of Human Cytomegalovirus-encoded 7 Transmembrane Receptor US28 Camouflages Agonism by Mediating Constitutive Endocytosis. *J Biol Chem* 278:19473-82.
- Wang JF, Park IW, Groopman JE (2000) Stromal cell-derived factor-1alpha stimulates tyrosine phosphorylation of multiple focal adhesion proteins and induces migration of hematopoietic progenitor cells: roles of phosphoinositide-3 kinase and protein kinase C. *Blood* 95:2505-13.
- Wang Y, Zhou Y, Szabo K, Haft CR, Trejo J (2002) Down-regulation of protease-activated receptor-1 is regulated by sorting nexin 1. *Mol Biol Cell* 13:1965-76.
- Ward SG, Bacon K, Westwick J (1998) Chemokines and T lymphocytes: more than an attraction. *Immunity* 9:1-11.
- Weiss ER, Ducceschi MH, Horner TJ, Li A, Craft CM, Osawa S (2001) Species-specific differences in expression of G-protein-coupled receptor kinase (GRK) 7 and GRK1 in mammalian cone photoreceptor cells: implications for cone cell phototransduction. *J Neurosci* 21:9175-84.
- Wess J (1997) G-protein-coupled receptors: molecular mechanisms involved in receptor activation and selectivity of G-protein recognition. *Faseb J* 11:346-54.
- Wess J (1998) Molecular basis of receptor/G-protein-coupling selectivity. *Pharmacol Ther* 80:231-64.
- Wheatley M, Hawtin SR (1999) Glycosylation of G-protein-coupled receptors for hormones central to normal reproductive functioning: its occurrence and role. *Hum Reprod Update* 5:356-64.
- Whistler JL, Enquist J, Marley A, Fong J, Gladher F, Tsuruda P, Murray SR, Von Zastrow M (2002) Modulation of postendocytic sorting of G protein-coupled receptors. *Science* 297:615-20.
- Whitley RJ (2001) Herpes Simplex Viruses. In: Knipe DM, Howley PM (eds) *Fields Virology*, 4 edn. Lippincott Williams & Wilkins, Philadelphia, PA, USA, pp 2461-2510 vol 2)

- Winstel R, Freund S, Krasel C, Hoppe E, Lohse MJ (1996) Protein kinase cross-talk: membrane targeting of the beta-adrenergic receptor kinase by protein kinase C. *Proc Natl Acad Sci U S A* 93:2105-9.
- Wong M, Uddin S, Majchrzak B, Huynh T, Proudfoot AE, Platanias LC, Fish EN (2001) Rantes activates Jak2 and Jak3 to regulate engagement of multiple signaling pathways in T cells. *J Biol Chem* 276:11427-31.
- Wong MM, Fish EN (2003) Chemokines: attractive mediators of the immune response. *Semin Immunol* 15:5-14.
- Ye RD (2001) Regulation of nuclear factor kappaB activation by G-protein-coupled receptors. *J Leukoc Biol* 70:839-48.
- Yoshimura T, Matsushima K, Tanaka S, Robinson EA, Appella E, Oppenheim JJ, Leonard EJ (1987) Purification of a human monocyte-derived neutrophil chemotactic factor that has peptide sequence similarity to other host defense cytokines. *Proc Natl Acad Sci U S A* 84:9233-7.
- Zerangue N, Schwappach B, Jan YN, Jan LY (1999) A new ER trafficking signal regulates the subunit stoichiometry of plasma membrane K(ATP) channels. *Neuron* 22:537-48.
- Zhang J, Ferguson SS, Barak LS, Menard L, Caron MG (1996) Dynamin and beta-arrestin reveal distinct mechanisms for G protein-coupled receptor internalization. *J Biol Chem* 271:18302-5.
- Zhou YF, Leon MB, Waclawiw MA, Popma JJ, Yu ZX, Finkel T, Epstein SE (1996) Association between prior cytomegalovirus infection and the risk of restenosis after coronary atherectomy. *N Engl J Med* 335:624-30.
- Zlotnik A, Yoshie O (2000) Chemokines: a new classification system and their role in immunity. *Immunity* 12:121-7.