

7) Literaturangaben

1. Bachmann, W.: Die Funktionsdiagnostik der behinderten Nasenatmung, Springer, Berlin, Heidelberg, New York, 1982
2. Berendes, J.: Hals- Nasen- Ohrenheilkunde in Praxis und Klinik, Band 1, Stuttgart, 1977
3. Berghaus, A., Rettinger, G., Böhme, G.: Hals- Nasen- Ohrenheilkunde , Duale Reihe, Hippokrates Verlag Stuttgart, 1996
4. Boenninghaus, H.-G.: Hals- Nasen- Ohrenheilkunde , Springer- Verlag, Berlin, Heidelberg, New York, 1996
5. Carrie, S. et al (1996): Long- term results of trimming of the inferior turbinates, Clin. Otolaryngol. 21: 139- 141
6. Clement, P. A. R. (1984): Comittee Report on Standardization of Rhinomanometry, Rhinology 22: 152- 155
7. Courtiss, E. H , Goldwyn, R., M. (1990): Resection of Obstructing Inferior Nasal Turbinates: A 10-Year Follow-Up, Plastic and Reconstr. Surg. July, Vol. 86 (1): 152- 154
8. DeRowe, A. et al (1998): Subjective Comparison of Nd:YAG, Diode, and CO₂ Lasers for endoscopically guided inferior turbinate reduction surgery, Am. J. of Rhinology, May- June (12), No.3: 209- 212
9. Di Martino, E., Mlynski, G., Mlynski B. (1998): Effects of adenoid hyperplasia on nasal airflow, Laryngorhinootologie 77 (5): 272- 274
10. Dobrovic, M., Hosch, H. (1994): Non.contact applications of Nd:YAG laser in nasal surgery, Rhinology, 32: 71- 73
11. Eccles, R., Lancashire B., Tolley N. S. (1989): Experimental studies on nasal sensation of airflow, Acta Otolaryngol. (Stockholm) 103: 303- 306
12. Elbrond, O., Felding J. U, Hilberg, O., Pedersen, O. F. (1988): acoustic rhinometry used as a method to demonstrate changes of volume in the epipharynx after adenoidectomy, Rhinology (Suppl) 1:111
13. Elbrond, O., Felding J. U., Gustavsen K. M. (1991): acoustic rhinometry used as a method to monitor the effect of intramuscular injection of steroid in the treatment of nasal polyps, J. Laryngol. Otol. 105: 178- 180

14. Elbrond, O., Hilberg, O., Felding J. U, Andersen, O. B. (1991): acoustic rhinometry used as a method to demonstrate changes of volume in the epipharynx after adenoidectomy, Clin. Otolaryngol. 16: 84- 86
15. Elwany, S., Harrison, R (1990): Inferior turbinectomy: Comparison of four techniques, The Journal of Laryngology and Otology 104: 206- 209
16. Fairely, J. W., Durham, L. H., Ell, S. R. (1993): Correlation of subjective sensation of nasal patency with nasal inspiratory peak- flow rate, Clin. Otolaryngol. 18: 19- 22
17. Fisher, E. W., Scadding, G. K., Lund, V. J. (1993): The role of acoustic rhinometry in studying the nasal cycle, Rhinology 31: 57- 61
18. Fouke, J.M., Jackson, A. C. (1992): Acoustic rhinometry: effects of decongestants and posture on nasal patency, J. Clin. Med. 119: 371- 376
19. Fukutake, T., Yamashita, T., Tomada, T., Kumazawa, T. (1986): Laser surgery for allergic rhinitis, Archives of Otolaryngology 112: 1280- 1282
20. Fukutake, T., Kumazawa, T., Nakamura, A. (1987): Laser surgery for allergic rhinitis, AORN J. 46: 756: 761
21. Garibaldi, R. A. (1985): Epidemiology of community- aquired respiratory tract infections in adults. Incidence, etiology and impact, Am J. Med. 78: 32- 37
22. Geusic, J. E., Marcos, H. M., Van Uitert, L. G.(1964): Laser oscillations in Nd-doped yttrium aluminium gallium, and gadolinium garnets, Appl. Phys. Letters 4: 182
23. Golding-Wood, P. H. (1961): Observations on Petrosal and Vidian Neurectomy in Chronic Vasomotor Rhinitis, J. Laryngol. Otol. 75: 232- 247
24. Goldsher, M. et al,(1995): Nd:YAG- laser turbinate surgery animal experimental study: preliminary report, Laryngoscope 105: 319- 321
25. Goode, R. L. (1977): Diagnosis and treatment of turbinate dysfunction- a self-instructional package, Am. Academy of Otolaryngol. pp. 36- 52
26. Grevers, G., Kamargakis, W. N. (1995): Intervascular smooth muscle fibers and muscular bolsters in nasal swell bodies of humans, Ann. Otol. Rhinol. Laryngol. 104: 144- 148
27. Grevers, G.: Praktische Rhinologie, Urban & Schwarzenberg, München, 1998
28. Grymer, L. F., Hilberg, O., Elbrond O., Pedersen, O. F. (1989): Acoustic rhinometry: evaluation of the nasal cavity with septal deviations, before and after septoplasty, Laryngoscope 99: 1180- 1187

29. Hardy, J. D., Hammel, H. T., Murgatroyd, D. (1956): Spectral transmittance and reflectance of excised human skin, *J. Appl. Physiol.* 9: 257- 261
30. Haugaard, L., Dahl, R., Jakobsen, L. (1993): A controlled dose- response study of immunotherapy with standardized, partially purified extract of house dust mite: clinical efficiency and side effects, *J. Allergy.Clin. Immunol.* 91: 709- 722
31. Hilberg, O. et al (1989): Acoustic rhinometry: Evaluation of nasal cavity geometry by acoustic reflections, *J. Appl. Physiol.* 66: 295- 303
32. Ito, H. et al (1996): Severe perennial allergic rhinitis treated with the Nd:YAG-Laser, *Acta Otolaryngol Suppl.* 525: 14- 17
33. Jackson, A. C., Butler, J. P., Millet, E. J., Hoppin, F. G., Dawson, S. V. (1977): Airway geometry by analysis of acoustic pulse response measurements, *J. Appl. Physiol.* 48: 523- 536
34. Jäger, L.: *Klinische Immunologie und Allergologie*, Gustav Fischer Verlag, 3. Auflage, 1989
35. Jones, A. S., Lancer, J. M. (1987): Does submucosal diathermy to the inferior turbinates reduce nasal resistance to airflow in the long term?, *The Journal of Laryngology and Otology* 101: 448- 451
36. Jovanovic, S., Dokic, D. (1995): Nd-YAG- Laserchirurgie in der Behandlung der allergischen Rhinitis, *Laryno. Rhono. Otol.* 74: 419- 422
37. Kamami, Y.-V.: (1997): Laser- assisted outpatient septoplasty results in 120 patients, *J. Clin Medicine & Surgery* Vol. 15 (3):.123- 129
38. Kayser (1895): Die exakte Messung der Luftdurchgängigkeit der Nase, *Arch. Laryngol. Rhinol. (Berl)* 3: 101
39. Kawamura, S., Fukutake, T., Kubo, N., Yamashita, T., Kumazawa, T. (1993): Subjective Results of Laser Surgery for Allergic Rhinitis, *Acta Otolaryngol. Suppl.* 500: 109- 112
40. Keiditsch, F. et al (1985): Histological investigation to substantiate the therapy of bladder tumors with the neodymium- YAG-laser, *Laser Med. Chir.* 1: 19- 23
41. Kiefhaber, P., Nath, G., Moritz, K. (1977): Endoscopic control of massive gastrointestinal haemorrhage by irradiation with a high-power Neodymium:YAG-laser, *Prog. Surg.* 15: 140- 145

42. Kim, C. S., Moon, B. K., Jung, D. H., Min, Y. (1998): Correlation between nasal obstruction symptoms and objective parameters of acoustic rhinometry and rhinomanometry, *Auris Nasus Larynx* 25: 45- 48
43. King, H. C., Mabry, R. L.: *A Practical Guide to the Management of Nasal and Sinus Disorders*, Thieme Medical Publishers, Inc. New York, 1993
44. Lenders, H., Pirsig, W. (1990): Diagnostic value of acoustic rhinometry: Patients with allergic and vasomotor rhinitis compared with normal controls, *Rhinology* 28(1):5- 16
45. Lenders, H., Pirsig, W. (1990): Wie ist die hyperreflektorische Rhinopathie chirurgisch zu beeinflussen? 1. Teil, *Laryngol. Rhinol. Otol.* 69(5): 246- 254
46. Lenders, H., Pirsig, W. (1990): Wie ist die hyperreflektorische Rhinopathie chirurgisch zu beeinflussen? 2. Teil, *Laryngol. Rhinol. Otol.* 69(6): 291- 297
47. Lenders, H., Scholl, R., Brunner, M. (1992): Akustische Rhinometrie: Das Fledermausprinzip in der Nase, *HNO* 40: 239- 247
48. Levine, H. L. (1989): Endoscopy and the KTP/532 laser for nasal sinus disease, *Ann. Otol. Rhinol. Laryngol.* 98 (1): 46- 51
49. Levine, H. L. (1991): The potassium- titanyl phosphate laser for treatment of turbinate disfunction, *Otol. Head and Neck Surg.* 104 (2): 247- 251
50. Lippert, B. M., Werner, J. A., Rudert, H. (1994): Laser tissue effects with regard to otorhinolaryngology, *Otolaryng. Pol.* 48: 505- 513
51. Lippert, B. M., Werner, J. A. (1995): Reduction of hyperplastic turbinates with the CO₂ - Laser, *Adv. Otorhinolaryngol.* 49: 118- 121
52. Lippert, B. M., Werner, J. A., Rudert, H. (1995): Tissue effects of CO₂- Laser and Nd:YAG- Laser, In Rudert, H., Werner, J. A. (Hrsg): *Lasers in Otolaryngology , and in head and neck surgery.* *Adv. Otorhinolaryngol.* Basel, Karger 49: 1- 4
53. Lippert, B. M., Werner, J. A. (1996): Nd:YAG- laserlichtinduzierte Nasenmuschelreduktion, *Laryngo- Rhino- Otol.* 75: 523- 528
54. Lippert, B. M., Werner, J. A. (1997): CO₂ laser surgery of hypertrophied inferior turbinates, *Rhinology*, 35: 33- 36
55. Lippert, B. M., Werner, J. A. (1998): Long- Term Results After Laser Turbinectomy, *Lasers in Surgery and Medicine* 22: 126- 134
56. Low, W. K., Willatt D. J. (1993): The relationship between middle ear pressure and deviated nasal septum, *Clin. Otolaryngol.* Aug. 18 (4): 308- 310

57. Maiman, T. (1960): Stimulated optical radiation in ruby, Phys. Rev. Letters 4: 564
58. Mc Caffrey, T. V., Kern, E. B. (1979): Clinical evaluation of nasal obstruction, Arch Otolaryngol. 105: 542- 545
59. McCombe, A. W., Cook, J., Jones, A.S. (1992): A comparison of laser cautery and submucosal diathermy for rhinitis, Clin. Otolaryngol. 17: 297- 299
60. Midgley, H. C. (1990): Nd:YAG Contact Laser Surgery, Otolaryngol. Clin. North America 23 (1): 99- 105
61. Min, Y. G. et al (1996): Contact laser turbinate surgery for the treatment of idiopathic rhinitis, Clin. Otolaryngology 21: 533- 536
62. Mladina, R., Risavi, R., Subaric, M. (1991): CO₂ laser anterior turbinectomy in the treatment of non- allergic vasomotor rhinopathy. A prospective study upon 78 patients, Rhinology, 29: 267- 272
63. Mlynski, G., Grützenmacher, S., Mlynski, B., Koch, B. (1993): Modelluntersuchungen zur Nasenmuschelchirurgie, Laryngo- Rhino- Otol. 72: 614- 617
64. Mlynski, G., Löw, J. (1993): Die Rhinoresistometrie- eine Weiterentwicklung der Rhinomanometrie, Laryngol. Rhinol. Otol. 72: 608- 610
65. Moneret- Vautrin, D. A. et al (1990): Nonallergic rhinitis with eosinophilia syndrome- a precursor of the triad: nasal polyposis, intrinsic asthma, and intolerance to aspirin, Annals of Allergy, Juni Vol. 64: 513- 518
66. Moore, G. F. et al (1985): Extended follow- up of total inferior turbinate resection for relief of chronic nasal obstruction, Laryngoscope 95: 1095- 1099
67. Mygind, N., Dahl, R., Pedersen, S., Thestrup- Pedersen, K. :Essential Allergy, Blackwell Science, Oxford, 1996
68. Naito et al (1995): The effect of L- Menthol stimulation on the major palatine nerve on nasal patency, Rhinology, 34: 97- 100
69. Naumann, H. H.: Oto-Rhino-Laryngologie in Klinik und Praxis, Band 2, Stuttgart, 1992
70. Ohyama, M., Yamashita, Kontakttechnik., Furuta, S., Nobori, T., Daikuzono, N.: Applications of the Nd:YAG laser in otorhinolaryngology. In: Joffe, S. N., Oguro, Y., Advances in Nd:YAG laser surgery, Springer Verlag, 1988
71. Olthoff, A., Martin, A., Fiebmann, F. (1999): Nd:YAG-Laserbehandlung der unteren Nasenmuscheln im Kontaktverfahren bei der hyperreflektorischen und der allergischen Rhinopathie, Laryngo-Rhino-Otol. 78: 240- 243

72. Oswal, V. H., Bingham, B. J. G. (1992): A pilot study of the Holmium YAG Laser in nasal turbinate and tonsil surgery, *J. Clin. Laser Med. Surg.* June: 211- 216
73. Ozenberger, J. M. (1970): Cryosurgery in chronic rhinitis, *Laryngoscope* 80: 723- 734
74. Passali, D. et al. (1999): Treatment of hypertrophy of the inferior turbinate: long-term results in 382 patients randomly assigned to therapy, *Ann. Oto. Rhino. Laryngol.* 108: 569- 575
75. Pirila, T., Nuutinen, J. (1998): Acoustic rhinometry, rhinomanometry and the amount of nasal secretion in the clinical monitoring of the nasal provocation test, *Clin. Exp. Allergy*, April 28 (4): 468- 477
76. Ponikau, J. U. et al (1999): The Diagnosis and Incidence of Allergic Fungal Sinusitis, *Mayo Clin. Proc.*, September Vol. 74: 877- 884
77. Rakover, Y., Rosen, G. (1996): A comparison of partial inferior turbinectomy and cryosurgery for hypertrophic inferior turbinates, *The Journal of Laryngology and Otology* 110: 732- 735
78. Richarson, H., Seebohm, P. M. (1968): Nasal airway response to exercise, *J. Allergy* 41: 269- 284
79. Ries, W. R., Speyer, M. T. (1996): Cutaneous Applications of Lasers, *Otolaryngologic Clinics of North America* Vol. 29 (6): 915- 929
80. Roithman, R., Cole P., Chapnik, J., Barreto, S. M. (1994): Acoustic rhinometry, rhinomanometry and the sensation of nasal airway patency: a correlative study, *J. Otolaryngol.* 23: 454- 458
81. Ross, A. M., Fleming, D. M. (1994): Incidence of allergic rhinitis in general practice, *Brit. Med. J.* 308: 897- 900
82. Sachs, L.: *Angewandte Statistik*, Springer Verlag, Berlin, Heidelberg, New York, 1991
83. Scherer, H., Reichert, K., Schildhauer, S. (1999): Die Laserchirurgie des mittleren Nasenganges bei der rezidivierenden Sinusitis, *Laryngo-Rhino-Otol.* 78: 50- 53
84. Schmä, F., Deitmer, T. (1993): Untersuchungen zur beurteilung der Nasendurchgängigkeit, *Laryngo-Rhino-Otol.* 72: 611- 613
85. Schünke, M., Krüss, C., Mecke, H., Werner, J. A. (1995): Characteristic features of wound healing in laser- induced incisions, in: Rudert, H., Werner, J. A. (Hrsg): *Lasers in Otolaryngology , and in head and neck surgery.* *Adv. Otorhinolaryngol.* Basel, Karger 49: 8-14

86. Selkin, S. G. (1985): Laser turbinectomy- as an adjunct to rhinoplasty, *Archives of Otolaryngology* 11: 446- 449
87. Selkin, G. (1986): Pitfalls in intranasal laser surgery and how to avoid them, *Arch. Otolaryngol. Head Neck Surg.* 112: 285- 289
88. Semarek, A. (1958): Objektive Beurteilung der Nasendurchgängigkeit, *Z. f. HNO-Heilkunde* 37: 248- 261
89. Simola, M., Malmberg, H. (1997): Sensation of nasal airflow compared with nasal airway resistance in patients with rhinitis, *Clin. Otolaryngol.* 22: 260- 262
90. Spilla, J., Suonpaa, J., Silvoniemi, P., Laippala, P. (1995): Correlation between subjective sensation of nasal patency and rhinomanometry in both unilateral and total nasal assessment, *ORL* 57: 260- 263
91. Strong, M. S., Jako, G. J., Polanyi, T., Wallace, T. A. (1973): Laser surgery in the aerodigestive tract, *Am. J. Surg.* 126: 529- 533
92. Tallat, L., El-Sabawy, X. X., Baky, F. A., Raheen, A. A.(1987): Submucous diathermy of the inferior turbinates in chronic hypertrophic rhinitis, *J. Laryngol. Otol.* 101: 452- 460
93. Temmel, A. F. et al (1998): Rhinoresistometry versus rhinomanometry- an evaluation, *Wien, Klin. Wochenschrift* 110 (17): 612- 615
94. Terrahe, K. (1985): Die hyperreflektorische Rhinopathie, *HNO* 33: 51- 57
95. Urch, P. B. (1986): Physiological effects of passive cigarette smoke exposure and the influence of suggestibilität on non.smoking, intermittently-exercising adult, PhD thesis, University of Toronto
96. Van Cauwenberge, P. B. (1985): Epidemiology of common cold, *Rhinology* 23:273- 282
97. Warwick- Brown, N. P., Marks, N.J. (1987): Turbinate Surgery: How effective is it? A long-term Assessment, *Otol. Rhinol. Laryngol.* 49: 314- 320
98. Wengraf, C. L. et al (1986): The stuffy nose: a comparative study of two common methods of treatment, *Clin. Otolaryngol.* 11: 61- 68
99. Werner, J. A., Rudert, H. (1992): Der Einsatz des Nd:YAG- Lasers in der Hals- Nasen- Ohrenheilkunde, *HNO* 40: 248- 258
100. Werner, A., Lippert, B. M., Rudert, H., Godbersen, G. S. (1993): Vergleichende Untersuchungen zur Revaskularisation der Schleimhaut des oberen Aerodigestivtraktes nach Skalpelli-, CO₂- und Nd:YAG- Laserinzisionen, *Eur. Arch. Oto. Rhino. Laryngol. Suppl.* 2: 32- 33

101. Williams, H. O. L, Fisher, E. B., Golding- Wood, D. B. (1991): "Two-stage turbinectomy": Sequestration of the inferior turbinate following submucosal diathermy, J. Laryngol. Otol. 105: 14- 16
102. Yamagiva M. O., Hilberg, O., Pedersen, O. F., Lundquist, G. R. (1990): Evaluation of the effect of lokalized skin cooling on nasal airway volume by acoustic rhinometry, Am. Rev. Dis. 141: 1050- 1054
103. Zenner, H. P.: Allergologie in der Hals- Nasen- Ohrenheilkunde, Heidelberg, 1987