

7 Literatur

Abbott, N. J. 2002. Astrocyte-endothelial interactions and blood-brain barrier permeability. *J. Anat.* 200:629-638.

Agarwal, R., T. D'Souza and P. J. Morin. 2005. Claudin-3 and claudin-4 expression in ovarian epithelial cells enhances invasion and is associated with increased matrix metalloproteinase-2 activity. *Cancer Res.* 65:7378-7385.

Ahrens T., O. Pertz, D. Haussinger, C. Fauser, T. Schulthess and J. Engel. 2002. Analysis of heterophilic and homophilic interactions of cadherins using the c-Jun/c-Fos dimerization domains, *J. Biol. Chem.* 277:19455-19460.

Alexandre, M. D., B. G. Jeansson, R. H. Renegar, R. Tatum and Y. H. Chen. 2007. The first extracellular domain of claudin-7 affects paracellular Cl⁻ permeability. *Biochem. Biophys. Res. Commun.* 357:87-91.

Alexandre, M. D., Q. Lu and Y. H. Chen. 2005. Overexpression of claudin-7 decreases the paracellular Cl⁻ conductance and increases the paracellular Na⁺ conductance in LLC-PK1 cells. *J. Cell Sci.* 118:2683-2693.

Amasheh, S., N. Meiri, A. H. Gitter, T. Schoneberg, J. Mankertz, J. D. Schulzke and M. Fromm. 2002. Claudin-2 expression induces cation-selective channels in tight junctions of epithelial cells. *J. Cell Sci.* 115:4969-4976.

Angelow, S., R. El Husseini, S. A. Kanzawa and A. S. Yu. 2007. Renal Localization And Function Of The Tight Junction Protein, Claudin-19. *Am. J. Physiol Renal Physiol.*

Arrate, M. P., J. M. Rodriguez, T. M. Tran, T. A. Brock and S. A. Cunningham. 2001. Cloning of human junctional adhesion molecule 3 (JAM3) and its identification as the JAM2 counter-receptor. *J. Biol. Chem.* 276:45826-45832.

Bazzoni, G. and E. Dejana. 2004. Endothelial cell-to-cell junctions: molecular organization and role in vascular homeostasis. *Physiol Rev.* 84:869-901.

Bazzoni, G., O. M. Martinez-Estrada, F. Mueller, P. Nelboeck, G. Schmid, T. Bartfai, E. Dejana and M. Brockhaus. 2000. Homophilic interaction of junctional adhesion molecule. *J. Biol. Chem.* 275:30970-30976.

Ben Yosef, T., I. A. Belyantseva, T. L. Saunders, E. D. Hughes, K. Kawamoto, C. M. Van Itallie, L. A. Beyer, K. Halsey, D. J. Gardner, E. R. Wilcox, J. Rasmussen, J. M. Anderson, D. F. Dolan, A. Forge, Y. Raphael, S. A. Camper and T. B. Friedman. 2003. Claudin 14 knockout mice, a model for autosomal recessive deafness DFNB29, are deaf due to cochlear hair cell degeneration. *Hum. Mol. Genet.* 12:2049-2061.

Briehl, M. M. and R. L. Miesfeld. 1991. Isolation and characterization of transcripts induced by androgen withdrawal and apoptotic cell death in the rat ventral prostate. *Mol. Endocrinol.* 5:1381-1388.

Bross, P., T. J. Corydon, B. S. Andresen, M. M. Jorgensen, L. Bolund and N. Gregersen. 1999. Protein misfolding and degradation in genetic diseases. *Hum. Mutat.* 14:186-198.

Bullivant, S. 1977. Evaluation of membrane structure facts and artefacts produced during freeze-fracturing. *J. Microsc.* 111:101-116.

Cereijido, M., L. Shoshani and R. G. Contreras. 2000. Molecular physiology and pathophysiology of tight junctions. I. Biogenesis of tight junctions and epithelial polarity. *Am. J. Physiol Gastrointest. Liver Physiol* 279:G477-G482.

Cereijido, M., J. Valdes, L. Shoshani and R. G. Contreras. 1998. Role of tight junctions in establishing and maintaining cell polarity. *Annu. Rev. Physiol* 60:161-177.

Chakrabarti, G. and B. A. McClane. 2005. The importance of calcium influx, calpain and calmodulin for the activation of CaCo-2 cell death pathways by Clostridium perfringens enterotoxin. *Cell Microbiol.* 7:129-146.

Chakrabarti, G., X. Zhou and B. A. McClane. 2003. Death pathways activated in CaCo-2 cells by Clostridium perfringens enterotoxin. *Infect. Immun.* 71:4260-4270.

Chen, M. L., Z. Ge, J. G. Fox and D. B. Schauer. 2006. Disruption of tight junctions and induction of proinflammatory cytokine responses in colonic epithelial cells by Campylobacter jejuni. *Infect. Immun.* 74:6581-6589.

Chenna, R., H. Sugawara, T. Koike, R. Lopez, T. J. Gibson, D. G. Higgins and J. D. Thompson. 2003. Multiple sequence alignment with the Clustal series of programs. *Nucleic Acids Res.* 31:3497-3500.

Colegio, O. R., C. Van Itallie, C. Rahner, and J. M. Anderson. 2003. Claudin extracellular domains determine paracellular charge selectivity and resistance but not tight junction fibril architecture. *Am. J. Physiol Cell Physiol* 284:C1346-C1354.

Colegio, O. R., C. M. Van Itallie, H. J. McCrea, C. Rahner and J. M. Anderson. 2002. Claudins create charge-selective channels in the paracellular pathway between epithelial cells. *Am. J. Physiol Cell Physiol* 283:C142-C147.

Coyne, C. B., T. M. Gambling, R. C. Boucher, J. L. Carson and L. G. Johnson. 2003. Role of claudin interactions in airway tight junctional permeability. *Am. J. Physiol Lung Cell Mol. Physiol* 285:L1166-L1178.

Cuff, J. A., M. E. Clamp, A. S. Siddiqui, M. Finlay and G. J. Barton. 1998. JPred: a consensus secondary structure prediction server. *Bioinformatics*. 14:892-893.

Czeczulin, J. R., P. C. Hanna and B. A. McClane. 1993. Cloning, nucleotide sequencing, and expression of the Clostridium perfringens enterotoxin gene in Escherichia coli. *Infect. Immun.* 61:3429-3439.

D'Souza, T., R. Agarwal and P. J. Morin. 2005. Phosphorylation of claudin-3 at threonine 192 by cAMP-dependent protein kinase regulates tight junction barrier function in ovarian cancer cells. *J. Biol. Chem.* 280:26233-26240.

Deschenes, S. M., J. L. Walcott, T. L. Wexler, S. S. Scherer and K. H. Fischbeck. 1997. Altered trafficking of mutant connexin32. *J. Neurosci.* 17:9077-9084.

Ebihara, C., M. Kondoh, N. Hasuike, M. Harada, H. Mizuguchi, Y. Horiguchi, M. Fujii and Y. Watanabe. 2006. Preparation of a claudin-targeting molecule using a C-terminal fragment of Clostridium perfringens enterotoxin. *J. Pharmacol. Exp. Ther.* 316:255-260.

Ebnet, K., C. U. Schulz, M. K. Meyer Zu Brickwedde, G. G. Pendl and D. Vestweber. 2000. Junctional adhesion molecule interacts with the PDZ domain-containing proteins AF-6 and ZO-1. *J. Biol. Chem.* 275:27979-27988.

Ebnet, K., A. Suzuki, Y. Horikoshi, T. Hirose, M. K. Meyer Zu Brickwedde, S. Ohno and D. Vestweber. 2001. The cell polarity protein ASIP/PAR-3 directly associates with junctional adhesion molecule (JAM). *EMBO J.* 20:3738-3748.

Evans, M. J. , T. von Hahn, D. M. Tscherne, A. J. Syder, M. Panis, B. Wolk, T. Hatzioannou, J. A. McKeating, P. D. Bieniasz and C. M. Rice. 2007. Claudin-1 is a hepatitis C virus co-receptor required for a late step in entry. *Nature* 446:801-805.

Fanning, A. S. and J. M. Anderson. 1999. PDZ domains: fundamental building blocks in the organization of protein complexes at the plasma membrane. *J. Clin. Invest* 103:767-772.

Fanning, A. S., B. J. Jameson, L. A. Jesaitis and J. M. Anderson. 1998. The tight junction protein ZO-1 establishes a link between the transmembrane protein occludin and the actin cytoskeleton. *J. Biol. Chem.* 273:29745-29753.

Farquhar, M. G. and G. E. Palade. 1963. Junctional complexes in various epithelia. *J. Cell Biol.* 17:375-412.

Fedwick, J. P., T. K. Lapointe, J. B. Meddings, P. M. Sherman and A. G. Buret. 2005. Helicobacter pylori activates myosin light-chain kinase to disrupt claudin-4 and claudin-5 and increase epithelial permeability. *Infect. Immun.* 73:7844-7852.

Frank, R. 2002. The SPOT-synthesis technique. Synthetic peptide arrays on membrane supports--principles and applications. *J. Immunol. Methods* 267:13-26.

Fujibe, M., H. Chiba, T. Kojima, T. Soma, T. Wada, T. Yamashita and N. Sawada. 2004. Thr203 of claudin-1, a putative phosphorylation site for MAP kinase, is required to promote the barrier function of tight junctions. *Exp. Cell Res.* 295:36-47.

Fujita, K., J. Katahira, Y. Horiguchi, N. Sonoda, M. Furuse and S. Tsukita. 2000. Clostridium perfringens enterotoxin binds to the second extracellular loop of claudin-3, a tight junction integral membrane protein. *FEBS Lett.* 476:258-261.

Furuse, M., K. Fujita, T. Hiiragi, K. Fujimoto and S. Tsukita. 1998a. Claudin-1 and -2: novel integral membrane proteins localizing at tight junctions with no sequence similarity to occludin. *J. Cell Biol.* 141:1539-1550.

Furuse, M., K. Furuse, H. Sasaki and S. Tsukita. 2001. Conversion of zonulae occludentes from tight to leaky strand type by introducing claudin-2 into Madin-Darby canine kidney I cells. *J. Cell Biol.* 153:263-272.

- Furuse, M., H. Sasaki, K. Fujimoto and S. Tsukita. 1998b.** A single gene product, claudin-1 or -2, reconstitutes tight junction strands and recruits occludin in fibroblasts. *J. Cell Biol.* 143:391-401.
- Furuse, M., H. Sasaki and S. Tsukita. 1999.** Manner of interaction of heterogeneous claudin species within and between tight junction strands. *J. Cell Biol.* 147:891-903.
- Furuse, M. and S. Tsukita. 2006.** Claudins in occluding junctions of humans and flies. *Trends Cell Biol.* 16:181-188.
- Gao, J., H. Yu, Q. Song and X. Li. 2005.** Establishment of HEK293 cell line expressing green fluorescent protein-aquaporin-1 to determine osmotic water permeability. *Anal. Biochem.* 342:53-58.
- Gonzalez-Mariscal, L., A. Betanzos, P. Nava and B. E. Jaramillo. 2003.** Tight junction proteins. *Prog. Biophys. Mol. Biol.* 81:1-44.
- Gonzalez-Mariscal, L., d. R. Chavez, A. Lazaro and M. Cereijido. 1989.** Establishment of tight junctions between cells from different animal species and different sealing capacities. *J. Membr. Biol.* 107:43-56.
- Gow, A., C. M. Southwood, J. S. Li, M. Pariali, G. P. Riordan, S. E. Brodie, J. Danias, J. M. Bronstein, B. Kachar and R. A. Lazzarini. 1999.** CNS myelin and sertoli cell tight junction strands are absent in Osp/claudin-11 null mice. *Cell* 99:649-659.
- Graham, F. L., J. Smiley, W. C. Russell and R. Nairn. 1977.** Characteristics of a human cell line transformed by DNA from human adenovirus type 5. *J. Gen. Virol.* 36:59-74.
- Hamazaki, Y., M. Itoh, H. Sasaki, M. Furuse and S. Tsukita. 2002.** Multi-PDZ domain protein 1 (MUPP1) is concentrated at tight junctions through its possible interaction with claudin-1 and junctional adhesion molecule. *J. Biol. Chem.* 277:455-461.
- Hanahan, D. 1983.** Studies on transformation of Escherichia coli with plasmids. *J. Mol. Biol.* 166:557-580.
- Hanna, P. C., T. A. Mietzner, G. K. Schoolnik and B. A. McClane. 1991.** Localization of the receptor-binding region of Clostridium perfringens enterotoxin utilizing cloned toxin fragments and synthetic peptides. The 30 C-terminal amino acids define a functional binding region. *J. Biol. Chem.* 266:11037-11043.
- Harada, M., M. Kondoh, C. Ebihara, A. Takahashi, E. Komiya, M. Fujii, H. Mizuguchi, S. Tsunoda, Y. Horiguchi, K. Yagi and Y. Watanabe. 2007.** Role of tyrosine residues in modulation of claudin-4 by the C-terminal fragment of Clostridium perfringens enterotoxin. *Biochem. Pharmacol.* 73:206-214.
- Hardison, A. L., L. Lichten, S. Banerjee-Basu, T. S. Becker and S. M. Burgess. 2005.** The zebrafish gene claudinj is essential for normal ear function and important for the formation of the otoliths. *Mech. Dev.* 122:949-958.

- Heinrich, N., M. R. Meyer, J. Furkert, A. Sasse, M. Beyermann, W. Bonigk and H. Berger. 1998.** Corticotropin-releasing factor (CRF) agonists stimulate testosterone production in mouse leydig cells through CRF receptor-1. *Endocrinology* 139:651-658.
- Hewitt, K. J., R. Agarwal and P. J. Morin. 2006.** The claudin gene family: expression in normal and neoplastic tissues. *BMC. Cancer* 6:186.
- Hou, J., A. S. Gomes, D. L. Paul and D. A. Goodenough. 2006.** Study of claudin function by RNA interference. *J. Biol. Chem.* 281:36117-36123.
- Hou, J., D. L. Paul and D. A. Goodenough. 2005.** Paracellin-1 and the modulation of ion selectivity of tight junctions. *J. Cell Sci.* 118:5109-5118.
- Hough, C. D., C. A. Sherman-Baust, E. S. Pizer, F. J. Montz, D. D. Im, N.B.Rosenshein, K. R. Cho, G. J. Riggins and P. J. Morin. 2000.** Large-scale serial analysis of gene expression reveals genes differentially expressed in ovarian cancer. *Cancer Res.* 60:6281-6287.
- Hua, V. B., A. B. Chang, J. H. Tchieu, N. M. Kumar, P. A. Nielsen and M. H. Saier, Jr. 2003.** Sequence and phylogenetic analyses of 4 TMS junctional proteins of animals: connexins, innexins, claudins and occludins. *J. Membr. Biol.* 194:59-76.
- Ikenouchi, J., M. Furuse, K. Furuse, H. Sasaki, S. Tsukita and S. Tsukita. 2005.** Tricellulin constitutes a novel barrier at tricellular contacts of epithelial cells. *J. Cell Biol.* 171:939-945.
- Inai, T., J. Kobayashi and Y. Shibata. 1999.** Claudin-1 contributes to the epithelial barrier function in MDCK cells. *Eur. J. Cell Biol.* 78:849-855.
- Ishizaki, T., H. Chiba, T. Kojima, M. Fujibe, T. Soma, H. Miyajima, K. Nagasawa, I. Wada and N. Sawada. 2003.** Cyclic AMP induces phosphorylation of claudin-5 immunoprecipitates and expression of claudin-5 gene in blood-brain-barrier endothelial cells via protein kinase A-dependent and -independent pathways. *Exp. Cell Res.* 290:275-288.
- Itoh, M., M. Furuse, K. Morita, K. Kubota, M. Saitou and S. Tsukita. 1999.** Direct binding of three tight junction-associated MAGUKs, ZO-1, ZO-2, and ZO-3, with the COOH termini of claudins. *J. Cell Biol.* 147:1351-1363.
- Itoh, M., H. Sasaki, M. Furuse, H. Ozaki, T. Kita and S. Tsukita. 2001.** Junctional adhesion molecule (JAM) binds to PAR-3: a possible mechanism for the recruitment of PAR-3 to tight junctions. *J. Cell Biol.* 154:491-497.
- Jeansonne, B., Q. Lu, D. A. Goodenough and Y. H. Chen. 2003.** Claudin-8 interacts with multi-PDZ domain protein 1 (MUPP1) and reduces paracellular conductance in epithelial cells. *Cell Mol. Biol.* (Noisy. -le-grand) 49:13-21.
- Jiang, J. X. and D. A. Goodenough. 1996.** Heteromeric connexons in lens gap junction channels. *Proc. Natl. Acad. Sci. U. S. A* 93:1287-1291.

Johnson, A. H., H. F. Frierson, A. Zaika, S. M. Powell, J. Roche, S. Crowe, C. A. Moskaluk and W. El Rifai. 2005. Expression of tight-junction protein claudin-7 is an early event in gastric tumorigenesis. Am. J. Pathol. 167:577-584.

Johnson, P. H. and S. C. Quay. 2005. Advances in nasal drug delivery through tight junction technology. Expert. Opin. Drug Deliv. 2:281-298.

Kapust, R. B. and D. S. Waugh. 1999. Escherichia coli maltose-binding protein is uncommonly effective at promoting the solubility of polypeptides to which it is fused. Protein Sci. 8:1668-1674.

Karpova, T. S., C. T. Baumann, L. He, X. Wu, A. Grammer, P. Lipsky, G. L. Hager and J. G. McNally. 2003. Fluorescence resonance energy transfer from cyan to yellow fluorescent protein detected by acceptor photobleaching using confocal microscopy and a single laser. J. Microsc. 209:56-70.

Katahira, J., N. Inoue, Y. Horiguchi, M. Matsuda and N. Sugimoto. 1997a. Molecular cloning and functional characterization of the receptor for Clostridium perfringens enterotoxin. J. Cell Biol. 136:1239-1247.

Katahira, J., H. Sugiyama, N. Inoue, Y. Horiguchi, M. Matsuda and N. Sugimoto. 1997b. Clostridium perfringens enterotoxin utilizes two structurally related membrane proteins as functional receptors in vivo. J. Biol. Chem. 272:26652-26658.

Kausalya, P. J., S. Amasheh, D. Gunzel, H. Wurps, D. Muller, M. Fromm and W. Hunziker. 2006. Disease-associated mutations affect intracellular traffic and paracellular Mg²⁺ transport function of Claudin-16. J. Clin. Invest 116:878-891.

Keiper, T., N. Al Fakhri, E. Chavakis, A. N. Athanasopoulos, B. Isermann, S. Herzog, R. Saffrich, K. Hersemeyer, R. M. Bohle, J. Haendeler, K. T. Preissner, S. Santoso and T. Chavakis. 2005. The role of junctional adhesion molecule-C (JAM-C) in oxidized LDL-mediated leukocyte recruitment. FASEB J. 19:2078-2080.

Kessel, R. G., R. L. Roberts and H. N. Tung. 1988. Intercellular junctions in the follicular envelope of the teleost, Brachydanio rerio. J. Submicrosc. Cytol. Pathol. 20:415-424.

Kiuchi-Saishin, Y., S. Gotoh, M. Furuse, A. Takasuga, Y. Tano and S. Tsukita. 2002. Differential expression patterns of claudins, tight junction membrane proteins, in mouse nephron segments. J. Am. Soc. Nephrol. 13:875-886.

Kokai-Kun, J. F., K. Benton, E. U. Wieckowski and B. A. McClane. 1999. Identification of a Clostridium perfringens enterotoxin region required for large complex formation and cytotoxicity by random mutagenesis. Infect. Immun. 67:5634-5641.

Kokai-Kun, J. F. and B. A. McClane. 1997. Deletion analysis of the Clostridium perfringens enterotoxin. Infect. Immun. 65:1014-1022.

Kollmar, R., S. K. Nakamura, J. A. Kappler and A. J. Hudspeth. 2001. Expression and phylogeny of claudins in vertebrate primordia. Proc. Natl. Acad. Sci. U. S. A 98:10196-10201.

Kominsky, S. L., M. Vali, D. Korz, T. G. Gabig, S. A. Weitzman, P. Argani and S. Sukumar. 2004. Clostridium perfringens enterotoxin elicits rapid and specific cytolysis of breast carcinoma cells mediated through tight junction proteins claudin 3 and 4. Am. J. Pathol. 164:1627-1633.

Konrad, M., A. Schaller, D. Seelow, A. V. Pandey, S. Waldegger, A. Lesslauer, H. Vitzthum, Y. Suzuki, J. M. Luk, C. Becker, K. P. Schlingmann, M. Schmid, J. Rodriguez-Soriano, G. Ariceta, F. Cano, R. Enriquez, H. Juppner, S. A. Bakkaloglu, M. A. Hediger, S. Gallati, S. C. Neuhauss, P. Nurnberg and S. Weber. 2006. Mutations in the tight-junction gene claudin 19 (CLDN19) are associated with renal magnesium wasting, renal failure, and severe ocular involvement. Am. J. Hum. Genet. 79:949-957.

Kyte, J. and R. F. Doolittle. 1982. A simple method for displaying the hydropathic character of a protein. J. Mol. Biol. 157:105-132.

Labbe R. G. 1989. *Clostridium perfringens*. In: Doyle M.P. (ed) Foodborne bacterial pathogens. Marcel Dekker Press, New York, pp 192-234.

Lamagna, C., P. Meda, G. Mandicourt, J. Brown, R. J. Gilbert, E. Y. Jones, F. Kiefer, P. Ruga, B. A. Imhof and M. Aurrand-Lions. 2005. Dual interaction of JAM-C with JAM-B and alpha(M)beta2 integrin: function in junctional complexes and leukocyte adhesion. Mol. Biol. Cell 16:4992-5003.

Leach, L. and J. A. Firth. 1992. Fine structure of the paracellular junctions of terminal villous capillaries in the perfused human placenta. Cell Tissue Res. 268:447-452.

Leach, L., M. J. Lammiman, M. O. Babawale, S. A. Hobson, B. Bromilow, S. Lovat and M. J. Simmonds. 2000. Molecular organization of tight and adherens junctions in the human placental vascular tree. Placenta 21:547-557.

Liebner, S., A. Fischmann, G. Rascher, F. Duffner, E. H. Grote, H. Kalbacher and H. Wolburg. 2000. Claudin-1 and claudin-5 expression and tight junction morphology are altered in blood vessels of human glioblastoma multiforme. Acta Neuropathol. (Berl) 100:323-331.

Loh, Y. H., A. Christoffels, S. Brenner, W. Hunziker and B. Venkatesh. 2004. Extensive expansion of the claudin gene family in the teleost fish, Fugu rubripes. Genome Res. 14:1248-1257.

Long, H., C. D. Crean, W. H. Lee, O. W. Cummings and T. G. Gabig. 2001. Expression of Clostridium perfringens enterotoxin receptors claudin-3 and claudin-4 in prostate cancer epithelium. Cancer Res. 61:7878-7881.

MacArthur, M. W. and J. M. Thornton. 1991. Influence of proline residues on protein conformation. J. Mol. Biol. 218:397-412.

Mack, A. F. and H. Wolburg. 2006. Growing axons in fish optic nerve are accompanied by astrocytes interconnected by tight junctions. Brain Res. 1103:25-31.

- Masuyama, A., M. Kondoh, H. Seguchi, A. Takahashi, M. Harada, M. Fujii, H. Mizuguchi, Y. Horiguchi and Y. Watanabe.** 2005. Role of N-terminal amino acids in the absorption-enhancing effects of the c-terminal fragment of Clostridium perfringens enterotoxin. *J. Pharmacol. Exp. Ther.* 314:789-795.
- Matsuda, M. and N. Sugimoto.** 1979. Calcium-independent and dependent steps in action of Clostridium perfringens enterotoxin on HeLa and Vero cells. *Biochem. Biophys. Res. Commun.* 91:629-636.
- Matter, K. and M. S. Balda.** 2003. Holey barrier: claudins and the regulation of brain endothelial permeability. *J. Cell Biol.* 161:459-460.
- McCarthy, K. M., S. A. Francis, J. M. McCormack, J. Lai, R. A. Rogers, I. B. Skare, R. D. Lynch and E. E. Schneeberger.** 2000. Inducible expression of claudin-1-myc but not occludin-VSV-G results in aberrant tight junction strand formation in MDCK cells. *J. Cell Sci.* 113 Pt 19:3387-3398.
- McClane, B. A.** 1984. Osmotic stabilizers differentially inhibit permeability alterations induced in Vero cells by Clostridium perfringens enterotoxin. *Biochim. Biophys. Acta* 777:99-106.
- McClane, B. A. and J. L. McDonel.** 1979. The effects of Clostridium perfringens enterotoxin on morphology, viability, and macromolecular synthesis in Vero cells. *J. Cell Physiol* 99:191-200.
- McClane, B. A. and J. L. McDonel.** 1980. Characterization of membrane permeability alterations induced in Vero cells by Clostridium perfringens enterotoxin. *Biochim. Biophys. Acta* 600:974-985.
- McDonel, J. L.** 1980. Binding of Clostridium perfringens [¹²⁵I]enterotoxin to rabbit intestinal cells. *Biochemistry* 19:4801-4807.
- Michl, P., C. Barth, M. Buchholz, M. M. Lerch, M. Rolke, K. H. Holzmann, A. Menke, H. Fensterer, K. Giehl, M. Lohr, G. Leder, T. Iwamura, G. Adler and T. M. Gress.** 2003. Claudin-4 expression decreases invasiveness and metastatic potential of pancreatic cancer. *Cancer Res.* 63:6265-6271.
- Michl, P., M. Buchholz, M. Rolke, S. Kunsch, M. Lohr, B. McClane, S. Tsukita, G. Leder, G. Adler, and T. M. Gress.** 2001. Claudin-4: a new target for pancreatic cancer treatment using Clostridium perfringens enterotoxin. *Gastroenterology* 121:678-684.
- Mitic, L. L., V. M. Unger and J. M. Anderson.** 2003. Expression, solubilization, and biochemical characterization of the tight junction transmembrane protein claudin-4. *Protein Sci.* 12:218-227.
- Miwa, N., M. Furuse, S. Tsukita, N. Niikawa, Y. Nakamura and Y. Furukawa.** 2001. Involvement of claudin-1 in the beta-catenin/Tcf signaling pathway and its frequent upregulation in human colorectal cancers. *Oncol. Res.* 12:469-476.

- Miyamoto T., K. Morita, D. Takemoto, K. Takeuchi, Y. Kitano, T. Miyakawa, K. Nakayama, Y. Okamura, H. Sasaki, Y. Miyachi, M. Furuse and S. Tsukita 2005.** Tight junctions in Schwann cells of peripheral myelinated axons: a lesson from claudin-19-deficient mice. *J Cell Biol.* 169(3):527-38
- Moore, G. E., R. E. Gerner and H. A. Franklin. 1967.** Culture of normal human leukocytes. *JAMA* 199:519-524.
- Morin, P. J. 2005.** Claudin proteins in human cancer: promising new targets for diagnosis and therapy. *Cancer Res.* 65:9603-9606.
- Morita, K., M. Furuse, K. Fujimoto and S. Tsukita. 1999a.** Claudin multigene family encoding four-transmembrane domain protein components of tight junction strands. *Proc. Natl. Acad. Sci. U. S. A* 96:511-516.
- Morita, K., H. Sasaki, K. Fujimoto, M. Furuse and S. Tsukita. 1999b.** Claudin-11/OSP-based tight junctions of myelin sheaths in brain and Sertoli cells in testis. *J. Cell Biol.* 145:579-588.
- Morita, K., H. Sasaki, M. Furuse and S. Tsukita. 1999c.** Endothelial claudin: claudin-5/TMVCF constitutes tight junction strands in endothelial cells. *J. Cell Biol.* 147:185-194.
- Morita, K., S. Tsukita and Y. Miyachi. 2004.** Tight junction-associated proteins (occludin, ZO-1, claudin-1, claudin-4) in squamous cell carcinoma and Bowen's disease. *Br. J. Dermatol.* 151:328-334.
- Muhleisen, H., H. Wolburg and E. Betz. 1989.** Freeze-fracture analysis of endothelial cell membranes in rabbit carotid arteries subjected to short-term atherogenic stimuli. *Virchows Arch. B Cell Pathol. Incl. Mol. Pathol.* 56:413-417.
- Müller, S. L., M. Portwich, A. Schmidt, D. I. Utepbergenov, O. Huber, I. E. Blasig and G. Krause. 2005.** The tight junction protein occludin and the adherens junction protein alpha-catenin share a common interaction mechanism with ZO-1. *J. Biol. Chem.* 280:3747-3756.
- Mullin, J. M., N. Agostino, E. Rendon-Huerta and J. J. Thornton. 2005.** Keynote review: epithelial and endothelial barriers in human disease. *Drug Discov. Today* 10:395-408.
- Muza-Moons, M. M., E. E. Schneeberger and G. A. Hecht. 2004.** Enteropathogenic Escherichia coli infection leads to appearance of aberrant tight junctions strands in the lateral membrane of intestinal epithelial cells. *Cell Microbiol.* 6:783-793.
- Nitta, T., M. Hata, S. Gotoh, Y. Seo, H. Sasaki, N. Hashimoto, M. Furuse and S. Tsukita. 2003.** Size-selective loosening of the blood-brain barrier in claudin-5-deficient mice. *J. Cell Biol.* 161:653-660.
- Nunbhakdi-Craig, V., T. Machleidt, E. Ogris, D. Bellotto, C. L. White, III and E. Sontag. 2002.** Protein phosphatase 2A associates with and regulates atypical PKC and the epithelial tight junction complex. *J. Cell Biol.* 158:967-978.

- Nunes F. D., L. N. Lopez, H. W. Lin, C. Davies, R. B. Azevedo, A. Gow and B. Kachar.** **2006.** Distinct subdomain organization and molecular composition of a tight junction with adherens junction features. *J. Cell Sci.* 119:4819-27
- Nusrat, A., G. T. Brown, J. Tom, A. Drake, T. T. Bui, C. Quan and R. J. Mrsny.** **2005.** Multiple protein interactions involving proposed extracellular loop domains of the tight junction protein occludin. *Mol Biol Cell.* 16(4):1725-34.
- Powell, D. W.** **1981.** Barrier function of epithelia. *Am. J. Physiol* 241:G275-G288.
- Prota, A. E., J. A. Campbell, P. Schelling, J. C. Forrest, M. J. Watson, T. R. Peters, M. Aurrand-Lions, B. A. Imhof, T. S. Dermody and T. Stehle.** **2003.** Crystal structure of human junctional adhesion molecule 1: implications for reovirus binding. *Proc. Natl. Acad. Sci. U. S. A* 100:5366-5371.
- Rahner, C., L. L. Mitic and J. M. Anderson.** **2001.** Heterogeneity in expression and subcellular localization of claudins 2, 3, 4, and 5 in the rat liver, pancreas, and gut. *Gastroenterology* 120:411-422.
- Ramjeesingh, M., L. J. Huan, E. Garami and C. E. Bear.** **1999.** Novel method for evaluation of the oligomeric structure of membrane proteins. *Biochem. J.* 342 (Pt 1):119-123.
- Ramjeesingh, M., C. Li, L. J. Huan, E. Garami, Y. Wang and C. E. Bear.** **2000.** Quaternary structure of the chloride channel CLC-2. *Biochemistry* 39:13838-13847.
- Rangel, L. B., R. Agarwal, T. D'Souza, E. S. Pizer, P. L. Alo, W. D. Lancaster, L. Gregoire, D. R. Schwartz, K. R. Cho and P. J. Morin.** **2003.** Tight junction proteins claudin-3 and claudin-4 are frequently overexpressed in ovarian cancer but not in ovarian cystadenomas. *Clin. Cancer Res.* 9:2567-2575.
- Reuss, L.** **2001.** Isolated-polarized epithelial cells as an experimental system for cell physiology studies. *J. Membr. Biol.* 179:1-12.
- Roh, M. H., C. J. Liu, S. Laurinec and B. Margolis.** **2002.** The carboxyl terminus of zona occludens-3 binds and recruits a mammalian homologue of discs lost to tight junctions. *J. Biol. Chem.* 277:27501-27509.
- Saitou, M., Y. Ando-Akatsuka, M. Itoh, M. Furuse, J. Inazawa, K. Fujimoto, and S. Tsukita.** **1997.** Mammalian occludin in epithelial cells: its expression and subcellular distribution. *Eur. J. Cell Biol.* 73:222-231.
- Saitou, M., M. Furuse, H. Sasaki, J. D. Schulzke, M. Fromm, H. Takano, T. Noda and S. Tsukita.** **2000.** Complex phenotype of mice lacking occludin, a component of tight junction strands. *Mol. Biol. Cell* 11:4131-4142.
- Sakaguchi, T., H. Kohler, X. Gu, B. A. McCormick and H. C. Reinecker.** **2002.** Shigella flexneri regulates tight junction-associated proteins in human intestinal epithelial cells. *Cell Microbiol.* 4:367-381.
- Sakakibara, A., M. Furuse, M. Saitou, Y. Ando-Akatsuka and S. Tsukita.** **1997.** Possible involvement of phosphorylation of occludin in tight junction formation. *J. Cell Biol.* 137:1393-1401.

- Santin, A. D., S. Bellone, E. R. Siegel, J. K. McKenney, M. Thomas, J. J. Roman, A. Burnett, G. Tognon, E. Bandiera and S. Pecorelli. 2007.** Overexpression of Clostridium perfringens Enterotoxin Receptors Claudin-3 and Claudin-4 in Uterine Carcinosarcomas. Clin. Cancer Res. 13:3339-3346.
- Sambrook, J., E. Fritsch and T. Maniatis. 1989.** Molecular Cloning: A Laboratory Manual, 2nd edn. Cold Spring Harbor, NY: Cold Spring Harbor Press.
- Sasaki, H., C. Matsui, K. Furuse, Y. Mimori-Kiyosue, M. Furuse and S. Tsukita. 2003.** Dynamic behavior of paired claudin strands within apposing plasma membranes. Proc. Natl. Acad. Sci. U. S. A 100:3971-3976.
- Sawada, N., M. Murata, K. Kikuchi, M. Osanai, H. Tobioka, T. Kojima and H. Chiba. 2003.** Tight junctions and human diseases. Med. Electron Microsc. 36:147-156.
- Schneeberger, E. E. and R. D. Lynch. 2004.** The tight junction: a multifunctional complex. Am. J. Physiol Cell Physiol 286:C1213-C1228.
- Sheehan, G. M., B. V. Kallakury, C. E. Sheehan, H. A. Fisher, R. P. Kaufman, Jr. and J. S. Ross. 2007.** Loss of claudins-1 and -7 and expression of claudins-3 and -4 correlate with prognostic variables in prostatic adenocarcinomas. Hum. Pathol. 38:564-569.
- Simionescu, M., N. Simionescu and G. E. Palade. 1976.** Segmental differentiations of cell junctions in the vascular endothelium. Arteries and veins. J. Cell Biol. 68:705-723.
- Simon, D. B., Y. Lu, K. A. Choate, H. Velazquez, E. Al Sabban, M. Praga, A. Bettinelli, G. Colussi, D. McCredie, D. Milford, S. Sanjad and R. P. Lifton. 1999.** Paracellin-1, a renal tight junction protein required for paracellular Mg²⁺ resorption. Science 285:103-106.
- Singh, U., L. L. Mitic, E. U. Wieckowski, J. M. Anderson and B. A. McClane. 2001.** Comparative biochemical and immunocytochemical studies reveal differences in the effects of Clostridium perfringens enterotoxin on polarized CaCo-2 cells versus Vero cells. J. Biol. Chem. 276:33402-33412.
- Sirotkin, H., B. Morrow, B. Saint-Jore, A. Puech, G. R. Das, S. R. Patanjali, A. Skoultschi, S. M. Weissman and R. Kucherlapati. 1997.** Identification, characterization, and precise mapping of a human gene encoding a novel membrane-spanning protein from the 22q11 region deleted in velo-cardio-facial syndrome. Genomics 42:245-251.
- Smedley, J. G., III, D. J. Fisher, S. Sayeed, G. Chakrabarti and B. A. McClane. 2004.** The enteric toxins of Clostridium perfringens. Rev. Physiol Biochem. Pharmacol. 152:183-204.
- Smedley, J. G., III and B. A. McClane. 2004.** Fine mapping of the N-terminal cytotoxicity region of Clostridium perfringens enterotoxin by site-directed mutagenesis. Infect. Immun. 72:6914-6923.
- Smedley, J. G., III, F. A. Uzal and B. A. McClane. 2007.** Identification of a prepore large-complex stage in the mechanism of action of Clostridium perfringens enterotoxin. Infect. Immun. 75:2381-2390.

- Soma, T., H. Chiba, Y. Kato-Mori, T. Wada, T. Yamashita, T. Kojima and N. Sawada. 2004.** Thr(207) of claudin-5 is involved in size-selective loosening of the endothelial barrier by cyclic AMP. *Exp. Cell Res.* 300:202-212.
- Sonoda, N., M. Furuse, H. Sasaki, S. Yonemura, J. Katahira, Y. Horiguchi and S. Tsukita. 1999.** Clostridium perfringens enterotoxin fragment removes specific claudins from tight junction strands: Evidence for direct involvement of claudins in tight junction barrier. *J. Cell Biol.* 147:195-204.
- Spring, K. R. 1998.** Routes and mechanism of fluid transport by epithelia. *Annu. Rev. Physiol.* 60:105-119.
- Staehelin, L. A. 1973.** Further observations on the fine structure of freeze-cleaved tight junctions. *J. Cell Sci.* 13:763-786.
- Staehelin, L. A. 1974.** Structure and function of intercellular junctions. *Int. Rev. Cytol.* 39:191-283.
- Stevenson, B. R., J. M. Anderson, D. A. Goodenough and M. S. Mooseker. 1988.** Tight junction structure and ZO-1 content are identical in two strains of Madin-Darby canine kidney cells which differ in transepithelial resistance. *J. Cell Biol.* 107:2401-2408.
- Studier, F. W., A. H. Rosenberg, J. J. Dunn and J. W. Dubendorff. 1990.** Use of T7 RNA polymerase to direct expression of cloned genes. *Methods Enzymol.* 185:60-89.
- Swisshelm, K., R. Macek and M. Kubbies. 2005.** Role of claudins in tumorigenesis. *Adv. Drug Deliv. Rev.* 57:919-928.
- Takahashi, A., M. Kondoh, A. Masuyama, M. Fujii, H. Mizuguchi, Y. Horiguchi and Y. Watanabe. 2005.** Role of C-terminal regions of the C-terminal fragment of Clostridium perfringens enterotoxin in its interaction with claudin-4. *J. Control Release* 108:56-62.
- Tanaka, M., R. Kamata and R. Sakai. 2005.** EphA2 phosphorylates the cytoplasmic tail of Claudin-4 and mediates paracellular permeability. *J. Biol. Chem.* 280:42375-42382.
- Tollehaug, H., R. Skjelkvale and T. Berg. 1982.** Quantitation of binding and subcellular distribution of Clostridium perfringens enterotoxin in rat liver cells. *Infect. Immun.* 37:486-491.
- Towbin, H., T. Staehelin and J. Gordon. 1979.** Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc. Natl. Acad. Sci. U. S. A* 76:4350-4354.
- Toyofuku, T., M. Yabuki, K. Otsu, T. Kuzuya, M. Hori and M. Tada. 1998.** Direct association of the gap junction protein connexin-43 with ZO-1 in cardiac myocytes. *J. Biol. Chem.* 273:12725-12731.
- Turksen, K. and T. C. Troy. 2001.** Claudin-6: a novel tight junction molecule is developmentally regulated in mouse embryonic epithelium. *Dev. Dyn.* 222:292-300.
- Unger, V. M., N. M. Kumar, N. B. Gilula and M. Yeager. 1999.** Three-dimensional structure of a recombinant gap junction membrane channel. *Science* 283:1176-1180.

- Utepbergenov, D. I., A. S. Fanning and J. M. Anderson. 2006.** Dimerization of the scaffolding protein ZO-1 through the second PDZ domain. *J. Biol. Chem.* 281:24671-24677.
- Van Itallie, C. M. and J. M. Anderson. 2004.** The role of claudins in determining paracellular charge selectivity. *Proc. Am. Thorac. Soc.* 1:38-41.
- Van Itallie, C. M. and J. M. Anderson. 2006a.** Claudins and epithelial paracellular transport. *Annu. Rev. Physiol.* 68:403-429.
- Van Itallie, C. M. and J. M. Anderson. 2006b.** Claudins and epithelial paracellular transport. *Annu. Rev. Physiol.* 68:403-429.
- Van Itallie, C. M., O. R. Colegio and J. M. Anderson. 2004.** The cytoplasmic tails of claudins can influence tight junction barrier properties through effects on protein stability. *J. Membr. Biol.* 199:29-38.
- Van Itallie, C. M., A. S. Fanning and J. M. Anderson. 2003.** Reversal of charge selectivity in cation or anion-selective epithelial lines by expression of different claudins. *Am. J. Physiol Renal Physiol* 285:F1078-F1084.
- Van Itallie, C. M., T. M. Gambling, J. L. Carson and J. M. Anderson. 2005.** Palmitoylation of claudins is required for efficient tight-junction localization. *J. Cell Sci.* 118:1427-1436.
- Van Itallie C., C. Rahner and J. M. Anderson. 2001.** Regulated expression of claudin-4 decreases paracellular conductance through a selective decrease in sodium permeability. *J Clin Invest.* 107(10):1319-27.
- Vovis, G. F. and S. Lacks. 1977.** Complementary action of restriction enzymes endo R-DpnI and Endo R-DpnII on bacteriophage f1 DNA. *J. Mol. Biol.* 115:525-538.
- Waters, M. L. 2004.** Aromatic interactions in peptides: impact on structure and function. *Biopolymers* 76, 435-445.
- Watson, C. J., M. Rowland and G. Warhurst. 2001.** Functional modeling of tight junctions in intestinal cell monolayers using polyethylene glycol oligomers. *Am. J. Physiol Cell Physiol* 281:C388-C397.
- Wattenhofer, M., A. Reymond, V. Falciola, A. Charollais, D. Caille, C. Borel, R. Lyle, X. Estivill, M. B. Petersen, P. Meda and S. E. Antonarakis. 2005.** Different mechanisms preclude mutant CLDN14 proteins from forming tight junctions in vitro. *Hum. Mutat.* 25:543-549.
- Weber, S., L. Schneider, M. Peters, J. Misselwitz, G. Ronnefarth, M. Boswald, K. E. Bonzel, T. Seeman, T. Sulakova, E. Kuwertz-Broking, A. Gregoric, J. B. Palcoux, V. Tasic, F. Manz, K. Scharer, H. W. Seyberth and M. Konrad. 2001.** Novel paracellin-1 mutations in 25 families with familial hypomagnesemia with hypercalciuria and nephrocalcinosis. *J. Am. Soc. Nephrol.* 12:1872-1881.

Wen, H., D. D. Watry, M. C. Marcondes and H. S. Fox. 2004. Selective decrease in paracellular conductance of tight junctions: role of the first extracellular domain of claudin-5. *Mol. Cell Biol.* 24:8408-8417.

Wieckowski, E. U., J. F. Kokai-Kun and B. A. McClane. 1998. Characterization of membrane-associated Clostridium perfringens enterotoxin following pronase treatment. *Infect. Immun.* 66:5897-5905.

Wieckowski, E. U., A. P. Wnek, and B. A. McClane. 1994. Evidence that an approximately 50-kDa mammalian plasma membrane protein with receptor-like properties mediates the amphiphilicity of specifically bound Clostridium perfringens enterotoxin. *J. Biol. Chem.* 269:10838-10848.

Wilcox, E. R., Q. L. Burton, S. Naz, S. Riazuddin, T. N. Smith, B. Ploplis, I. Belyantseva, T. Ben Yosef, N. A. Liburd, R. J. Morell, B. Kachar, D. K. Wu, A. J. Griffith, S. Riazuddin and T. B. Friedman. 2001. Mutations in the gene encoding tight junction claudin-14 cause autosomal recessive deafness DFNB29. *Cell* 104:165-172.

Wittchen, E. S., J. Haskins and B. R. Stevenson. 1999. Protein interactions at the tight junction. Actin has multiple binding partners, and ZO-1 forms independent complexes with ZO-2 and ZO-3. *J. Biol. Chem.* 274:35179-35185.

Wnek, A. P. and B. A. McClane. 1989. Preliminary evidence that Clostridium perfringens type A enterotoxin is present in a 160,000-Mr complex in mammalian membranes. *Infect. Immun.* 57:574-581.

Wolburg, H. and A. Lippoldt. 2002. Tight junctions of the blood-brain barrier: development, composition and regulation. *Vascul. Pharmacol.* 38:323-337.

Wolburg, H., J. Neuhaus, U. Kniesel, B. Krauss, E. M. Schmid, M. Ocalan, C. Farrell and W. Risau. 1994. Modulation of tight junction structure in blood-brain barrier endothelial cells. Effects of tissue culture, second messengers and cocultured astrocytes. *J. Cell Sci.* 107 (Pt 5):1347-1357.

Wolburg, H., K. Wolburg-Buchholz, J. Kraus, G. Rascher-Eggstein, S. Liebner, S. Hamm, F. Duffner, E. H. Grote, W. Risau and B. Engelhardt. 2003. Localization of claudin-3 in tight junctions of the blood-brain barrier is selectively lost during experimental autoimmune encephalomyelitis and human glioblastoma multiforme. *Acta Neuropathol. (Berl)* 105:586-592.

Wuller, S., B. Wiesner, A. Loffler, J. Furkert, G. Krause, R. Hermosilla, M. Schaefer, R. Schulein, W. Rosenthal, and A. Oksche. 2004. Pharmacochaperones post-translationally enhance cell surface expression by increasing conformational stability of wild-type and mutant vasopressin V2 receptors. *J. Biol. Chem.* 279:47254-47263.

Yamauchi, K., T. Rai, K. Kobayashi, E. Sohara, T. Suzuki, T. Itoh, S. Suda, A. Hayama, S. Sasaki and S. Uchida. 2004. Disease-causing mutant WNK4 increases paracellular chloride permeability and phosphorylates claudins. *Proc. Natl. Acad. Sci. U. S. A* 101:4690-4694.

Yu, A. S., A. H. Enck, W. I. Lencer and E. E. Schneeberger. 2003. Claudin-8 expression in Madin-Darby canine kidney cells augments the paracellular barrier to cation permeation. *J. Biol. Chem.* 278:17350-17359.

Zeissig, S., N. Burgel, D. Gunzel, J. Richter, J. Mankertz, U. Wahnschaffe, A. J. Kroesen, M. Zeitz, M. Fromm and J. D. Schulzke. 2007. Changes in expression and distribution of claudin 2, 5 and 8 lead to discontinuous tight junctions and barrier dysfunction in active Crohn's disease. *Gut* 56:61-72.