

7. Literaturverzeichnis

- AHA (2004): Statistical Fact Sheet — Populations International Cardiovascular Disease Statistics
American Heart Association, americanheart.org.
<http://www.americanheart.org/presenter.jhtml?identifier=3000090>
- Arroyo LH , Lee RT (1999):
Mechanisms of plaque rupture: mechanical and biologic interactions.
Cardiovasc Res, 41(2) p369-75
- Aschoff L (1930):
Die Arteriosklerose.
Mediz Klinik, (suppl 1) p1-20
- Atkinson JB, Hoover RL, Berry KK, Swift LL (1989):
Cholesterol-fed heterozygous Watanabe heritable hyperlipidemic rabbit: a new model for atherosclerosis.
Atherosclerosis, 78(2-3) p123-36
- Armstrong ML, Heistad DD (1990):
Animal models of atherosclerosis.
Atherosclerosis, 85 (1) p15-23
- Barkhausen J, Ebert W, Debatin JF, Weinmann HJ (2002)
Imaging of myocardial infarction: comparison of Magnevist and Gadophrin-3 in rabbits.
J Am Coll Cardiol, 39(8) p1392-8
- Barkhausen J, Ebert W, Heyer C, Debatin JF, Weinmann H-J (2003):
Detection of atherosclerotic plaque with gadofluorine-enhanced magnetic resonance imaging.
Circulation, 108(5) p605-9
- Bailey CH (1915):
Atheroma and other lesions produced in rabbits by cholesterol feeding.
J Exp Med, 23 p69-85
- Ball RY, Stowers EC, Burton JH, Cary NRB, Skepper JN, Hutchinson MJ (1995):
Evidence that the death of makrophage foam cells contributes to the lipid core of atheroma.
Atherosclerosis, 114(1) p45-54
- Berenson GS, Radhakrishnamurthy B, Srinivasan SR, Vijayagopal P, Dalferes ER Jr.,
Sharma C (1984):
Recent advances in molecular pathology carbohydrate-protein macromolecules and arterial wall integrity - a role in atherogenesis.
Exp Mol Pathol, 41(2) p267-87
- Böck P, Denk H, Künzle H (1989)
In: Romeis Mikroskopische Technik.
München: Urban & Schwarzenberg, 17. Auflage
- Böcker, Denk, Heitz (2004)
In: Pahologie
Urban & Fischer, 3. Auflage

- Boenisch T (2003):
Handbuch Immunhistochemischer Färbemethoden.
Dako Cytomation, 3. Auflage
- Buja LM, Kita T, Goldstein JL, Watanabe Y, Brown MS (1983):
Cellular Pathology of Progressive Atherosclerosis in the WHHL Rabbit. An Animal Model of Familial Hypercholesterolemia.
Arteriosclerosis, 3(1) p87-101
- Campbell GR, Campbell JH, Manderson JH, Horrigan S, Rennick E (1988):
Arterial smooth muscle: a multifunctional mesenchymal cell.
Arch Pathol Lab Med, 112 (10) p977-86
- Cathcart MK, Morel DW, Cilson GM (1985):
Monocytes and neutrophils oxidize low density lipoprotein making it cytotoxic.
J Leukoc Biol, 38(2) p341-50
- Cathcart MK, McNally AK, Chisolm GM (1991):
Lipoxygenase-mediated transformation of human low density lipoprotein to an oxidized and cytotoxic complex.
J Lipid Res, 32(1) p63-70
- Cathcart MK, Li Q, Chisolm GM (1995):
Lipoprotein receptor interactions are not required for monocyte oxidation of LDL.
J Lipid Res 36(9) p1857-65
- Coulden RA, Moss H, Graves MJ, Lomas DJ, Appleton DS, Weissberg PL (2000):
High resolution magnetic resonance imaging of atherosclerosis and the response to balloon angioplasty.
Heart, 83(2) p188-91
- Daldrup-Link HE, Rudelius M, Metz S, Piontek G, Pichler B, Settles M, Heinzmann U, Schlegel J, Oostendorp RA, Rummery EJ (2004):
Cell tracking with gadophrin-2: a bifunctional contrast agent for MR imaging, optical imaging, and fluorescence microscopy.
Eur J Nucl Med Mol Imaging, 31(9) p1312-21
- Davies MJ, Thomas AC (1985):
Plaque fissuring - the cause of acute myocardial infarction, sudden ischaemic death, and crescendo angina.
Br Heart J, 53(4) p363-73
- Davis, MJ (1995):
Acute coronary thrombosis - the role of plaque disruption and its initiation and prevention
Eur Heart J, 16 (Suppl L) p3-7
- Demer LL, Watson KE, Boström K (1994):
Mechanism of calcification in atherosclerosis.
Trends Cardiovasc Med, 4(1) p45-9
- Destatis 2004
Pressemitteilung vom 6. Juli 2004
Destatis web site: <http://www.destatis.de/basis/d/gesu/gesutab19.php>

- Dollery CM, McEwan JR, Henney AM (1995):
Matrix metalloproteinases and cardiovascular disease.
Circ Res 77(5) p863-8
- Falk, E (1992):
Why do plaques rupture ?
Circulation, 86(6 suppl) pIII30-42
- Falk E, Prediman KS, Fuster V (1995):
Coronary plaque disruption.
Circulation, 92(3) p657-71
- Fayad ZA, Fallon JT, Shinnar M, Wehrli S, Dansky HM, Poon M, Badimon JJ, Charlton SA, Fisher EA, Breslow JL, Fuster V (1998):
Noninvasive *in vivo* high-resolution magnetic resonance imaging of atherosclerotic lesions in genetically engineered mice.
Circulation, 98(15) p1541-7
- Fayad ZA, Nahar T, Fallon JT, Goldmann M, Aguinaldo JG, Badimon JJ, Shinnar M, Chesebro JH, Fuster V (2000a):
In *vivo* magnetic resonance evaluation of atherosclerotic plaques in the human thoracic aorta: a comparison with transesophageal echocardiographie.
Circulation, 101(21) p2503-9
- Fayad ZA, Fuster V, Fallon JT, Jayasundera T, Worthley SG, Helft G, Aguinaldo JG, Badimon JJ, Sharma SK (2000b):
Noninvasive *in vivo* human coronary artery lumen and wall imaging using black-blood magnetic resonance imaging.
Circulation, 102(5) p506-10
- Fayad ZA, Fuster V (2001a):
Clinical imaging of the high-risk or vulnerable atherosclerotic plaque.
Circ Res, 89(4) p305-16
- Fayad ZA, Fuster V (2001b):
The human high risk plaque and its detection by magnetic resonance imaging.
Am J Cardiol, 88(2A) p42E-45E
- Forth W, Henschler D, Rummel W, Starke K (1996):
Allgemeine und spezielle Pharmakologie und Toxikologie.
Spektrum Lehrbuch, 7. Auflage
- Frank H (2001):
Characterization of atherosclerotic plaque by magnetic resonance imaging.
Am Heart J, 141(suppl 2) p45-8
- Frank JS, Fogelman AM (1989):
Ultrastructure of the intima in WHHL and cholesterol-fed rabbit aortas prepared by ultra-rapid freezing and freeze-etching.
J Lipid Res, 30(7) p967-978
- Fuster V, Badimon L, Badimon J, Chesebro JH (1992):
The pathogenesis of coronary artery disease and the acute coronary syndromes.
N Engl J Med, 326(5) p242-50

- Fuster V, Lewis A (1994):
Conner memorial lecture: Mechanisms leading to myocardial infarction: insights from studies of vascular biology.
Circulation, 90(4) p2126-46
- Galis ZS, Sukhova GK, Lark MW, Libby P (1994):
Increased expression of matrix metalloproteinases and matrix degrading activities in vulnerable regions of human atherosclerotic plaques.
J Clin Invest, 94(6) p2493-503
- Gerrity RG (1981):
The role of the monocyte in atherogenesis: I. Transition of bloodborne monocytes into foam cells in fatty lesions.
Am J Pathol, 103(2) p181-90
- Gerrity RG, Goss J, Soby L (1985):
Control of monocyte recruitment by chemotactic factor(s) in lesion-prone areas of swine aorta.
Atherosclerosis, 5(1) p55-65
- Glagow S, Weisenberg E, Zarins CK, Stankunavicius R, Kolettis GJ (1987):
Compensatory enlargement of human atherosclerotic coronary arteries.
N Engl J Med, 316(22) p1371-5
- Gutstein DE, Fuster V (1999):
Pathophysiology and clinical significance of atherosclerotic plaque rupture.
Cardiovasc Res, 41(2) p323-33
- Guyton JR, Klemp KF (1993):
Transitional features in human atherosclerosis. Intimal thickening, cholesterol clefts, and cell loss in human aortic fatty streaks.
Am J Pathol, 143(5) p1444-57
- Hatsukami TS, Ross R, Polissar NL, Yuan C (2000):
Visualization of fibrous cap thickness and rupture in human atherosclerotic carotid plaque in vivo with high resolution magnetic resonance imaging.
Circulation, 102(9) p959-64
- Hoff HF, O`Neil JA (1991):
Oxidation of LDL: Role in Atherogenesis.
Klin Wochenschr, 69(21-23) p1032-8
- Karlson P, Doenicke D, Koolman J (1994):
Lipoproteine.
In: *Kurzes Lehrbuch der Biochemie*, 14.Auflage, S.310-313
- Kopp AF, Schroeder S, Baumbach A, Kuettner A, Georg C, Ohnesorge B, Heuschmid M, Kuzo R, Claussen CD (2001):
Non-invasive characterization of coronary lesion morphology and composition by multislice CT: first results in comparison with intracoronary ultrasound.
Eur Radiol, 11(9) p1607-11
- Kullo IJ, Edwards WD, Schwartz R (1998) :
Vulnerable plaque: pathobiology and clinical implications.
Ann Intern Med , 129(12) p1050-60

Leake S, Rankin SM (1990):

The oxidative modification of low-density lipoproteins by macrophages.
Biochem J, 270(3) p741-8

Lensch T, Ringel K (1988):

Diagnostische Vorteile der Kernspintomographie im Vergleich zur Computertomographie.
MTA, 3 p738-44

Libby, P (1995):

Molecular bases of acute coronary syndromes.
Circulation, 91(11) p2844-50

Libby, P (2000)

Coronary artery injury and the biology of atherosclerosis: inflammation, thrombosis, and stabilization.
Am J Cardiol, 86(8b) p3J-9J

Libby P, Aikawa M, Schonbeck U (2000):

Cholesterol and atherosclerosis.
Biochem Biophys Acta, 1529(1-3) p299-309

Libby P (2002):

Inflammation in atherosclerosis.
Nature, 420(6917) p868-74

Lusis AJ (2000):

Atherosclerosis.
Nature, 407 p233-41

Marchand F (1904):

Über Arteriosklerose.
Verhandl 21. Kong Inn Med, 21 p23-59

Maynor CH, Charles HC, Herfkens RJ, Suddarth SA, Johnson GA (1988):

Chemical shift imaging of atherosclerosis at 7.0 Tesla.
Invest Radiol, 24(1) p52-60

Misselwitz B, Platzek J, Radüchel B, Oellinger JJ, Weinmann H-J (1999):

Gadofluorine 8: initial experience with a new contrast medium for interstitial MR lymphography.
MAGMA, 8(3) p190-5

Morel DW, DiCorleto PE, Chisolm GM (1984):

Endothelial and smooth muscle cells alter low density protein in vitro by free radical oxidation.
Atherosclerosis, 4(4) p357-64

Moreno PR, Falk E, Palacios IF, Newell JB, Fuster V, Fallon JT (1994):

Makrophage infiltration in acute coronary syndromes. Implication for plaque rupture.
Circulation, 90(2) p775-8

- Moreno PR, Lodder RA, Purushothaman KR, Charash WE, O'Connor WN, Muller JE (2002):
Detection of lipid pool, thin fibrous cap, and inflammatory cells in human aortic
atherosclerotic plaques by near-infrared spectroscopy.
Circulation, 105(8) p923-7
- Muller J, Tofler G, Stone P (1989):
Circadian variation and triggers of onset of acute cardiovascular disease.
Circulation, 79(4) p733-43
- Muller JE, Abela GS, Nesto RW et al. (1994):
Triggers, acute risk factors and vulnerable plaques: the lexicon of a new frontier.
J Am Coll Cardiol, 23(3) p809-13
- Munro JM, Cotran RS (1988):
The pathogenesis of atherosclerosis. Atherogenesis and inflammation.
Lab Invest, 58(3) p249-61
- Naghavi M, Libby P, Falk E et al. (2003):
From vulnerable plaque to vulnerable patient. A call for new definitions and risk assessment
strategies: Part I.
Circulation, 108(14) p1664-72
<http://circ.ahajournals.org/cgi/content/full/108/14/1664#R11-134357>
- Newby AC (1997):
Molecular and cell biology of native coronary and vein graft atherosclerosis: regulation of
plaque stability and vessel remodelling by growth factors and cell - extracellular matrix
interactions.
Coron Artery Dis, 8(3-4) p213-24
- Newby AC, Zaltsman AB (1999):
Fibrous cap formation or destruction-the critical importance of vascular smooth muscle cell
proliferation, migration and matrix formation.
Cardiovasc Res, 41(2) p345-60
- Nievelstein PFEM, Fogelmann AM, Mottino G, Frank JS (1991):
Lipid Accumulation in Rabbit Aortic Intima 2 Hours After Bolus Infusion of Low Density
Lipoprotein.
Arterioscler Thromb, 11(6) p1795-805
- Ni Y, Cresens E, Adriaens P, et al. (2002):
Necrosis-avid contrast agents: introducing nonporphyrin species.
Acad Radiol, 9 (suppl 1) pS98-101
- Nikkari ST, O'Brian KD, Ferguson M, Hatsukami T, Welgus HG, Alpers CE, Clowes AW (1995):
Interstitial collagenase (MMP-1) expression in human carotid atherosclerosis.
Circulation, 92(6) p1393-8
- Ooshima A, Muragaki Y (1990):
Collagen metabolism in atherogenesis.
Ann NY Acad Sci, 598 p582-4
- Palinski W, Rosenfeld ME, Yla-Hertuala S, Gurtner GC, Socher SS, Butler SW, Parthasarathy S,
Carew TE, Steinberg D, Witzum JL (1989):
Low density lipoprotein undergoes oxidative modification in vivo.
Proc Natl Acad Sci USA, 86 (4) p1372-6

Pasterkamp G, Falk E, Woutman H, Borst C 2000
Techniques characterizing the coronary atherosclerotic plaque: influence on clinical decision making?
J Am Coll Cardiol, 36(1) p13-21

Philips (1988):
Prinzipien der MR-Tomographie.
Philips Medical Systems, Eindhoven/Niederlande

Piedrahita JA, Zhang SH, Hagaman JR, Oliver PM, Maeda N (1992)
Generation of mice carrying a mutant apolipoprotein E gene inactivated by gene targeting in embryonic stem cells.
Proc Natl Acad Sci USA, 89 p4471-5

Popesko P, Rajtova V, Horák J (1990):
A color atlas of anatomy of small laboratory animals. Volume one: rabbit, guinea pig
Wolfe Publishing Ltd, 1992

Pykett IL (1982):
Kernspintomographie: Röntgenbilder ohne Röntgenstrahlen.
Spektrum der Wissenschaft, 7 S. 40-55

Rekhter MD, Hicks GW, Brammer DW, Work CW, Kim J-S, Gordon D, Keis JA, Ryan MJ (1998):
Animal model that mimics atherosclerotic plaque rupture.
Circ Res, 83(7) p705-13

Rekhter, MD (1999):
Collagen synthesis in atherosclerosis : to much and not enough.
Cardiovascular Research, 41(2) p376-84

Rinck PA, Peterson SB, Muller RN (1985):
Magnetresonanz in der Medizin.
Georg Thieme Verlag, Stuttgart/New York

Rosenfeld ME, Chait A, Bierman EL, King W, Godwin P, Waden CE, Ross R (1988):
Lipid composition of aorta of Watanabe heritable hyperlipemic and comparably hypercholesterolemic fat-fed rabbits.
Arteriosclerosis, 8(4) p338-347

Rosenfeld ME, Polinski P, Virmani R, Kauser K ,Rubanyi G, Schwartz SM (2000):
Advanced atherosclerotic lesions in the innominate artery of the ApoE knockout mouse.
Arterioscler Thromb Vasc Biol, 20(12) p2587-92

Ross R (1986):
The Pathogenesis of atherosclerosis - an update.
NEJM, 314(8) p488-500

Ross R (1999):
Atherosclerosis - an inflammatory disease.
NEJM, 340(2) p115-26

Ross R (1993):
The pathogenesis of atherosclerosis: a perspective for the 1990s.
Nature, 362(6423) p801-9

Ruehm SG, Goyen M, Barkhausen J, Kroger K, Bosk S; Ladd ME, Debatin JF (2001a):
Rapid magnetic resonance angiography for detection of atherosclerosis.
Lancet, 357 (9262) p1086-91

Ruehm SG, Corot C, Vogt P, Kolb S, Debatin JF (2001b):
Magnetic resonance imaging of atherosclerotic plaque with ultrasmall superparamagnetic
particles of iron oxide in hyperlipidemic rabbits.
Circulation, 103(3) p415-22.

Ruehm SG, Carot C, Vogt P, Cristina H, Debatin JF (2002):
Ultrasmall superparamagnetic iron oxide-enhanced MR Imaging of atherosclerotic plaque in
hyperlipidemic rabbits.
Acad Radiol, 9(suppl 1) pS143-4

Saeed M, Lund G, Wendland MF, Bremerich J, Weinmann H, Higgins CB (2001):
Magnetic resonance characterization of the periinfarction zone of reperfused myocardial
infarction with necrosis-specific and extracellular nonspecific contrast media.
Circulation, 103(6) p871-6

Schild HH (1990):
MRI made easy.
Schering Berlin/Bergkamen

Schmitz SA, Taupitz M, Wagner S, Wolf K-J, Beyersdorf D, Hamm B (2001a):
Magnetic resonance imaging of atherosclerotic plaques using superparamagnetic iron oxide
particles.
J Magn Reson Imaging, 14(4) p355-61

Schmitz SA, Winterhalter S, Schiffler S, Gust R, Wagner S, Kresse M, Coupland SE, Semmler W,
Wolf KJ (2001b):
USPIO-enhanced direct MR imaging of thrombus: preclinical evaluation in rabbits.
Radiology, 221(1) p237-43

Schmitz SA (2003):
Iron-oxide-enhanced MR imaging of inflammatory atherosclerotic lesions: overview of
experimental and initial clinical results.
Rofo, 175(4) p469-76

Schroeder AP, Falk E (1996):
Pathophysiology and inflammatory aspects of plaque rupture.
Cardiol Clin, 14(2) p211-20

Shah PK, Forrester JS (1991):
Pathophysiology of acute coronary syndromes.
Am J Cardiol, 68(12) p16C-23C

Shah, PK (1996):
Pathophysiology of plaque rupture and the concept of plaque stabilization.
Cardiol Clin, 14(1) p17-29

Shah, PK (1999):
Plaque disruption and thrombosis. Potential role of inflammation and infection.
Cardiol Clin, 17(2) p271-81

Shinnar M, Fallon JT, Wehrli S, Levin M, Dalmacy D, Fayad ZA, Badimon JJ, Harrington M, Harrington E, Fuster V (1999):
The diagnostic accuracy of ex vivo MRI for human atherosclerotic plaque characterization.
Arterioscler Thromb Vasc Biol, 19(11) p2756-61

Shiomi M (2001):
Outline of WHHL rabbit
Institut for Experimental Animals, Kobe University School of Medicine,
7-5-1, Kusunok-cho, Chuo-ku
Kobe 650-0017, Japan

Serfaty J-M, Chaabane L, Tabib A, Chevallier J-M, Briguet A, Douek PC (2001):
Atherosclerotic plaques: classification and characterization with T2-weighted high-spatial-resolution MR Imaging - an in vitro study.
Radiology, 219(2) p403-10

Soila K, Nummi P, Efkors T, Viamonte M, Kormano M (1986)
Proton relaxation times in arterial wall and atheromatous lesions in man.
Invest Radiol, 21(5) p411-5

Stary HC (1992):
Composition and classification of human atherosclerotic lesions.
Virchows Arch A Pathol Anat Histopathol, 421(4) p277-90

Stary HC, Chandler AB, Dinsmore RE, Fuster V, Glagov S, Insull W, Rosenfeld ME, Schwartz CJ, Wagner WD, Wissler RW (1995):
A definition of advanced types of atherosclerotic lesions and a histological classification of atherosclerosis. A report from the Committee on Vascular Lesions of the Council on Arteriosclerosis, American Heart Association
Circulation, 92(5) p1355-74

Stary HC (2000a):
Natural history of calcium deposits in atherosclerosis progression and regression.
Z Kardiol, 89 (suppl 2) p28-35

Stary HC (2000b):
Natural history and histological classification of atherosclerotic lesions: an update.
Arterioscler Thromb Vasc Biol, 20(5) p1177-8

Stary HC (2001)
The development of calcium deposits in atherosclerotic lesions and their persistence after lipid regression.
Am J Cardiol, 88 (2A) p16E-19E

Stünzi H, Weiss E (1990):
Allgemeine Pathologie für Tierärzte und Studierende der Tiermedizin.
Paul Parey, 8. Auflage

Stryer (1995):
Lehrbuch der Biochemie
4.Auflage

Tamminen M, Mottino G, Qiao JH, Breslow JL, Frank JS (1999):
Ultrastructure of early lipid accumulation in ApoE-deficient mice.
Arterioscler Thromb Vasc Biol, 19(4) p847-53

- Trouard TP, Altbach M, Hunter GC (1997):
 MRI and NMR spectroscopy of the lipids of atherosclerotic plaque in rabbits and humans.
Magn Reson Med, 38(1) p19-26
- Toussaint J-F, LaMuraglia GM, Southern JF, Fuster V, Kantor HL (1996):
 MR images lipid, fibrous, calcified, hemorrhagic, and thrombotic components of human
 atherosclerosis in vivo.
Circulation, 94(5) p932-8
- Van der Wal AC, Becker AE, van der Loos CM, Das PK (1994):
 Site of intimal rupture or erosion of thrombosed coronary atherosclerotic plaques is
 characterized by an inflammatory process irrespective of the dominant plaque morphology.
Circulation, 89(1) p36-44
- Van der Wal AC, Koch AT, Piek JJ, de Boer OJ, Becker AE (1997):
 Inflammation in atherosclerotic plaques: a clinically crucial event.
Fibrinolysis and Proteolysis, 11(suppl 1) p125-8
- Van der Wal AC, Becker AE (1999):
 Atherosclerotic plaque rupture-pathologic basis of plaque stability and instability.
Cardiovasc Res, 41(2) p334-44
- Virmani R, Kolodgie FD, Burke AP, Farb A, Schartz SM (2000):
 Lessons from sudden coronary death. A comprehensive morphological classification scheme
 for atherosclerotic lesions.
Arterioscler Thromb Vasc Biol, 20(5) p1262-75
- Watanabe Y (1980):
 Serial inbreeding of rabbits with hereditary hyperlipidemia (WHHL)—Incidence and
 development of atherosclerosis and xanthoma.
Atherosclerosis, 36(2) p261-8
- Watanabe Y (1983):
 Characteristics of WHHL rabbits – an animal model for familial hypercholesterolemia.
J Jap Atheroscler Soc, 11 p743
- Watanabe Y , Ito T, Shiomi M (1985):
 The effect of selective breeding on the development of coronary atherosclerosis in WHHL
 Rabbits. An animal model for familial hypercholesterolemia.
Atherosclerosis, 56(1) p71-9
- Wasserman BA, Smith WI, Trout HH, Cannon RO, Balaban RS, Arai AE (2002):
 Carotid artery atherosclerosis: in vivo morphologic characterization with Gadolinium-
 enhanced double-oblique MR-Imaging-initial results.
Radiology, 223(2) p566-73
- Weinmann A (1991)
 Allgemeine Pathologie
 Edition Medizin, 7. Auflage
- Weinmann H-J, Ebert W, Misselwitz B, Schmitt-Willich H (2003):
 Tissue-specific MR contrast agents.
European Journal of Radiology, 46(1) p33-44

- Weishaupt D, Köchli VD, Marineck B (2003):
Wie funktioniert MRI? Eine Einführung in Physik und Funktionsweise der
Magnetresonanzbildgebung.
Springer Verlag GmbH & Co.KG
- Weissleder R, Elizondo G, Wittenberg J, Rabito CA, Bengele HH, Josephson L (1990):
Ultrasmall superparamagnetic iron oxide : characterization of a new class of contrast agents
for MR imaging
Radiology, 175(2) p489-93
- Willerson JT, Golino P, Eidt J, Campbell WB, Buja LM (1989):
Specific platelet mediators and unstable coronary artery lesions.
Circulation, 80(1) p198-205
- Windhover's Review of Emerging Medical Ventures (2001):
The unstable state of plaque detection.
In: Windhover-Information, 6(6) p23
www.Windhover.com/contents/monthly/exex/e_2001900110.htm
- Wolfram G (1990):
Hyperlipoproteinämien.
Mehnert (Hrsg) Stoffwechselkrankheiten: Grundlagen-Diagnostik-Therapie
Thieme Verlag, Stuttgart
- Wood ML, Wehrli FW (1999):
Principles of magnetic resonance imaging.
Stark DD, Bradley WG: Magnetic Resonance Imaging, p1-14
Mosby International 3rd ed.
- World Health Organisation (2003),
WebSite: <http://www.who.int/mediacentre/news/releases/2003/pr72/en/>
<http://www.who.int/dietphysicalactivity/publications/facts/cvd/en/>
- Worthley SG, Helft G, Fuster V, Fayad ZA, Fallon JT, Osende JI, Roquè M, Shinnar M, Zamann AG, Rodriguez OJ, Verhellen P, Badimon JJ (2000):
High resolution ex vivo magnetic resonance imaging of in situ coronary and aortic
atherosclerotic plaque in a porcine model.
Atherosclerosis, 150(2) p321-9
- Worthley SG, Helft G, Zaman AG, Fuster V, Badimon JJ (2000):
Atherosclerosis and the vulnerable plaque-imaging: Part I
Aust NZJ Med, 30(5) p600-7
- Worthley SG, Helft G, Zaman AG, Fuster V, Badimon JJ (2000):
Atherosclerosis and the vulnerable plaque-imaging: Part II.
Aust NZJ Med, 30(6) p704-10
- Yla-Hertuala S (1991):
Makrophages and oxidized low density lipoproteins in the pathogenesis of atherosclerosis.
Ann. Med., 23(5) p561-567
- Yuan C, Skinner MP, Kaneko E, Mitsumori LM, Hayes CE, Raines EW, Nelson JA, Ross R (1996):
Magnet resonance imaging to study lesions of atherosclerosis in the hyperlipidemic rabbit
aorta.
Magnetic Resonance Imaging, 14(1) p93-102

Yuan C, Beach KW, Smith LH, Hatsukami TS (1998):

Measurement of atherosclerotic carotid plaque size in vivo using high resolution magnetic resonance imaging.

Circulation, 98(24) p2666-71

Yuan C, Mitsumori LM, Beach KW, Maravilla KR (2001):

Carotid atherosclerotic plaque: noninvasive MR characterization and identification of vulnerable lesions.

Radiology, 221(2) p285-9