

7 Literaturverzeichnis

- Ahner A und Brodsky J L (2004) Checkpoints in ER-Associated Degradation: Excuse Me, Which Way to the Proteasome? *Trends Cell Biol* **14**: 474-478.
- Appenzeller-Herzog C, Roche A C, Nufer O und Hauri H P (2004) PH-Induced Conversion of the Transport Lectin ERGIC-53 Triggers Glycoprotein Release. *J Biol Chem* **279**: 12943-12950.
- Aridor M und Hannan L A (2000) Traffic Jam: a Compendium of Human Diseases That Affect Intracellular Transport Processes. *Traffic* **1**: 836-851.
- Bernier V, Bichet D G und Bouvier M (2004) Pharmacological Chaperone Action on G-Protein-Coupled Receptors. *Curr Opin Pharmacol* **4**: 528-533.
- Beyermann M, Fechner K, Furkert J, Krause E und Bienert M (1996) A Single-Point Slight Alteration Set As a Tool for Structure-Activity Relationship Studies of Ovine Corticotropin Releasing Factor. *J Med Chem* **39**: 3324-3330.
- Bichet DG (1998) Nephrogenic Diabetes Insipidus. *Am J Med* **105**: 431-442.
- Blond-Elguindi S, Cwirla S E, Dower W J, Lipshutz R J, Sprang S R, Sambrook J F und Gething M J (1993) Affinity Panning of a Library of Peptides Displayed on Bacteriophages Reveals the Binding Specificity of BiP. *Cell* **75**: 717-728.
- Booth C und Koch G L (1989) Perturbation of Cellular Calcium Induces Secretion of Luminal ER Proteins. *Cell* **59**: 729-737.
- Bradford MM (1976) A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. *Anal Biochem* **72**: 248-254.
- Brismar H, Asghar M, Carey R M, Greengard P und Aperia A (1998) Dopamine-Induced Recruitment of Dopamine D1 Receptors to the Plasma Membrane. *Proc Natl Acad Sci U S A* **95**: 5573-5578.
- Brodsky JL und McCracken A A (1999) ER Protein Quality Control and Proteasome-Mediated Protein Degradation. *Semin Cell Dev Biol* **10**: 507-513.
- Brostrom MA und Brostrom C O (2003) Calcium Dynamics and Endoplasmic Reticular Function in the Regulation of Protein Synthesis: Implications for Cell Growth and Adaptability. *Cell Calcium* **34**: 345-363.
- Brunati AM, Contri A, Muenchbach M, James P, Marin O und Pinna L A (2000) GRP94 (Endoplasmic) Co-Purifies With and Is Phosphorylated by Golgi Apparatus Casein Kinase. *FEBS Lett* **471**: 151-155.
- Bukau B und Horwich A L (1998) The Hsp70 and Hsp60 Chaperone Machines. *Cell* **92**: 351-366.
- Christiaens B, Grooten J, Reusens M, Joliot A, Goethals M, Vandekerckhove J, Prochiantz A und Rosseneu M (2004) Membrane Interaction and Cellular Internalization of Penetrating Peptides. *Eur J Biochem* **271**: 1187-1197.
- Dathe M und Wieprecht T (1999) Structural Features of Helical Antimicrobial Peptides: Their Potential to Modulate Activity on Model Membranes and Biological Cells. *Biochim Biophys Acta* **1462**: 71-87.
- Derossi D, Calvet S, Trembleau A, Brunissen A, Chassaing G und Prochiantz A (1996) Cell Internalization of the Third Helix of the Antennapedia Homeodomain Is Receptor-Independent. *J Biol Chem* **271**: 18188-18193.
- Derossi D, Joliot A H, Chassaing G und Prochiantz A (1994) The Third Helix of the Antennapedia Homeodomain Translocates Through Biological Membranes. *J Biol Chem* **269**: 10444-10450.

- Dimcheff DE, Faasse M A, McAtee F J und Portis J L (2004) Endoplasmic Reticulum (ER) Stress Induced by a Neurovirulent Mouse Retrovirus Is Associated With Prolonged BiP Binding and Retention of a Viral Protein in the ER. *J Biol Chem* **279**: 33782-33790.
- Drin G, Cottin S, Blanc E, Rees A R und Temsamani J (2003) Studies on the Internalization Mechanism of Cationic Cell-Penetrating Peptides. *J Biol Chem* **278**: 31192-31201.
- Eisenberg D (1984) Three-Dimensional Structure of Membrane and Surface Proteins. *Annu Rev Biochem* **53**: 595-623.
- Ellgaard L, Molinari M und Helenius A (1999) Setting the Standards: Quality Control in the Secretory Pathway. *Science* **286**: 1882-1888.
- Fischer R, Kohler K, Fotin-Mleczek M und Brock R (2004) A Stepwise Dissection of the Intracellular Fate of Cationic Cell-Penetrating Peptides. *J Biol Chem* **279**: 12625-12635.
- Flynn GC, Chappell T G und Rothman J E (1989) Peptide Binding and Release by Proteins Implicated As Catalysts of Protein Assembly. *Science* **245**: 385-390.
- Flynn GC, Pohl J, Flocco M T und Rothman J E (1991) Peptide-Binding Specificity of the Molecular Chaperone BiP. *Nature* **353**: 726-730.
- Frenkel Z, Shenkman M, Kondratyev M und Lederkremer G Z (2004) Separate Roles and Different Routing of Calnexin and ERp57 in Endoplasmic Reticulum Quality Control Revealed by Interactions With Asialoglycoprotein Receptor Chains. *Mol Biol Cell* **15**: 2133-2142.
- Gazit E, Lee W J, Brey P T und Shai Y (1994) Mode of Action of the Antibacterial Cecropin B2: a Spectrofluorometric Study. *Biochemistry* **33**: 10681-10692.
- Gelman MS und Kopito R R (2002) Rescuing Protein Conformation: Prospects for Pharmacological Therapy in Cystic Fibrosis. *J Clin Invest* **110**: 1591-1597.
- Gether U (2000) Uncovering Molecular Mechanisms Involved in Activation of G Protein-Coupled Receptors. *Endocr Rev* **21**: pp 90-113.
- Gilbert A, Jadot M, Leontieva E, Wattiaux-De Coninck S und Wattiaux R (1998) Delta F508 CFTR Localizes in the Endoplasmic Reticulum-Golgi Intermediate Compartment in Cystic Fibrosis Cells. *Exp Cell Res* **242**: 144-152.
- Hauri HP, Kappeler F, Andersson H und Appenzeller C (2000) ERGIC-53 and Traffic in the Secretory Pathway. *J Cell Sci* **113** (Pt 4): 587-596.
- Hendershot LM (2004) The ER Function BiP Is a Master Regulator of ER Function. *Mt Sinai J Med* **71**: 289-297.
- Hendrick JP und Hartl F U (1993) Molecular Chaperone Functions of Heat-Shock Proteins. *Annu Rev Biochem* **62**: 349-384.
- Jorgensen MM, Jensen O N, Holst H U, Hansen J J, Corydon T J, Bross P, Bolund L und Gregersen N (2000) Grp78 Is Involved in Retention of Mutant Low Density Lipoprotein Receptor Protein in the Endoplasmic Reticulum. *J Biol Chem* **275**: 33861-33868.
- Kabani M, Kelley S S, Morrow M W, Montgomery D L, Sivendran R, Rose M D, Gierasch L M und Brodsky J L (2003) Dependence of Endoplasmic Reticulum-Associated Degradation on the Peptide Binding Domain and Concentration of BiP. *Mol Biol Cell* **14**: 3437-3448.
- Kassenbrock CK und Kelly R B (1989) Interaction of Heavy Chain Binding Protein (BiP/GRP78) With Adenine Nucleotides. *EMBO J* **8**: 1461-1467.
- Kerem B und Kerem E (1996) The Molecular Basis for Disease Variability in Cystic Fibrosis. *Eur J Hum Genet* **4**: 65-73.
- Kim PS und Arvan P (1995) Calnexin and BiP Act As Sequential Molecular Chaperones During Thyroglobulin Folding in the Endoplasmic Reticulum. *J Cell Biol* **128**: 29-38.
- Kleizen B und Braakman I (2004) Protein Folding and Quality Control in the Endoplasmic Reticulum. *Curr Opin Cell Biol* **16**: 343-349.

- Klumperman J (2000) Transport Between ER and Golgi. *Curr Opin Cell Biol* **12**: 445-449.
- Klussmann E, Maric K und Rosenthal W (2000) The Mechanisms of Aquaporin Control in the Renal Collecting Duct. *Rev Physiol Biochem Pharmacol* **141**: 33-95.
- Klussmann E, Maric K, Wiesner B, Beyermann M und Rosenthal W (1999) Protein Kinase A Anchoring Proteins Are Required for Vasopressin-Mediated Translocation of Aquaporin-2 into Cell Membranes of Renal Principal Cells. *J Biol Chem* **274**: 4934-4938.
- Knoers NV und Deen P M (2001) Molecular and Cellular Defects in Nephrogenic Diabetes Insipidus. *Pediatr Nephrol* **16**: 1146-1152.
- Koeppel RE, Greathouse D V, Providence L L, Shobana S und Andersen O S (1999) Design and Characterization of Gramicidin Channels With Side Chain or Backbone Mutations. *Novartis Found Symp* **225**: 44-55.
- Krause G, Hermosilla R, Oksche A, Rutz C, Rosenthal W und Schüle R (2000) Molecular and Conformational Features of a Transport-Relevant Domain in the C-Terminal Tail of the Vasopressin V(2) Receptor. *Mol Pharmacol* **57**: 232-242.
- Laemmli UK (1970) Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4. *Nature* **227**: 680-685.
- Laskey RA, Honda B M, Mills A D und Finch J T (1978) Nucleosomes Are Assembled by an Acidic Protein Which Binds Histones and Transfers Them to DNA. *Nature* **275**: 416-420.
- Lewis MJ und Pelham H R (1990) A Human Homologue of the Yeast HDEL Receptor. *Nature* **348**: 162-163.
- Lin YZ, Yao S Y, Veach R A, Torgerson T R und Hawiger J (1995) Inhibition of Nuclear Translocation of Transcription Factor NF-Kappa B by a Synthetic Peptide Containing a Cell Membrane-Permeable Motif and Nuclear Localization Sequence. *J Biol Chem* **270**: 14255-14258.
- Lindgren M, Hallbrink M, Prochiantz A und Langel U (2000) Cell-Penetrating Peptides. *Trends Pharmacol Sci* **21**: 99-103.
- Lotti LV, Torrisi M R, Erra M C und Bonatti S (1996) Morphological Analysis of the Transfer of VSV Ts-045 G Glycoprotein From the Endoplasmic Reticulum to the Intermediate Compartment in Vero Cells. *Exp Cell Res* **227**: 323-331.
- Lundberg P und Langel U (2003) A Brief Introduction to Cell-Penetrating Peptides. *J Mol Recognit* **16**: 227-233.
- Mayer M, Reinstein J und Buchner J (2003) Modulation of the ATPase Cycle of BiP by Peptides and Proteins. *J Mol Biol* **330**: 137-144.
- Molinari M und Helenius A (2000) Chaperone Selection During Glycoprotein Translocation into the Endoplasmic Reticulum. *Science* **288**: 331-333.
- Morello JP und Bichet D G (2001) Nephrogenic Diabetes Insipidus. *Annu Rev Physiol* **63**: 607-630.
- Morello JP, Petaja-Repo U E, Bichet D G und Bouvier M (2000a) Pharmacological Chaperones: a New Twist on Receptor Folding. *Trends Pharmacol Sci* **21**: 466-469.
- Morello JP, Salahpour A, Laperriere A, Bernier V, Arthus M F, Lonergan M, Petaja-Repo U, Angers S, Morin D, Bichet D G und Bouvier M (2000b) Pharmacological Chaperones Rescue Cell-Surface Expression and Function of Misfolded V2 Vasopressin Receptor Mutants. *J Clin Invest* **105**: 887-895.
- Morello JP, Salahpour A, Petaja-Repo U E, Laperriere A, Lonergan M, Arthus M F, Nabi I R, Bichet D G und Bouvier M (2001) Association of Calnexin With Wild Type and Mutant AVPR2 That Causes Nephrogenic Diabetes Insipidus. *Biochemistry* **40**: 6766-6775.

- Mothes W, Heinrich S U, Graf R, Nilsson I, von Heijne G, Brunner J und Rapoport T A (1997) Molecular Mechanism of Membrane Protein Integration into the Endoplasmic Reticulum. *Cell* **89**: 523-533.
- Moussalli M, Pipe S W, Hauri H P, Nichols W C, Ginsburg D und Kaufman R J (1999) Mannose-Dependent Endoplasmic Reticulum (ER)-Golgi Intermediate Compartment-53-Mediated ER to Golgi Trafficking of Coagulation Factors V and VIII. *J Biol Chem* **274**: 32539-32542.
- Nichols WC, Seligsohn U, Zivelin A, Terry V H, Hertel C E, Wheatley M A, Moussalli M J, Hauri H P, Ciavarella N, Kaufman R J und Ginsburg D (1998) Mutations in the ER-Golgi Intermediate Compartment Protein ERGIC-53 Cause Combined Deficiency of Coagulation Factors V and VIII. *Cell* **93**: 61-70.
- Oehlke J, Scheller A, Wiesner B, Krause E, Beyermann M, Klauschenz E, Melzig M und Bienert M (1998) Cellular Uptake of an Alpha-Helical Amphipathic Model Peptide With the Potential to Deliver Polar Compounds into the Cell Interior Non-Endocytically. *Biochim Biophys Acta* **1414**: 127-139.
- Oksche A, Dehe M, Schülein R, Wiesner B und Rosenthal W (1998) Folding and Cell Surface Expression of the Vasopressin V2 Receptor: Requirement of the Intracellular C-Terminus. *FEBS Lett* **424**: 57-62.
- Oksche A und Rosenthal W (2001) Molekulare Grundlagen des Diabetes insipidus centralis und renalis. In GANTEN, D & RUCKPAUL, K (Hrsg.) *Handbuch der Molekularen Medizin. 8: Endokrinopathien*. Springer Verlag: Berlin New York Heidelberg, pp 279-313
- Oksche A und Rosenthal W (1998) The Molecular Basis of Nephrogenic Diabetes Insipidus. *J Mol Med* **76**: 326-337.
- Oksche A, Schülein R, Rutz C, Liebenhoff U, Dickson J, Muller H, Birnbaumer M und Rosenthal W (1996) Vasopressin V2 Receptor Mutants That Cause X-Linked Nephrogenic Diabetes Insipidus: Analysis of Expression, Processing, and Function. *Mol Pharmacol* **50**: 820-828.
- Ouwendijk J, Moolenaar C E, Peters W J, Hollenberg C P, Ginsel L A, Fransen J A und Naim H Y (1996) Congenital Sucrase-Isomaltase Deficiency. Identification of a Glutamine to Proline Substitution That Leads to a Transport Block of Sucrase-Isomaltase in a Pre-Golgi Compartment. *J Clin Invest* **97**: 633-641.
- Palczewski K, Kumasaka T, Hori T, Behnke C A, Motoshima H, Fox B A, Le T, I, Teller D C, Okada T, Stenkamp R E, Yamamoto M und Miyano M (2000) Crystal Structure of Rhodopsin: A G Protein-Coupled Receptor. *Science* **289**: 739-745.
- Palokangas H, Ying M, Vaananen K und Saraste J (1998) Retrograde Transport From the Pre-Golgi Intermediate Compartment and the Golgi Complex Is Affected by the Vacuolar H⁺-ATPase Inhibitor Bafilomycin A1. *Mol Biol Cell* **9**: 3561-3578.
- Park CB, Yi K S, Matsuzaki K, Kim M S und Kim S C (2000) Structure-Activity Analysis of Buforin II, a Histone H2A-Derived Antimicrobial Peptide: the Proline Hinge Is Responsible for the Cell-Penetrating Ability of Buforin II. *Proc Natl Acad Sci U S A* **97**: 8245-8250.
- Parodi AJ (2000) Role of N-Oligosaccharide Endoplasmic Reticulum Processing Reactions in Glycoprotein Folding and Degradation. *Biochem J* **348 Pt 1**: 1-13.
- Pasyk EA und Foskett J K (1995) Mutant (Delta F508) Cystic Fibrosis Transmembrane Conductance Regulator Cl⁻ Channel Is Functional When Retained in Endoplasmic Reticulum of Mammalian Cells. *J Biol Chem* **270**: 12347-12350.
- Pelham HR (1990) The Retention Signal for Soluble Proteins of the Endoplasmic Reticulum. *Trends Biochem Sci* **15**: 483-486.
- Petaja-Repo UE, Hogue M, Bhalla S, Laperriere A, Morello J P und Bouvier M (2002) Ligands Act As Pharmacological Chaperones and Increase the Efficiency of Delta Opioid Receptor Maturation. *EMBO J* **21**: 1628-1637.

- Pinton P, Pozzan T und Rizzuto R (1998) The Golgi Apparatus Is an Inositol 1,4,5-Trisphosphate-Sensitive Ca²⁺ Store, With Functional Properties Distinct From Those of the Endoplasmic Reticulum. *EMBO J* **17**: 5298-5308.
- Pooga M, Hallbrink M, Zorko M und Langel U (1998) Cell Penetration by Transportan. *FASEB J* **12**: 67-77.
- Postina R, Ufer E, Pfeiffer R, Knoers N V und Fahrenholz F (2000) Misfolded Vasopressin V2 Receptors Caused by Extracellular Point Mutations Entail Congenital Nephrogenic Diabetes Insipidus. *Mol Cell Endocrinol* **164**: 31-39.
- Rapoport TA (1992) Transport of Proteins Across the Endoplasmic Reticulum Membrane. *Science* **258**: 931-936.
- Richard JP, Melikov K, Brooks H, Prevot P, Lebleu B und Chernomordik L V (2005) Cellular Uptake of Unconjugated TAT Peptide Involves Clathrin-Dependent Endocytosis and Heparan Sulfate Receptors. *J Biol Chem* **280**: 15300-15306.
- Richard JP, Melikov K, Vives E, Ramos C, Verbeure B, Gait M J, Chernomordik L V und Lebleu B (2003) Cell-Penetrating Peptides. A Reevaluation of the Mechanism of Cellular Uptake. *J Biol Chem* **278**: 585-590.
- Risler JL, Delorme M O, Delacroix H und Henaut A (1988) Amino Acid Substitutions in Structurally Related Proteins. A Pattern Recognition Approach. Determination of a New and Efficient Scoring Matrix. *J Mol Biol* **204**: 1019-1029.
- Rosenthal W, Seibold A, Antaramian A, Lonergan M, Arthus M F, Hendy G N, Birnbaumer M und Bichet D G (1992) Molecular Identification of the Gene Responsible for Congenital Nephrogenic Diabetes Insipidus. *Nature* **359**: 233-235.
- Rothmund S, Krause E, Beyermann M, Dathe M, Engelhardt H und Bienert M (1995) Recognition of Alpha-Helical Peptide Structures Using High-Performance Liquid Chromatographic Retention Data for D-Amino Acid Analogues: Influence of Peptide Amphipathicity and of Stationary Phase Hydrophobicity. *J Chromatogr A* **689**: 219-226.
- Sambrook J und Russell DW (2001) *Molecular Cloning A Laboratory Manual*. Cold Spring Harbor Laboratory Press, New York.
- Scheller A, Oehlke J, Wiesner B, Dathe M, Krause E, Beyermann M, Melzig M und Bienert M (1999) Structural Requirements for Cellular Uptake of Alpha-Helical Amphipathic Peptides. *J Pept Sci* **5**: 185-194.
- Scheller A, Wiesner B, Melzig M, Bienert M und Oehlke J (2000) Evidence for an Amphipathicity Independent Cellular Uptake of Amphipathic Cell-Penetrating Peptides. *Eur J Biochem* **267**: 6043-6050.
- Schüleïn R (2004) The Early Stages of the Intracellular Transport of Membrane Proteins: Clinical and Pharmacological Implications. *Rev Physiol Biochem Pharmacol* **151**: 45-91.
- Schüleïn R, Hermosilla R, Oksche A, Dehe M, Wiesner B, Krause G und Rosenthal W (1998) A Dileucine Sequence and an Upstream Glutamate Residue in the Intracellular Carboxyl Terminus of the Vasopressin V2 Receptor Are Essential for Cell Surface Transport in COS.M6 Cells. *Mol Pharmacol* **54**: 525-535.
- Schüleïn R, Liebenhoff U, Muller H, Birnbaumer M und Rosenthal W (1996) Properties of the Human Arginine Vasopressin V2 Receptor After Site-Directed Mutagenesis of Its Putative Palmitoylation Site. *Biochem J* **313** (Pt 2): 611-616.
- Schüleïn R, Zühlke K, Krause G und Rosenthal W (2001) Functional Rescue of the Nephrogenic Diabetes Insipidus-Causing Vasopressin V2 Receptor Mutants G185C and R202C by a Second Site Suppressor Mutation. *J Biol Chem* **276**: 8384-8392.
- Schüleïn R, Zühlke K, Oksche A, Hermosilla R, Furkert J und Rosenthal W (2000) The Role of Conserved Extracellular Cysteine Residues in Vasopressin V2 Receptor Function and

- Properties of Two Naturally Occurring Mutant Receptors With Additional Extracellular Cysteine Residues. *FEBS Lett* **466**: 101-106.
- Schweizer A, Matter K, Ketcham C M und Hauri H P (1991) The Isolated ER-Golgi Intermediate Compartment Exhibits Properties That Are Different From ER and Cis-Golgi. *J Cell Biol* **113**: 45-54.
- Sitia R und Braakman I (2003) Quality Control in the Endoplasmic Reticulum Protein Factory. *Nature* **426**: 891-894.
- Solovyova N und Verkhratsky A (2002) Monitoring of Free Calcium in the Neuronal Endoplasmic Reticulum: an Overview of Modern Approaches. *J Neurosci Methods* **122**: 1-12.
- Sommer T und Wolf D H (1997) Endoplasmic Reticulum Degradation: Reverse Protein Flow of No Return. *FASEB J* **11**: 1227-1233.
- Tabor S und Richardson C C (1987) DNA Sequence Analysis With a Modified Bacteriophage T7 DNA Polymerase. *Proc Natl Acad Sci U S A* **84**: 4767-4771.
- Tan CM, Nickols H H und Limbird L E (2003) Appropriate Polarization Following Pharmacological Rescue of V2 Vasopressin Receptors Encoded by X-Linked Nephrogenic Diabetes Insipidus Alleles Involves a Conformation of the Receptor That Also Attains Mature Glycosylation. *J Biol Chem* **278**: 35678-35686.
- Temsamani J und Vidal P (2004) The Use of Cell-Penetrating Peptides for Drug Delivery. *Drug Discov Today* **9**: 1012-1019.
- Towbin H, Staehelin T und Gordon J (1979) Electrophoretic Transfer of Proteins From Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications. *Proc Natl Acad Sci U S A* **76**: 4350-4354.
- Townsley FM, Wilson D W und Pelham H R (1993) Mutational Analysis of the Human KDEL Receptor: Distinct Structural Requirements for Golgi Retention, Ligand Binding and Retrograde Transport. *EMBO J* **12**: 2821-2829.
- Trehin R und Merkle H P (2004) Chances and Pitfalls of Cell Penetrating Peptides for Cellular Drug Delivery. *Eur J Pharm Biopharm* **58**: 209-223.
- Ulloa-Aguirre A, Janovick J A, Brothers S P und Conn P M (2004) Pharmacologic Rescue of Conformationally-Defective Proteins: Implications for the Treatment of Human Disease. *Traffic* **5**: 821-837.
- Unger VM, Hargrave P A, Baldwin J M und Schertler G F (1997) Arrangement of Rhodopsin Transmembrane Alpha-Helices. *Nature* **389**: 203-206.
- Vashist S, Kim W, Belden W J, Spear E D, Barlowe C und Ng D T (2001) Distinct Retrieval and Retention Mechanisms Are Required for the Quality Control of Endoplasmic Reticulum Protein Folding. *J Cell Biol* **155**: 355-368.
- Vashist S und Ng D T (2004) Misfolded Proteins Are Sorted by a Sequential Checkpoint Mechanism of ER Quality Control. *J Cell Biol* **165**: 41-52.
- Vives E, Brodin P und Lebleu B (1997) A Truncated HIV-1 Tat Protein Basic Domain Rapidly Translocates Through the Plasma Membrane and Accumulates in the Cell Nucleus. *J Biol Chem* **272**: 16010-16017.
- Walsh P, Bursac D, Law Y C, Cyr D und Lithgow T (2004) The J-Protein Family: Modulating Protein Assembly, Disassembly and Translocation. *EMBO Rep* **5**: 567-571.
- Welch WJ und Brown C R (1996) Influence of Molecular and Chemical Chaperones on Protein Folding. *Cell Stress Chaperones* **1**: 109-115.
- Welch WJ und Howard M (2000) Antagonists to the Rescue. *J Clin Invest* **105**: 853-854.
- Wüller S, Wiesner B, Löffler A, Furkert J, Krause G, Hermosilla R, Schaefer M, Schüle R, Rosenthal W und Oksche A (2004) Pharmacochaperones Post-Translationally Enhance Cell

- Surface Expression by Increasing Conformational Stability of Wild-Type and Mutant Vasopressin V2 Receptors. *J Biol Chem* **279**: 47254-47263.
- Yamamoto K, Fujii R, Toyofuku Y, Saito T, Koseki H, Hsu V W und Aoe T (2001) The KDEL Receptor Mediates a Retrieval Mechanism That Contributes to Quality Control at the Endoplasmic Reticulum. *EMBO J* **20**: 3082-3091.
- Young WW, Jr. (2004) Organization of Golgi Glycosyltransferases in Membranes: Complexity Via Complexes. *J Membr Biol* **198**: 1-13.
- Yuasa H, Ito M, Oiso Y, Kurokawa M, Watanabe T, Oda Y, Ishizuka T, Tani N, Ito S und Shibata A (1994) Novel Mutations in the V2 Vasopressin Receptor Gene in Two Pedigrees With Congenital Nephrogenic Diabetes Insipidus. *J Clin Endocrinol Metab* **79**: 361-365.
- Zhang JX, Braakman I, Matlack K E und Helenius A (1997) Quality Control in the Secretory Pathway: the Role of Calreticulin, Calnexin and BiP in the Retention of Glycoproteins With C-Terminal Truncations. *Mol Biol Cell* **8**: 1943-1954.
- Zhang X, Wang Y, Li H, Zhang W, Wu D und Mi H (2004) The Mouse FKBP23 Binds to BiP in ER and the Binding of C-Terminal Domain Is Interrelated With Ca²⁺ Concentration. *FEBS Lett* **559**: 57-60.