

## 8 Literaturverzeichnis

- 1 Alfizah, H.; Nordiah, A.J.; Rozaidi, W.S.: Using pulsed-field gel electrophoresis in the molecular investigation of an outbreak of *Serratia marcescens* infection in an intensive care unit, *Singapore Med J* 2004; 45: 214-218.
- 2 Allardet-Servent, E.T.; Bonziges, N.; Cartes-Nurit, M.J.; Bourg, G.; Gouby, A.; Ramuz, M.: Use of low-frequency-cleavage restriction endonucleases for DNA analysis in epidemiological investigation of nosocomial bacterial infections, *J Clin Microbiol* 1989; 27: 2057-2061.
- 3 Alonso, R.; Aucken, H.M.; Perez-Diaz, J.C.; Cookson, B.D.; Baquero, F.; Pitt, T.L. : Comparison of serotype, biotype and bacteriocin type with rDNA RFPL patterns for the type identification of *Serratia marcescens*, *Epidemiol Infect* 1993; 111: 99-107.
- 4 Arbo, M.D.; Hariharan, R.; Nathan, C.; Barefoot, L.; Weinstein, R.A.; Snydman, D.R.: Utility of serial rectal swab cultures for detection of ceftazidime- and imipenem-resistant gram-negative bacilli from patients in the intensive care unit, *Eur J Clin Microbiol Infect Dis* 1998; 17(10): 727-730.
- 5 Archibald, L..K.; Corl, A.; Shah, B. et al.: *Serratia marcescens* outbreak associated with extrinsic contamination of 1% Chlorxylenol soap, *Infect Control Hosp Epidemiol* 1997; 18: 704-709.
- 6 Aucken, H.M.; Pitt, T.L.: Different O and K serotype distributions among clinical and environmental strains of *Serratia marcescens*, *J Med Microbiol* 1998; 47: 1097-1104.
- 7 Bärwolff, S.; Geffers, C.; Schwab, F.; Gastmeier, P.: Surveillance nosokomialer Infektionen (NI) auf neonatologischen Intensivstationen in Deutschland ( NEO-KISS= Krankenhaus-Infektions-Surveillance-System), *Krh.-Hyg.+Inf.Verh.* 2003; 25 Heft 5: 201-206.
- 8 Belkum v. A.: Molecular typing methods for epidemiological studies in medical microbiology, *Med Microbiol Lett* 1996; 5: 271-283.
- 9 Bennett, S.N.; Mc Neil, M.M.; Bland, L.A. et al. : Postoperative infections traced to contamination of an intravenous anesthetic, propofol, *N Engl J Med* 1995; 333 (3): 147-154.

- 10 Berthelot, P.; Crattard, F.; Amerger, C. et al.: Investigation of a nosocomial outbreak due to *Serratia marcescens* in a maternity hospital, Infect control Hosp Epidemiol 1999; 20: 233-236.
- 11 Bingen, E.: Applications of molecular methods to epidemiologic investigations of nosocomial infections in a pediatric hospital, Infect Control Hosp Epidemiol 1994; 15: 488-493.
- 12 Bingen, E.H.; Mariani-Kurkdjian, P.; Lambert-Zechovsky, N.Y. et al.: Ribotyping provides efficient differentiation of nosocomial *Serratia marcescens* isolates in a pediatric hospital, J Clin Microbiol 1992; 30: 2088-2091.
- 13 Böltner, S.: Über die Resistenzsituation und –entwicklung, sowie die Häufigkeit des Auftretens wichtiger Erreger nosokomialer Infektionen der Kinderklinik der Medizinischen Fakultät (Charité) der Humboldt-Universität zu Berlin- eine 4-Jahres-Studie, Dissertation 1993; 64-65.
- 14 Bollmann, R.: Untersuchungen zur Virulenz von *Escherichia coli*- und *Serratia marcescens*- Isolaten aus extraintestinalen Infektionen, Habilitationsschrift.
- 15 Bollmann, R.; Halle, E.; Sokolowska-Köhler, W. et al.: Nosocomial infections due to *Serratia marcescens*- clinical findings, antibiotic susceptibility patterns and fine typing, Infection 1989; 17 Nr. 5: 294-300.
- 16 Bonten, M.J.M., Gaillard, C.A.; van Tiel, F.H.; van der Geest, S.; Stobberingh, E.E.: A typical case of cross-acquisition? The importance of genotypic characterization of bacterial strains, Infect Control 1995; Vol.16 No.7: 415-416.
- 17 Borderon, J.C.; Laugier, J.; Ramponi, N.; Saliba, E.; Gold, F.; Blond, M.H.: Surveillance of antibiotic therapy in a pediatric intensive care unit, Ann Pediatr Paris 1992; 39: 27-36.
- 18 Braun, V.; Günther, H.; Neuß, B.; Tautz, C.: Hemolytic activity of *Serratia marcescens*, Arch Microbiol 1985; 141: 371-376.
- 19 Braune, U.; Potratz, C.: Nosokomiale Infektionen auf Neugeborenenstationen- eine prospektive Studie aus den Jahren 1984-1986 an der Abteilung Neonatologie der Universitätskinderklinik des Bereiches Medizin Charité der Humboldt-Universität zu Berlin, Dissertation (1987).
- 20 Buchholz, P.; Prager, R.; Tschäpe, H.; Halle, E.; Grauel, E.L.; Schmidt, G.: *Serratia marcescens* als Ursache eines Ausbruches von septikämischen Infektionen, Z. Klin. Med. 1990; 45: 2035-2037.

- 21 Buchholz, P.; Richter, M.; Fiedler, G.; Halle, E.: Epidemiological fingerprinting of multiresistant strains of *Pseudomonas aeruginosa* isolated from patients of intensive care units of the Charité-Hospital, Berlin, Med Microbiol Lett 1995; 4: 7-13.
- 22 Bundesgesundheitsblatt: Surveillance nosocomialer Infektionen sowie die Erfassung von Erregern mit speziellen Resistzenzen und Multiresistenzen, Bundesgesundheitsblatt 2000; 11: 887-889.
- 23 Campbell, J.R.; Diacovo, T.; Baker, C.J.: *Serratia marcescens* meningitis in neonates, Pediatr Infect Dis J 1992; 11: 881-886.
- 24 Campbell, J.R.; Zaccaria, E.; Mason, E.O.; Baker, C.J.: Epidemiological analysis defining concurrent outbreaks of *Serratia marcescens* and methicillin resistant *Staphylococcus aureus* in a neonatal intensive-care unit, Infect Control Hosp Epidemiol 1998; 19: 924-928.
- 25 Choi, S.H.; Kim, Y.S.; Chung, J.W. et al.: *Serratia* bacteremia in a large university hospital: trends in antibiotic resistance during 10 years and implications for antibiotic use, Infect Control Hosp Epidemiol 2002; 23: 740-747.
- 26 Christensen, G.D.; Korones, S.B.; Reed, L.; Bulley, R.; McLaughlin, B.; Bisno, A.L.: Epidemic *Serratia marcescens* in a neonatal intensive care unit: importance of the gastrointestinal tract as a reservoir, Infect Control 1982; Vol.3 No.2: 127-133.
- 27 Coria-Jimenez, V.R.; Villa-Tanaka, L.; Ortiz-Torres, C.: Partial charakterization of *Serratia marcescens* nosocomial strains, Arch Invest Med Mex 1991; 22: 273-278.
- 28 Cullen, J.C.: The miracle of Bolsena, ASM News 1994; Vol.60 No.4: 187-191.
- 29 Das, P.K.; Basu, K.; Chakraborty, P.; Bhowmik, P.K.: Clinical and bacteriological profile of neonatal infections in metropolitan city based medical college nurcery, J Indian Med Assoc 1999; 97: 3-5.
- 30 Descheemaeker, P.; Lammens, C.; Pot, B.; Vandamme, P.; Goossens, H.: Electrophoresis of large genomic DNA –fragments for identification of Enterococci important in human medicine, Int J Syst Bacteriol 1997; Vol.47 No.2: 555-561.
- 31 Dinkel, R.H.; Lebok, U.: A survey of nosocomial infections and their influence on hospital mortality rates, J Hosp Infect 1994; 28: 297-304.

- 32 Drews, M.B.; Ludwig, A.C.; Leititis, J.U.; Daschner, F.D.: Low birthweight and nosocomial infection of neonates in a neonatal intensive care unit, *J Hosp Infect* 1995; 30: 65-72.
- 33 Enciso-Moreno, J.A.; Pernas-Buitron, N.; Ortiz-Herrera, M.; Coria-Jimenez, R.: Identification of *Serratia marcescens* populations of nosocomial origin by RAPD-PCR, *Arch Med Res* 2004; 35: 12-17.
- 34 Endoh, M.; Okuno, R.; Mugaigawa, J. et al.: Two nosocomial outbreaks of sepsis caused by *Serratia marcescens*, which occurred in July 1999 and January 2002, *Kansenshogaku Zasshi* 2004; 78: 295-304.
- 35 Finelli, L.; Livendood, J.R.; Saiman, L.: Surveillance of pharyngeal colonization: detection and control of serious bacterial illness in low birth weight infants, *Pediatr Infect Dis J* 1994; 13: 854-859.
- 36 Fleisch, F.; Zimmermann-Baer, U.; Zbinden, R. et al.: Three consecutive outbreaks of *Serratia marcescens* in a neonatal intensive care unit, *Clin Infect Dis* 2002; 34: 767-773.
- 37 Flynn, D.M.; Weinstein, R.A.; Nathan, C.; Gaston, M.A.; Kabins, S.A.: Patients endogenous flora as the source of "nosocomial" *Enterobacter* in cardiac surgery, *J Infect Dis* 1987; 156: 363-368.
- 38 Fryklund, B.; Tullus, K.; Burman, L.G.: Epidemiology of enteric bacteria in neonatal units-influence of procedures and patient variables, *J Hosp Infect* 1991; 18: 15-21.
- 39 Fryklund, B.; Tullus, K.; Burman, L.G.: Epidemiology and attack index of gram-negative bacteria causing invasive infection in three special-care neonatal units and risk factors for infection, *Infection* 1995; 23 No.2: 76-80.
- 40 Fryklund, B.; Tullus, K.; Burman, L.G.: Relation between nursing procedures, other local characteristics and transmission of enteric bacteria in neonatal wards, *J Hosp Infect* 1993; 23: 199-210.
- 41 Garner, J.S., Favero, B.P.: Guidelines for handwashing in the hospital environment. (Centre for Disease Control Recommendations), *Infect Control Hosp Epidemiol* 1986; 7: 231-243.
- 42 Garner, J.S.; Jarvis, W.R.; Emori, T.G.; Horan, T.C.; Hughes, J.M.: CDC Definition für nosokomiale Infektionen 1988, *Hyg.+ Med.* 1989; 14: 259-270.

- 43 Gastmeier, P.; Geffers, C.; Schwab, F.; Fitzner, J.; Obladen, M.; Rüden, H.: Development of a surveillance system for nosocomial infections: the component for neonatal intensive care units in Germany, *J Hosp Infect* 2004; 57: 126-131.
- 44 Gomi, H.: *Serratia* infections, *Nippon Rinsho* 2003 ; 61: 385-389.
- 45 Gouby, A.; Carles-Nurit, M.J.; Bouziges, N.; Bourg, G.; Mesnard, R.; Bouvet, P.J.: Use of pulsed-field gel electrophoresis for investigation of hospital outbreaks of *Acinetobacter baumannii*, *J Clin Microbiol* 1992; 30: 1588-1591.
- 46 Gould, D.: Nurces' hand decontamination practice: results of a local study, *J Hosp Infect* 1994; 28: 15-30.
- 47 Grauel, E.L.; Halle, E.; Bollmann, R.; Buchholz, P.; Buttenberg,S.: Neonatal septicaemia-incidence, etiology and outcome, *Acta Paediatr Scand* 1989; Suppl. 360: 113-119.
- 48 Grauel, E.L.; Halle, E.; Kaufhold, W.; Baumann, B.: Nosokomiale Infektionen bei Neugeborenen - vergleichende Untersuchungen 1980 und 1984, *Pädiatr. Grenzgeb.* 1986; 25: 211-217.
- 49 Grauel, E.L.:; Halle, E.; Kaufhold, W.: Neugeborenensterblichkeit und nosokomiale Infektionen –Ergebnisse 1980-1986, *Z. klin. Med.* 1987; 42: 1673-1674.
- 50 Grimont, P.A.D.; Grimont, F.: The genus *Serratia*, 1979; Chapter 97: 1187-1203.
- 51 Guggenbichler, J.P.: Nosokomiale Infektionen in der Intensivmedizin-Inzidenz und Diagnose, [www. antibiotikamonitor. at.3/04](http://www.antibiotikamonitor.at/3/04), 2004; 1-7.
- 52 Guyot, A.; Barrett, S.P.; Threlfall, E.J.; Hampton, M.D.; Cheasty, T.: Molecular epidemiology of multi-resistant *Escherichia coli*, *J Hosp Infect* 1999; 43: 39-48.
- 53 Gupta, A.K.; Anand, N.K.; Manmohan; Lamba, I.M.; Gupta, R.; Srivastava, L.: Role of bacteriological monitoring of the hospital environment and medical equipment in a neonatal intensive care unit, *J Hosp Infect* 1991; 19: 263-271.
- 54 Hageman, J.C.; Fridkin, S.K.; Mohammed, J.M.; Steward, C.D.; Gaynes, R.P.; Tenover, F.C.; Antimicrobial proficiency testing of National Nosocomial Infections Surveillance System hospital laboratories, *Infect Control Hosp Epidemiol* 2003; 24: 356-361.
- 55 Halle, E.: Klinisch-mikrobiologische und epidemiologische Untersuchungen über schwere Infektionen bei Neugeborenen und jungen Säuglingen, *Habilitationsschrift*, 1990.

- 56 Halle, E.; Halle, H.; Günther, E.; Grauel, E.L.; Schmidt, G.: Untersuchungen zur Häufigkeit von B-Streptokokkenerkrankungenerkrankungen und –besiedlung – eine klinisch-epidemiologische Studie, Zbl. Gynäkol. 1987; 109: 830-836.
- 57 Halle, E.; Grauel, E.L.; Klare, I. et al.: Nosokomiale Infektionen durch multiresistente *Serratia marcescens* in einem Universitätsklinikum, Pädiatrie-Grenzgebiete 1989; 28: 299-309.
- 58 Halle, E.; Grauel, E.L.; Günther, E.; Buttenberg, S.: Enterokokken als Erreger schwerer Infektionen bei neugeborenen und jungen Säuglingen, Kinderärztl. Prax. 1990; 58: 63-68.
- 59 Hammer, H.: *Serratia marcescens* auf einer Neugeborenenintensivstation- eine 5-Jahres Analyse, Pädiatrie-Grenzgebiete 1984; 23: 299-303.
- 60 Handrick, W.; Braun, W.; Spencker, F.B.; Hückel, D.; Boehm, G.; Bergmann, L.: Alternierendes Antibiotikaregime zur Reduzierung von Keimresistenz auf einer neonatalen Intensivtherapiestation , Z. Klin. Med. 1985; 40, Heft 26: 2013-2014.
- 61 Hart, C.A.: Klebsiellae and neonates, J Hosp Infect 1993; 23: 83-85.
- 62 Hartmann, F.; Gheorghiu, T.; Leupold, H.; Baer, F.; Diehl, V.: Serratia infections in patients with neutropenia, Klin Wochenschr 1991; 69: 491-494.
- 63 Hejazi, A.; Aucken, H.M.; Falkiner, F.R.: Epidemiology and susceptibility of *Serratia marcescens* in a large general hospital over an 8-year period, J Hosp Infect 2000, 45: 42-46.
- 64 Heuck, D.; Dinger, E.; Voigt, M.; Claus, H.; Witte, W.: Nosokomiale Infektionen mit Nachweis von *Staphylococcus aureus* in einem mittleren Krankenhaus – eine 11-Jahres-Analyse, Zbl. Hyg. 1994; 196: 52-69.
- 65 Herruzo-Cabrera, R.; Garcia-Gonzalez, J.; Garcia-Margan, P.; del Pino-Gil, M.M.; Gomez-Antunez, M.; del Rey-Calero, J.: Nosocomial infection and its impact on the stay in a nonnatal intensive care unit (1988-1991), Rev sanid Hig Publica Madr. 1993; 67(2): 153-163.
- 66 Herruzo-Cabrera, R.; Garcia-Gonzalez, J.; Garcia-Margan, P.; Rey-Calero, J.: Nosocomial infection in a neonatal intensive care unit and its prevention with selective intestinal decolonization, Eur J Epidemiol 1994; 10: 573-580.

- 67 Hoyen, C.; Rico, L.; Conte, S.; Jacobs, M.R.; Walsh-Sukys, M.; Toltzis, P.: Use of real time pulsed field gel electrophoresis to guide interventions during a nursery outbreak of *Serratia marcescens* infections, *Pediatr Infect Dis J* 1999; 18: 357-360.
- 68 Ichiyama, S.: Genomic DNA fingerprinting by pulsed-field gel electrophoresis as an epidemiological marker for study of nosocomial infections caused by methicillin-resistant *Staphylococcus aureus*, *Nippon-Rinsho* 1992; 50: 992-997.
- 69 Jang, T.N.; Fung, C.P.; Yang, T.L.; Shen, S.H.; Huang, C.S.; Lee, S.H.: Use of pulsed-field gel electrophoresis to investigate an outbreak of *Serratia marcescens* infection in a neonatal intensive care unit, *J Hosp Infect* 2001; 48: 13-19.
- 70 Johnson, J.S.; Croall, J.; Power, J.S.; Armstrong, G.R.: Fatal *Serratia marcescens* meningitis and myocarditis in a patient with an indwelling urinary catheter, *J Clin Pathol* 1998; 51(10): 789-790.
- 71 Jones, B.L.; Gorman, L.J.; Simpson, J. et al.: An outbreak of *Serratia marcescens* in two neonatal intensive care units, *J Hosp Infect* 2000; 46: 314-319.
- 72 Kawana, R.; Nagasawa, S.; Endo, T.; Fukuroi, Y.; Takahashi, Y.: Strategy of control of nosocomial infections: application of disinfectants such as povidone-iodine, *Dermatology* 2002; 204: 28-31.
- 73 Krishnan, P.U.; Pereira, B.; Macaden, R.: Epidemiological study of an outbreak of *Serratia marcescens* in a haemodialysis unit, *J Hosp Infect* 1991; 18: 57-61.
- 74 Lai, K.K.; Baker, S.P.; Fontecchio, S.A.: Rapid eradication of a cluster of *Serratia marcescens* in a neonatal intensive care unit: use of epidemiologic chromosome profiling by pulsed-field gel electrophoresis, *Infect Control Hosp Epidemiol.* 2004; 25: 730-734.
- 75 Larose, P.; Picard, B.; Thibault, M.; Grimont, F.; Goulet, P.: Nosocomial *Serratia marcescens* individualized by five typing methods in a regional hospital, *J Hosp Infect* 1990; 15: 167-172.
- 76 Lehmacher, A.; Olszewski, M.; Wolter, M. et al.: Pulsed-field gel electrophoresis and typing of nosocomial *Serratia marcescens* isolates, *Med Microbiol Lett* 1996; 5: 245-252.

- 77 Liu, J.W.; Hsu, Y.M.; Huang, Y.F.: Independent prognostic factors for fatality in patients with urinary tract infection caused by *Serratia marcescens*, Infect Control hosp Epidemiol 2004; 25: 80-82.
- 78 Liu, P.Y.; Lau, Y.J.; Hu, B.S. et al.: Use of PCR to study epidemiology of *Serratia marcescens* isolates in nosocomial infection, J Clin Microbiol 1994; Vol. 32 No.8: 1935-1938.
- 79 Lode, H.; Schaberg, T.; Stahlmann, R.: Selective decontamination of the digestive tract: indications and problems, Infection 1995; 23 No.3: 129-131.
- 80 Luzzaro, F.; Perilli, M.; Migliavacca, R. et al.: Repeated epidemics caused by extended-spectrum beta-lactamase-producing *Serratia marcescens* strains, Eur J Clin Microbiol Infect Dis 1998; 17: 629-636.
- 81 Manning, M.L.; Archibald, L.K.; Bell, L.M.; Banerjee, S.N.; Jarvis, W.R.: *Serratia marcescens* transmission in a pediatric intensive care unit: a multifactorial occurrence, Am J Infect Control 2001; 29: 115-119.
- 82 McCormack, R.C.; Kunin, C.M.: Control of a single source nursery epidemic due to *Serratia marcescens*, Pediatrics 1966; Vol.37, No.5, Part I: 750-755.
- 83 McGeer, A.; Low, D.E.; Penner, J. et al.: Use of molecular typing to study the epidemiology of *Serratia marcescens*, J Clin Microbiol 1990; Vol.28 No.1: 55-58.
- 84 McNaughton, M.; Mazinke, N.; Thomas, E.: Newborn conjunctivitis associated with triclosan 0,5% antiseptic intrinsically contaminated with *Serratia marcescens*, Can J Infect Control 1995; 10: 7-8.
- 85 Merenstein, G.B.: Neonatal sepsis , J Infect Dis 1992; 5: 553-557.
- 86 Messerschmidt, A.; Prayer, D.; Olischar, M.; Pollak, A.; Birnbacher, R.: Brain abscesses after *Serratia marcescens* infection on a neonatal intensive care unit: differences on serial imaging, Neuroradiology 2004; 46: 148-152.
- 87 Milisavljevic, V.; Wu, F.; Larson, E. et al.: Molecular epidemiology of *Serratia marcescens* outbreaks in two neonatal intensive care units, Infect Control Hosp Epidemiol 2004; 25: 719-721.
- 88 Miranda, G.; Leanos-Miranda, B.; Diaz-Ramos, R. et al.: An outbreak due to *Serratia marcescens* in a neonatal intensive care unit typed by 2-day pulsed field gel electrophoresis protocol, Arch Med Res 2003; 37: 157-162.

- 89 Murase, T.; Okitsu, T.; Suzuki, R. et al.: Evaluation of DNA fingerprinting by PFGE as an epidemiologic tool for *Salmonella* infections, *Microbiol-Immunol* 1995; 39: 673-676.
- 90 Munoz, J.M.; Macias, A.E.: Nosocomial outbreak of *Serratia marcescens* in a neonatal intensive care unit, *Infect Control Hosp Epidemiol* 2003; 24: 312-313.
- 91 Nakamura, Y.; Nohara, M.; Nakashima, T. et al.: Meningoencephalitis due to *Serratia marcescens* infection in neonates, *Hum Pathol* 1984; 15: 651-656.
- 92 Navaretto-Navarro, S.; Armengol-Sanchez, G.: Secondary costs due to nosocomial infections in 2 pediatric intensive care units, *Salud Publica Mex* 1999; 41 Suppl 1: 51-58.
- 93 O'Connell, N.H.; Humphreys, H.: Intensive care unit design and environmental factors in the acquisition of infection, *J Hosp Infect* 2000; 54: 255-262.
- 94 v. Ogtrop, M.L.; v. Zoeren-Grobben, D.; Verbakel-Salomons, E.M.A.; v. Boven, C.P.A.: *Serratia marcescens* infections in neonatal departments: description of an outbreak and review of the literature, *J Hosp Infect* 1997; 36: 95-103.
- 95 Ozkurt, Z.; Altoparlak, U.; Erol, S.; Celebi, S.: Activity of frequently used disinfectants and antiseptics against nosocomial bacterial types, *Microbiol Bul* 2003; 37: 157-162.
- 96 Pandit, D.V.; Gore, M.A.; Saileshwar, N.; Deodhar, L.P.: Laboratory data from the surveillance of a burns ward for the detection of hospital infection, *Burns* 1993; 19, No.1: 52-55.
- 97 Panknin, H.T.; Schwemmle, K.; Vogel, F.: Krankenhausinfektionen infolge diagnostischer und therapeutischer Routineinterventionen und ihre Therapie, *Medizin im Dialog* 1999; 2: 1-7.
- 98 Parvaz, P.; Tille, D.; Meugnier, H. et al.: A rapid and easy PCR-RFLP method for genotyping *Serratia marcescens* strains isolated in different hospital outbreaks and patient environments in the Lyon area, France, *J Hosp Infect* 2002; 51: 96-105.
- 99 Pegues, D.A.; Arathoon, E.G.; Samayoa, B. et al.: Epidemi gram-negative bacteremia in a neonatal intensive care unit in Guatemala, *AJIC* 1994; Vol.22 No.3: 163-171.

- 100 Pfaller, M.A.: Molecular epidemiology in the care of patients, Arch Pathol Lab Med 1999; 123: 1007-1010.
- 101 Poh, C.L.; Yap, S.C.; Yeo, M.: Pulsed-field gel electrophoresis for differentiation of hospital isolates of *Klebsiella pneumoniae*, J Hosp Infect 1993; 24: 123-128.
- 102 Prasad, G.A.; Jones, P.G.; Michaels, J.; Garland, J.S.; Shivpuri, C.R.: Outbreak of *Serratia marcescens* infection in a neonatal intensive care unit, Infect Control Hosp Epidemiol 2001; 22: 303-305.
- 103 Raskind, C.H.; Sabo, B.E.; Callan, D.A.; Farrel, P.A.; DembryL.M.; Gallagher, P.G.: Conjunctival colonization of infants hospitalized in a neonatal intensive care unit: as longitudinal analysis, Infect Control Hosp Epidemiol 2004; 25: 216-220.
- 104 Rettwitz, V.W.: Perinatologische Kenndaten zwischen 1992-1996, Z Geburtshilfe Neonatol 1999; 203: 180-182.
- 105 Rische, H.; Tschäpe, H.; Witte, W.: Die Klonkonzeption-ein Beitragzur Lösung von Problemen im Kampf gegen Infektionskrankheiten, Z. gesamte Hyg. 1984; 30: 24-26.
- 106 Robert-Koch-Institut: NEO-KISS: Surveillance nosokomialer Infektionen auf Frühgeborenen-Intensivstationen, Epidemiologisches Bulletin 2004; Nr. 48: 413-415.
- 107 Sader, H.S.; Perl, T.M.; Hollis, R.J.; Divishek, D.; Herwaldt, L.A.; Jones, R.N.: Nosocomial transmission of *Serratia odorifera* biogroup 2: case report demonstration by macrorestriction analysis of chromosomal DNA using pulsed-field gel electrophoresis, Infect Control Hosp Epidemiol 1994; 15: 390-393.
- 108 Saito, H.; Elting, L.; Bodey, G:P:; Berkey, P.: *Serratia* bacteremia: review of 118 cases, Rev Infect Diseases 1989; Vol. II No. 6: 912-920.
- 109 Sartor, C.; Jacomo, V.; Duvivier, C.; Tissot-Dupont, H.;Sambuc, R.; Drancourt, M.: Nosocomial *Serratia marcescens* infections associated with extrinsic contamination of a liquid nonmedicated soap, Infect Control Hosp Epidemiol 2000; 21: 196-199.
- 110 Sarvikivi, E.; Lytykainen, O.; Salmenlinna, S. et al.: Clustering of *Serratia marcescens* infections in a neonatal intensive care unit, Infect Control Hosp Epidemiol 2004; 25: 723-729.

- 111 Scharf, J.W.; Wild, F.; Guggenbichler, J.P.: Infektionen mit *Serratia marcescens* bei Neugeborenen, Monatsschr Kinderheilkd 1991; 139: 695-698.
- 112 Scheld, W.M.: Developments in the pathogenesis, diagnosis and treatment of nosocomial pneumonia, Surg Gynecol Obstet 1991; 172: 42-53.
- 113 Signorelli, C.; Alessandro, D.D.; Collinat, D.; Fara, G.M.: Prevalence survey of nosocomial infections in a paediatric hospital, J Hosp Infect 1991; 18: 139-143.
- 114 Silva, C.V.; Magalhaes, V.D.; Pereira, C.R.; Kawagoe, J.Y.; Ikura, C.; Ganc, A.J.: Pseudo-outbreak of *Pseudomonas aeruginosa* and *Serratia marcescens* related to bronchoskopes, Infect Control Hosp Epidemiol 2003; 24: 195-197.
- 115 Simor, A.E.; Ramage, L.; Wilcox, L.; Bull, S.B.; Bialkowska-Hobrzanska, H.: Molecular and epidemiologic study of multiresistant *Serratia marcescens* infections in a spinal cord injury rehabilitation unit, Infect Control Hosp Epidemiol 1988; Vol.9 No.1: 20-27.
- 116 Singh-Naz, N.; Sprague, B.M.; Patel, K.M.; Pollack, M.M.: Risk factors for nosocomial infection in critically ill children: A prospective cohort study, Crit Care Med 1996; Vol.24 No.5: 875-878.
- 117 Smith, P.J.; Brookfield, D.S.K.; Shaw, D.A.; Gray, J.: An outbreak of *Serratia marcescens* infection in a neonatal unit, The Lancet 1984; 21: 151-153.
- 118 Sproat, L.J.; Inglis, T.J.J.: A multicentre survey of hand hygiene practice in intensive care units, J Hosp Infect 1994; 26: 137-148.
- 119 Stein, F.; Trevino, R.: Nosocomial infections in the pediatric intensive care unit, Pediatr Crit Care 1994; 41 No.6: 1245-1257.
- 120 Steppberger, K.; Walter, S.; Claos, M.C. et al.: Nosocomial neonatal outbreak of *Serratia marcescens*- analysis of pathogens by pulsed field gel electrophoresis and polymerase chain reaction, Infection 2002; 30: 277-281.
- 121 Stephen, M.; Lalitha, M.K.: An outbreak of *Serratia marcescens* infection among obstetric patients, Indian J Med Res 1993; 97: 202-205.
- 122 Su, L.H.; Ou, J.T.; Leu, H.S. et al.: Extended epidemic of nosocomial urinary tract infections caused by *Serratia marcescens*, J Clin Microbiol 2003; 41: 4726-4732.
- 123 Takahasi, H.; Kramer, M.H.; Yasui, Y. et al.: Nosocomial *Serratia marcescens* outbreak in Osaka, Japan, from 1999 to 2000, Infect Control Hosp Epidemiol 2004; 25: 156-161.

- 124 Talaska, T.: Potentielle Virulenzmerkmale und Plasmidscreening bei *Serratia marcescens*-Studie eines Hospitalismus-Geschehens in einer neonatologischen Intensivtherapie-Einheit, Inaugural-Dissertation 1990.
- 125 Tanaka, T.; Takahashi, H.; Kobayashi, J:M:; Ohyama, T.; Okabe, N.: A nosocomial outbreak of febrile bloodstream infection caused by heparinized-saline contaminated with *Serratia marcescens*, *Jpn J Infect Dis* 2004; 57 (5): 189-192.
- 126 Tariq, P.; Kundu, Z.: Determinants of neonatal mortality, *J Pak Med Assoc* 1999; 49: 56-60.
- 127 Tarlow, M.J.: Epidemiology of neonatal infections, *J Antimicrobiol Chemotherapy* 1994; 34 Suppl. A: 43-52.
- 128 Tenover, F.C.; Arbeit, R.D.; Goering, R.V. et al.: Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing, *J Clin Microbiol* 1995; Vol.33 No.9: 2233-2239.
- 129 Tess, B.H.; Glenister, H.M.; Rodrigues, L.C.; Wagner, M.B.: Incidence of hospital-aquired infection and length of hospital stay, *Eur J Clin Microbiol Infect Dis* 1993; Vol.12 No.2: 81-86.
- 130 Traub, W.H.: Antibiotic susceptibility of *Serratia marcescens* and *Serratia liquefaciens*, *Chemotherapy* 2000; 46: 315-321.
- 131 Traub, W.H.: Bacteriocine typing and biotyping of clinical isolates of *Serratia marcescens*, *Zbl. Bakt.* 1991; 275: 474-486.
- 132 Traub, W.H.: Bacteriocin and phage typing of *Serratia* In: *The genus Serratia* (A. Graevenitz and S.J. Rubin, eds.), CRC Press Inc., Boca Raton, Florida 1980: 79-100.
- 133 Traub, W.H.; Eiden,A.; Leonhardt, B.; Bauer, D.: Typing of nosocomial strains of *Serratia marcescens*: comparison of Restriction Enzyme Cleaved Genomic DNA Fragment ( PFGE) Analysis with Bacteriocin Typing, Biochemical Profiles and Serotyping, *Zbl. Bact.* 1995; 284: 93-106.
- 134 Tullus, K.; Fryklund, B.; Berglund, B.; Källenius, G.; Burmann, L.G.: Influence of age on faecal carriage of P-fimbriated *Escherichia coli* and other gram-negative bacteria in hospitalized neonates, *J Hosp Infect* 1988; 11: 349-356.

- 135 Uduman, S.A.; Farrukh, A.S.; Nath, K.N. et al.: An outbreak of *Serratia marcescens* infection in a special-care baby unit of a community hospital in United Arab Emirates: the importance of the air conditioner duct as a nosocomial reservoir, *J Hosp Infect* 2002; 52: 175-180.
- 136 Vandenbroucke-Grauls, C.M.J.E.; Baars, A.C.M.; Visser, M.R.; Hulstaert, P.F.; Verhoef, J.: An outbreak of *Serratia marcescens* traced to a contaminated bronchoscope, *J Hosp Infect* 1993; 23: 263 – 270.
- 137 Van der Vorm, E.R.; Woldring-Zwaan, C.: Source, carriers, and management of a *Serratia marcescens* outbreak on a pulmonary unit, *J Hosp Infect* 2002; 52: 263-267.
- 138 Vigeant, P.; Loo, V.G.; Bertrand, C. et al.: An outbreak of *Serratia marcescens* infections related to contaminated chlorhexidine, *Infect Control Hosp Epidemiol* 1998; 19: 791-794.
- 139 Villari, P.; Crispino, M.; Salvadori, A.; Scarella, A.: Molecular epidemiology of an outbreak of *Serratia marcescens* in a neonatal intensive care unit, *Infect Control Hosp Epidemiol* 2001; 22: 630-634.
- 140 Villarino, M.E.; Jarvis, W.R.; O'Hara, C.; Bresnahan, J.; Clark, N.: Epidemic of *Serratia marcescens* bacteremia in a cardiac intensive care unit, *J Clin Microbiol* 1989; Vol. 27 No.11: 2433-2436.
- 141 Wake, C.; Lees, H.; Cull, A.B.: The emergence of *Serratia marcescens* as a pathogen in a newborn unit, *Aust Paediatr J* 1986; 22: 323-326.
- 142 Watanakunakorn, Ch.: *Serratia* bacteremia: a review of 44 episodes, *Scand J Infect Dis* 1989; 21: 477-483.
- 143 Waters, V.; Larson, E.; Wu, F. et al.: Molecular epidemiology of gram-negative bacilli from infected neonates and health care workers' hands in neonatal intensive care units, *Clin Infect Dis* 2004; 38: 1682-1687.
- 144 Wharton, B.A.; Balmer, S.E.; Noy, M.F.: Food and microbiological problems in the newborn: data and practice, *Acta Paediatr Suppl* 1994; 405: 29-34.
- 145 Wiedemann, B.: Mechanismen und Epidemiologie der Antibiotikaresistenz, *Internist* 2000; 41: 1205-1211.
- 146 Wilhelmi, J.; Bernaldo de Quiros, J.C.L.; Romero-Vivas, J.; Duarte, J.; Rojo, E.; Bouza, E.: Epidemic outbreak of *Serratia marcescens* infection in a cardiac surgery unit, *J Clin Microbiol* 1987; Vol. 25, No.7: 1298-1300.

- 147 Yu, W.L.; Oakes, C.A.; Axnick, K.J.; Merigan, T.C.: Patient factors contributing to the emergence of gentamicin-resistant *Serratia marcescens*, Am J Med 1979; Vol 66: 468-472.
- 148 Zhang, Y.Y.; Wang, Y.H.: Investigation of nosocomial infection among 2126 operative patients, Chung Hua Liu Hsing Ping Hsueh Tsa Chih 1995; 16: 157-159.