

## 9 Literaturverzeichnis

- ABAD A., ROSELL R., PASTOR M.C., BARNADAS A., CARLES J., RIBELLES N., OLLER B. (1991):  
Sequential combination of methotrexate, 5-fluorouracil and high dose folinic acid in advanced colorectal cancer: Double biochemical modulation?  
*American Journal of Clinical Oncology* **14 (5)**: 393 - 396
- ABBRUZZESE J.L., LEVIN B. (1989):  
Treatment of colorectal cancer  
*Hematologic and Oncologic Clinics of North-America* **3**: 135 - 153
- ACKERMANN N.B., LIEN W.M., KONDI E.S. (1969):  
The blood supply of experimental liver metastases  
I: The distribution of hepatic artery and portal vein blood in small and large tumors  
*Surgery* **66**: 1067 - 1072
- ACKERMANN N.B. (1974):  
The blood supply of experimental liver metastases: Changes in vascularity with increasing tumor growth  
*Surgery* **75**: 589 - 596
- ADACHI W., WATANABE H., YAZAWA K., KOIDE N., KOIDE S., MIHARA M., NAKATA S., KAJIKAWA S., KURODA T., AMANO J. (1998):  
Continuous intraportal chemotherapy for prevention of metachronous hepatic metastases in colorectal cancer (Abstract)  
*Gan To Kagaku Ryoho* **25 (5)**: 697 - 703
- AIGNER K.R., WALTER H., HELLING H.J., LINK K.H. (1985a):  
Die isolierte Leberperfusion  
In: AIGNER K.R. (ed.)  
Regionale Chemotherapie der Leber: Isolierte Perfusion, intraarterielle Infusion und Resektion  
Karger, Basel, Band 21 1985
- AIGNER K.R., LINK K.H., HELLING H.J. STEMLER S. (1985b):  
Intraarterielle Infusion, experimentelle und pharmakokinetische Grundlagen - Klinik  
In: AIGNER K. R. (ed.)  
Regionale Chemotherapie der Leber: Isolierte Perfusion, intraarterielle Infusion und Resektion  
Karger Basel, Band 21 1985
- AIGNER K.R. (1987):  
Methodistische Ansätze zur Optimierung des Konzentrations-Zeit-Faktors in der regionalen Chemotherapie  
In: SEEBER S. (ed.)  
Onkologisches Kolloquium 2, Die lokoregionäre Tumorthherapie - Möglichkeiten und Grenzen  
Walter de Gruyter, Berlin-New York 1987: 81 - 93
- AKASU T., MORIYA Y., TAKYAMA T. (1997):  
A pilot study of multimodality therapy for initially unresectable liver metastases from colorectal carcinoma: Hepatic resection after hepatic arterial infusion chemotherapy and portal embolization  
*Japanese Journal of Clinical Oncology* **27 (5)**: 331 - 335

- ALLEN T.M., HANSEN C., RUTLEDGE J. (1989):  
Liposomes with prolonged circulation times: Factors affecting uptake by  
retikuloendothelial and other tissues  
*Biochimica et Biophysica Acta* **981**: 27 - 35
- ALLEN T.M., HANSEN C. (1991):  
Pharmacokinetics of Stealth® versus conventional liposomes: Effect of dose  
*Biochimica et Biophysica Acta* **1068**:133 - 141
- ALLEN T.M., MEHRA T., HANSEN C., CHIN Y.C. (1992):  
Stealth®-Liposomes: An improved sustained release system for  
1-β-D-arabinofuranosyl-cytosine  
*Cancer Research* **52**: 2431 - 2439
- ANDERSON J., ANGERSON W., WILLMOTT N., KERR D., MC ARDLE C.,  
COOKE T. (1991):  
Regional delivery of microspheres to liver metastases: hepatic distribution  
*British Journal of Cancer* **64**: 1031 - 1034
- ANDERSON R., HOLMBERG A. (1992):  
Intraperitoneal 5-fluorouracil in the management of colorectal liver cancer  
*European Journal of Surgery and Oncology* **18**: 152 - 155
- ANSFIELD F.J., GREENSPAN E.M. (1979):  
5-fluorouracil for gastrointestinal cancer.  
*New England Journal of Medicine* **301 (6)**: 328 - 329
- ASAO T., SHIBATA H.R., BATIST G., BRODT P. (1992):  
Eradication of hepatic metastases of carcinoma H-59 by combination  
chemoimmunotherapy with liposomal muramyl tripeptide, 5-fluorouracil,  
and leucovorin  
*Cancer Research* **52 (22)**: 6254 - 6257
- AUGUST D.A., SUGARBAKER P.H., OTTOW R.T. (1985):  
Hepatic resection of colorectal metastases - Influence of clinical factors and  
adjuvant intraperitoneal 5-fluorouracil via TRENCKHOFF catheter on survival  
*Annals of Surgery* **201**: 210 - 218
- BADEN H., ANDERSON B. (1975):  
Survival of patients with untreated liver metastases from colorectal cancer  
*British Journal of Surgery* **10**: 221 – 223
- BARBERI-HEYOB M., WEBER B., MERLIN J.L., DITTRICH C., BRUIJN de E.A.,  
LUPORSI E., GUILLEMIN F. (1995):  
Evaluation of plasma 5-fluorouracil nucleoside levels in patients with metastatic  
breast cancer: Relationship with toxicities  
*Cancer Chemotherapy and Pharmacology* **37**: 110 - 116
- BARTH K.H., STRANDBERG J.D., WHITE R.I. (1977):  
Long term follow up of transcatheter embolization with autologous clot, Oxycel,  
and Gelfoam in domestic swine  
*Investigative Radiology* **12**: 273 - 280
- BAVISOTTO L.M., PATEL N.H., ALTHAUS S.J., CODWELL D.M., NIEM H.V.,  
THOMPSON T., STORER B., THOMAS C.R. JR.(1999):  
Hepatic transcatheter arterial chemoembolization alternating with systemic protracted  
continuous infusion of 5-fluorouracil for gastrointestinal malignancies metastatic to  
the liver: A phase II trial of the Puget Sound Oncology Consortium (PSOC 1104)  
*Clinical Cancer Research*, **5 (1)**: 95 - 109

- BENMARK S., HAFSTRÖM L. (1970):  
The natural history of primary and secondary malignant tumors of the liver. The prognoses for patients with hepatic metastases from colonic and rectal carcinoma by laparotomy  
*Cancer* **23**: 198 - 202
- BENSON A.B. (1998):  
Therapy of advanced colorectal cancer  
*Seminars in Oncology (Suppl 11)*: 2 - 11
- BERGER G., POHLEN U., LIPPMANN M., STILLER D., FOBBE F., WOLF K.J., HÄRING R. (1993):  
Chemoembolisation von Lebertumoren (VX-2) unter Verwendung von lyophilisiertem Spherex®  
*Zentralblatt für Chirurgie* **118**: 140 - 144
- BERGER D.H., CARRASCO C.H., HOHN D.C., CURLEY S.A. (1995):  
Hepatic artery chemoembolization or embolization for primary and metastatic liver tumors: Post treatment complications  
*Journal of Surgical Oncology* **60 (2)**: 116 - 121
- BIERMANN H.R., MILLER E.R., BYRON R.L., DOD K.S., KELLY K.H., BLACK D.H. (1951):  
Intra-arterial catheterization of viscera in man  
*American Journal of Radiology* **66**: 555 - 562
- BISMUTH H., ADAM R. (1998):  
Reduction of nonresectable liver metastases from colorectal cancer after oxaliplatin chemotherapy  
*Seminars in Oncology* **25 (Suppl 2)**: 40 - 46
- BLACKSHEAR P.J., ROHDE T.D., VARCO R.L., BUCHWALD H. (1975):  
One year of continuous heparinization in the dog using a totally implantable Infusion pump  
*Surgery, Gynecology and Obstetrics* **141**: 176 - 186
- BLOCH F., HANSEN W., PACKARD M. (1946)  
Nuclear induction  
*Physical Reviews* **69**: 127 – 136
- BLUMGART L.H., ALLISON D.J. (1982):  
Resection and embolization in the management of secondary hepatic tumors  
*World Journal of Surgery* **6**: 32
- BOCCARDO F., CANOBBIO L. (1983):  
5-fluorouracil, twentyfive years later. An appraisal (Abstract)  
*Chimiotherapia* **2**: 88
- BOESE-LANDGRAF J.; HÄRING R.; BERGER G.; GALKOWSKI U. (1991):  
Therapeutic protocols in the treatment of liver metastases  
*Zentralblatt für Chirurgie* **116**: 439 - 446
- BÖHME K. (1993):  
Injektions- und Infusionstechnik  
In: HAINDL H., MÜLLER H., SCHMOLL E. (eds.): *Portkathetersysteme*  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris – Tokyo 1993

- BOUCHER Y., BAXTER L.T., JAIN R.K. (1990):  
Interstitial pressure gradients in tissue-isolated and subcutaneous tumors:  
Implications for therapy  
*Cancer Research* **50**: 4478 - 4484
- BREEDIS C., YOUNG G. (1954):  
The blood supply of neoplasms in the liver  
*American Journal of Pathology* **30**: 969 - 985
- BRUCKNER H.W., MOTWANI B.T. (1991):  
Chemotherapy of advanced cancer of the colon and rectum  
*Seminars in Oncology* **18 (5)**: 443 - 461
- BUCHWALD H., GRAGE T.B., VASSILOPOULOS P.P., ROHDE T.D., VARCO R.L.,  
BLACKSHEAR P.J. (1980):  
Intraarterial infusion chemotherapy for hepatic carcinoma using a totally implantable  
infusion pump  
*Cancer* **45**: 866 - 869
- BUSCH O.R.C., SLOOTER G.D., JEEKEL J. (1993):  
Effect of levamisole and 5-fluorouracil in immune status and tumor growth in a rat  
model of colon carcinoma (CC-531) in the rat  
*Proceedings of American Association of Cancer Research* **34**: 457
- CATSCH A. (1964):  
Zur Toxikologie der Diäthylentriaminpentaessigsäure  
*Naunyn Schmiedebergs Archiv der Pharmakologie* **246**: 316 - 329
- CAVIOSO, D.S., ELLENA J.F., DOMINEY R.L.N., ARCHER S.J., XU Z. (1987):  
Localization of hydrophobic ions in phospholipid bilayers using <sup>1</sup>H Nuclear  
Overhauser Effect Spectroscopy  
*Biochemistry* **26**: 4584 - 4592
- CAY O., KRUSKAL J.B., NASSER I., THOMAS P., CLOUSE M.E. (1997):  
Liver metastases from colorectal cancer: Drug delivery with  
liposome-encapsulated doxorubicin  
*Radiology* **205 (1)**: 95 - 101
- CHARLES RIVER LABORATORIES (1997):  
Contributing to the search for healthier lives. Research models 1998  
Labormitteilungen Charles River, Sulzfeld, Deutschland
- CHEN H.S.G., GROSS J.F. (1980):  
Intra-arterial infusion of anticancer drugs: Theoretic aspects of drug delivery  
and review of responses  
*Cancer Treatment Repetitions* **64**: 31 - 40
- CHO K.J., LUNDERQUIST A. (1983):  
Experimental hepatic artery embolization with Gelfom® powder, microfil perfusion  
study of the rabbit liver  
*Investigative Radiology* **18**: 189 - 193
- CHOI B.I., LEE D.H., HAN M.C. (1993):  
Necrotic areas in VX-2 carcinoma of rabbits: Correlation of magnetic resonance  
imaging and pathologic appearance  
*Investigative Radiology* **28**: 33 - 38

- CIVALLERI D., ESPOSITO M., FULCO R.A., VANNOZI M., BALLETTTO N., DE CIAN F., PERCIVALE P.L., MERLO F. (1991):  
Liver and tumor uptake and plasma pharmacokinetics of arterial cisplatin administered with and without starch microspheres in patients with liver metastases  
*Cancer* **68**: 988 - 994
- CIVALLERI D. (1992):  
Methods to enhance the efficacy of regional chemotherapeutic treatment of liver malignancies  
In: KEMENY N., CIVALLERI D., EMDMAN P., NILSSON B., GUNNARSSON K., HAKANSSON L., TAGUCHI T., AIGNER K.R. (ed.)  
An update on regional treatment of liver cancer  
Wells Medical Ltd., Chapel Place 1992: 17 - 34
- CLEMENT O., MÜHLER A., VEXLER V.S., KUWATSURU R., BERTHEZENE Y., ROSENAU W., BRASCH R.C. (1993):  
Comparison of Gd-EOB-DTPA and GD-DTPA for contrast-enhanced MR imaging of liver tumors  
*Journal of Magnetic Resonance Imaging* **3**: 71 - 77
- COLDWELL D.M., MORTIMER J.E. (1991):  
Hepatic artery embolization in the treatment of hepatic malignancies  
*Regional Cancer Treatment* **3**: 298 - 301
- COLLINS J.M., DEDRICK R.L. (1982):  
Pharmacokinetics of anti-cancer drugs  
In: CHABNER B. (ed.)  
Pharmacologic Principles of Cancer Treatment  
Saunders, Philadelphia 1982: 77 - 99
- COLLINS J. (1984):  
Pharmacologic rationale for regional drug delivery  
*Journal of Clinical Oncology* **2** : 498 - 504
- CURLEY S.A., HOHN D.C., ROH M.S. (1990):  
Hepatic artery infusion pumps: Cannulation techniques and other surgical considerations  
*Langenbecks Archiv der Chirurgie* **375**: 119 - 124
- CURLEY S.A., CHASE J.L., ROH M.S. HOHN D.C. (1993):  
Technical complications and considerations associated with the placement of 180 implantable hepatic arterial infusion devices  
*Surgery* **114**: 928 - 935
- CURRY F.E. (1986):  
Determinants of capillary permeability: A review of mechanisms based on single capillary studies in the frog  
*Circulation Research* **59**: 367 - 380
- DAZZI C., FIORENTINI G., GRAZIANI G., PRIORI T., BITTI R.R. (1993):  
Multi-agents chemoembolization in primary and metastatic hepatic tumors: Results of a pilot study  
*Regional Cancer Treatment* **5**: 67 - 70
- DAEMEN T., DRONTJE B.H., REGTS J., SCHERPHOF G.L. (1993):  
Chemoimmunotherapy of murine liver metastases with 5-fluorouracil in combination with liposome-encapsulated muramyl dipeptide  
*Journal of Immunotherapy* **13 (1)**: 31 - 35

## Literaturverzeichnis

- DAEMEN T., VELINOVA M., REGTS J., DE JAGGER M., KALICHARAN R.,  
DONGA J., WANT van J., SCHERPHOF G.L. (1997):  
Different hepatic distribution of phosphatidylglycerol and phosphatidylserine  
liposomes in the rat  
*Hepatology* **26** (2): 416 - 423
- DEANS G.T., PARKS T.G., ROWLANDS B.J., SPENCE R. (1992):  
Prognostic factors in colorectal cancer  
*British Journal of Surgery* **79**: 608 - 613
- DIETZ D.W., CASILLAS S., JONES S.C., MILSOM J.W. (1998):  
Vasopressin selectively increases 5-fluorouracil uptake by colorectal liver metastases  
following hepatic artery bolus infusion  
*Journal of Surgical Research* **77** (2): 150 - 156
- DINI L., FALASCA L., RUZZITTU M.T., MOSSA G., FINAZZI-AGRO A.,  
DI GIULIO A. (1998):  
Interaction between isolated and purified liver cells and small unilamellar liposomes  
*Liver* **18** (4): 229 - 238
- DOI K., OKU N., TOYOTA T., SHUTO S., SAKAI A., ITOH H., OKADA S. (1994):  
Therapeutic effect of reticuloendothelial system avoiding liposomes containing a  
phospholipid analogue of 5-fluorouracil, dipalmitoylphosphatidylfluoruridine, in  
Meth. A-sarcoma bearing mice.  
*Biological and Pharmacological Bulletin* **1710**: 1414 - 1416
- DOPPMAN J.L., GIRTON M., KAHN R. (1978):  
Proximal versus peripheral hepatic artery embolization. Experimental studies in  
monkeys  
*Radiology* **128**: 577 - 588
- DOUGLASS H.O., STABLEIN D.M., THOMAS P.R. (1988):  
An organized multi-institutional interdisciplinary evaluation of role of  
radiatio alone or combined with chemotherapy in treatment of adeno-  
carcinoma of the gastrointetinal tract.  
*NCI Monography* (6): 253 - 257
- DVORAK H.F., NAGY J.A. (1988):  
Identification and characterization of the blood vessels of solid tumors that  
are leaky to circulating macromolecules  
*American Journal of Pathology* **133**: 95 - 109
- EDMAN P. (1992):  
Rationale for use of starch as a vascular occlusive agent  
In: KEMENY N., CIVALLERI D., EDMAN P., NILSSON B., GUNNARSON K.,  
HAKANSSON L., TAGUCHI T., AIGNER K.R. (eds.)  
An update on regional treatment of liver cancer  
Wells Medical Ltd., Chapel Place 1992: 35 - 38
- EIBL EIBESFELD R. (1992):  
Temporäre prolongierte Chemotherapie von isolierten Lebermetastasen  
1. Berliner Workshop: Stand und Perspektive regionaler Behandlung von  
primären und sekundären Lebermalignomen  
Charite, Berlin 1992
- ELORZA B., ELORZA M.A., FRUTOS G., CHANTRES J.R. (1993):  
Characterization of 5-fluorouracil loaded liposomes prepared by reversed phase  
evaporation or freezing-thawing extrusion methods: Study of drug release  
*Biochimica et Biophysica Acta* **1153** (2): 135 - 142

- ENSMINGER W.D., ROSOWSKI A., RASO V. (1978):  
A Clinical Pharmacological Evaluation of Hepatic Arterial Infusions of 5-Fluoro-2-Deoxyuridine and 5-Fluorouracil.  
*Cancer Research* **38**: 3784 - 3792
- ENSMINGER W.D., GYVES J.W. (1984):  
Regional Cancer Chemotherapy  
*Cancer Treatment Repetitions* **68**: 101
- ENSMINGER W. (1989):  
Hepatic arterial chemotherapy for primary and metastatic liver cancers  
*Cancer Chemotherapy and Pharmacology* **23**: 68 - 73
- ERICHSTEN C., BOLMSJÖ M., HUGANDER A. JÖNNSSON P.E. (1985):  
Blockade of the hepatic-artery flow by degradable starch microspheres (Spherex®) combined with local hyperthermia in the treatment of experimental liver tumors in rats  
*Journal of Cancer Research and Clinical Oncology* **109**: 38 - 41
- ERNST R.R., ANDERSON W.A. (1966):  
Application of FOURIER transform spectroscopy to magnetic resonance  
*Review of Sciences and Instruments* **37**: 93 - 102
- ESSER G. (1990):  
Behandlungsgrundsätze bei Lebermetastasen. Chirurgische Behandlung  
In: IZBICKI J.R., WILKER D.K., SCHWEIBERGER L. (eds.)  
Das Kolorektale Karzinom und seine Präkanzerosen  
Walter de Gruyter Verlag, Berlin 1990: 359 - 379
- FARMER D.G., ROSOVE M.H., SHAKED A., BUSUTTIL R.W. (1994):  
Current treatment modalities for hepatocellular carcinoma  
*Annals of Surgery* **219**: 236 - 247
- FEARON E.R., VOGELSTEIN B. (1990):  
A genetic model for colorectal tumorigenesis  
*Cell* **61**: 759 - 767
- FINDLAY M., LEACH O.M. (1994):  
In vivo monitoring of fluoropyrimidine metabolites: Magnetic resonance spectroscopy in the evaluation of 5-fluorouracil  
*Anti Cancer Drugs* **5**: 260 - 280
- FISCHER E.R., TURNBULL R.B. (1955):  
The cytological demonstration and significance of tumor cells in mesenteric venous blood in patients with colorectal cancer  
*Surgery, Gynecology and Obstetrics* **100**: 102 - 106
- FLOWERDEW A.D., RICHARDS H.K., TAYLOR I. (1987):  
Temporary blood flow stasis with degradable starch microspheres for liver metastases in a rat model  
*Gut* **28**: 1201 - 1207
- FOLKMAN J. (1997):  
Antiangiogenic therapy  
In: VITA de V.T., HELLMAN S., ROSENBERG S.A. (eds.)  
*Cancer: Principles & Practice of Oncology*  
Fifth Edition, Lippincott-Raven Publishers,  
Philadelphia, Pennsylvania 1997: 3075 - 3085

- FORDY C., GLOVER C., DAVIES M.M., ALLEN-MERSH T.G. (1998):  
Hepatic arterial floxuridine as second line treatment for systemic fluorouracil-resistant colorectal liver metastases  
*British Journal of Cancer* **78 (8)**: 1058 - 1060
- FORSBERG J.O. (1978):  
Transient blood flow reduction induced by intraarterial injection of degradable starch microspheres. Experiments in rats.  
*Acta Chirurgica Scandinavica* **144**: 275 - 281
- FORSTER H.J., LUNDY J. (1981)  
Liver metastases  
*Current Problems of Surgery* **18**: 157
- FRANCESCHI S., BIDOLI E., TALAMINI R., BARRA S., LA VECCCHIA C. (1991):  
Colorectal cancer in northeast Italy: Reproductive, menstrual and female hormone-related factors.  
*European Journal of Cancer* **27 (5)**: 604 - 608
- FREI G., CANELLOS G.P. (1980):  
Dose: Critical factor in cancer therapy  
*American Journal of Medicine* **69**: 585 - 594
- GABIZON A., PRICE D.C., HUBERTLY J., BRESALIER R.S.,  
PAPAHADJOPOULOS D. (1990):  
Effect of liposome composition and other factors on the targeting of liposomes to experimental tumors: Biodistribution and imaging studies  
*Cancer Research* **50**: 6371 - 6378
- GABIZON A. (1992):  
Selective tumor localization and improved therapeutic index of anthracyclines encapsulated in long-circulating liposomes  
*Cancer Research* **52**: 891 - 896
- GAZZANIGA G.M., CIFERRI E., FAZIO S., BAGAROLO C., MUNICINO O.,  
CESARO S., COGOLO L.A. (1995):  
Repeated hepatic resections for recurrent metastasis of colorectal cancer  
*Hepatogastroenterology* **4** : 383 - 386
- GERARD A., BUYSE M., PECTOR J.C. (1991):  
Hepatic artery ligation with and without portal infusion of 5-FU. A randomized study in patients with unresectable liver metastases from colorectal cancer  
*European Journal of Surgical Oncology* **17 (3)**: 289 - 294
- GERMER C.T., BOESE-LANDGRAF J., ALBRECHT D., WAGNER A., WOLF K.J.,  
BUHR H.J. (1996):  
The fully implantable minimally invasive hepatic artery catheter for locoregional chemotherapy of nonresectable liver metastases in defective conventional implanted therapy catheters  
*Chirurg* **67 (4)**: 458 - 462
- GOLDBERG J.A., KERR D.J., WILLMATT N., MC KILLOP J.H.,  
MC ARDLE C.S. (1988):  
Pharmacokinetics and pharmacodynamics of locoregional 5-fluorouracil in advanced colorectal cancer  
*British Journal of Cancer* **57**: 186 - 189

- GOLDBERG R.M. (1998):  
Is repeated treatment with a 5-fluorouracil based regimen useful in colorectal cancer?  
Seminars in Oncology **25 (Suppl 11)**: 21 - 28
- GOLDMANN M.L., BILBAO M.K., RÖSCH J., DOTTER C.T. (1975):  
Complications of indwelling chemotherapy catheters  
Cancer **36**: 1993 - 1990
- GOLDROSEN M.H., PAOLINI JR. N. HOLYOKE E.D. (1986):  
Description of a murine model of experimental hepatic metastases  
Journal of National Cancer Institute **77**: 723 - 826
- GOLDSTEIN H.M., WALLACE S., ANDERSON J.H., BREE R.L.,  
GIANTURCO C. (1976):  
Transcatheter occlusion of abdominal tumors  
Radiology **120**: 539 - 545
- GREGORIADES G. (1988):  
Liposomes as drug carriers  
Wiley New York 1988
- GREM J.L. (1990):  
Fluorinated pyrimidines  
In: CHABNER B.A., COLLINS J.M. (eds.)  
Cancer Chemotherapy: principles and practice  
J.B.Lippincott, London 1990: 180 - 224
- GYVES J.W., ENSMINGER W.D. (1984):  
Metastatic colorectal cancer: Regional chemotherapy  
Current Concepts of Oncology **6**: 9 - 18
- GYVES J. (1985):  
Pharmacology of intraperitoneal infusion of 5-fluorouracil and mitomycin C  
Seminars of Oncology **12**: 29 - 32
- HÄRING R., BAUKNECHT K.J., BOESE-LANDGRAF J. (1987):  
Chirurgie der Lebermetastasen  
In: SCHUMPELICK V., PICHLMAYR R. (eds.)  
Chirurgie der Leber  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1987
- HAHN R.G., MOERTEL C.G., SCHUTT J. (1975):  
A double-blind comparison of intensive course 5-fluorouracil by oral versus  
intravenous route in the treatment of colorectal carcinoma  
Cancer **35**: 1031 - 1035
- HAKANSSON L., STARKHAMMER H. (1990):  
Degradable starch microspheres in intraarterial tumor treatment: An overview  
In: JAKESZ R., RAINER H. (eds.)  
Progress in regional cancer therapy  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo  
1990: 89 - 97
- HAMM B., FELIX R., WOLF K.J. (1994):  
Dynamische MR-Tomographie intrahepatischer Tumoren  
Röntgenologische Fortschritte **150**: 434 - 441

- HASHIDA M., SATO K., TAKAKURA Y., SEZAKI H. (1988):  
Characterization of a lipophilic prodrug of 5-fluorouracil with a cholesterol  
promoiety and it's application to liposomes  
Chemical and Pharmaceutical Bulletin **36 (8)**: 3186
- HASUIKE Y., YAGUI T., SHIN E., MISHIMA H., NISHISHO I., KOBAYASHI K.,  
KOBAYASHI T., KIKKAWA N., HOSOKI T. (1997):  
A new two-part therapy for multiple bilobular liver metastases of colorectal cancer  
treatment of one lobe with partial hepatectomy and the other with arterial  
chemotherapy (Abstract)  
Gan To Kagaku Ryoho **24 (12)**: 1757 - 1759
- HAUSSER K.H., KALBITZER H.R. (1989):  
NMR für Mediziner und Biologen  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1989
- HEATH T.D., LORENZ N.G., PAPAHAJDOPOULOUS D. (1985):  
The effects of liposome size and surface charge on liposome mediated delivery of  
methotrexateaspartate to cell in vitro  
Biochimica et Biophysica Acta **820**: 74
- HEIDELBERGER C., CHAUDHURI N.K., DANNEBERG P. (1957):  
Fluorinated pyrimidines, a new class of tumor-inhibitory compounds  
Nature **179**: 367 - 424
- HEIM M.E., JASCHKE W., SCHULZE B. (1984):  
Die intraarterielle zytostatische Chemotherapie: Grundlagen und klinische  
Erfahrungen  
Klinikerarzt **13**: 176 - 186
- HERFARTH C., HEUSCHEN U.A., LAMADE W., LEHNERT T., OTTO G. (1995):  
Resections of recurrence in the liver of primary and secondary liver cancers  
Chirurg **66**: 949 - 958
- HERMANEK P., WIEBELT H., RIEDL S., STAIMMER D.,HERMANNEK P. (1994):  
Langzeitergebnisse der chirurgischen Therapie des kolorektalen Karzinoms  
Ergebnisse der Studiengruppe Kolorektales Karzinom (SGKRK)
- HERMANEK P., SOBIN L.H., FLEMMING I.D. (1996):  
What do we beyond TNM?  
Cancer **77**: 815 - 817
- HEYMSFIELD S.B., FULENWIDER T., NORDLINGER B., BARLOW R., SONES P.,  
KUTNER M. (1979):  
Accurate measurement of liver, kidney and spleen volume and mass by computerized  
axial tomography  
Annals of International Medicine **90**: 185 - 187
- HILGENFELD R.U., STREIT M., THIEL E., KREUSER E.D. (1996):  
Current treatment modalities in advanced colorectal cancer  
Recent Results in Cancer Research **142**: 353 - 380
- HILLEGERSBERG van R., WITTE M.T., KORT W.J., TERPSTRA O.T. (1993):  
Water-jet-cooled Nd:YAG laser coagulation of experimental liver metastases:  
Correlation between ultrasonography and histology  
Laser Surgical Medicine **13 (3)**: 332 - 343

- HOHENBERGER P., SCHLAG P. (1988a):  
Regional therapy of malignant liver tumors  
Journal of Clinical Oncology **114 (6)**: 657 - 659
- HOHENBERGER P., SCHLAG P., SCHWARZ V., HERFARTH CH. (1988b):  
Leberresektionen bei Patienten mit colorektalen Karzinomen  
Chirurg **59**: 410
- HOROWITZ A.L. (1989)  
MRI physics for radiologists  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1989
- HOTTENROTT C., LORENZ M. (1986):  
Lebermetastasen kolorektaler Karzinome - Klassifizierung  
In: HOTTENROTT C., LORENZ M.  
Regionale Chemotherapie der Leber und Extremitäten - Standortbestimmung  
Frankfurt 1986
- HOTTENROTT C., LORENZ M. (1987):  
Stellenwert der regionalen Chemotherapie der Leber  
Zentralblatt Gastroenterologie **25**: 364
- HOTTENROTT C., LORENZ M. (1988):  
Implantierbare Katheter, Port- und Pumpensysteme  
Aktuelle Chirurgie **23**: 143 - 150
- HOTTENROTT C., LORENZ M., ROSSION I. (1995):  
Lokoregionäre Chemotherapie im Gastrointestinalbereich  
In: ZELLER W. J., HAUSEN zur H. (eds.)  
Onkologie: Grundlagen - Diagnostik - Therapie - Entwicklungen  
Ecomed Verlagsgesellschaft mbH, Landsberg/Lech 1995: 1-23
- HUANG S.K., MAYHEW E., GILANI S., LASIC D.D., MARTIN F.J.,  
PAPAHADJOPOULOS D. (1992):  
Pharmacocinetics and therapeutics of sterically stabilized liposomes in mice bearing  
C-26 colon carcinoma  
Cancer Research **52**: 6774 - 6781
- IMATSUKI S., SHAW B.W., STARZL T.S. (1983):  
Experience with 150 liver resections  
Annals of Surgery **197**: 247
- ISENBERG J., FISCHBACH R., KRUGER I., KELLER H.W. (1996):  
Treatment of liver metastases form colorectal cancer  
Anticancer Research **16 (3)**: 1291 - 1295
- JAFFE B.M., DONEGAN W.L., WATSON F., SPRATT J.S. (1968):  
Factors influencing survival in patients with untreated hepatic metastases  
Surgery, Gynecology and Obstetrics **127**: 1 - 11
- JAIN R.K. (1997):  
Delivery of molecular and cellular medicine to solid tumors  
Microcirculation **4**: 1 - 23
- JANNSEN R., HAINDL H. (1993):  
Technische Anforderungen an Portkathetersysteme  
In: HAINDL H., MÜLLER H., SCHMOLL E. (eds.)  
Portkathetersysteme  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1993

- JIZOMOTO H., HIRANO K. (1989):  
Encapsulation of drugs by lyophilized empty dipalmitoyl-phosphatidylcholine liposomes: Effect of calcium ion  
Chemical and Pharmacological Bulletin **37**: 3066
- JOSHI S.V., VAIDYA S.G., NERURKAR V.R., SOMAN C. (1993):  
Treatment of gamma radiation induced transplanted leukemia in ICRC mice by liposomally encapsulated 5-fluorouracil  
Leukemia Research **17 (7)**: 601 - 607
- JUNG M., BERGER G., POHLEN U., PÄUSER S., RESZKA R., BUHR H.J. (1997):  
Simultaneous determination of 5-fluorouracil and its active metabolites in serum and tissue by high-performance liquid chromatography  
Journal of Chromatography **702**: 193 - 202
- KARDEL T., HOLM H.H., RASMUSSEN S.N., MARTENSEN T. (1971):  
Ultrasonic determination of liver and spleen volumes  
Scandinavian Journal of Clinical and Laboratory Investigation **27**: 123 - 128
- KAWASAKI S., MAKUUCHI M., KAKAZU T., MIYAGAWA S., TAKAYAMA T., KOSUGE T., SUGIHARA K., MORIYA Y. (1994):  
Resection for multiple metastatic liver tumors after portal embolization  
Surgery **115 (6)**: 674 - 677
- KEMENY N., NIEDZWIECKI D., SHURGOT B. (1989):  
Prognostic variables in patients with hepatic metastases from colorectal cancer: Importance of medical assessment of liver involvement  
Cancer **63**: 742 - 747
- KEMENY N. (1992):  
Liver Cancer: A review of current treatment options  
In: KEMENY N., CIVALLERI D., EDMAN P., NILSSON B., GUNNARSON K., HAKANSSON L., TAGUCHI T., AIGNER K.R. (eds.)  
An update on regional treatment of liver cancer  
Wells Medical Ltd., Chapel Place 1992: 7 - 16
- KEMENY N., SEITER K., NIEDZWIECKI D. (1992):  
A randomized trial of intrahepatic infusion of fluorodeoxyuridine with dexamethasone versus fluorodeoxyuridine alone in the treatment of metastatic colorectal cancer  
Cancer **69**: 327 - 334
- KLAASSEN, C.D., WATKINS, J.B. (1984):  
Mechanisms of bile formations, hepatic uptake and biliary excretion  
Pharmacologic Reviews **36**: 76 - 83
- KOKUDO N., SEKI M., OHTA H., AZEKURA K., UENO M., SATO T., MOROGUCHI A., MATSUBARA T., TAKAHASHI T., NAKAJIMA T., AIBA K. (1998):  
Effects of systemic and regional chemotherapy after hepatic resection for colorectal Metastases  
Annals of Surgery and Oncology **5**: 706 - 712
- KONNO T., YAMASHITA R., ODA T., MAEDA H., TAGUCHI T., NAGAMITSU A. (1992):  
Targeting cancer chemotherapy used Lipiodo® as a carrier of anticancer agents for hepatocellular carcinoma  
Regional Cancer Treatment **4**: 110 - 116

- KÜHNE D., HELMKE K. (1982):  
Embolization with Ethibloc® of vascular tumors and arteriovenous malformations in the head and neck  
*Neuroradiology* **2**: 253 - 258
- KURZ H., NEUMANN H.-G., WOLLENBERG P., FORTH W., HENSCHLER D., RUMMEL W. (1987):  
Allgemeine Pharmakologie  
In: FORTH W., HENSCHLER D., RUMMEL W. (eds.)  
Allgemeine und spezielle Pharmakologie und Toxikologie  
BI Wissenschaftsverlag, Mannheim/Wien/Zürich 5.Auflage 1987: 20 - 22
- LAHR C.J., SOONG S.J., CLOUD G., SMITH J.W., URIST M.M., BALCH C.M. (1983):  
A multifactorial analysis of prognostic factors in patients with liver metastases from colorectal cancer  
*Journal of Clinical Oncology* **1**: 720 - 726
- LASIC D.D., MARTIN F.J., GABZION A., HUANG S.K., PAPAHADJOPOULOS D. (1991):  
Sterically stabilized liposomes - hypothesis on molecular origins of the extended circulation times  
*Biochimica et Biophysica Acta* **1070**: 187
- LAUTERBUR P.C. (1973):  
Image information by inducing local interactions: Examples employing nuclear magnetic resonance  
*Nature* **242**: 190 - 191
- LAVIN P., MITTELMAN A., DOUGLASS H. (1980):  
Survival and response to chemotherapy for advanced colorectal adenocarcinoma  
*Cancer* **46**: 1536
- LINK K.H., AIGNER K.R., PILLASCH J., ULLRICH J., GANSAUGE F., KERN D.H. (1993):  
Individual chemosensitivity testing for regional chemotherapy in a prospective correlative and a prospective decision aiding test  
*Regional Cancer Treatment* **5**: 113 - 120
- LÖFFLER T.M., HAUSAMEN T.U. (1986):  
Chemotherapy of metastasized colorectal carcinoma with folinic acid and 5-fluorouracil: Results with systemic and intraarterial chemotherapy  
*Journal of Cancer Research and Clinical Oncology* **11 (Suppl. 1)**: 98
- LOKICH J.J.; AHLGREN J.D., GULLO J. (1989):  
A prospective randomized comparison of continuous infusion fluorouracil with a conventional bolus schedule in metastatic colorectal carcinoma: A Mid-Atlantic Oncology Programm Study  
*Journal of Clinical Oncology* **7**: 425 - 432
- LORELIUS L.E., BENEDETTO A.R., BLUMHARDT R., GASKILL H.V., LANCASTER J.L., STRIDBECK H. (1984):  
Enhanced drug retention in VX-2 tumors by use of degradable starch microspheres  
*Investigative Radiology* **19**: 212 - 215
- LORENZ M., ROSSION I. (1995):  
Adjuvante und palliative Therapie von Lebermetastasen kolorektaler Tumoren  
*Deutsche Medizinische Wochenschrift* **120**: 690 - 697

- LORENZ M., MÜLLER H.H., GASSEL H.J., RAU H.G., RIDWELSKI K., HAUSS J., STIEGER R., JAUCH K.W., BECHSTEIN W.O., ENCKE A. (1998):  
Randomized trial surgery versus surgery followed by adjuvant hepatic arterial infusion with 5-fluorouracil and folinic acid for liver metastases of colorectal cancer. German Cooperative on Liver Metastases  
Annals of Surgery **228 (6)**: 756 - 762
- LUNA-PEREZ P., RODRIGUEZ-CORIA D.F., ARROYO B., GONZALEZ-MACOUZET J. (1998):  
The natural history of liver metastases from colorectal cancer  
Archive of Medical Research **29 (4)**: 319 - 324
- MACHOVER D., SCHWARTENBERG L., GOLDSCHMIDT E. (1982):  
Treatment of advanced colorectal and gastric adenocarcinoma with 5-FU combined with high dose folinic acid: A pilot study  
Cancer Treatment Repetitions **66**: 1803
- MACHOVER D., GOLDSCHMIDT E., CHOLLET P. (1986):  
Treatment of advanced colorectal and gastric adenocarcinoma with 5-FU combined with high dose folinic acid  
Journal of Clinical Oncology **4**: 685
- MAEDE V.M., BURTON M.A., GRAY B.N., SELF G.W. (1987):  
Distribution of different sized microspheres in experimental hepatic tumors  
European Journal of Cancer and Clinical Oncology **23**: 37 - 41
- MAHFOUZ A.E., HAMM B., TAUPITZ M., WOLF K.-J. (1993):  
Hypervascular liver lesions: Differentiation of focal nodular hyperplasia from malignant tumors with dynamic gadolinium-enhanced MR imaging  
Radiology **186**: 133 - 138
- MALET MARTINO M.C., FAURE F., VIALANEIX J.P. (1986):  
Noninvasive fluorine-19 NMR study of fluoropyrimidine metabolism in cell cultures of human pancreatic and colon adenocarcinoma  
Cancer Chemotherapy and Pharmacology **18**: 5 - 10
- MARKS G., MOHIUDDIN M., EITAN A., MASONI L., RAKINIC J. (1991):  
High-dose preoperative radiation and radical sphincter-preserving surgery for rectal cancer  
Archives of Surgery **126 (12)**: 1534 - 1540
- MAYBAUM J., ULLMANN B., MANDEL H.G. (1980):  
Regulation of RNA and DNA-directed actions of 5-fluoropyrimidines in mouse T-lymphoma cells  
Cancer Research **40**: 4209 - 4215
- MAZUMDER A. (1981):  
Effect of liposome encapsulated 5-fluorouracil on Ehrlich ascites tumor bearing mice  
Indian Journal of Biochemistry and Biophysics **18**: 120
- MERCADO M.A., MEDINA H., ROSSANO A., RODRIGUEZ M., CHAN C., OROZCO H. (1997):  
Metastatic disease of the liver: Surgical perspective  
Reviews of Gastroenterology of Mexico **63 (3)**: 235 - 238
- METZGER U. (1991):  
Adjuvant therapy for colorectal carcinoma.  
World Journal of Surgery **15 (5)**: 576 - 582

- MOLZAHN E., GRUENAGEL H.H., FREUND U., GROSS D. (1988):  
Konzepte zur Prophylaxe und Behandlung von Lebermetastasen bei kolorektalen Karzinomen durch regionale Chemotherapie  
*Chirurg* **59**: 34
- MORRIS D.L., ZHAO J., CLINGAN P.R. (1997):  
Previous intravenous chemotherapy does not alter response rate or survival time of patients with hepatic metastases from colorectal cancer treated by hepatic artery chemotherapy  
*Australian Journal of Surgery* **67 (11)**: 796 - 797
- MUHRER H., SCHWEMMLE K. (1988):  
Therapiekonzepte bei kolorektalen Lebermetastasen  
*Leber Magen Darm* **6**: 281 - 289
- MURAKAMI T., NAKAMURA H., HORI S., TOMODA K., MITANI T., NAKANISHI K., HASHIMOTO T., TSUDA K., KOZUKA T., MONDEN M., WAKASA K. (1993):  
Detection of viable tumor cells in hepatocellular carcinoma following transcatheter arterial embolization with iodized oil  
*Acta Radiologica* **34**: 399 - 403
- NEEDHAM D., HRISTOVA K., MC INTOSH T.J., LASIC D.D. (1992):  
Repulsive interactions and mechanical stability of polymergrafted lipid membranes  
*Biophysica et Biochimica Acta* **1108**: 40 - 48
- NI Y., MAREKAL G., YU J., RUMMENY E., ZANG X., LODEMANN K., BAHRT A.L. (1993):  
Experimental liver cancers: Mn-DPDP-enhanced rims in MR-microangiographic-histologic correlation study  
*Radiology* **188**: 45 - 51
- NORDLINGER B., PANIS Y., PUTS J.P. (1990):  
Early postoperative intra-peritoneal chemotherapy is feasible and well tolerated in colon cancer  
*Journal of Cancer Research and Clinical Oncology* **116 (Suppl. 1)**: 686
- NORDLINGER B., PANIS Y., PUTS J.P., HERVE J.P., DELEO R., BALLETT F. (1991):  
An experimental model of colon cancer: Recurrences after surgery alone or associated with intraperitoneal 5-fluorouracil chemotherapy  
*Diseases of the Colon and Rectum* **34**: 658 - 663
- OBERFIELD R.A., MC CAFFREY J.A., POLIO J., CLOUSE M.E., HAMILTON T. (1979):  
Prolonged and continuous percutaneous intra-arterial hepatic infusion therapy in advanced metastatic liver adenocarcinoma from colorectal primary  
*Cancer* **44**: 414 - 423
- O'CONNELL, M.J., NAGORNEY D.M., BERNATH A.M., SCHROEDER G., FITZGIBBONS R.J., MAILLARD J.A., BURCH P., BOLTON J.S., KROOK J.E. (1998):  
Sequential intrahepatic fluorodeoxyuridine and systemic fluorouracil plus leucovorin for the treatment of metastatic colorectal cancer confined to the liver  
*Journal of Clinical Oncology* **16 (7)**: 2528 - 33
- O'DWYER P.J., KING S.A., HOTH D.F. (1987):  
Role of thymidine in biochemical modulation: A review  
*Cancer Research* **47**: 3911 - 3919

## Literaturverzeichnis

- OOIJEN van B., WIGGERS T., MEIJER S., HEIDE M.N., SLOOF M.J.,  
VELDE van de C.J., OBERTROP H., GOUMA D.J., BRUGGINK E.D.,  
LANGE J.F. (1992):  
Hepatic resections for colorectal metastases in the Netherlands. A multiinstitutional  
10-year study  
*Cancer* **70 (1)**: 28 - 34
- OYZER A.Y., TALSMA H. (1989):  
Preparation and stability of liposomes containing 5-fluorouracil  
*International Journal of Pharmaceutics* **55**: 185
- PALMER M., PETRELLI N.J., HERRERA L. (1989):  
No treatment option for liver metastases from colorectal adenocarcinoma?  
*Diseases of the Colon and Rectum* **32**: 698 - 701
- PAPAHADJOPOULOS D., ALLEN T.M., GABZION A., MAYHEW E., MATTHAY K.,  
HUANG S.K., LEE K.D., WOODLE M.C., LASIC D.D., REDEMANN C. (1991):  
Sterically stabilized liposomes: Improvements in pharmacokinetics and antitumor  
therapeutic effects  
*Proceedings of National Academy of Science of USA* **88**: 11460 - 11464
- PATT Y.Z., MAVGLIT G. (1991):  
Arterial chemotherapy in the management of colorectal cancer: An overview  
*Seminars in Oncology* **518**: 478 - 490
- PEPPERCORN P.D., REZNEK R.H., WILSON P., SLEVIN M.L., GUPTA R.K. (1998):  
Demonstration of hepatic steatosis by computerized tomography in patients receiving  
5-fluorouracil-based therapy for advanced colorectal cancer.  
*British Journal of Cancer* **77 (11)**: 2008 - 2011
- PERSSON B.G., JEPPSON B., ANDERSSON L., STRAND S.E., EKELUND L. (1987):  
The prevention of arterial collaterals after repeated temporary blockade of the hepatic  
artery in pigs  
*World Journal of Surgery* **11**: 672 - 677
- PERSSON B.G., JEPPSON B., EKBERG H., TRANBERG K.G., LUNDSTEDT C.,  
BENGMARK S. (1990):  
Repeated dearterialization of hepatic tumors with an implantable device  
*Cancer* **66**: 1139 - 1165
- PETERS G.J., LANKELMA J., KOK R.M. (1993):  
Prolonged retention of high concentrations of 5-fluorouracil in human and murine  
tumors as compared with plasma  
*Chemotherapy and Pharmacology* **31**: 269 - 276
- PETREK J.A., MINTON J.P. (1979):  
Treatment of hepatic metastases by percutaneous hepatic arterial infusion  
*Cancer* **43**: 2182 - 2188
- PETTAVEL J., LEYVRAZ S., DOUGLAS P. (1993):  
Arterial chemotherapy of colorectal liver metastases. An update  
*Regional Cancer Treatment* **5**: 62 - 66
- PFEIFER G., PFLEGEL M., BORCHERT E. (1984):  
Grundlagen der Biopharmazie  
Verlag Chemie, Weinheim, Deerfield Beach Florida, Basel (1984): 43

- PINEDO H.M., PETERS G.F.J. (1988):  
5-fluorouracil: Biochemistry and pharmacology  
*Journal of Clinical Oncology* **10 (6)**: 1653 - 1664
- POHLEN U., LIPPMANN M., BERGER G., LECOEUR P., STILLER D.,  
HÄRING R. (1994):  
Pharmakokinetik von Carboplatin - Vergleich verschiedener lokoregionärer  
Anwendungen: Eine tierexperimentelle Studie am VX-2 Lebertumor  
In: TREDE M., SEIFERT P., HARTEL G.(eds.)  
Chirurgisches Forum für experimentelle und klinische Forschung  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1994
- PURCELL E., TORREY H., POWEL R. (1946)  
Resonance absorption by nuclear magnetic moments in a solid  
*Physical Reviews* **69**: 37 – 43
- QUEISSER W., SCHNITZLER G., SCHAEFER J., ARNOLD H., DRINGS P.,  
FRITZE D. (1981):  
Comparison of ftorafur with 5-fluorouracil in combination chemotherapy of advanced  
gastrointestinal carcinoma  
*Recent Results in Cancer Research* **79**: 82 - 92
- QUIN Y., CAUTEREN van M. OSTEAX M., WILLEMS G. (1990a):  
Determination of liver volume in vivo in rats using MRI  
*European Journal of Radiology* **11**: 191 - 195
- QUIN Y., DIERCK K., WILLEMS G. (1990b)  
Easy production and early detection of liver metastases of colon cancer in rats  
*Surgical Research Community* **9**: 99 - 105
- RAOUL J.L., HERESBACH D., BRETAGNE J.F., FERRER D.B., DUVAUFERRIER R.,  
BOURGUET P., MESSNER M., GOSSELIN M. (1992):  
Chemoembolization of hepatocellular carcinomas  
*Cancer* **70**: 585 - 590
- RAPPAPORT A.M. (1981):  
The acinus-microvascular unit on the liver  
In: LAUT W.W. (ed.)  
Hepatic circulation in health and disease  
Raven Press, New York 1981: S. 175 - 192
- RAUTE M., TREDE M. (1983):  
Metastasenchirurgie im Bereich der Abdominalorgane  
*Chirurgie* **54**: 506
- RECCHIA F., PASSALACQUA G., FILIPPIS S., FILAURI P., LIPPE P., REA S.,  
FINGERHUT A. (1995):  
Role of Polychemoembolization in the treatment of primary and secondary tumors  
of the liver  
*Clinical Therapy* **146 (2)**: 117 - 22
- RECCHIA F., NUZZO A., LALLI A., LOMBARDO M., DI LULLO L., FABIANI F.,  
FANINI R. (1996):  
Randomized trial of 5-fluorouracil and high-dose folinic acid with or without alpha-  
2B-interferon in advanced colorectal cancer  
*American Journal of Clinical Oncology* **19 (3)**: 301 – 304

## Literaturverzeichnis

- RESZKA R., POHLEN U., SCHLÜTER R., BERNDT A., BERGER G., LEHMANN CH.,  
BINNENHAI M., WINTER R. (1999):  
A new application system for drug targeting into the angiogenetic area of the liver  
Zur Veröffentlichung eingereicht
- RINCK P.A., PETERSEN S.B., MULLER R.N. (eds.) (1985):  
Magnetresonanz in der Medizin  
Georg Thieme Verlag Stuttgart New York (1985):
- RINGE B., BECHSTEIN W.O., BLUMHARDT G., NEUHAUS P.,  
PICHLMAYR R. (1987):  
Leberresektionen und -transplantationen zur Therapie von Lebermetastasen  
In: SCHILDBERG F.W. (ed.): Chirurgische Behandlung von Tumormetastasen  
Bibliomed Medizinische Verlagsgesellschaft, Melsungen (1987): 125 - 134
- ROHDE T.D., BLACKSHEAR P.J., VARCO R.L., BUCHWALD H. (1977)  
One year of heparin anticoagulation: An ambulatory subject using  
a totally implantable infusion pump  
Minnesota Medicine **60**: 719 - 722
- ROFSKY N.M., WEINREB J.C., BERNARDINO M.E., YOUNG S.W., LEE J.K.T.,  
NOZ M.E. (1993):  
Hepatocellular tumors: Characterization with Mn-DPDP-enhanced MR imaging  
Radiology **188**: 53 - 59
- ROMEIS B. (1989)  
Mikroskopische Technik  
Urban und Schwarz, München 1989
- ROTHMUND M., BRÜCKNER R., KELLER E., QUINT B., KNUTH A.,  
SCHICKETANZ K.H. (1986):  
Regionale Chemotherapie bei Lebermetastasen kolorektaler Kerziome mit  
implantierbaren Gasdruckpumpen  
Deutsche Medizinische Wochenschrift **111**: 652 - 658
- ROMERO E.L., MORILLA M.J., REGTS J., KONING G.A., SCHERPHOF G.L. (1999):  
On the mechanism of hepatic transendothelial passage of large liposomes.  
FEBS Letter **448 (1)**: 193 - 196
- ROUGIER P.H., LAPLANCHE A., HAY J.M. (1992):  
Hepatic arterial infusion of floxuridine in patients with liver metastases from  
colorectal cancer: Long-term results of a prospective randomized trial  
Journal of Clinical Oncology **5**: 47 - 54
- SANZ-ALTAMIRA P.M., SPENCE L.D., HUBERMANN M.S., POSNER M.R.,  
STEELE G., PERRY L.J., STUART K.E. (1997):  
Selective chemoembolization in the management of hepatic metastases in  
Refractory colorectal carcinoma: A phase II trial  
Diseases of the Colon and Rectum **40 (7)**: 770 - 775
- SATTA T., ISOBE K., YAMAUCHI M., NAKSHIMA I., TAKAGI H. (1992):  
Expression of MDR1 and glutathione S transferase pi-genes and  
chemosensitivities in human gastrointestinal cancer  
Cancer **69 (4)**: 941 - 946

- SAZAKI H., MATSUKAWA Y., HASHIDA M., SEZAKI H. (1987):  
Characterization of alkyl carbamoyl derivatives of 5-fluorouracil and their application to liposome  
International Journal of Pharmaceutics **36**:147
- SCHALHORN A., PEYERL G., HEINLEIN W., WILMANN S. W. (1990):  
Regional therapy with 5-fluorouracil: Dependence of systemic concentrations on infusion rate  
In: JAKEZS R., RAINER H. (eds.)  
Progress in Regional Cancer Therapy  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo  
1990: 70 - 74
- SCHALHORN A., KÜHL M. (1992):  
Clinical pharmacokinetics of fluorouracil and folinic acid  
Seminars in Oncology **19 (Suppl 3)**: 82 - 92
- SCHILD H.H. (1990):  
MRI made easy  
Schering Diagnostika 1990: 73
- SCHLAG P., HOHENBERGER P. (1988):  
Regionale Chemotherapie von Lebertumoren - Eine Situationsanalyse  
Chirurg **59**: 218
- SCHLAG P. (1992):  
Temporäre prolongierte Chemotherapie von isolierten Lebermetastasen  
1. Berliner Workshop: Stand und Perspektive regionaler Behandlung von primären und sekundären Lebermalignomen  
Charite, Berlin 1992
- SCHLAG P.M., HÜNERBEIN M., HOHENBERGER P. (1996):  
Surgical and multimodality approaches to liver metastases  
Current Topics of Microbiology and Immunology **21**: 241 - 255
- SCHLAG P.M. (1998):  
Pathomorphologie und Chirurgie - Standards beim kolorektalen Karzinom  
Onkologie (**Suppl 1**) **4**: 23 - 27
- SCHMIDT M., FORSTNER von M. (1985):  
Veterinärmedizinische Laboruntersuchungen für die Diagnose und Verlaufskontrolle  
Böhringer Mannheim GmbH, 3. Auflage
- SCHOTTENFELD D. (1992):  
The etiology and prevention of aerodigestive tract cancers.  
Advantages of Experimental Medicine and Biology **320**: 1 - 19
- SCHMOLL H.J., HIDDENMANN W., RUSTUM Y., KÖHNE-WÖMPER C.H. (1992):  
The emerging role for biomodulation of antineoplastic agents  
Seminars in Oncology **19**: 1 - 3
- SCHUMANN-GIAMPIERI G. (1993):  
Liver contrast media for magnetic resonance imaging  
Investigative Radiology **8**: 753 - 761

- SCHULTHEIS, K.H. (1985):  
Embolisation-Chemoembolisation zur Behandlung maligner primärer und sekundärer Lebertumoren  
In: AIGNER K.R. (ed.)  
Regionale Chemotherapie der Leber. Isolierte Perfusion, intraarterielle Infusion und Resektion  
Beiträge zur Onkologie Band 21, Karger, Basel 1985
- SCHWEMMLE K., AIGNER K. (1986):  
Requirements and results of liver perfusion  
In: HERFARTH C.H., SCHLAG P., HOHENBERGER P. (eds.)  
Therapeutic strategies in primary and metastatic liver cancer  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1986: 229
- SEGAL A.W., GREGORIADES G., BLACK C.D.V. (1975):  
Liposomes as vehicles for the local release of drugs  
Clinical Science of Molecular Medicine **49**: 4758
- SELBY J.V., FRIEDMANN G.D., QUESENBERG C.P., WEISS N.S. (1992):  
A case-control study of screening sigmoidoscopy and mortality from colorectal cancer.  
New England Journal of Medicine **326 (10)**: 653 - 657
- SEMELKA R.C., BAGLEY A.S., BROWN E.D., KROCKER M.A. (1994):  
Malignant lesions of liver identified on T1- but not on T2-weighted images at 1,5 T  
Journal of Magnetic Resonance Imaging **4 (3)**: 315 - 318
- SEIFERT P., BAKER L., REED M.L. (1975):  
Comparison of continuously infused 5-fluorouracil with bolus injection in treatment of patients with colorectal adenocarcinoma  
Cancer **36**: 123 - 128
- SIMMONS S.T., SHERWOOD M.B., NICHOLS D.A., PENNE R.B., SERY T., SPAETH G.L. (1988):  
Pharmacokinetics of a 5-fluorouracil liposomal delivery system  
British Journal of Ophthalmology **72**: 688
- SMITH, R.L. (1973):  
The excretory function of bile  
Chapman and Hall, London, England, 1973: 9 - 15
- SOULEN M.C. (1994):  
Chemoembolization of hepatic malignancies  
Oncology-Huntington **8**: 77 - 84
- SPIEGELMANN S., SAWYER R., NAYAK R. (1980):  
Improving the antitumor activity of 5-fluorouracil by increasing its incorporation into RNA via metabolic modulation  
Proceedings of the National Academic of Sciences of USA **77**: 4966 - 4970
- STEELE G., RAVIKUMAR T.S. (1989):  
Resection of hepatic metastases from colorectal cancer: Biological perspectives  
Annals of Surgery **210**: 127 - 138
- STERNLICHT M., SALES S.F., DANIELS J.R., DANIELS A.M. (1989):  
Renal cisplatin chemoembolization with Angiostat®, Gelfoam®, and Ethiodol® in the rabbit: Renal platinum distributions  
Radiology **170**: 1073 - 1075

- STROHMEYER T., HANGEBERG G., LIERSE W., FARTHMAN E.M. (1986):  
Die Blutversorgung und Angioarchitektur von Lebermetastasen  
Zentralblatt Gastroenterologie **47**: 172 - 176
- STUBBS R.S., ALWAN M.H., BOOTH M.W. (1998):  
Hepatic cryotherapy and subsequent hepatic arterial chemotherapy for colorectal metastases to the liver  
Surgery **11 (2)**: 97 - 104
- SULLIVAN R.D., NORGGROSS J.W., WATKINS E. (1964):  
Chemotherapy of metastatic liver cancer by prolonged hepatic artery infusion  
New England Journal of Medicine **270**: 321 - 327
- SUZUKI T., SARUMARU S., KAWABE K. (1972):  
Study of vascularity of tumors of the liver  
Surgery, Gynecology and Obstetrics **134**: 27
- TAGUCHI T. (1992):  
A comparative randomized study on the treatment of primary and secondary liver tumors with intra-arterial chemotherapy with or without degradable starch microspheres (Spherex®)  
Regional Cancer Treatment **4**: 117 - 120
- TAYLOR I. (1978):  
Cytotoxic perfusion for colorectal liver metastases  
British Journal of Surgery **65**: 219
- TAYLOR J. (1985):  
Colorectal liver metastases - to treat or not to treat?  
British Journal of Surgery **72**: 511 - 516
- TESCH H. (1999):  
Mitomycin C/Spherex®-Chemoembolisation der Leber kombiniert mit systemischer Chemotherapie bei hepatischer Filialisierung kolorektaler Karzinome  
Workshop Chemoembolisation - neue therapeutische Ansätze  
Berlin 1999
- THOMAS C., NIJENHUIS A.M., TIMENS W., KUPPEN P.J., DAEMEN T., SCHERPHOF G.L. (1993):  
Liver metastases model of colon cancer in the rat: Immunohistochemical characterization  
Invasion and Metastasis **13**: 102 - 112
- TSUKADA K., VEDA S., OKADA R. (1984):  
Preparation of liposome encapsulated anti-tumor drugs: Relationship between lipophilicity of drugs and in vitro release  
Chemical and Pharmaceutical Bulletin **32 (5)**: 1929
- TURNBULL R.B., KYLE K., WATSON F.R., SPRATT J. (1967):  
Cancer of the colon: The influence of the No-Touch-Isolation Technique on survival rates  
Annals of Surgery **166**: 420 - 427
- VAUPEL P., THEWES R., WENDLING P. (1976):  
Kritische Sauerstoff- und Glucoseversorgung maligner Tumoren  
Deutsche Medizinische Wochenschrift **101**: 1810

- VENOOK A.P., STAGG R.J., LEWIS B.J., CHASE J.L., RING E.J., MARONEY T.P., HOHN D.C. (1990):  
Chemoembolization for hepatocellular carcinoma  
*Journal of Clinical Oncology* **8**: 1108 - 1114
- VOGEL H., FRIEDRICH C.H. (1989):  
Kernspintomographie  
In: VOGEL H. (ed.)  
Strahlendosis und Strahlenrisiko in der bildgebenden Diagnostik  
Ecomed Verlagsgesellschaft mbH, Landsberg/Lech 1989: 315-326
- WAGNER J.S., ADSON M.A., HEERDEN van J.A., ADSON M.H., ILSTRUP D.M. (1984):  
The natural history of hepatic metastases from colorectal cancer  
*Annals of Surgery* **199**: 502 - 508
- WAGNER J.G., GYVES J.W., STETSON P.L., WALKER-ANDREWS S.C., WOLLNER I.S., COCHRAN M.K., ENSMINGER W.D. (1986):  
Steady-state nonlinear pharmacokinetics of 5-fluorouracil during hepatic arterial and intravenous infusions in cancer patients  
*Cancer Research* **46**: 1499 - 1506
- WALLACE S., GOLDSTEIN H.M. (1976):  
Intravascular occlusive therapy: Use of interventional radiology in cancer patients  
*Postgraduate Medicine* **59**: 141 - 146
- WALLACE S., CHAMSANGVAJEJ C., HUMBERTO-CARRASCO C., BECHTEL W. (1984):  
Infusion and embolization  
*Cancer* **54**: 2751
- WATKINS E., KHAZEI A.M., NAHRA K.S. (1970):  
Surgical basics for arterial infusion chemotherapy of disseminated carcinoma of the liver  
*Surgery, Gynecology and Obstetrics* **130**: 581 - 605
- WEIGAND H. (1993):  
Portale Chemotherapie der Metastasenleber  
In: HAINDL H., MÜLLER H., SCHMOLLE E. (eds.)  
Portkathetersysteme  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo 1993
- WEINMANN H.J., BRASCH R.C., PRESS W.-R., WESBY G. E. (1984):  
Characteristics of Gadolinium-DTPA complex: A potential NMR contrast agent  
*American Journal of Radiology* **142**: 619 - 624
- WEISSLEDER R., SAINI S., STARK D.D., ELIZONDO G., COMPTON C., WITTENBERG J., FERUCCI J.T. (1988):  
Pyogenic liver abscess: Contrast-enhanced MR imaging in rats  
*American Journal of Roentgenology* **150** (1): 155 - 120
- WERELDSMA J.C., BRUGGINK E.D., MEIJER W.S., ROUKEMA J.A., PUTTEN van W.L. (1990):  
Adjuvant portal liver infusion in colorectal cancer with 5-FU/Heparin versus urokinase control: Results of a prospective randomized clinical trial  
*Cancer* **65**: 425 - 432
- WINAWER S.J. (1991):  
Diagnosis and prevention of gastrointestinal malignancies  
*Seminars in Oncology* **18** (Suppl. 1): 7 - 16

- WILT van der C.L., MARINELLI A., PINEDO J., CLOOS J., SMID K.,  
VELDE van de C.J.H., PETERS G.J. (1995):  
The effect of different routes of administration of 5-fluorouracil on thymidilate  
synthase inhibition in the rat  
European Journal of Cancer **31 (5)**: 754 - 760
- WILKINSON D.S., CRUMLEY H. (1977):  
Metabolism of 5-fluorouracil in sensitive and resistant NOVIKOFF-hepatoma cells  
Journal of Chemistry and Biology **252**: 1051 - 1056
- WITZLEB E. (1983):  
Funktionen des Gefäßsystems  
In: SCHMIDT R.F., THEWS G. (eds.)  
Physiologie des Menschen  
Springer Verlag, Berlin - Heidelberg - London - New York - Paris - Tokyo  
1983: 434 - 499
- WOLMARK N., ROCKETTE H., PETRELLI N. (1994):  
Long-term results of the efficacy of perioperative portal vein infusion of 5-FU for  
treatment of colon cancer  
Proceedings of American Society of Clinical Oncology **12**: 46 - 51
- WOOD C.B., GILLIES C.R., BLUMGART L.H. (1976):  
A retrospective study of the natural history of patients with liver metastases from  
colorectal cancer  
Clinical Oncology **2**: 285 - 288
- WOOD C.B. (1984):  
Natural history of liver metastases  
In: VELDE van de J.H., SUGARBAKER P.H. (eds.)  
Liver Metastases  
Nijhoff Publishers, Boston 1984: 47 - 54
- WU G.Y. (1988):  
Targeting in diagnostics and therapy  
In: ARIAS I.M., JACOBY W.B., POPPER H., SCHACHTER D.,  
SHAFRITZ D.A. (eds.)  
The Liver Biology and Pathobiology  
Raven Press, New York 1988: 1303
- WU N.Z., DA D., RUDOLL T.L., NEEDHAM D., WHORTON A.R.,  
DEWHIRST M.W. (1993):  
Increased microvascular permeability contributes to preferential accumulation of  
Stealth® liposomes in tumor tissue  
Cancer Research **53**: 3765 - 3770
- YAMADA T. (1995):  
Experimental and clinical trial of degradable starch microspheres in treatment of  
hepatic neoplasm: Part 2. Clinical study (Abstract)  
Nippon Igaku Hoshasen Gakkai Zasshi **55 (11)**: 732 - 738
- YAMASHITA Y., YOSHIMATSU S., SUMI M., HARADA M., TAKAHASHI M (1993):  
Dynamic MR imaging of hepatoma treated by transcatheter arterial embolization  
therapy Assessment of treatment effect.  
Acta Radiologica **34**: 303 - 308

## Literaturverzeichnis

- YANG N.C., LEICHNER P.K., FISHMAN E.K., SIEGELMAN S.S., FRENKEL T.L., WALLACE J.R. (1986):  
CT volumetries of primary liver cancers  
Journal of Computed Assisted Tomography **10**: 621 – 628
- YUAN F., LEUNIG M., HUANG S.K., BERK D.A., PAPAHAJIOPOULOS D., JAIN R.K. (1994):  
Microvascular Permeability and Interstitial Penetration of Sterically Stabilized Liposomes in a Human Tumor Xenograft  
Cancer Research **54**: 3352 – 3356
- YUNGENG Q., CAUTEREN van M., OSTEAX M., WILLEMS G. (1992):  
Quantitative study of the growth of experimental hepatic tumors in rats by using magnetic resonance imaging  
International Journal of Cancer **51**: 665 - 670
- ZENG X., WANG S., WIE C. (1996):  
The clinical efficacy of hepatic artery infusion chemotherapy and chemoembolization in the treatment of liver metastases (Abstract)  
Chung Hua Chung Liu Tsa Chih **18 (5)**: 365 - 367
- ZETTER B.R. (1998):  
Angiogenesis and tumor metastases  
Annual Reviews of Medicine **49**: 407 - 424