

## 6. Literaturverzeichnis

- AHRENS, P. B., ANKEL, H. (1987) The role of asparagine-linked carbohydrate in natural killer cell-mediated cytosis. *J. Biol. Chem.* **262**, 7575-7579
- ALLEN, M. B., WALKER, D. G. (1980) Kinetic characterization of N-acetyl-D-glucosamine kinase from rat liver and kidney. *Biochem. J.* **185**, 577-582
- ALVIANO, C. S., TRAVASSOS, L. R., SCHAUER, R. (1999) Sialic acids in fungi: a minireview. *Glycoconj. J.* **16**, 545-554
- ANGATA, T., VARKI, A. (2002) Chemical diversity in the sialic acids and related alpha-keto acids: An evolutionary perspective. *Chem. Rev.* **102**, 439-469
- ASHWELL, G., HARFORD, J. (1982) Carbohydrate-specific receptors of the liver. *Annu. Rev. Biochem.* **51**, 531-554
- BARRY, G. T. (1959) Detection of sialic acids in various E.coli strains and in other species of bacteria. *Nature* **183**, 117-118
- BASU, S., BASU, M., BASU, S. S. (1995) Biological specificity of sialyltransferases. *Biology of the sialic acids* (Rosenberg, A., Plenum Press, New York), 69-93
- BHAVANANDAN, V.P. (1991) Cancer-associated mucins and mucin-type glycoproteins. *Glycobiology* **1**, 493-503
- BIRNBOIM, H. C., DOLY, J. (1979) A rapid alkine extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Res.* **7**, 1513-1523
- BLIX, G. (1936) Über die Kohlenhydratgruppen des Submaxillarismucins. *Hoppe-Seylers Z.* **240**, 43-54
- BLOCH, F., HANSEN, W. W., PACKARD, M. (1946) Nuclear Induction. *Phys. Rev.* **69**, 127
- BORK, P., SANDER, C., VALENCIA, A. (1992) An ATPase domain common to prokaryotic cell cycle proteins, sugar kinases, actin, and hsp70 heat shock proteins. *Proc. Natl. Acad. USA* **89**, 7290-7294
- BRADFORD, M. M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254
- BREMER, E. G., SCHLESSINGER, J., HAKOMORI, S. (1986) Ganglioside-mediated modulation of cell growth. Specific effects of GM3 on tyrosine phosphorylation of the epidermal growth factor receptor. *J. Biol. Chem.* **261**, 2434-2440
- BRESALIER, R. S., ROCKWELL, R. W., DAHIYA, R., DUH, Q. Y., KIM, Y. S. (1990) Cell surface sialoprotein alterations in metastatic murine colon cancer cell lines selected in an animal model for colon cancer metastasis. *Cancer Res.* **50**, 1299-1307

- BROSCHAT, K. O., GORKA, C., PAGE, J. D., MARTIN-BERGER, C. L., DAVIES, M. S., HUANG, H. C., GULVE, E. A., SALSGIVER, W. J., KASTEN, T. P. (2002) Kinetic characterization of human glutamine-fructose-6-phosphate amidotransferase I: Potent feedback inhibition by glucosamine 6-phosphate. *J. Biol. Chem.* **277**, 14764-14770
- BÜTTNER, B., KANNICHT, C., SCHMIDT, C., LÖSTER, K., REUTTER, W., LEE, H.-Y., NÖHRING, S., HORSTKORTE, R. (2002) Biochemical engineering of cell surface sialic acids stimulates axonal growth. *J. Neurosci.* **22**, 8869-8875
- CAMPBELL, R. E., MOSIMANN, S. C., TANNER, M. E., STRYNADKA, N. C. (2000) The structure of UDP-*N*-acetylglucosamine 2-epimerase reveals homology to phosphoglycosyl transferases. *Biochemistry* **39**, 14993-15001
- CARDINI, C. E., LELOIR, L. F. (1957) Enzymatic formation of acetylgalactosamine. *J. Biol. Chem.* **225**, 317-324
- CHAPMAN, T., KINSMAN, O., HOUSTON, J. (1992) Chitin biosynthesis in *Candida albicans* grown in vitro and in vivo and its inhibition by nikkomycin Z. *Antimicrob. Agents Chemother.* **36**, 1909-1914
- CHOU, W. K., HINDERLICH, S., REUTTER, W., TANNER, M. E. (2003) Sialic acid biosynthesis: stereochemistry and mechanism of the reaction catalyzed by the mammalian UDP-*N*-acetylglucosamine 2-epimerase. *J. Am. Chem. Soc.* **125**, 2455-2461
- COLLI, W. (1993) Trans-sialidase: a unique enzyme activity discovered in the protozoan *Trypanosoma cruzi*. *FASEB J.* **7**, 1257-1264
- COMB, D. G., ROSEMAN, S. (1958) Enzymatic synthesis of *N*-acetyl-D-mannosamine. *Biochim. Biophys. Acta* **29**, 653-654
- CORFIELD, A. P., SCHAUER, R. (1982) Occurrence of sialic acids. *Springer, Wien, New York*, 5-50
- COUSENS, L. S., SHUSTER, J. R., GALLEGOS, C., KU, L. L., STEMPIEN, M. M., URDEA, M. S., SANCHEZ-PESCADOR, R., TAYLOR, A., TEKAMP-OLSON, P. (1987) High level expression of proinsulin in the yeast, *Saccharomyces cerevisiae*. *Gene* **61**, 265-275
- CROCKER, P.R., VARKI, A. (2001) Siglecs in the immune system. *Immunology* **103**, 137-145
- DAGERT, M., EHRLICH, S.D. (1979) Prolonged incubation in calcium chloride improves the competence of *Escherichia coli* cells. *Gene* **6**, 23-28
- DATTA, A. (1971) Studies on a hog spleen *N*-acetylglucosamine kinase. II. Allosteric regulation of the activity of *N*-acetylglucosamine kinase. *Arch. Biochem. Biophys.* **142**, 645-650
- DAVID, L., NESLAND, J. M., FUNDERUD, S., SOBRINHO-SIMOES, M. (1993) CDw75 antigen expression in human gastric carcinoma and adjacent mucosa. *Cancer* **72**, 1522-1527

- DE LUCA, G., RINDI, S., CASTELLANI, A. A. (1978) Enzymatic formation of UDP-N-acetylgalactosamine in epiphysial-plate cartilage. *Connect Tissue Res.* **6**, 83-88
- DENNIS, J. W., LAFERTE, S. (1985) Recognition of asparagine-linked oligosaccharides on murine tumor cells by natural killer cells. *Cancer Res.* **45**, 6034-6040
- DOHMHEN, R. J., STRASSER, A. W. M., HÖNER, C. B., HOLLENBERG, C.P. (1991) An efficient transformation procedure enabling longterm storage of competent cells of various yeast genera. *Yeast* **7**, 691-692
- DREYFUSS, A. I., CLARK, J. R., ANDERSEN, J. W. (1992) Lipid-associated sialic acid, squamous cell carcinoma antigen, carcinoembryonic antigen and lactic dehydrogenase levels as tumor markers in squamous cell carcinoma of the head and neck. *Cancer* **70**, 2499-2503
- ECKHARDT, M., MUHLENHOFF, M., BETHE, A., GERARDY-SCHAHN, R. (1996) Expression cloning of the golgi CMP-sialic acid transporter. *Proc. Natl. Acad. Sci. USA* **93**, 7572-7576
- EFFERTZ, K. (1999) UDP-GlcNAc-2-Epimerase/ManNAc-Kinase: Expression und Struktur-Funktionsbeziehungen des Schlüsselenzyms der Sialinsäurebiosynthese. *Dissertation, Freie Universität Berlin*
- EFFERTZ, K., HINDERLICH, S., REUTTER, W. (1999) Selective loss of either the epimerase or kinase activity of UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase due to site-directed mutagenesis based on sequence alignments. *J. Biol. Chem.* **274**, 28771-28778
- EGRIE, J.C., BROWNE, J.K. (2001) Development and characterization of novel erythropoiesis stimulating protein (NESP). *Nephrol. Dial. Transplant.* **16**, 3-13
- EISENBERG, I., AVIDAN, N., POTIKHA, T., HOCHNER, H., CHEN, M., OLENDER, T., BARASH, M., SHEESH, M., SADEH, M., GRABOV-NARDINI, G., SHMILEVICH, I., FRIEDMANN, A., KARPATI, G., BRADLEY, W. G., BAUMBACH, L., LANCET, D., ASHER, E. B., BECKMANN, J. S., ARGOV, Z., MITRANI-ROSENBAUM, S. (2001) The UDP-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase gene is mutated in recessive hereditary inclusion body monopathy. *Nat. Genet.* **29**, 83-87
- EMIG, S., SCHMALZ, D., SHAKIBAEI, M., BUCHNER, K. (1995) The nuclear pore complex protein p62 is one of several sialic acid-containing proteins of the nuclear envelope. *J. Biol. Chem.* **270**, 13787-13793
- ENNS, G. M., SEPPALA, R., MUSCI, T. J., WEISIGER, K., FERELL, L. D., WENGER, D. A., GAHL, W. A., PACKMAN, S. (2001) Clinical course and biochemistry of sialuria. *J. Inherit Metab. Dis.* **24**, 328-336
- ERIKSSON, G., SARNSTRAND, B., MALMSTROM, A. (1984) Equilibration of [<sup>3</sup>H]glucosamine and [<sup>35</sup>S]sulfate with intracellular pools of UDP-N-acetylhexosamine and 3'-phosphoadenosine-5'-phosphosulfate (PAPS) in cultured fibroblasts. *Arch. Biochem. Biophys.* **235**, 692-698

- FAHR, C., SCHAUER, R. (2001) Detection of sialic acids and gangliosides with special reference to 9-O-acetylated species in basaliomas and normal human skin. *J. Invest. Dermatol.* **116**, 254-260
- FERREIRA, H., SEPPALA, R., PINTO, R., HUIZING, M., MARTINS, E., BRAGA, A. C., GOMES, L., KRASNEWICH, D. M., SA MIRANDA, M. C., GAHL, W. A. (1999) Sialuria in a Portuguese girl: Clinical, biochemical and molecular characteristics. *Mol. Genet. Metab.* **67**, 131-137
- FISCHER, F., EGG, G. (1990) N-acetylneuraminic acid (sialic acid) as a tumor marker in head and neck cancers. *HNO* **38**, 361-363
- FOGEL, M., ALTEVOGT, P., SCHIRRMACHER, V. (1983) Metastatic potential severely altered by changes in tumor cell adhesiveness and cell-surface sialylation. *J. Exp. Med.* **157**, 371-376
- FUKUDA, M. (1994) Cell surface carbohydrates: cell-type specific expression. *Molecular glycobiology* (Fukuda, M., Hindsgaul, O., IRL Press, Oxford), 1-52
- GAL, B., RUANO, M. J., PUENTE, R., GARCIA-PARDO, L. A., RUEDA, R., GIL, A., HUESO, P. (1997) Developmental changes in UDP-N-acetylglucosamine 2-epimerase activity of rat and guinea-pig liver. *Comp. Biochem. Physiol. B. Biochem. Mol. Biol.* **118**, 13-15
- GEORGIOU, G., VALAX, P. (1996) Expression of correctly folded proteins in Escherichia coli. *Curr. Opin. Biotechnol.* **7**, 190-197
- GREEN, A. A., HUGHES, W.L. (1955) Protein fractionation on the basis of solubility in aqueous solutions of salts and organic solvents. *Methods Enzymol.* **1**, 67-90
- GOSH, S., ROSEMAN, S. (1961) Enzymatic phosphorylation of N-acetylmannosamine. *Proc. Natl. Acad. Sci. USA* **47**, 955-958
- HAKOMORI, S. (1989) Biochemical basis and clinical application of tumor-associated carbohydrate antigens: Current trends and future perspectives. *Gan To Kagaku Ryoho* **16**, 715-731
- HAKOMORI, S. (2000) Traveling for the glycosphingolipid path. *Glycoconj. J.* **17**, 627-647
- HANAI, N., DOHI, T., NORES, G. A., HAKOMORI, S. (1988) A novel ganglioside, de-N-acetyl-GM3 (II3NeuNH2LacCer), acting as a strong promoter for epidermal growth factor receptor kinase and as a stimulator for cell growth. *J. Biol. Chem.* **263**, 6296-6301
- HARDUIN-LEPERS, A., RECCHI, M. A., DELANNOY, P. (1995) 1994, the year of sialyltransferases. *Glycobiology* **5**, 741-758
- HARMS, E., KREISEL, W., MORRIS, H. P., REUTTER, W. (1973) Biosynthesis of N-acetylneuraminic acid in Morris hepatomas. *Eur. J. Biochem.* **32**, 254-262
- HARTNELL, A., STEEL, J., TURLEY, H., JONES, M., JACKSON, D. G., CROCKER, P. R. (2001) Characterization of human sialoadhesin, a sialic acid binding receptor expressed by resident and inflammatory macrophage populations. *Blood* **97**, 288-296

- HAVERKAMP, J., BEAU, J. M., SCHAUER, R. (1979) Improved synthesis of CMP-sialates using enzymes from frog liver and equine submandibular gland. *Hoppe Seylers Z. Physiol. Chem.* **360**, 159-166
- HERRLER, G., ROTT, R., KLENK, H. D., MULLER, H. P., SHUKLA, A. K., SCHAUER, R. (1985) The receptor-destroying enzyme of influenza C virus is neuraminic-O-acetylesterease. *EMBO J.* **4**, 1503-1506
- HERRMANN, M., VON DER LIETH, C. W., STEHLING, P., REUTTER, W., PAWLITTA W. (1997) Consequences of subtle sialic acid modification on the murine polyomavirus receptor. *J. Virol.* **71**, 5922-5931
- HIGASHI, H. (1990) N-glycoylneuraminic acid-containing glycoconjugate as a tumor-associated antigen. Hanganutziu-Deicher antigen. *Trends Glycosci. Glycotechnol.* **2**, 7-15
- HINDERLICH, S. (1997) Charakterisierung der UDP-N-Acetylglucosamin-2-Epimerase/N-Acetylmannosaminkinase als bifunktionelles Enzym. *Dissertation, Freie Universität Berlin*
- HINDERLICH, S., STÄSCHE, R., ZEITLER, R., REUTTER, W. (1997) A bifunctional enzyme catalyzes the first two steps in N-acetylneuraminic acid biosynthesis of rat liver. *J. Biol. Chem.* **272**, 24313-24318
- HINDERLICH, S., BERGER, M., KEPPLER, O. T., PAWLITA, M., REUTTER, W. (2001) biosynthesis of Nacetylneuraminic acid in cells lacking Udp-N-acetylglucosamine 2-epimerase/N-acetylmannosamine kinase. *Biol. Chem.* **382**, 291-297
- HORSTKORTE, R., NÖHRING, S., WIECHENS, N., SCHWARZKOPF, M., DANKER, K., REUTTER, W., LUCKA, L. (1999) Tissue expression and amino acid sequence of murine UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase. *Eur. J. Biochem.* **260**, 923-927
- HORSTKORTE, R., NÖHRING, S., DANKER, K., EFFERTZ, K., REUTTER, W., LUCKA, L. (2000) Protein kinase C phosphorylates and regulates UDP-N-acetylglucosamine-2-epimerase/N-acetylmannosamine kinase. *FEBS Lett.* **470**, 315-318
- ITO, T., COUCEIRO, J. N., KELM, S., BAUM, L. G., KRAUSS, S., CASTRUCCI, M. R., DONATELLI, I., KIDA, H., PAULSON, J. C., WEBSTER, R. G., KAWAOKA, Y. (1998) Molecular basis for the generation in pigs of influenza A viruses with pandemic potential. *J. Virol.* **72**, 7367-7373
- JOURDIAN, G. W., SWANSON, A. L., WATSON, D., ROSEMAN, S. (1964) Isolation of sialic acid 9-phosphatase from human erythrocytes. *J. Biol. Chem.* **239**, PC2714-6
- KAGESHITA, T., HIRAI, S., KIMURA, T., HANAI, N., OHTA, S., ONO, T. (1995) Association between sialyl Lewis(a) expression and tumor progression in melanoma. *Cancer Res.* **55**, 1748-1751
- KAMMERLING, J. P., STRECKER, G., FARRIAUX, J. P., DORLAND, L., HAVERKAMP, J. (1979) 2-Acetamidoglucal, a new metabolite isolated from the urine of a patient with sialuria. *Biochim. Biophys. Acta.* **583**, 403-408

- KAWAI, T., KATO, A., HIGASHI, H., KATO, S., NAIKI, M. (1991) Quantitative determination of N-glycolylneuraminic acid expression in human cancerous tissues and avian lymphoma cell lines as a tumor-associated sialic acid by gas chromatography-mass spectrometry. *Cancer Res.* **51**, 1242-1246
- KEAN, E. L. (1969) Sialic acid activating enzyme in ocular tissue. *Exp. Eye Res.* **8**, 44-54
- KEAN, E. L. (1970) Nuclear cytidine 5'-monophosphosialic acid synthetase. *J. Biol. Chem.* **245**, 2301-2308
- KEAN, E. L. (1991) Sialic acid activation. *Glycobiology* **1**, 441-447
- KELM, S., SCHAUER, R. (1997) Sialic acids in molecular and cellular interactions. *Int. Rev. Cytol.* **175**, 137-240
- KEPPLER, D. O. R., RUDIGIER, J. F. M., BISCHOFF, E., DECKER, K. F. A. (1970) The trapping of uridine phosphates by D-galactosamine, D-glucosamine and 2-deoxy-D-galactose. A study on the mechanism of galactosamine hepatitis. *Eur. J. biochem.* **17**, 246-253
- KEPPLER, O. T., HINDERLICH, S., LANGNER, J., SCHWARZ-ALBIEZ, R., REUTTER, W., PAWLITA, M. (1999) UDP-GlcNAc 2-epimerase: A regulator of cell surface sialylation. *Science* **284**, 1372-1376
- KEPPLER, O. T., HORSTKORTE, R., PAWLITA, M., SCHMIDT, C., REUTTER, W. (2001) Biochemical engineering of the N-acyl side chain of sialic acid: Biological implications. *Glycobiology* **11**, 11R-18R
- KIKUCHI, K., KIKUCHI, H., TSUIKI, S. (1971) Activities of sialic acid-synthesizing enzymes in rat liver and rat and mouse tumors. *Biochim. Biophys. Acta* **252**, 357-368
- KIKUCHI, K., TSUIKI, S. (1973) Purification and properties of UDP-N-acetylglucosamine 2'-epimerase from rat liver. *Biochim. Biophys. Acta* **327**, 193-206
- KIRCHEIS, R., KIRCHEIS, L., OSHIMA, H., KOHCHI, C., SOMA, G., MIZUNO, D. (1996) Selective lysis of early embryonic cells by the alternative pathway of complement – a possible mechanism for programmed cell death in embryogenesis. *In Vivo* **10**, 389-403
- KLENK, E. (1935) Über die Natur der Phosphatide und anderer Lipide des Gehirns und der Leber in Niemann-Pickscher Krankheit. *Hoppe-Seylers Z.* **235**, 24-36
- KLOHS, W. D., BERNACKI, R. J., KORYTNYK, W. (1979) Effects of nucleotides and nucleotide: Analogs on human serum sialyltransferase. *Cancer Res.* **39**; 1231-1238
- KLUGE, A., REUTER, G., LEE, H., RUCH-HEEGER, B., SCHAUER, R. (1992) Interaction of rat peritoneal macrophages with homologous sialidase-treated thrombocytes in vitro: Biochemical and morphological studies. Detection of N-(O-acetyl)glycoloylneuraminic acid. *Eur. J. Cell Biol.* **59**, 12-20
- KOLTER, T., SANDHOFF, K. (1997) Sialic acids-why always alpha-linked? *Glycobiology* **7**, vii-ix

- KORNFELD, S., KORNFELD, R., NEUFELD, E., O'BRIEN, P.J. (1964) The feedback control of sugar nucleotide biosynthesis in liver. *Proc. Natl. Acad. Sci. USA* **52**, 371-379
- KUNDIG, W., GOSH, S., ROSEMAN, S. (1966) The sialic acids. VII. *N*-Acyl-D-mannosamine kinase from rat liver. *J. Biol. Chem.* **241**, 5619-5626
- LAEMMLI, U. K. (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685
- LASKY, L. A. (1995) Selectin-carbohydrate interactions and the initiation of the inflammatory response. *Annu. Rev. Biochem.* **64**, 113-139
- LEROY, J. G., SEPPALA, R., HUIZING, M., DACREMONT, G., DE SIMPEL, H., VAN COSTER, R. N., ORVISKY, E., KRASNEWICH, D. M., GAHL, W. A. (2001) Dominant inheritance of sialuria, an inborn error of feedback inhibition. *Am. J. Hum. Genet.* **68**, 1419-1427
- LOWE, G., POTTER, B. V. (1981) The stereochemical course of yeast hexokinase-catalysed phosphoryl transfer by using adenosine 5'[gamma(S)-16O,17O,18O]triphosphate as substrate. *Biochem. J.* **199**, 227-233
- LUCHANSKY, S. J., YAREMA, K. J., TAKAHASHI, S., BERTOZZI, C. R. (2003) GlcNAc 2-epimerase can serve a catabolic role in sialic acid metabolism. *J. Biol. Chem.* **278**, 8035-8042
- LUCKA, L., KRAUSE, M., DANKER, K., REUTTER, W., HORSTKORTE, R. (1999) Primary structure and expression analysis of human UDP-*N*-acetyl-glucosamine-2-epimerase/*N*-acetylmannosamine kinase, the bifunctional enzyme in neuraminic acid biosynthesis. *FEBS Lett.* **454**, 341-344
- MAKRIDES, S. C. (1996) Strategies for achieving high-level expression of genes in *Escherichia coli*. *Microbiol. Rev.* **60**, 512-538
- MALYKH, Y. N., KRISCH, B., GERARDY-SCHAHN, R., LAPINA, E. B., SHAW, L., SCHAUER, R. (1999) The presence of N-acetyleneurameric acid in Malpighian tubules of larvae of the cicada *Philaenus spumarius*. *Glycoconj. J.* **16**, 731-739
- MANCINI, G. M., DE JONGE, H. R., GALJAARD, H., VERHEIJEN, F. W. (1989) Characterization of a proton-driven carrier for sialic acid in the lysosomal membrane. Evidence for a group-specific transport system for acidic monosaccharides. *J. Biol. Chem.* **264**, 15247-15254
- MANZI, A.E., DELL, A., AZADI, P., VARKI, A. (1990) Studies of naturally occurring modifications of sialic acids by fast-atom bombardment-mass spectrometry. Analysis of positional isomers by periodate cleavage. *J. Biol. Chem.* **265**, 8094-8107
- MARCUS, D. M. (1984) A review of the immunogenic and immuno-modulatory properties of glycosphingolipids. *Mol. Immunol.* **21**, 1083-1091
- MAYER, M., MEYER, B. (1999) Characterization of Ligand Binding by Saturation Transfer Difference NMR Spectroscopy. *Angew. Chem. Int. Ed.* **38**, 1784-1788

MAYER, M., MEYER, B. (2001) Group epitope mapping by saturation transfer difference NMR to identify segments of a ligand in direct contact with a protein receptor. *J Am Chem Soc.* **123**, 6108-6117.

MILLER-PODAZA, H., BERGSTROM, J., MILH, M. A., KALSSON, K. A. (1997) Recognition of glycoconjugates by Helicobacter pylori. Comparison of two sialic-dependent specificities based on haemagglutination and binding to human erythrocyte glycoconjugates. *Glycoconj. J.* **14**, 467-471

MÜLLER, B., SCHAUB, C., SCHMIDT, R. R. (1998) Efficient Sialyltransferase Inhibitors Based on Transition-State Analogues of the Sialyl Donor. *Angew. Chem. Int. Ed.* **37**, 2893-2897

MUHLENHOFF, M., ECKHARDT, M., GERARDY-SCHAHN, R. (1998) Polysialic acid: Three-dimensional structure, biosynthesis and function. *Curr. Opin. Struct. Biol.* **8**, 558-564

OETKE, C., BROSSMER, R., MANTEY, L. R., HINDERLICH, S., ISECKE, R., REUTTER, W., KEPLER, O. T., PAWLITA, M. (2002) Versatile biosynthetic engineering of sialic acid in living cells using sialic acid analogues. *J. Biol. Chem.* **277**, 6688-6695

OFEK, I., SHARON, N. (1990) Adhesins as lectins: Specificity and role in infection. *Curr. Top. Microbiol. Immunol.* **151**, 91-113

OLDEN, K., PARENT, J. B., WHITE, S. L. (1982) Carbohydrate moieties of glycoproteins. A re-evaluation of their function. *Biochem. Biophys. Acta.* **650**, 209-232

PASTUSZAK, I., O'DONNELL, J., ELBEIN, A. D. (1996) Identification of the GalNAc kinase amino acid sequence. *J. Biol. Chem.* **271**, 23653-23656

PAULSON, J. C., WEINSTEIN, J., SCHAUER, A. (1989) Tissue-specific expression of sialyltransferases. *J. Biol. Chem.* **264**, 10931-10934

PAVEL, J., HARTER, C., WIELAND, F. A. (1998) Reversible dissociation of coatomer: Functional characterization of a  $\beta$  /  $\delta$ -coat protein subcomplex. *Proc. Natl. Acad. Sci. USA* **95**, 2140-2145

PILATTE, Y., BIGNON, J., LAMBRE, C. R. (1993) Sialic acids as important molecules in the regulation of the immune system: phathophysiological implications of sialidases in immunity. *Glycobiology* **3**, 201-218

PILLER, F., HANLON, M. H., HILL, R. L. (1983) Co-purification and characterization of UDP-glucose 4-epimerase and UDP-N-acetylglucosamine 4-epimerase from porcine submaxillary glands. *J. Biol. Chem.* **258**, 10774-10778

POLLARD-KNIGHT, D., POTTER, B. V., CULLIS, P. M., LOWE, G., CORNISH-BOWDEN, A. (1982) The stereochemical course of phosphoryl transfer catalysed by glucokinase. *Biochem. J.* **201**, 421-423

PREHM, P. (1985) Inhibition of hyaluronate synthesis. *Biochem. J.* **225**, 699-705

- PURCELL, E. M., TORREY, H. C., POUND, R. V. (1946) Resonance absorption by nuclear magnetic moments in a solid. *Phys. Rev.* **64**, 37-38
- REISSIG, J. L., STROMINGER, J. L., LELOIR, L.F. (1955) A modified colorimetric method for the estimation of N-acetylamino sugars. *J. Biol. Chem.* **217**, 959-966
- RENS-DOMIANO, S., REISINE, T. (1991) Structural analysis and functional role of the carbohydrate component of somatostatin receptors. *J. Biol. Chem.* **266**, 20094-20102
- REUTER, G., PFEIL, R., STOLL, S., SCHAUER, R., KAMMERLING, J. P., VERSLUIS,C., VLIEGENTHART, J.F. (1983) Identification of new sialic acids derived from glycoprotein of bovine submandibular gland. *Eur. J. Biochem.* **134**, 139-143
- REUTTER, W., KREISEL, W., LESCH, R. (1970) Defekt der UDP-N-Acetyl-D-glucosamin-2-Epimerase in Hepatomen minimaler Deviation der Ratte. *Hoppe-Seylers Z.* **351**, 1320
- RICHARDS, R. L., MOSS, J., ALVING, C. R., FISHMAN, P. H., BRADY, R. O. (1979) Choleragen (cholera toxin): a bacterial lectin. *Proc. Natl. Acad. Sci. USA* **76**, 1673-1676
- ROTH, J., KEMPF, A., REUTER, G., SCHAUER, R., GEHRING, W.J. (1992) Occurrence of sialic acids in Drosophila melanogaster. *Science* **256**, 673-675
- ROTH, J., ZUBER, C., WAGNER, P., TAATJES, D. J., WEISGERBER, C., HEITZ, P. U., GORIDIS, C., BITTER-SUERMANN, D. (1988) Reexpression of poly(sialic acid) units of the neural cell adhesion molecule in Wilms tumor. *Proc. Natl. Acad. Sci. USA* **85**, 2999-3003
- SAITO, M., KITAMURA, H., SUGIYAMA, K. (2001) Occurrence of gangliosides in the common squid and pacific octopus among protostomia. *Biochim. Biophys. Acta.* **1511**, 271-280
- SANGER, F., NICKLEN, S., COULSON, A. R. (1992) DNA sequencing with chain-terminating inhibitors. 1977 (classical article). *Biotechnology* **24**, 104-108
- SAUER, F. D. (1991) Inhibition of methylcoenzyme M methylreductase by a uridine 5'-diphospho-N-acetylglucosamine derivate. *Biochem. Biophys. Res. Commun.* **174**, 619-624
- SAWADA, R., TSUBOI, S., FUKUDA, M. (1994) Differential E-selectin-dependent adhesion efficiency in sublines of a human colon cancer exhibiting distinct metastatic potentials. *J. Biol. Chem.* **269**, 11425-11431
- SCHACHNER, M., BARTSCH, U. (2000) Multiple functions of the myelin-associated glycoprotein MAG (siglec-4a) in formation and maintenance of myelin. *Glia.* **29**, 154-165
- SCHACHTER, H. (2000) The joy of HexNAc. The synthesis and function of N- and O-glycan branches. *Glycoconj. J.* **17**, 465-483

- SCHAUB, C., MULLER, B., SCHMIDT, R. R. (1998) New sialyltransferase inhibitors based on CMP-quinic acid: development of a new sialyltransferase assay. *Glycoconj. J.* **15**, 345-354
- SCHAUER, R. (1985) Sialic acids and their role as biological masks. *Trends Biochem. Sci.* **10**, 357-360
- SCHAUER, R., KELM, S., REUTER, G., ROGENTIN, P., SHAW, L. (1995) Biochemistry and role of sialic acids. *Biology of sialic acids* (Rosenberg, A., Plenum Press, New York), 7-67
- SCHAUER, R. (2000) Achievements and challenges of sialic acid research. *Glycoconj. J.* **17**, 485-499
- SCHENGRUND, C. L., DASGUPTA, B. R., RINGLER, N. J. (1991) Binding of botulinum and tetanus neurotoxins to ganglioside GT1b and derivates thereof. *J. Neurochem.* **57**, 1024-1032
- SCHLEPPER-SCHÄFER, J., KOLB-BACHOFEN, V., KOLB, H. (1980) Analysis of lectin-dependent recognition of desialylated erythrocytes by Kupffer cells. *Biochem. J.* **186**, 827-831
- SCHWARZKOPF, M., KNOBELOCH, K. P., ROHDE, E., HINDERLICH, S., WIECHENS, N., LUCKA, L., HORAK, I., REUTTER, W., HORSTKORTE, R. (2002) Sialylation is essential for early development in mice. *Proc. Natl. Acad. Sci. USA* **99**, 5267-5270
- SEKI, T., ARAI, Y. (1993) Distribution and possible roles of the highly polysialylated neural cell adhesion molecule (NCAM-H) in the developing and adult central nervous system. *Neurosci. Res.* **17**, 265-290
- SEPPALA, R., TIETZE, F., KRASNEWICH, D., WEISS, P., ASHWELL, G., BARSH, G., THOMAS, G. H., PACHMAN, S., GAHL, W. A. (1991) Sialic acid metabolism in sialuria fibroblasts. *J. Biol. Chem.* **266**, 7456-7461
- SEPPALA, R., LEHTO, V. P., GAHL, W. A. (1999) Mutations in the human UDP-N-acetylglucosamine 2-epimerase gene define the disease sialuria and the allosteric site of the enzyme. *Am. J. Hum. Genet.* **64**, 1563-1569
- SHIMAMURA, M., SHIBUYA, N., ITO, M., YAMAGATA, T. (1994) Repulsive contribution of surface sialic acid residues to cell adhesion to substratum. *Biochem. Mol. Biol. Int.* **33**, 871-878
- SILLANAUKEE, P., PONNIO, M., JAASKELAINEN, I. P., (1999) Occurrence of sialic acids in healthy humans and different disorders. *Eur. J. Clin. Invest.* **29**, 413-425
- SJOBERG, E. R., MANZI, A. E., KHOO, K. H., DELL, A., VARKI, A., (1992) Structural and immunological characterisation of O-acetylated GD2. Evidence that GD2 is an acceptor for ganglioside O-acetyltransferase in human melanoma cells. *J. Biol. Chem.* **267**, 16200-16211
- SMITH, D. B., JOHNSON, K. S. (1988) Single-step purification of polypeptides expressed in *Escherichia coli* as fusions with glutathione S-transferase. *Gene* **67**, 31-40

- SOMMAR, K. M., ELLIS, D. G. (1972a) Uridine diphosphate *N*-acetyl-D-glucosamine 2-epimerase from rat liver. I.Catalytic and regulatory properties. *Biochim. Biophys. Acta* **268**, 581-589
- SOMMAR, K. M., ELLIS, D. G. (1972b) Uridine diphosphate *N*-acetyl-D-glucosamine 2-epimerase from rat liver. II.Studies on the mechanism of action. *Biochim. Biophys. Acta* **268**, 590-595
- SPIVAK, C. T., ROSEMAN, S. (1966) UDP-*N*-acetyl-D-glucosamine 2'-epimerase. *Methods Enzymol.* **9**, 612-615
- STÄSCHE, R. (1997) Reinigung, Klonierung und funktionelle Expression der UDP-*N*-Acetylglucosamin-2-Epimerase. *Dissertation, Freie Universität Berlin*
- STÄSCHE, R., HINDERLICH, S., WEISE, C., EFFERTZ, K., LUCKA, L., MOORMANN, P., REUTTER, W. (1997) A bifunctional enzyme catalyzes the first two steps in *N*-acetylneuraminc acid biosynthesis of rat liver. *J. Biol. Chem.* **272**, 24319-24324
- STROMINGER, J. L., SMITH, M. S. (1959) Uridine diphosphoacetylglucosamine pyrophosphorylase. *J. Biol. Chem.* **234**, 11822-11827
- SUZUKI, O., NOZAEA, Y., KAWAGUCHI, T., ABE, M. (2002) UDP-GlcNAc2-epimerase regulates cell surface sialylation and cell adhesion to extracellular matrix in Burkitt's lymphoma. *Int. J. Oncol.* **20**, 1005-1011
- SUZUKI, Y., ITO, T., SUZUKI, T., HOLLAND, R. E. JR., CHAMBERS, T. M., KISO, M., ISHIDA, H., KAWAOKA, Y. (2000) Sialic acid species as a determinant of the host range of influenza A viruses. *J. Virol.* **74**, 11825-11831
- SZUMILO, T., ZENG, Y., PASTUSZAK, I., DRAKE, R., SZUMILO, H., ELBEIN, A. D. (1996) Purification to homogeneity and properties of UDP-GlcNAc(GalNAc) pyrophosphorylase. *J. Biol. Chem.* **271**, 13147-13154
- TAKEDA, A. (1987) Sialylation patterns of lymphocyte function-associated antigen 1 (LFA-1) differ between T and B lymphocytes. *Eur. J. Immunol.* **17**, 281-286
- TANNER, M. E. (2002) Understanding Nature's Strategies for Enzyme-Catalyzed Racemization and Epimerization. *Acc. Chem. Res.* **35**, 237-246
- TEDDER, T.F., TUSCANO, J., SATO, S., KEHRL, J.H. (1997) CD22, a B lymphocyte-specific adhesion molecule that regulates antigen receptor signaling. *Annu. Rev. Immunol.* **15**, 481-504
- THOMAS, C. P., BOOTH, T. F., ROY P. (1990) Synthesis of bluetongue virus-encoded phosphoprotein and formation of inclusion bodies by recombinant baculovirus in insect cells: it binds the single-stranded RNA species. *Jgen. Virol.* **71**, 2073-2083
- THURIN, J., HERLYN, M., HINDSGAUL, O., STROMBERG, N., KARLSSON, K. A., ELDER, D., STEPLEWSKI, Z., KOPROWSKI, H. (1985) Proton NMR and fast-atom bombardment mass spectrometry analysis of the melanoma-associated ganglioside 9-O-acetyl-GD3. *J. Biol. Chem.* **260**, 14556-14563

TOMLINSON, S., PONTES DE CARVALHO, L. C., VANDEKERCKHOVE, F., NUSSENZWEIG, V. (1994) Role of sialic acid in the resistance of *Trypanosoma cruzi* trypomastigotes to complement. *J. Immunol.* **153**, 3141-3147

TOURIAN, A., CALLAHAN, M., HUNG, W. (1983) L-glutamine D-fructose-6-P aminotransferase regulation by glucose-6-P and UDP-N-acetylglucosamine. *Neurochem. Res.* **8**, 1589-1595

TOWBIN, H., STAHELIN, T., GORDON, J. (1979) Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: Procedure and some applications. *Proc. Natl. Acad. USA* **76**, 4350-4354

VALLAZZA, M., PETRI, T. (1999) Optimization of the production of triabin, a novel thrombin inhibitor, in High Five<sup>TM</sup> insect cells infected with a recombinant baculovirus. *Cytotechnology* **29**, 85-92

VAN BEEK, J. (2002) MatNMR is a toolbox for processing NMR/EPR data under MATLAB and can be downloaded freely at <http://www.nmr.ethz.ch/matnmr>.

VAN DEN STEEN, P., RUDD, P. M., DWEK, R. A., OPDENAKKER, G. (1998) Concepts and principles of O-linked glycosylation. *Crit. Rev. Biochem. Mol. Biol.* **33**, 151-208

VAN RINSUM, J., VAN DIJK, W., HOOGHWINKEL, G. J., FERWERDA, W. (1983) Subcellular localization and tissue distribution of sialic acid precursor-forming enzymes. *Biochem. J.* **210**, 21-28

VARKI, A. (1992) Diversity in the sialic acids. *Glycobiology* **2**, 25-40

VARKI, A. (1993) Biological roles of oligosaccharides: All of the theories are correct. *Glycobiology* **3**, 97-130

VARKI, A. (1997) Selectin ligands: Will the real ones please stand up? *J. Clin. Invest* **100**, 31-35

WALDO, G. S., STANDISH, H., BERENDZEN, J., TERWILLIGER, T. C. (1999) Rapid protein-folding assay using green fluorescent protein. *Nature Biotechnology* **17**, 691-695

WARREN, L., FELSENFELD, H. (1961) *N*-acetylmannosamine-6-phosphate and *N*-acetylneuraminic acid-9-phosphate as intermediates in sialic acid biosynthesis. *Biochem. Biophys. Res. Commun.* **5**, 185-190

WASLAY, L.C., TIMONY, G., MURTHA, P., STOUDEMIRE, J., DORNER, A.J., CARO, J., KRIEGER, M., KAUFMAN, R.J. (1991) The importance of N- and O- linked oligosaccharides for the biosynthesis and in vitro and in vivo biologic activities of erythropoietin. *Blood* **77**, 2624- 2632

WEBER, F., KEPPEL, F., GEORGOPoulos, C., HAYER-HARTL, M. K., HARTL, F. U. (1998) The oligomeric structure of GroEL/GroES is required for biologically significant chaperonin function in protein folding. *Nature Struct. Biol.*, **5**, 977-985

WEIDANZ, J. A., CAMPBELL, P., MOORE, D., DELUCAS L. J., RODEN, L., VEZZA, A. C. (1995) Glucosamine 6-phosphate deaminase in *Plasmodium falciparum*. *Br. J. Haematol.* **91**, 578-586

WEISS, P., TIETZE, F., GAHL, W. A., SEPPALA, R., ASHWELL, G. (1989) Identification of the metabolic defect in sialuria. *J. Biol. Chem.* **264**, 17635-17636

YAMASHITA, K., FUKUSHIMA, K., SAKIYAMA, T., MURATA, F., KUROKI, M., MATSUOKA, Y. (1995) Expression of Sia alpha 2→6Gal beta 1→4GlcNAc residues on sugar chains of glycoproteins including carcinoembryonic antigens in human colon adenocarcinoma: Applications of *Trichosanthes japonica* agglutinin I for early diagnosis. *Cancer Res.* **55**, 1675-1679

YAREMA, K. J., GOON, S., BERTOZZI, C. R. (2001) Metabolic selection of glycosylation defects in human cells. *Nat Biotechnol.* **19**, 553-558

YUYAMA, Y., YOSHIMATSU, K., ONO, E., SAITO, M., NAIKI, M. (1993) Postnatal change of pig intestinal ganglioside bound by *Escherichia coli* with K99 fimbriae. *J. Biochem. (Tokyo)* **113**, 488-492

ZEITLER, R., BANZER, J. P., BAUER, C., REUTTER, W. (1992) Inhibition of the biosynthesis of N-acetylneurameric acid by metal ions and selenium in vitro. *BioMetals* **5**, 103-109

ZHOU, Q., HAKOMORI, S., KITAMURA, K., IGARASHI, Y. (1994) GM3 directly inhibits tyrosine phosphorylation and de-N-acetyl-GM3 directly enhances serine phosphorylation of epidermal growth factor receptor, independently of receptor-receptor interaction. *J. Biol. Chem.* **269**, 1959-1965

