

Literaturverzeichnis

Bagchi N, Brown TR, Sundick RS. Thyroid cell injury is an initial event in the induction of autoimmune thyroiditis by iodine in obese strain chickens. *Endocrinol.* 1995; *136*: 5054-60.

Belyavin G, Trotter WR. Investigations of thyroid antigens reacting with Hashimoto sera; evidence for an antigen other than thyroglobulin. *Lancet.* 1959; *28*: 648-652.

BFR Bundesinstitut für Risikobewertung. Nutzen und Risiken der Jodprophylaxe in Deutschland. 2004. http://www.bfr.bund.de/cm/208/nutzen_und_risiken_der_jodprophylaxe_in_deutschland.pdf, 2004.

Blakesley VA. Current Methodology to Assess Bioequivalence of Levothyroxine Sodium Products Is Inadequate. *AAPS J.* 2005; *30*: E42-6.

Boukis MA, Koutras DA, Souvatzoglou A et al. Thyroid hormone and immunological studies in endemic goiter. *J Clin Endocrinol Metab.* 1983; *57*: 859-62.

Bourdoux P. Evaluation of the iodine intake: problems of the iodine/creatinine ratio – Comparison with iodine excretion and daily fluctuations of iodine concentrations. *Exp Clin Endocrinol Diabetes* 1998; *106 (suppl 3)*: 17-20.

Brix TH, Kyvik KO, Hegedus L. A population-based study of chronic autoimmune hypothyroidism in Danish twins. *J Clin Endocrinol Metab.* 2000; *85*: 536-9.

Burikhanov RB, Matsuzaki S. Excess iodine induces apoptosis in the thyroid of goitrogen-pretreated rats in vivo. *Thyroid.* 2000; *10*: 123-9.

Canaris GJ, Manowitz NR, Mayor G, Ridgway EC. The Colorado thyroid disease prevalence study. *Arch Intern Med.* 2000; *160*: 526-34.

Champion BR, Page KR, Parish N, et al. Identification of a thyroxine-containing self-epitope of thyroglobulin which triggers thyroid autoreactive T cells. *J Exp Med.* 1991; *174*: 363-70.

Cooper DS. Clinical practice. Subclinical hypothyroidism. *N Engl J Med.* 2001; *345*: 260-5.

Çorapçıoglu D, Tonyukuk V, Kiyan M, et al. Relationship between thyroid autoimmunity and Yersinia enterocolitica antibodies. *Thyroid.* 2002; *12*: 613-7.

Dayan CM, Daniels GH. Chronic autoimmune thyroiditis. N Engl J Med. 1996; 335: 99-107.

Dunn JT, Dunn AD. Update on Intrathyroidal Iodine Metabolism.

Thyroid. 2001; 11: 407-14.

Engler D, Merkelbach U, Steiger G, Burger AG. The monodeiodination of triiodothyronine and reverse triiodothyronine in man: a quantitative evaluation of the pathway by the use of turnover rate techniques. J Clin Endocrinol Metab. 1984; 58: 49-61.

Fountoulakis S, Tsatsoulis A. On the pathogenesis of autoimmune thyroid disease: a unifying hypothesis. Clin Endocrinol. 2004; 60: 397-409.

Glinoer D. The regulation of thyroid function in pregnancy: pathways of endocrine adaptation from physiology to pathology. Endocr Rev. 1997; 18: 404-433.

Grußendorf M. Metabolismus der Schilddrüsenhormone. 1. Aufl. Stuttgart, New York: Thieme-Verlag: 1988; 84-104

Hampel R, Beyersdorf-Radeck B, Below H, Demuth M, Seelig K. Jodidurie bei Schulkindern in Deutschland 1999 im Normbereich. Med Klin. 2001; 96: 125-8.

Harach HR, Escalante DA, Day ES. Thyroid cancer and thyroiditis in Salta, Argentina: a 40-yr study in relation to iodine prophylaxis. Endocr Pathol. 2002; 13: 175-81.

Harach HR, Escalante DA, Onativia A, Lederer Outes J, Saravia, Day E, Williams ED. Thyroid carcinoma and thyroiditis in an endemic goiter region before and after iodine prophylaxis. Acta Endocrinol. 1985; 108: 55-60.

Hashimoto H. Zur Kenntniss der lymphomatösen Veränderung der Schilddrüse (Struma lymphomatosa). Arch Klin Chir. 1912; 97: 219-48.

Heufelder AE, Joba W, Morgenthaler NG. Autoimmunity involving the human sodium/iodide symporter: Fact or fiction? Exp Clin Endocrinol Diabetes. 2001; 109: 35-40.

Hierholzer K, Fromm M. Funktionen der Nieren. In: Physiologie des Menschen. Schmidt FS, Thews G, Hrsg. 26. Auflage Berlin: Springer. 1995: 737-777.

Hollowell JG, Staehling NW, Flanders WD et al. Serum TSH, T4, and thyroid antibodies in the United States Population (1988 to 1994): National Health and Nutrition Examination Survey (NHANES III). J Clin Endocrinol Metab. 2002; 87: 489-99.

Huber G, Staub JJ, Meier C, et al. Prospective study of the spontaneous course of subclinical hypothyroidism: prognostic value of thyrotropin, thyroid reserve, and thyroid antibodies. *J Clin Endocrinol Metab.* 2002; 87: 3221-6.

Jameson JL, Weetman AP, Zimmermann J, Kahaly G. Erkrankungen der Schilddrüse. In: *Harrisons Innere Medizin.* Dietel M, Dudenhausen J, Suttorp N, Hrsg. 15. Auflage. Berlin: McGraw-Hill/ ABW Wissenschaftsverlag. 2003: 2255-80.

Kaptein EM, Quion-Verde H, Chooljian CJ et al. The thyroid in end-stage renal disease. *Medicine (Baltimore).* 1988; 67: 187-97.

Kaptein EM. Thyroid hormone metabolism and thyroid diseases in chronic renal failure. *Endocr Rev.* 1996; 17: 45-63.

Kasagi K, Iwata M, Misaki T, Konishi J. Effect of Iodine Restriction on Thyroid Function in Patients with Primary Hypothyroidism. *Thyroid.* 2003; 13: 561-7.

Köhrle J. Schilddrüsenhormone: Metabolismus und Wirkungen. *Z. ärztl. Fortbild. Qual. Gesundh.wes.* 2004; 98 *suppl. V:* 17-24.

Koushanpour E, Kriz W. Renal Clearance: Measurements of glomular filtration rate and renal blood flow. In: *Renal physiology.* 2th ed. Berlin, New York: Springer 1986: 96-111.

Koutras DA, Marketos SG, Rigopoulos GA, Malamos B. Iodine metabolism in chronic renal insufficiency. *Nephron.* 1972; 9: 55-65.

Koutras DA. Letter to the editor. Circulating Iodide Concentrations during and after Pregnancy. *J Clin Endocrinol Metab.* 2000; 85: 1345.

Kuhr T, Hala K, Dietrich H, Herold M, Wick G. Genetically determined target organ susceptibility in the pathogenesis of spontaneous autoimmune thyroiditis: aberrant expression of MHC-class II antigens and the possible role of virus. *J Autoimmun.* 1994; 7: 13-25.

Larsen RP, Ingbar SH. The thyroid gland. In: *Williams textbook of endocrinology.* Wilson JD, Foster DW. eds. 8th ed. Philadelphia, USA: Saunders. 1992: 357-487.

Laurberg P, Bulow Pedersen I, Knudsen N, Ovesen L, Andersen S. Environmental iodine intake affects the type of nonmalignant thyroid disease. *Thyroid.* 2001; 11: 457-69.

Laurberg P, Pedersen KM, Hreidarsson A, Sigfussion N, Iversen E, Knudsen PR. Iodine intake and the pattern of thyroid disorders: A comparative epidemiological study of thyroid abnormalities in the elderly in Iceland and in Jutland, Denmark. *J Clin Endocrinol Metab.* 1998; *83:* 765-9.

Li M, Liu DR, Qu CY et al. Endemic goitre in central China caused by excessive iodine intake. *Lancet.* 1987; *2:* 257-9.

Liesenkötter KP, Kiebler A, Stach B, Willgerodt H, Grüters A. Small thyroid volumes and normal iodine excretion in Berlin schoolchildren indicate full normalization of iodine supply. *Exp Clin Endocrinol Diabetes.* 1997; *105:* 46-50.

Lind P, Kunnig G, Heinisch M et al. Iodine supplementation in Austria: methods and results. *Thyroid.* 2002; *12:* 903-7.

Mallya RK, Isaacs AJ, Bayliss R. Hashimoto's thyroiditis presenting as T3 toxicosis. *Br Med J.* 1978; *2:* 1535-6.

Mann K, Rendl J, Busley R et al. Systemic iodide absorption during endoscopic application of radiographic contrast agents for endoscopic retrograde cholangiopancreatography. *Eur J Endocrinol.* 1994; *130:* 498-501.

Manz F, Böhmer T, Gärtner R, Grossklaus R, Klett M, Schneider R. Quantification of Iodine Supply: representative data on intake and urinary excretion of iodine from the German population in 1996. *Ann Nutr Metab.* 2002; *46:* 128-38.

Markou K, Georgopoulos N, Kyriazopoulou V, Vagenakis AG.. Iodine-Induced hypothyroidism. *Thyroid.* 2001; *11:* 501-10.

McLachlan SM, Rapoport B. Why measure thyroglobulin autoantibodies rather than thyroid peroxidase autoantibodies? *Thyroid.* 2004; *14:* 510-20.

Mooij P, de Wit HJ, Drexhage HA. An excess of dietary iodine accelerates the development of a thyroid-associated lymphoid tissue in autoimmune prone BB rats. *Clin Immunol and Immunopathol.* 1993; *69:* 189-198.

Nath SK, Moinier B, Thuillier F, Rongier M, Desjeux JF. Urinary excretion of iodide and fluoride from supplemented food grade salt. *Int J Vitam Nutr Res.* 1992; *62:* 66-72.

- Oates JA, Roden DA, Wilkinson GR, Meisel C, Laschinski G, Roots I.** Grundlagen der Arzneimitteltherapie. In: Harrisons Innere Medizin. Dietel M, Dudenhausen J, Suttorp N, Hrsg. 15. Auflage. Berlin: McGraw-Hill/ ABW Wissenschaftsverlag. 2003; 465-75.
- Pearce EN, Farwell AP, Braverman LE.** Thyroiditis. *N Engl J Med.* 2003; *348*: 2646-55.
- Pedersen IB, Knudsen N, Jorgensen T, Perrild Hans, Ovesen L, Laurberg P.** Thyroid peroxidase and thyroglobulin autoantibodies in a large survey of populations with mild and moderate iodine deficiency. *Clin Endocrinol.* 2003; *58*: 36-42.
- Pfaff G, Hesse V, Oehler K, Georg T, Boeing H.** Status of alimentary iodine supply in the Potsdam area. *Z Ernahrungswiss.* 1997; *36*: 225-8
- Premawardhana LD, Parkes AB, Smyth PP et al.** Increased prevalence of thyroglobulin antibodies in Sri Lankan schoolgirls-is iodine the cause? *Eur J Endocrinol.* 2000; *143*: 185-8.
- Prummel MF, Strieder T, Wiersinga WM.** The environment and autoimmune thyroid diseases. *Eur J Endocrinol.* 2004; *150*: 605-18.
- Rasmussen LB, Ovesen L, Christiansen E.** Day-to-day and within-day variation in urinary iodine excretion. *Eur J Clin Nutr.* 1999; *53*: 401-7.
- Rasooly L, Burek CL, Rose NR.** Iodine-induced autoimmune thyroiditis in NOD-H-2h4 mice. *Clin Immunol Immunopathol.* 1996; *81*: 287-92.
- Rasooly L, Rose NR, Saboori AM, Ladenson PW, Burek CL.** Iodine is essential for human T cell recognition of human thyroglobulin. *Autoimmunity.* 1998; *27*: 213-9.
- Reinwein D, Benker G, Konig MP, Pinchera A, Schatz H, Schleusener A.** The different types of hyperthyroidism in Europe: results of a prospective survey of 924 patients. *J Endocrinol Invest.* 1988; *11*: 193-200.
- Rendl J, Bier D, Reiners C.** Methods for measuring iodine in urine and serum. *Exp Clin Endocrinol Diabetes.* 1998; *106*: 34-41.
- Roberts CG, Ladenson PW.** Hypothyroidism. *Lancet.* 2004; *363*: 793-803.
- Roitt IM, Doniach D, Campbell PN, Hudson RV.** Auto-antibodies in Hashimoto's disease (lymphadenoid goitre). *Lancet.* 1956; *271*: 820-1.

Rose NR, Bonita R, Burek CL. Iodine: an environmental trigger of thyroiditis.

Autoimmun Rev. 2002; *1*: 97-103.

Ruwhof C, Drexhage HA. Iodine and thyroid autoimmune disease in animal models.

Thyroid. 2001; *11*: 425-36.

Saboori AM, Rose NR, Bresler HS, Vladut-Talor M, Burek CL. Iodination of human thyroglobulin (Tg) alters its immunoreactivity. I: Iodination alters multiple epitopes of human Tg. Clin Exp Immunol. 1998; *113*: 297-302.

Sachs L. Rechnen mit fehlerhaften Zahlen. In: Angewandte Statistik. 6. Aufl. Berlin: Springer, 1992: 18-9.

Saller B, Fink H, Mann K. Kinetics of acute and chronic iodine excess. Exp Clin Endocrinol Diabetes. 1998; *106* (*suppl 3*): 34-8.

Sato K, Okamura K, Yoshinari M et al. Resversible primary hypothyroidism and elevated serum iodine level in patients with renal dysfunction. Acta Endocrinol. 1992; *126*: 253-9.

Schumm-Draeger PM. Sodium/iodide symporter (NIS) and cytokines. Exp Clin Endocrinol Diabetes. 2001; *109*: 32-4.

Sheu SY, Schmid KW. Entzündliche Schilddrüsenerkrankungen. Epidemiologie, Klinik und Morphologie. Pathologe. 2003; *24*: 339-47.

Smyth PPA, Duntas LH. Iodine uptake and loss-can frequent strenuous exercise induce iodine deficiency? Horm Metab Res. 2005; *37*: 555-8.

Spitzweg C. Natrium-Iodid-Symporter: Praktische Bedeutung. Z. ärztl. Fortbild. Qual. Gesundh.wes. 2004; *98 Suppl.V*: 25-32.

Stanbury JB, Ermans AE, Bourdoux P et al. Iodine-induced hyperthyroidism: occurrence and epidemiology. Thyroid. 1998; *8*: 83-100.

Strieder TG, Wenzel BE, Prummel MF, Tijssen JG, Wiersinga WM. Increased prevalence of antibodies to enteropathogenic *Yersinia enterocolitica* virulence proteins in relatives of patients with autoimmune thyroid disease. Clin Exp Immunol. 2003; *132*: 278-282.

Sundick RS, Herdegen DM, Brown TR, Bagchi N. The incorporation of dietary iodine into thyroglobulin increases its immunogenicity. Endocrinology. 1987; *120*: 2078-84.

Suzuki H, Higuchi T, Sawa K, Ohtaki S, Horiuchi Y. "Endemic coast goiter" in Hokkaido, Japan. *Acta Endocrinol (Copenh)*. 1975; 50: 161-176.

Szabolcs I, Podoba J, Feldkamp J et al. Comparative screening for thyroid disorders in old ages in areas of iodine deficiency, long term iodine prophylaxis and abundant iodine intake. *Clin Endocrinol (Oxf)*. 1997; 47: 87-92.

Teng W, Shan Z, Teng X. Effect of iodine intake on thyroid diseases in China. *N Engl J Med*. 2006; 354: 2783-93

Tunbridge WM, Evered DC, Hall R, et al. The spectrum of thyroid disease in a community: the Wickham survey. *Clin Endocrinol (Oxf)*. 1977; 7: 481-93.

Vanderpump MP, Tunbridge WM, French JM et al. The incidence of thyroid disorders in the community: a twenty-year follow-up of the Whickham Survey. *Clin Endocrinol (Oxf)*. 1995; 43: 55-68.

Verger P, Aurengo A, Geoffroy B, Le Guen B. Iodine kinetics and effectiveness of stable iodine prophylaxis after intake of radioactive iodine: a review. *Thyroid*. 2001; 11: 353-60.

Visser TJ. Pathways of thyroid hormone metabolism. *Acta Med Austriaca*. 1996; 23: 10-6.

Vitale M, Di Matola T, D'Ascoli F et al. Iodide excess induces apoptosis in thyroid cells through a p53-independent mechanism involving oxidative stress. *Endocrinology*. 2000; 141: 598-605.

Vought RL, London WT. Iodine intake, excretion and thyroidal accumulation in healthy subjects. *J Clin Endocrinol Metab*. 1967; 27: 913-9.

Wayne EJ, Koutras DA, Alexander WD. In: Clinical aspects of iodine metabolism. Oxford, UK: Blackwell Scientific, 1964: 73-76.

Weetman AP. Autoimmune thyroid disease: propagation and progression. *Eur J Endocrinol*. 2003; 148: 1-9.

Whitford GM. Intake and metabolism of fluoride. *Adv Dent Res*. 1994; 8: 5-13.

WHO/UNICEF/ICCIDD. Assessment of the iodine deficiency disorders and monitoring their elimination. WHO, Geneva, 2001; *WHO/NHD/01.1.*: 1-107.
[http://www.indorgs.virginia.edu/iccidd/.](http://www.indorgs.virginia.edu/iccidd/)

Wolff J, Chaikoff IL, Goldberg RC, Meier JR. The temporary nature of the inhibitory action of excess iodide on organic iodine synthesis in the normal thyroid.
Endocrinology. 1949; *45*: 504-513.

Wolff J. Physiology an pharmacology of iodized oil in goiter prophylaxis.
Medicine. 2001; *80*: 20-36.

Yoon SJ, Choi SR, Kim DM et al. The effect of iodine restriction on thyroid function in patients with hypothyroidism due to Hashimoto's thyroiditis. Yonsei Med J. 2003; *44*: 227-35.

Zois C, Stavrou I, Kalogera C et al. High prevalence of autoimmune thyroiditis in schoolchildren after elimination of iodine deficiency in northwestern Greece.
Thyroid. 2003; *13*: 485-9.