

## 6 Literaturverzeichnis

Anderer P, Klösch G, Gruber G, Trenker E, Pascual-Marqui RD, Zeitlhofer J, Barbanoj MJ, Rappelsberger P, Saletu B (2001)  
Low-resolution brain electromagnetic tomography (LORETA) revealed simultaneously active frontal and parietal sleep spindle sources in the human cortex  
Neuroscience 103, 581-592

Anderer P, Pascual-Marqui RD, Semlitsch HV, Saletu B (1998)  
Differential effects of normal aging on sources of standard N1, target N1 and target P300 auditory event-related brain potentials revealed by low resolution electromagnetic tomography (LORETA)  
Electroencephalography and Clinical Neurophysiology 108, 160-174

Barbas H (1988)  
Anatomic organization of basoventral and mediodorsal visual recipient prefrontal regions in the rhesus monkey  
Neuroscience and Biobehavioral Reviews 19, 499-510

Barbas H (1993)  
Organization of cortical afferent input to the orbitofrontal area in the rhesus monkey  
Neuroscience 56, 841-864

Baylis LL, Gaffan D (1991)  
Amygdalectomy and ventromedial prefrontal ablation produce similar deficits in food choice and in simple object discrimination learning for an unseen reward  
Experimental Brain Research 86, 617-622

Baylis LL, Rolls ET, Baylis GC (1994)  
Afferent connections of the orbitofrontal cortex taste area of the primate  
Neuroscience 64, 801-812

Bechara A, Damasio AR, Damasio H, Anderson SW (1994)  
Insensitivity to future consequences following damage to human prefrontal cortex  
Cognition 50, 7-15

Bechara A, Damasio H, Tranel D, Damasio AR (1997)  
Decidin advantageously before knowing the advantageous strategy  
Science 275, 1293-1295

Bechara A, Tranel D, Damasio H, Damasio AR (1996)  
Failure to respond autonomically to anticipated future outcomes following damage to prefrontal cortex  
Cerebral Cortex 6, 215-225

Berns GS, McClure SM, Pagoni G, Montague PR (2001)  
Predictability modulates human brain response to reward  
The Journal of Neuroscience 21, 2793-2798

Birbaumer N, Schmidt RF (1996)  
Biologische Psychologie, 3. Auflage  
Berlin, Springer

Bolla KI, Eldreth DA, London ED, Kiehl KA, Mouratidis M, Contoreggi C, Matochik JA, Kurian V, Cadet JL, Kimes AS, Funderburk FR, Ernst M (2003)  
Orbitofrontal cortex dysfunction in abstinent cocaine abusers performing a decision-making task  
NeuroImage 19, 1085-1094

Booth MCA, Rolls ET (1998)  
View-invariant representations of familiar objects by neurons in the inferior temporal visual cortex  
Cerebral Cortex 8, 510-523

Booth MCA, Rolls ET, Critchley HD, Browning AS, Hernadi I (1998)  
Face-selective neurons in the primate orbitofrontal cortex  
Society for Neuroscience Abstracts 24, 898

Brandeis D, van Leeuwen TH, Rubia K, Vitacco D, Steger J, Pascual-Marqui RD, Steinhausen HC (1999)  
Neuroelectric mapping reveals precursor of stop failures in children with attention deficits  
Behavioural Brain Research 94, 111-125

Breiter HC, Aharon I, Kahneman D, Dale A, Shizgal P (2001)  
Functional imaging of neural responses to expectancy and experience of monetary gains and losses  
Neuron 30, 619-639

Breiter HC, Gollub RL, Weisskoff RM, Kennedy DN, Makris N, Berke JD, Goodman JM, Kantor HL, Gastfried DR, Riorden JP, Mathew RT, Rosen BR, Hyman SE (1997)  
Acute effects of cocaine on human brain activity and emotion  
Neuron 19, 591-611

Brodmann K (1909)  
Vergleichende Lokalisationslehre der Grosshirnrinde in ihren Prinzipien dargestellt aufgrund des Zellenbaues  
Leipzig, Barth

Bush G, Vogt BA, Holmes J, Dale AM, Greve D, Jenike MA, Rosen BR (2002)  
Dorsal anterior cingulate cortex: a role in reward-based decision making  
Proceedings of the National Academy of Sciences of the United States of America 99: 523-528

Butter CM (1969)

Perseveration in extinction and in discrimination reversal tasks following selective prefrontal ablations in Macaca mulatta  
Physiology and Behavior 4, 163-171

Carmichael ST, Clugnet M-C, Price JL (1994)

Central olfactory connections in the macaque monkey  
Journal of Comparative Neurology 346, 403-434

Carmichael ST, Price JL (1994)

Architectonic subdivision of the orbital and medial prefrontal cortex in the macaque monkey  
Journal of Comparative Neurology 346, 366-402

Carmichael ST, Price JL (1995)

Sensory and premotor connections of the orbital and medial prefrontal cortex of macaque monkeys  
Journal of Comparative Neurology 363, 642-664

Chiavaras MM, LeGoualher G, Evans A, Petrides M (2001)

Three-dimensional probabilistic atlas of the human orbitofrontal sulci in standardized stereotaxic space  
NeuroImage 13, 479-496

Critchley HD, Rolls ET (1996a)

Olfactory neuronal responses in the primate orbitofrontal cortex: analysis in an olfactory discrimination task

Journal of Neurophysiology 75, 1659-1672

Critchley HD, Rolls ET (1996b)

Hunger and satiety modify the responses of olfactory and visual neurons in the primate orbitofrontal cortex

Journal of Neurophysiology 75, 1673-1686

Damasio AR (1994)

Descartes' error

New York, Putnam

Elliott R, Dolan RJ, Frith CD (2000)

Dissociable functions in the medial and lateral orbitofrontal Cortex: Evidences from human neuroimaging studies  
Cerebral Cortex 10, 308-317

Elliott R, Newman JL, Longe OA, Deakin JFW (2003)

Differential response patterns in the striatum and orbitofrontal cortex to financial reward in humans: a parametric functional magnetic resonance imaging study  
The Journal of Neuroscience 23, 303-307

Fletcher PC und Henson RNA (2001)

Frontal lobes and human memory – insights from functional neuroimaging

Brain 124, 849-881

Francis S, Rolls ET, Bowtell R, McGlone F, O'Doherty J, Browning A, Clare S, Smith E (1999)

The representation of the pleasantness of touch in the human brain, and its relation to taste and olfactory areas

NeuroReport 10, 453-459

Freeman WJ, Watts JW (1950)

Psychosurgery in the treatment of mental disorders and intractable pain (2<sup>nd</sup> edition)

Springfield, IL, Thomas

Fuster JM (1997)

The prefrontal cortex

New York: Raven Press (3<sup>rd</sup> edition)

Gallinat J und Hegerl U (1998)

Elektroenzephalographie

In: Hegerl U (Ed.)

Neurophysiologische Untersuchungsmethoden in der Psychiatrie

Wien, Springer, 7-94

Gallinat J, Mulert C, Bajbouj M, Herrmann WM, Schunter J, Senkowski D, Moukhtieva R, Kronfeldt D, Winterer G (2002)

Frontal and temporal dysfunction of auditory stimulus processing in schizophrenia

NeuroImage 17, 110-127

Gamma A, Frei E, Lehmann D, Pascual-Marqui RD, Hell D, Vollenweider FX (2000)

Mood state and brain electrical activity in ecstasy users

NeuroReport 11, 157-162

Gevins A (1996)

Electrophysiological imaging of brain function

In: Toga AW und Mazziotta JC (Ed.)

Brain mapping, the methods

San Diego (u.a.), Academic Press, 259-276

Gevins A, Leong H, Smith ME, Le J, Du R (1995)

Mapping cognitive brain function with modern high-resolution electroencephalography

Trends in Neurosciences 18, 429-436

Gottfried JA, Deichmann R, Winston JS, Dolan RJ (2002)  
Functional heterogeneity in human olfactory cortex: An event-related functional magnetic resonance imaging study  
The Journal of Neuroscience 22, 10819-10828

Grave de Peralta R und Gonzalez SL (2000)  
Distributed source models: standard solutions and new developments  
In: Uhl C (Ed.)  
Analysis of Neurophysiological Brain Functioning  
Heidelberg, Springer, 176-201

Gray CM, Konig P, engel AK, Singer W (1989)  
Oscillatory responses in cat visual cortex exhibit inter-columnar synchronization which reflects global stimulus properties  
Nature 338, 334-337

Hämäläinen M und Ilmoniemi RJ (1984)  
Interpreting measured magnetic fields of the brain: estimates of current distributions  
Technical report TKK-F-A559, Helsinki University of Technology

Hasselmo ME, Rolls ET, Baylis GC (1989)  
The role of expression and identity in the face-selective responses of neurons in the temporal visual cortex of the monkey  
Behavioural Brain Research 32, 203-218

Jasper HH (1958)  
The ten twenty electrode system of the International Federation.  
Electroencephalography and Clinical Neurophysiology 10; 370

Jones B, Mishkin M (1972)  
Limbic lesions and the problem of stimulus-reinforcement associations  
Experimental Neurology 36, 362-377

Koles ZJ (1998)  
Trends in EEG source localisation  
Electroencephalography and Clinical Neurophysiology 106, 127-137

Kringelbach ML, O'Doherty J, Rolls ET, Andrews C (2003)  
Activation of the human orbitofrontal cortex to a liquid food stimulus is correlated with its subjective pleasantness  
Cerebral Cortex 13, 1064-1071

Lantz G, Michel CM, Pascual-Marqui RD, Spinelli L, Seeck M, Seri S, Landis T, Posen I (1997)  
Extracranial localization of intracranial interictal epileptiform activity using LORETA (low resolution electromagnetic tomography)  
Electroencephalography and Clinical Neurophysiology 102, 414-422

- Lavric A, Pizzagalli D, Forstmeier S, Rippon G (2001)  
A double-dissociation of English past tense production revealed by event-related potentials  
and low-resolution electromagnetic tomography (LORETA)  
Clinical Neurophysiology 112, 1833-1849
- Lawrence AD, Sahakian BJ, Rogers RD, Hodges JR, Robbins TW (1999)  
Discrimination, reversal, and shift learning in Huntington's disease: mechanisms of impaired  
response selection  
Neuropsychologia 37, 1359-1374
- Llinas RR (1988)  
The intrinsic electrophysiological properties of mammalian neurons: insights into central  
nervous system function  
Science 242, 1654-1664
- Martin-Soelch C, Missimer J, Leenders KL, Schultz W (2003)  
Neural activity related to the processing of increasing monetary reward in smokers and non-  
smokers  
European Journal of Neuroscience 18, 680-688
- Mell T (2003)  
Persönliche Mitteilung
- Melzack R und Wall PD (1996)  
The challenge of pain  
Harmondsworth, Penguin
- Meunier M, Bachevalier J, Mishkin M (1997)  
Effects of orbital frontal and anterior cingulate lesions on object and spatial memory in rhesus  
monkeys  
Neuropsychologia 35, 999-1015
- Michel CM, Grave de Peralta R, Lantz G, Gonzalaz S, Spinelli L, Blanke O, Landis T,  
Seeck M (1999)  
Spatiotemporal EEG analysis and distributed source estimation in presurgical epilepsy evalua-  
tion  
Journal of Clinical Neurophysiology 16, 239-266
- Michel CM, Thut G, Morand S, Khateb A, Pegna AJ, Grave de Peralta R, Gonzalez S, Seeck  
M, Landis T (2001)  
Electric source imaging of human brain functions  
Brain Research Reviews 36, 108-118

Mulert C, Gallinat J, Pascual-Marqui RD, Dorn H, Frick K, Schlattmann P, Mientus S, Herrmann WM, Winterer G (2001)

Reduced event-related current density in the anterior cingulate cortex in schizophrenia  
NeuroImage 13, 589-600

O'Doherty J, Critchley H, Deichmann R, Dolan RJ (2003)

Dissociationg valence of outcome from behavioral control in human orbital and ventral pre-frontal corteces

The Journal of Neuroscience 23, 7931-7939

O'Doherty J, Kringelbach ML, Rolls ET, Hornak J, Andrews C (2001)

Abstract reward and punishment representations in the human orbitofrontal cortex

Nature neuroscience 4, 95-102

Öngür D, Price JL (2000)

The organization of networks within the orbital and medial prefrontal cortex of rats, monkeys and humans

Cerebral Cortex 10, 206-219

Pascual-Marqui RD (1999)

Review of methods for solving the EEG inverse problem

International Journal of Bioelectromagnetism 1, 75-86

Pascual-Marqui RD, Lehmann D, Koenig T, Kochi K, Merlo MCG, Hell D, Koukkou M (1999)

Low resolution electromagnetic tomography (LORETA) functional imaging in acute, neuroleptic-naïve, first-episode, productive schizophrenia.

Psychiatry Research: Neuroimage 90, 168-179

Pascual-Marqui RD, Michel CM, Lehmann D (1994)

Low resolution electromagnetic tomography): a new method for localizing electrical activity in the brain

International Journal of Psychophysiology 18, 49-65

Petrides M, Pandya DN (1994)

Comparative architectonic analysis of the human and macaque frontal cortex

In: Boller F, Grafman J (Eds): Handbook of neuropsychology, Vol. 9

Amsterdam, Elsevier Science, 17-58

Pizzagalli D, Lehmann D, Koenig T, Regard M, Pascual-Marqui RD (2000)

Face-elicited ERPs and affective attitude: brain electric microstate and tomography analysis

Clinical Neurophysiology 111, 521-531

- Pizzagalli D, Pascual-Marqui RD, Nitschke JB, Terrence RO, Larson CL, Abercrombie HC, Schaefer SM, Koger JV, Benca RM, Davidson RJ (2001)  
Anterior cingulate activity as a predictor of degree of treatment response in major depression: evidence from brain electrical tomography analysis  
*American Journal of Psychiatry* 158, 405-415
- Preuss TM, Goldman-Rakic PS (1991)  
Myelo- and cytoarchitecture of the granular frontal cortex and surrounding regions in the strepsirrhine primate Galago and the anthropoid primate Macaca  
*Journal of Comparative Neurology* 310, 429-474
- Price JL (1999)  
Prefrontal cortical networks related to visceral function and mood  
*Annals of the New York Academy of Sciences* 877, 383-396
- Reischies FM (1999)  
Pattern of disturbance of different ventral frontal functions in organic depression  
*Annals of the New York Academy of Sciences* 877: 775-780
- Roberts AC, Wallis JD (2000)  
Inhibitory control and affective processing in the prefrontal cortex: Neuropsychological studies in the common marmoset  
*Cerebral Cortex* 10, 252-262
- Rockstroh B (1987):  
Operant control of slow brain potentials  
In: Hingtgen JN, Hellhammer D, Huppmann G (Eds.): *Advanced methods in Psychobiology*  
Hogrefe, Toronto, 179-190
- Rolls ET (2000a)  
The orbitofrontal cortex and reward  
*Cerebral Cortex* 10, 284-294
- Rolls ET (2000b)  
Précis of the brain and emotion  
*Behavioral and Brain Sciences* 23, 177-234
- Rolls ET, Baylis LL (1994)  
Gustatory, olfactory and visual convergence within the primate orbitofrontal cortex  
*The Journal of Neuroscience* 14, 5437-5452
- Rolls ET, Critchley H, Wakeman EA, Mason R (1996)  
Orbitofrontal cortex neurons: role in olfactory and visual association learning  
*Journal of Neurophysiology* 75, 1970-1981

Rolls ET, Francis S, Bowtell R, Browning D, Clare S, Smith E, McGlone F (1997)  
Taste and olfactory activation of the orbitofrontal cortex  
NeuroImage 5, 199

Rolls ET, Hornak J, Wade D, McGrath J (1994)  
Emotion-related learning in patients with social and emotional changes associated with frontal lobe damage  
Journal of Neurology, Neurosurgery and Psychiatry 57, 1518-1524

Rolls ET, O'Doherty J, Kringelbach ML, Francis S, Bowtell R, McGlone F (2003)  
Representations of pleasant and painful touch in the human orbitofrontal and cingulate cortices  
Cerebral Cortex 13, 308-317

Rolls ET, Yaxley S, Sienkiewicz ZJ (1990)  
Gustatory responses of single neurons in the orbitofrontal cortex of the macaque monkey  
Journal of Neurophysiology 64, 1055-1066

Scherg M (1991)  
Akustisch evozierte Potentiale  
Stuttgart Berlin Köln, Verlag W. Kohlhammer

Scherg M, Bast T, Berg P (1999)  
Multiple source analysis of interictal spikes: goals, requirements, and clinical value  
Journal of Clinical Neurophysiology 16, 214-224

Seeck M, Lazeyras F, Michel CM, Blanke O, Gericke CA, Delavelle IJ, Golay X, Haeggeli CA, de Trbolet N, Landis T  
Non-invasive epileptic focus localization using EEG-triggered functional MRI and electromagnetic tomography  
Electroencephalography and Clinical Neurophysiology 106, 508-512

Silva LR, Amitai Y, Connors BW (1991)  
Intrinsic oscillations of neocortex generated by layer 5 pyramidal neurons  
Science 251, 432-435

Skrandies (1994)  
Source localization: discussing of the inverse problem  
ISBET Newsletter No. 6

Skrandies (1995)  
Source localization: continuing discussion of the inverse problem  
ISBET Newsletter No. 5

Small DM, Zatorre RJ, Dagher A, Evans AC, Jones-Gotman M (2001)  
Changes in brain activity related to eating chocolate – from pleasure to aversion  
Brain 124, 1720-1733

- Small DM, Gregory MD, Mak YE, Gitelman D, Mesulam MM, Parrish T (2003)  
Dissociation of neural representation of intensity and affective valuation in human gustation  
Neuron 39, 701-711
- Spinelli L, Andino SG, Lantz G, Seeck M, Michel CM (2000)  
Electromagnetic inverse solutions in anatomically constrained spherical head models  
Brain Topography 13, 115-125
- Stöhr M, Dichgans J, Buettner UW, Hess ChW, Altenmüller E (1996)  
Evozierte Potentiale - SEP-VEP-AEP-EKP-MEP  
Springer, Berlin
- Strik WK, Fallgatter AJ, Brandeis D, Pascual-Marqui RD (1998)  
Three-dimensional tomography of event-related potentials during response inhibition : evidence for phasic frontal lobe activation  
Electroencephalography and Clinical Neurophysiology 108, 406-413
- Talairach J und Tournoux P (1988)  
Co-planar stereotaxic atlas of the human brain  
Thieme, Stuttgart
- Thorpe SJ, Rolls ET, Maddison S (1993)  
Neuronal activity in the orbitofrontal cortex of the behaving monkey  
Experimental Brain Research 49, 93-115
- Thut G, Schultz W, Roelke U, Nienhusmeier M, Missimer J, Maguire RP, Leenders KL (1997)  
Activation of the human brain by monetary reward  
NeuroReport 8, 1225-1228
- Titterington TM (1985)  
Common structure of smoothing techniques in statistics  
Review of the International Statistical Institute 53, 141-170
- Tremblay L, Schultz W (1999)  
Relative reward preference in primate orbitofrontal cortex.  
Nature 398, 704-708
- Uylings HB, van Eden CG (1990)  
Qualitative and quantitative comparison of the prefrontal cortex in rat and in primates, including humans  
Progressive Brain Research 85, 31-62
- Valenstein ES (1974)  
Brain control. A critical examination of brain stimulation and psychosurgery  
New York, Wiley

Van Leeuwen TH, Steinhausen HC, Overtoom CC, Pascual-Marqui RD, van't Klooster B, Rothenberger A, Sergeant JA, Brandeis D (1998)  
The continuous performance test revisited with neuroelectric mapping: impaired orienting in children with attention deficits  
Behavioural Brain Research 94, 97-110

Wahba G (1990)  
Spline models for observational data  
Philadelphia, Pennsylvania, Society for Industrial and applied mathematics

Walker AE (1940)  
A cytoarchitectural study of the prefrontal area of the macaque monkey  
Journal of comparative Neurology 73, 59-86

Wallis G, Rolls ET (1997)  
Invariant face and object recognition in the visual system  
Progression in Neurobiology 51, 167-194

Wallis JD, Miller EK (2003)  
Neuronal activity in primate dorsolateral and orbital prefrontal cortex during performance of a reward preference task  
European Journal of Neuroscience 18, 2069-2081

Wang J, Jin Y, Xiao F, Fan S, Chen L (1999)  
Attention-sensitive visual event-related potentials elicited by kinetic forms  
Clinical Neurophysiology 110, 329-341

Winterer G, Mulert C, Mientus S, Gallinat J, Schlattmann P, Dorn H, Herrmann WM (2001)  
P300 and LORETA: Comparison of normal subjects and schizophrenic patients  
Brain Topography 13, 299-313

Worrell GA, Lagerlund TD, Sharbrough FW, Brinkmann BH, Busacker NE, Cicora KM, O'Brien TJ (2000)  
Localization of the epileptic focus by low-resolution electromagnetic tomography in patients with a lesion demonstrated by MRI  
Brain Topography 12, 273-28