

6. Literaturverzeichnis

Ally A (1998) Cardiovascular effects of intravenous administration of clonidine in conscious cats. *Brain Res* 810: 153-160

Benfey BC (1980) Cardiac alpha adrenoceptors. *Can J Physiol Pharmacol* 58: 1145-1157

Benfey BC (1990) Function of myocardial α -adrenoceptors. *Life Sci* 46: 743-757

Bowditch HP (1871) Über die Eigentümlichkeiten der Reizbarkeit, welche die Muskelfasern des Herzens zeigen. *Arbeit aus der physiologischen Anstalt zu Leipzig* 6: 139-176

Constantine JW, McShane WK (1975) The cardiovascular effects of clonidine. In: Hahnemann international symposium on hypertension. Edited by Onesti G, Fernandes M, Kim KE. Grune & Stratton Inc., 367-385

Cook DA, Krueger CA, Michalchuk A (1985) Temperature and histamine receptor function - what is really happening? *Can J Physiol Pharmacol* 63: 751-755

Csongraday A, Kobinger W (1974) Investigations into the Positive Inotropic Effect of Clonidine in Isolated Hearts. *Naunyn Schmiedebergs Arch Pharmacol* 282: 123-128

Eckel L, Gristwood RW, Nawrath H, Owen DA, Satter P (1982) Inotropic and electrophysiological effects of histamine on human ventricular heart muscle. *J Physiol* 330: 111-123

Eimer M. Wirkung von Methoxamin an isolierten, arbeitenden Ratten- und Meerschweinchenherzen bei verschiedenen Kalziumkonzentrationen. *Dissertation in Arbeit*

Endoh M, Blinks JR (1988) Actions of sympathomimetic amines on the Ca²⁺ transients and contractions of rabbit myocardium: reciprocal changes in myofibrillar responsiveness to Ca²⁺ mediated through alpha- and beta-adrenoceptors. *Circ Res* 62: 247-265

Fehr SB, Zalunardo MP, Seifert B, Rentsch KM, Rohling RG, Pasch T, Spahn DR (2001) Clonidine decreases propofol requirements during anaesthesia: effect on bispectral index. *Br J Anaesth* 86: 627-632

Forth W, Henschler D, Rummel W, Starke K (Hrsg.): Allgemeine und spezielle Pharmakologie und Toxikologie. Spektrum 1996, S. 164-165, 188-189, 320

Gregg DE (1963) Effect of coronary perfusion pressure or coronary flow on oxygen usage of the myocardium. *Circ Res* 13: 497-500

Hoefke W, Kobinger K (1966) Pharmacological effects of 2-(2,6-dichlorophenylamino)-2-imidazoline hydrochloride, a new, antihypertensive substance. *Arzneimittel-Forschung* 16: 1038-1050

Hübner K. Histamin-Wirkung an isolierten, arbeitenden Ratten- und Meerschweinchenherzen. *Dissertation in Arbeit*

Husmann I. Wirkungen von Glukagon bei verschiedenen Kalzium-Konzentrationen an isoliert arbeitenden Rattenherzen. *Dissertation in Arbeit*

Karppanen H, Paakkari I, Paakkari P, Huotari R, Orma AL (1976) Possible involvement of central histamine H₂-receptors in the hypotensive effect of clonidine. *Nature* 259: 587-588

Kawasaki H, Takasaki K (1985) Central Alpha-2 Adrenoceptor-Mediated Hypertensive Response to Clonidine in Conscious, Normotensive Rats. *J Pharmacol Exp Ther* 236: 810-818

Kenakin TP, Angus JA (1981) The histamine-like effects of tolazoline and clonidin: Evidence against direct activity at histamine receptors. *J Pharmacol Exp Ther* 219: 474-480

Kühnberg M (1986) Eine elektronische Tropfenzählmethode zur kontinuierlichen Messung des Koronarflusses bei isolierten, arbeitenden Kleintierherzen. *Dissertationsschrift der FU Berlin*

Kulka PJ (2000) Clonidin in der Anästhesie und Intensivmedizin. *Beilage in: Anaesthesist* 49

Langendorff O (1895) Untersuchungen am überlebenden Säugetierherzen. *Pfluegers Arch* 61: 291-332

Langer SFJ, Schmidt HD (1998) Different left ventricular relaxation parameters in isolated working rat and guinea pig hearts. *Int J Card Imaging* 14: 229-240

Lazou A, Fuller SJ, Bogoyevitch MA, Orfali KA, Sugden PH (1994) Characterization of stimulation of phosphoinositide hydrolysis by alpha-1-adrenergic agonists in adult rat hearts. *Am J Physiol* 267: H970-H978

Li CG, Rand MJ (1989) Rilmenidine differs from clonidine in that it lacks histamine-like activity. *J Pharm Pharmacol* 41: 464-468

Light KE, Hughes MJ (1979) Depressive action of clonidine on guinea pig and rabbit atrial pairs. *Res Commun Chem Pathol Pharmacol* 23: 433-451

Mann HB, Whitney DR (1947) On a test of whether one of two random variables is stochastically larger than the other. *Ann Math Statist* 18: 50-60

Martinez-Mir MI, Doñate F, Estañ L, Morales-Olivas FJ, Rubio E (1990) Study on the histamine-like activity of guanfacine. *J Pharm Pharmacol* 42: 591-592

Maze M, Tranquilli W (1991) Alpha-2 Adrenoceptor Agonists: Defining the Role in Clinical Anesthesia. *Anesthesiology* 74: 581-605

McCulloch MW, Medgett IC, Rand MJ, Story DF (1980) Structure-activity relationship of imidazolidine derivatives related to clonidine at histamine H₂-receptors in guinea-pig isolated atria. *Brit J Pharmacol* 69: 397-405

Medgett IC, McCulloch MW (1980) Receptor sites of action of clonidine: Effects of clonidine and three structural isomers on prejunctional and postjunctional alpha-adrenoceptors and histamine H₂-receptors in guinea-pig isolated cardiovascular tissues. *J Pharmacy Pharmacol* 32: 137-138

Nakane T, Chiba S (1986) Possible involvement of histamine H₂-receptors in the vasodilator effect of clonidine on isolated and perfused canine coronary arteries. *Eur J Pharmacol* 132: 327-331

Primm RK, Urthaler F, James TN (1980) Selective Effects of Clonidine on the Canine Sinus Node. *J Pharmacol Exp Ther* 214: 223-228

Rand MJ, Tung LH, Louis WJ, Story DF (1986) Cardiac alpha-adrenoceptors: postjunctional and prejunctional. *J Mol Cell Cardiol* 18 Suppl 5: 17-32

Rashvand J. Wirkungen von Forskolin an isoliert arbeitenden Ratten- und Meerschweinchenherzen. *Dissertation in Arbeit*

Reinhardt D, Ritter E (1979) Hypothermia-induced potentiation of histamine H₂-receptor-mediated relaxation and cyclic AMP increase in the isolated mesenteric artery of the rabbit. *Agents Actions* 9: 9-14

Rubio E, Esplugues J, Morales-Olivas FJ, Morcillo E (1982) Interaction between histamine and clonidine in isolated guinea-pig atria. *J Pharmacol* 13: 299-305

Sachs L: Angewandte Statistik. Methoden und ihre Anwendung. *Springer* 1978, S. 209-211

Sanchez-Chapula J (1981) Multiple Effects of Putative alpha-Adrenoceptor Agonists on the Electrical and Mechanical Activity of Guinea-Pig Papillary Muscle. *Naunyn Schmiedebergs Arch Pharmacol* 316: 108-111

Schipke JD, Frehen D (2001) Gregg-Phänomen und Gartenschlauch-Effekt. *Z Kardiol* 90: 391-326

Schmidt HD (2001) Isolated working rat heart adaptation after abrupt changes in extracellular Ca²⁺ concentration. *Res Exp Med* 200: 107-124

Schmidt RF, Thews G (Hrsg.): Physiologie des Menschen. *Springer* 1995, S. 608

Söhngen W, Winbury MM, Kitzen JM, Ventura A, Lucchesi BR (1988) The Mechanism for the Clonidine-Induced Coronary Artery Dilatation in the Canine Heart. *J Cardiovasc Pharmacol* 12: 689-700

Student (1908) The probable error of an mean. *Biometrika* 6: 1-25

Trist DG, Leff P (1985) Quantification of H₂-agonism by clonidine and dimaprit in an adenylyl cyclase assay. *Agents Actions* 16: 222-226

Uhlmann S (1997) Wirkung von Histamin auf isoliert arbeitende Ratten- und Meerschweinchenherzen in Abhängigkeit von Kalzium und Isoprenalin. *Dissertationsschrift der FU Berlin*

Van Elstraete AC, Pastureau F, Lebrun T, Mehdaoui H (2000) Caudal clonidine for postoperative analgesia in adults. *Br J Anaesth* 84: 401-402

Verma SC, McNeill JH (1980) Blockade by burimamide of the effects of clonidine on cardiac contractility, phosphorylase activation and cyclic adenosine monophosphate in isolated guinea pig heart. *Indian J Physiol and Pharmacol* 24: 77-83

Wilson C, Broadley KJ (1981) A comparison of the responses to histamine of left and right atria and papillary muscles of guinea-pig hearts. *Gen Pharmacol* 12: 465-470

Zalunardo MP, Zollinger A, Szelloe P, Spahn DR, Seifert B, Pasch T (2001) Kardiovaskuläre Stressprotektion während der Anästhesieeinleitung. *Anaesthesia* 50: 21-25